





Ergebnis: **379.4** (358)  
 Serien: 96.5 96.3 93.7 92.9  
 Zähler: 8 22 10 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 662 (38), 640 (21), 590 (4)  
 beste Teiler 37.3 (8.) 150.2 (25.) 161.1 (16.)  
 Trefferlage 0.72 mm rechts, 0.02 mm hoch  
 Streuwert 2.79, horizontal: 3.35, vertikal: 2.08




Serie 1:  
 10.0 ↙ 9.3 ↗ 9.8 ↗ 8.6 → 10.0 →  
 9.7 ← 8.7 ↖ 10.8 \* 9.5 → 10.1 ↘  
 beste Teiler 37.3 (8.) 218.8 (10.) 236.5 (1.)  
 Trefferlage 0.39 mm rechts, 0.75 mm hoch  
 Streuwert 2.62, horizontal: 3.36, vertikal: 1.56



Serie 2:  
 9.9 ↘ 8.8 ↘ 9.9 ↘ 9.5 ↓ 10.1 →  
 10.3 \* 9.7 ↘ 9.8 ↗ 9.1 ↗ 9.2 ←  
 beste Teiler 161.1 (16.) 222.0 (15.) 266.6 (13.)  
 Trefferlage 0.85 mm rechts, 0.77 mm tief  
 Streuwert 2.48, horizontal: 2.56, vertikal: 2.40



Serie 3:  
 8.4 ↘ 8.8 ↘ 9.7 ↘ 9.9 ↖ 10.4 \*  
 9.8 ↓ 8.8 ↗ 8.7 ↖ 9.3 ↗ 9.9 ↑  
 beste Teiler 150.2 (25.) 251.7 (30.) 260.3 (24.)  
 Trefferlage 1.37 mm rechts, 0.18 mm hoch  
 Streuwert 2.99, horizontal: 3.48, vertikal: 2.41





Serie 4:  
 9.7 ↗ 9.3 ↘ 10.2 \* 8.7 ← 8.8 ←  
 9.8 ↓ 9.7 ↑ 8.3 → 9.1 → 9.3 ←  
 beste Teiler 182.1 (33.) 295.5 (36.) 319.0 (37.)  
 Trefferlage 0.27 mm rechts, 0.07 mm tief  
 Streuwert 3.26, horizontal: 4.23, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.9** (352)  
 Serien: 94.4 90.1 92.0 92.4  
 Zähler: 12 13 11 3 1 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1040 (9), 980 (39), 807 (23)  
 beste Teiler 82.2 (22.) 119.9 (36.) 133.7 (30.)  
 Trefferlage 0.43 mm links, 0.80 mm hoch  
 Streuwert 3.49, horizontal: 4.47, vertikal: 2.11




Serie 1:  
 9.1 ↘ 10.4 \* 9.8 ← 8.4 → 9.8 ↖  
 10.0 ↙ 9.5 ← 10.3 \* 6.8 ← 10.3 \*  
 beste Teiler 139.3 (2.) 158.6 (8.) 169.4 (10.)  
 Trefferlage 1.73 mm links, 0.51 mm hoch  
 Streuwert 3.17, horizontal: 4.21, vertikal: 1.54



Serie 2:  
 8.8 ↘ 10.0 ↑ 9.7 ↘ 9.0 ↑ 7.9 →  
 8.0 ↘ 10.2 \* 10.1 ↗ 8.3 → 8.1 ←  
 beste Teiler 192.0 (17.) 218.0 (18.) 250.8 (12.)  
 Trefferlage 0.46 mm rechts, 1.57 mm hoch  
 Streuwert 3.78, horizontal: 4.44, vertikal: 2.99



Serie 3:  
 8.5 ← 10.6 \* 7.7 ← 8.7 ← 9.6 ↖  
 8.9 ← 9.5 ↘ 8.3 → 9.8 → 10.4 \*  
 beste Teiler 82.2 (22.) 133.7 (30.) 281.2 (29.)  
 Trefferlage 2.06 mm links, 0.82 mm hoch  
 Streuwert 3.26, horizontal: 4.43, vertikal: 1.29





Serie 4:  
 9.0 ↖ 9.6 ↓ 10.3 \* 9.5 ← 8.8 →  
 10.5 \* 10.3 \* 9.3 ↗ 7.0 → 8.1 ↗  
 beste Teiler 119.9 (36.) 157.5 (33.) 161.0 (37.)  
 Trefferlage 1.59 mm rechts, 0.29 mm hoch  
 Streuwert 3.50, horizontal: 4.39, vertikal: 2.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373.4** (360)  
 Serien: 93.5 91.2 94.7 94.0  
 Zähler: 12 19 7 1 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1235 (18), 882 (8), 656 (17)  
 beste Teiler 99.0 (19.) 113.0 (23.) 114.9 (4.)  
 Trefferlage 0.87 mm links, 0.46 mm hoch  
 Streuwert 3.20, horizontal: 3.25, vertikal: 3.16




Serie 1:  
 10.0 ↗ 10.3 \* 8.8 ↑ 10.5 \* 9.4 →  
 8.4 ↘ 10.0 ↙ 7.4 ← 9.8 ↖ 8.9 ↑  
 beste Teiler 114.9 (4.) 172.4 (2.) 227.5 (7.)  
 Trefferlage 0.64 mm links, 1.34 mm hoch  
 Streuwert 3.26, horizontal: 3.48, vertikal: 3.01



Serie 2:  
 10.4 \* 8.8 ↑ 9.1 ↘ 9.8 ↖ 10.1 ↑  
 9.0 ↑ 8.3 ↓ 6.0 ← 10.6 \* 9.1 ↗  
 beste Teiler 99.0 (19.) 139.0 (11.) 208.8 (15.)  
 Trefferlage 1.85 mm links, 1.11 mm hoch  
 Streuwert 3.81, horizontal: 3.74, vertikal: 3.89



Serie 3:  
 9.4 ↙ 9.4 ↘ 10.5 \* 8.7 ↑ 10.2 \*  
 9.2 ↘ 9.3 ↘ 9.3 ← 9.5 ↓ 9.2 →  
 beste Teiler 113.0 (23.) 197.6 (25.) 353.4 (29.)  
 Trefferlage 0.72 mm links, 0.03 mm tief  
 Streuwert 2.85, horizontal: 2.58, vertikal: 3.09





Serie 4:  
 10.0 ↙ 9.0 ↓ 10.0 ↘ 10.1 → 9.4 ←  
 8.5 ↘ 9.0 → 9.7 ↓ 9.3 ← 9.0 ↘  
 beste Teiler 221.4 (34.) 232.5 (33.) 243.3 (31.)  
 Trefferlage 0.26 mm links, 0.55 mm tief  
 Streuwert 3.01, horizontal: 3.39, vertikal: 2.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365.8** (347)  
 Serien: 90.0 89.0 91.9 94.9  
 Zähler: 10 15 9 4 2 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1203 (18), 1202 (38), 908 (1)  
 beste Teiler 90.2 (34.) 127.0 (24.) 131.1 (33.)  
 Trefferlage 1.59 mm links, 0.30 mm hoch  
 Streuwert 3.59, horizontal: 4.19, vertikal: 2.86




Serie 1:  
 7.3 ↖ 9.6 ↓ 9.5 ↙ 9.1 ↖ 9.9 ↗  
 8.8 ↘ 7.7 ↓ 9.6 ↓ 9.4 ↖ 9.1 ↓  
 beste Teiler 272.7 (5.) 336.7 (2.) 341.0 (8.)  
 Trefferlage 1.32 mm links, 0.99 mm tief  
 Streuwert 3.74, horizontal: 3.73, vertikal: 3.75



Serie 2:  
 7.7 ↖ 8.4 ↖ 8.2 ↖ 10.3 \* 9.0 ↗  
 10.1 ↘ 8.4 ↖ 6.1 ↖ 10.4 \* 10.4 \*  
 beste Teiler 141.7 (19.) 150.1 (20.) 174.7 (14.)  
 Trefferlage 3.16 mm links, 1.50 mm hoch  
 Streuwert 3.75, horizontal: 4.48, vertikal: 2.84





Serie 3:  
 9.1 → 8.9 ← 8.7 ↑ 10.4 \* 9.7 ↗  
 8.7 ← 9.6 → 9.4 ↗ 7.9 ← 9.5 →  
 beste Teiler 127.0 (24.) 303.7 (25.) 341.2 (27.)  
 Trefferlage 0.00 mm , 0.55 mm hoch  
 Streuwert 3.47, horizontal: 4.44, vertikal: 2.08




Serie 4:  
 8.9 ↖ 8.5 ← 10.4 \* 10.6 \* 9.6 ↓  
 10.3 \* 10.3 \* 6.1 ↖ 10.3 \* 9.9 →  
 beste Teiler 90.2 (34.) 131.1 (33.) 152.0 (36.)  
 Trefferlage 1.88 mm links, 0.15 mm hoch  
 Streuwert 3.33, horizontal: 4.10, vertikal: 2.34

Unterschrift des Schützen


Ergebnis: **352.8** (334)  
 Serien: 84.4 84.0 92.4 92.0  
 Zähler: 8 12 13 3 2 1 1 0 0 0  
 Innenzehner: 6  
 weiteste: 1503 (20), 1399 (1), 1011 (13)  
 beste Teiler 79.1 (22.) 146.1 (33.) 150.7 (15.)  
 Trefferlage 1.44 mm rechts, 0.26 mm tief  
 Streuwert 4.32, horizontal: 4.70, vertikal: 3.90




Serie 1:  
 5.4 ↘                      7.3 ↑                      9.7 ↙                      8.1 ↘                      9.5 ↑  
 8.0 ↘                      9.7 →                      8.7 ←                      9.3 ↑                      8.7 ↘  
 beste Teiler 311.4 (3.) 316.3 (7.) 359.2 (5.)  
 Trefferlage 1.22 mm rechts, 0.20 mm tief  
 Streuwert 5.20, horizontal: 4.99, vertikal: 5.41



Serie 2:  
 8.9 ↙                      8.3 ↘                      6.9 →                      8.8 ↗                      10.4 \*  
 8.3 →                      9.0 ↙                      8.6 ↗                      9.9 ↘                      4.9 →  
 beste Teiler 150.7 (15.) 263.4 (19.) 486.6 (17.)  
 Trefferlage 2.44 mm rechts, 0.67 mm hoch  
 Streuwert 5.14, horizontal: 6.50, vertikal: 3.28



Serie 3:  
 10.1 ↘                      10.6 \*                      8.2 ↘                      10.3 \*                      6.9 ↘  
 7.9 ↗                      9.2 ↙                      8.9 →                      10.1 ↑                      10.2 \*  
 beste Teiler 79.1 (22.) 151.6 (24.) 196.0 (30.)  
 Trefferlage 1.76 mm rechts, 0.91 mm tief  
 Streuwert 3.58, horizontal: 3.99, vertikal: 3.12



Serie 4:  
 9.5 ↘                      9.7 ↓                      10.4 \*                      9.1 ↑                      8.6 →  
 7.9 ↓                      9.0 ↑                      10.2 \*                      9.4 ↘                      8.2 ↘  
 beste Teiler 146.1 (33.) 192.3 (38.) 324.7 (32.)  
 Trefferlage 0.35 mm rechts, 0.63 mm tief  
 Streuwert 3.52, horizontal: 3.21, vertikal: 3.80

Unterschrift des Schützen

Meyton Elektronik