




Ergebnis:	384	(403.8)
Serien:	94 96 98 96	
Zähler:	25 14 1 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1730 (4), 1506 (15), 1439 (27)	
beste Teiler	68.1 (32.) 85.1 (22.) 204.5 (19.)	
Trefferlage	2.16 mm links, 0.34 mm hoch	
Streuwert	5.54, horizontal: 5.03, vertikal: 6.01	




Serie 1:

9.8 ↖	9.6 ↓	9.9 ↓	8.8 ↗	10.6 *
9.2 ↗	10.4 *	10.2 ↓	10.6 *	10.4 *
beste Teiler	286.2 (9.)	314.3 (5.)	438.7 (7.)	
Trefferlage	2.10 mm rechts, 0.13 mm hoch			
Streuwert	6.79, horizontal: 4.69, vertikal: 8.38			




Serie 2:

10.3 *	10.6 *	10.5 *	10.2 ↖	9.1 ↗
9.9 ←	9.7 ←	9.3 ↓	10.7 *	10.6 *
beste Teiler	204.5 (19.)	281.8 (20.)	313.0 (12.)	
Trefferlage	2.49 mm links, 0.65 mm tief			
Streuwert	5.77, horizontal: 4.83, vertikal: 6.58			



Serie 3:

10.1 ↖	10.8 *	9.9 ←	10.0 ←	10.3 *
10.4 *	9.2 ←	10.3 *	10.1 ↓	10.6 *
beste Teiler	85.1 (22.)	311.1 (30.)	412.1 (26.)	
Trefferlage	5.15 mm links, 0.28 mm hoch			
Streuwert	3.66, horizontal: 4.21, vertikal: 3.02			





Serie 4:

10.4 *	10.9 *	10.3 *	9.9 ↖	9.5 ←
10.5 *	10.5 *	9.4 ↘	10.5 *	9.8 ↘
beste Teiler	68.1 (32.)	347.7 (39.)	358.8 (37.)	
Trefferlage	3.09 mm links, 1.61 mm hoch			
Streuwert	4.82, horizontal: 3.93, vertikal: 5.56			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (388.0)
 Serien: 87 94 93 94
 Zähler: 14 20 6 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2067 (38), 1971 (30), 1918 (5)
 beste Teiler 225.0 (14.) 234.0 (21.) 292.2 (11.)
 Trefferlage 2.16 mm links, 5.36 mm tief
 Streuwert 6.85, horizontal: 5.02, vertikal: 8.29




Serie 1:
 9.9 ↗ 9.7 ↗ 8.9 ↑ 9.8 ↑ 8.6 ↘
 9.8 ↘ 9.2 ↘ 10.3 * 8.8 ↓ 8.6 ↓
 beste Teiler 515.0 (8.) 824.6 (1.) 891.0 (4.)
 Trefferlage 0.66 mm rechts, 3.09 mm tief
 Streuwert 9.89, horizontal: 6.23, vertikal: 12.52



Serie 2:
 10.6 * 9.6 ← 9.8 ↘ 10.7 * 10.6 *
 9.6 ↓ 9.8 ↘ 10.1 ↓ 9.3 ← 9.4 ↓
 beste Teiler 225.0 (14.) 292.2 (11.) 314.4 (15.)
 Trefferlage 4.19 mm links, 3.30 mm tief
 Streuwert 5.41, horizontal: 5.08, vertikal: 5.72





Serie 3:
 10.7 * 10.0 ↘ 9.1 ↓ 10.0 ↓ 10.0 ↓
 9.7 ↓ 9.9 ↓ 9.6 ↓ 9.7 ↘ 8.5 ↘
 beste Teiler 234.0 (21.) 761.4 (24.) 783.7 (25.)
 Trefferlage 3.25 mm links, 8.89 mm tief
 Streuwert 4.01, horizontal: 3.36, vertikal: 4.56




Serie 4:
 10.4 * 10.4 * 10.2 ↓ 9.0 ↓ 9.9 ←
 10.1 ← 9.6 ↓ 8.4 ↓ 9.6 ↓ 10.1 ↓
 beste Teiler 443.0 (32.) 446.3 (31.) 627.3 (33.)
 Trefferlage 1.88 mm links, 6.14 mm tief
 Streuwert 6.35, horizontal: 4.25, vertikal: 7.91

Unterschrift des Schützen


Ergebnis: **369** (385.5)
 Serien: 95 93 93 88
 Zähler: 18 17 4 0 0 0 1 0 0 0
 Innenzehner: 3
 weiteste: 5349 (31), 2077 (38), 1962 (21)
 beste Teiler 273.8 (24.) 370.0 (26.) 510.6 (11.)
 Trefferlage 0.18 mm links, 1.12 mm tief
 Streuwert 9.44, horizontal: 7.22, vertikal: 11.23




Serie 1:
 10.1 ↓ 10.0 → 10.2 ← 10.2 ↘ 9.6 ↗
 8.8 ↙ 10.1 ← 9.9 ↖ 10.1 ← 9.7 ↘
 beste Teiler 579.0 (3.) 590.0 (4.) 646.8 (1.)
 Trefferlage 2.67 mm links, 1.07 mm tief
 Streuwert 6.42, horizontal: 6.81, vertikal: 6.01



Serie 2:
 10.3 * 9.9 ↑ 10.2 → 9.9 ↓ 10.0 ↘
 9.9 ↙ 8.7 ← 9.6 ↘ 10.2 ↗ 9.9 ↗
 beste Teiler 510.6 (11.) 596.2 (19.) 618.3 (13.)
 Trefferlage 0.88 mm links, 0.26 mm hoch
 Streuwert 6.93, horizontal: 6.97, vertikal: 6.88



Serie 3:
 8.5 → 10.2 ↖ 9.9 ↖ 10.6 * 9.6 ↗
 10.5 * 10.0 → 9.7 ↑ 9.5 ↘ 9.1 ↘
 beste Teiler 273.8 (24.) 370.0 (26.) 573.8 (22.)
 Trefferlage 3.56 mm rechts, 1.76 mm tief
 Streuwert 7.38, horizontal: 7.78, vertikal: 6.97





Serie 4:
 4.3 ↓ 10.3 ↙ 10.0 ↘ 10.2 ↗ 9.0 ↗
 9.3 ↑ 9.7 ↓ 8.4 ↘ 10.0 ↘ 9.4 ↘
 beste Teiler 531.0 (32.) 620.9 (34.) 777.2 (39.)
 Trefferlage 0.74 mm links, 1.92 mm tief
 Streuwert 15.13, horizontal: 6.87, vertikal: 20.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(406.7)
Serien:	97 95 97 98	
Zähler:	28 11 1 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2135 (19), 1434 (39), 1230 (5)	
beste Teiler	72.9 (35.) 96.8 (40.) 121.0 (31.)	
Trefferlage	0.20 mm links, 0.42 mm hoch	
Streuwert	5.38, horizontal: 5.38, vertikal: 5.38	




Serie 1:	10.3 ↘	9.7 ↘	9.9 ←	10.7 *	9.4 ↘
	10.2 ↘	10.6 *	10.6 *	10.1 ↘	10.3 *
beste Teiler	221.0 (4.) 275.9 (7.) 310.4 (8.)				
Trefferlage	0.82 mm links, 0.09 mm hoch				
Streuwert	5.15, horizontal: 5.12, vertikal: 5.17				



Serie 2:	10.3 ↑	9.9 ←	10.8 *	10.1 ↑	10.7 *
	10.3 ↘	9.9 ↘	10.2 ↘	8.3 ↘	9.6 ←
beste Teiler	153.0 (13.) 169.5 (15.) 532.7 (16.)				
Trefferlage	0.11 mm links, 0.53 mm hoch				
Streuwert	6.91, horizontal: 7.91, vertikal: 5.74				



Serie 3:	10.0 ↘	9.7 ↑	9.8 ↑	10.5 *	9.7 ↘
	10.3 *	10.3 ↘	10.0 ←	10.1 ↘	10.7 *
beste Teiler	164.5 (30.) 321.4 (24.) 503.2 (26.)				
Trefferlage	0.90 mm links, 1.70 mm hoch				
Streuwert	5.27, horizontal: 4.11, vertikal: 6.22				





Serie 4:	10.8 *	10.1 ↘	10.3 *	9.9 ↑	10.9 *
	10.5 *	10.5 *	10.7 *	9.2 ↘	10.8 *
beste Teiler	72.9 (35.) 96.8 (40.) 121.0 (31.)				
Trefferlage	1.01 mm rechts, 0.65 mm tief				
Streuwert	4.52, horizontal: 4.13, vertikal: 4.89				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (400.6)
 Serien: 97 95 95 98
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1513 (9), 1448 (40), 1367 (7)
 beste Teiler 69.0 (32.) 97.6 (22.) 118.3 (34.)
 Trefferlage 0.94 mm rechts, 2.51 mm tief
 Streuwert 5.68, horizontal: 5.95, vertikal: 5.40




Serie 1:
 10.3 * 10.4 * 10.1 ↘ 10.4 * 10.2 ↓
 10.2 ↗ 9.2 ↘ 9.9 ↑ 9.1 ↖ 10.6 *
 beste Teiler 264.3 (10.) 409.5 (2.) 435.9 (4.)
 Trefferlage 0.36 mm rechts, 0.63 mm tief
 Streuwert 6.08, horizontal: 5.89, vertikal: 6.26



Serie 2:
 9.6 ↘ 9.8 ↘ 10.2 ← 9.6 ↘ 10.2 ↗
 10.3 ↙ 9.4 ↗ 10.1 ↗ 9.3 ← 10.1 ←
 beste Teiler 558.4 (16.) 592.6 (15.) 629.7 (13.)
 Trefferlage 0.68 mm rechts, 3.35 mm tief
 Streuwert 6.29, horizontal: 8.05, vertikal: 3.78



Serie 3:
 9.4 ↘ 10.8 * 10.1 ↙ 9.8 ↓ 10.0 ↘
 9.8 ↘ 9.5 ↓ 10.1 ↑ 9.4 ↓ 10.5 *
 beste Teiler 97.6 (22.) 327.7 (30.) 682.8 (23.)
 Trefferlage 1.00 mm rechts, 4.65 mm tief
 Streuwert 5.41, horizontal: 4.41, vertikal: 6.26



Serie 4:
 9.3 ↗ 10.9 * 10.1 ↘ 10.8 * 10.5 *
 10.2 ↗ 10.4 * 10.7 * 10.2 ↓ 9.1 ↖
 beste Teiler 69.0 (32.) 118.3 (34.) 193.7 (38.)
 Trefferlage 1.70 mm rechts, 1.40 mm tief
 Streuwert 5.29, horizontal: 5.76, vertikal: 4.76

Unterschrift des Schützen