





Ergebnis: **371** (388.7)
 Serien: 93 91 92 95
 Zähler: 20 15 2 2 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3469 (15), 3168 (27), 2861 (2)
 beste Teiler 121.9 (10.) 162.3 (24.) 296.9 (22.)
 Trefferlage 0.06 mm links, 1.02 mm tief
 Streuwert 8.80, horizontal: 9.32, vertikal: 8.24




Serie 1:
 9.1 ↘ 7.4 ↓ 9.1 ↘ 10.3 * 10.1 ↗
 9.6 ↓ 10.2 ↘ 9.8 ↓ 10.0 → 10.8 *
 beste Teiler 121.9 (10.) 504.8 (4.) 638.9 (7.)
 Trefferlage 3.18 mm rechts, 7.36 mm tief
 Streuwert 7.34, horizontal: 4.27, vertikal: 9.46



Serie 2:
 9.5 → 8.9 ↘ 10.2 ↖ 10.2 ↖ 6.6 ↖
 9.4 ↗ 10.5 * 10.4 * 9.8 ↓ 10.2 →
 beste Teiler 400.2 (17.) 466.6 (18.) 581.4 (13.)
 Trefferlage 1.00 mm links, 0.75 mm hoch
 Streuwert 10.52, horizontal: 12.69, vertikal: 7.78



Serie 3:
 9.3 ↑ 10.6 * 9.9 → 10.7 * 10.2 ↗
 8.4 ← 7.0 ↖ 9.8 ↑ 10.2 → 10.1 ↓
 beste Teiler 162.3 (24.) 296.9 (22.) 566.6 (25.)
 Trefferlage 3.53 mm links, 2.98 mm hoch
 Streuwert 9.56, horizontal: 11.88, vertikal: 6.46





Serie 4:
 10.5 * 9.6 → 10.4 * 9.9 ↗ 10.1 ↖
 9.7 ↓ 10.0 ↖ 9.7 ↘ 10.6 * 9.9 ↑
 beste Teiler 298.2 (39.) 328.0 (31.) 407.4 (33.)
 Trefferlage 1.09 mm rechts, 0.46 mm tief
 Streuwert 5.69, horizontal: 5.32, vertikal: 6.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (394.8)
 Serien: 95 90 94 96
 Zähler: 19 18 2 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2514 (19), 2031 (17), 1753 (21)
 beste Teiler 296.3 (28.) 302.5 (1.) 310.3 (24.)
 Trefferlage 0.17 mm rechts, 2.47 mm tief
 Streuwert 6.88, horizontal: 6.80, vertikal: 6.95




Serie 1:
 10.6 * 9.8 ↘ 9.3 → 9.5 ↗ 10.1 ↓
 10.2 ↘ 9.8 ↘ 10.0 ↓ 9.8 → 10.4 *
 beste Teiler 302.5 (1.) 460.2 (10.) 620.3 (6.)
 Trefferlage 4.39 mm rechts, 3.03 mm tief
 Streuwert 4.93, horizontal: 5.09, vertikal: 4.77



Serie 2:
 10.3 ← 10.4 * 9.7 → 9.3 ↓ 9.6 ↘
 9.3 ↓ 8.4 ↓ 9.6 ↑ 7.8 ↖ 10.0 ↓
 beste Teiler 454.5 (12.) 537.3 (11.) 797.0 (20.)
 Trefferlage 0.00 mm , 3.94 mm tief
 Streuwert 9.68, horizontal: 8.57, vertikal: 10.67



Serie 3:
 8.8 ↗ 9.7 ↖ 9.8 → 10.6 * 10.5 *
 9.4 ↗ 9.2 ↖ 10.6 * 10.4 * 10.5 *
 beste Teiler 296.3 (28.) 310.3 (24.) 362.5 (30.)
 Trefferlage 2.00 mm links, 0.15 mm hoch
 Streuwert 6.93, horizontal: 6.93, vertikal: 6.93





Serie 4:
 10.5 * 10.3 ↓ 9.9 ↓ 9.9 → 9.9 ←
 10.2 ↖ 10.2 ↗ 9.9 ↗ 10.5 * 10.1 ↓
 beste Teiler 344.5 (31.) 386.8 (39.) 552.2 (32.)
 Trefferlage 1.69 mm links, 3.08 mm tief
 Streuwert 4.35, horizontal: 4.92, vertikal: 3.71

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.9)
 Serien: 88 92 92 95
 Zähler: 11 25 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2364 (19), 1975 (2), 1914 (29)
 beste Teiler 331.1 (34.) 341.5 (18.) 430.5 (32.)
 Trefferlage 1.70 mm rechts, 4.87 mm hoch
 Streuwert 7.48, horizontal: 8.62, vertikal: 6.14




Serie 1:
 9.7 → 8.5 ↑ 9.4 ↑ 9.2 ↑ 9.8 ↘
 9.6 ↘ 9.6 ↑ 9.5 ↑ 8.6 → 9.7 →
 beste Teiler 916.7 (5.) 1021.0 (10.) 1022.1 (1.)
 Trefferlage 4.10 mm rechts, 7.16 mm hoch
 Streuwert 7.66, horizontal: 7.82, vertikal: 7.49



Serie 2:
 9.0 → 9.2 ↘ 9.5 ↘ 9.7 ↗ 10.0 ↘
 9.3 ↗ 10.1 ↓ 10.5 * 8.0 ↖ 9.8 ↑
 beste Teiler 341.5 (18.) 718.4 (17.) 739.7 (15.)
 Trefferlage 2.98 mm rechts, 6.54 mm hoch
 Streuwert 7.73, horizontal: 9.61, vertikal: 5.21



Serie 3:
 9.5 ↘ 9.9 ↘ 10.1 ↖ 9.2 ↘ 10.2 ↑
 9.1 ↘ 10.1 ↗ 9.8 ← 8.6 ↖ 9.3 ↖
 beste Teiler 605.6 (25.) 651.9 (27.) 690.8 (23.)
 Trefferlage 0.39 mm links, 3.47 mm hoch
 Streuwert 8.32, horizontal: 10.09, vertikal: 6.04





Serie 4:
 9.4 ← 10.4 * 9.9 ↘ 10.5 * 9.4 ↘
 10.3 * 9.5 → 10.2 ↖ 9.8 ↑ 10.0 ↘
 beste Teiler 331.1 (34.) 430.5 (32.) 529.1 (36.)
 Trefferlage 0.11 mm rechts, 2.31 mm hoch
 Streuwert 6.15, horizontal: 7.11, vertikal: 5.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.5)
 Serien: 90 96 95 92
 Zähler: 15 23 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2053 (1), 1798 (4), 1595 (22)
 beste Teiler 94.3 (18.) 288.4 (8.) 295.2 (16.)
 Trefferlage 1.77 mm links, 0.55 mm hoch
 Streuwert 7.34, horizontal: 7.19, vertikal: 7.48




Serie 1:
 8.4 ↗ 9.3 ↑ 9.0 ↘ 8.7 ↗ 9.7 ↑
 9.3 ↙ 9.6 ← 10.6 * 9.8 ↘ 10.5 *
 beste Teiler 288.4 (8.) 392.8 (10.) 910.0 (9.)
 Trefferlage 2.70 mm rechts, 4.63 mm hoch
 Streuwert 8.67, horizontal: 8.46, vertikal: 8.88



Serie 2:
 9.2 → 10.4 * 9.0 ← 10.1 ↘ 9.4 ↙
 10.6 * 10.5 * 10.8 * 10.0 ↓ 9.4 ↙
 beste Teiler 94.3 (18.) 295.2 (16.) 358.3 (17.)
 Trefferlage 2.33 mm links, 3.22 mm tief
 Streuwert 6.44, horizontal: 8.24, vertikal: 3.88



Serie 3:
 9.4 ← 9.0 ↖ 10.4 * 9.5 ↙ 9.7 ↙
 10.5 * 10.5 * 10.2 ↓ 10.3 * 9.9 ←
 beste Teiler 349.8 (27.) 360.3 (26.) 421.0 (23.)
 Trefferlage 5.79 mm links, 2.12 mm tief
 Streuwert 5.02, horizontal: 5.40, vertikal: 4.60





Serie 4:
 10.3 ↖ 9.4 ↓ 9.4 ↖ 9.5 ↑ 9.9 ↙
 9.9 ↑ 9.9 ↘ 9.5 ↑ 10.5 * 9.5 ↑
 beste Teiler 347.2 (39.) 560.8 (31.) 835.6 (37.)
 Trefferlage 1.66 mm links, 2.95 mm hoch
 Streuwert 6.84, horizontal: 3.83, vertikal: 8.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (400.9)
 Serien: 96 97 95 94
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1936 (27), 1716 (36), 1587 (3)
 beste Teiler 106.3 (18.) 116.4 (9.) 132.5 (4.)
 Trefferlage 0.12 mm rechts, 0.86 mm hoch
 Streuwert 6.20, horizontal: 6.26, vertikal: 6.15




Serie 1:
 10.6 * 9.6 ↘ 9.0 ↗ 10.8 * 10.1 ↘
 10.4 * 9.6 ↗ 10.7 * 10.8 * 9.6 ↙
 beste Teiler 116.4 (9.) 132.5 (4.) 192.2 (8.)
 Trefferlage 2.42 mm rechts, 0.52 mm tief
 Streuwert 5.91, horizontal: 5.87, vertikal: 5.95



Serie 2:
 10.1 ↘ 10.2 ↓ 9.4 ↓ 10.3 ↓ 10.6 *
 10.0 ↘ 10.5 * 10.8 * 9.4 ↗ 9.6 ↘
 beste Teiler 106.3 (18.) 318.4 (15.) 382.4 (17.)
 Trefferlage 0.33 mm rechts, 1.20 mm tief
 Streuwert 5.78, horizontal: 4.78, vertikal: 6.63



Serie 3:
 9.6 ↘ 10.1 → 9.9 → 10.3 * 10.3 ↘
 10.5 * 8.5 ← 10.3 * 10.6 * 9.7 ↘
 beste Teiler 259.1 (29.) 387.0 (26.) 485.0 (24.)
 Trefferlage 0.36 mm links, 1.07 mm hoch
 Streuwert 6.68, horizontal: 8.28, vertikal: 4.54





Serie 4:
 9.4 ↗ 10.6 * 10.0 ↙ 9.5 ↘ 9.9 ↙
 8.8 ↘ 10.8 * 10.0 ↑ 10.2 ↘ 9.8 ↗
 beste Teiler 159.5 (37.) 293.8 (32.) 596.4 (39.)
 Trefferlage 1.89 mm links, 4.09 mm hoch
 Streuwert 6.27, horizontal: 5.75, vertikal: 6.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **0** (0.0)^{DSQ}
 Serien: 86 92 86 85
 Zähler: 10 16 10 3 0 0 1 0 0 0
 Innenzehner: 6
 weiteste: 4854 (33), 3074 (3), 3007 (30)
 beste Teiler 259.0 (23.) 456.4 (19.) 468.2 (36.)
 Trefferlage 3.87 mm rechts, 1.15 mm hoch
 Streuwert 11.48, horizontal: 11.58, vertikal: 11.38




Serie 1:
 7.4 ↗ 10.3 * 7.1 → 9.8 ↓ 8.9 ↓
 9.7 ↓ 10.3 * 9.3 ↓ 9.6 ↑ 8.8 ↘
 beste Teiler 481.4 (7.) 525.0 (2.) 881.3 (4.)
 Trefferlage 6.33 mm rechts, 0.59 mm tief
 Streuwert 11.63, horizontal: 10.56, vertikal: 12.61



Serie 2:
 9.9 ↘ 10.2 → 9.5 ↓ 9.8 ← 9.9 ←
 9.5 ← 10.3 * 9.3 ↘ 10.4 * 8.1 ↓
 beste Teiler 456.4 (19.) 520.0 (17.) 563.8 (12.)
 Trefferlage 2.09 mm links, 1.31 mm tief
 Streuwert 8.12, horizontal: 8.75, vertikal: 7.43



Serie 3:
 8.6 ↓ 8.3 ↓ 10.6 * 8.4 ↗ 10.1 ↘
 8.4 → 8.9 ↑ 10.1 ← 9.5 → 7.2 →
 beste Teiler 259.0 (23.) 661.1 (28.) 692.0 (25.)
 Trefferlage 7.23 mm rechts, 0.35 mm tief
 Streuwert 11.87, horizontal: 10.94, vertikal: 12.73





Serie 4:
 8.2 → 9.5 ↘ 4.9 ↗ 8.7 ↑ 9.8 ←
 10.4 * 10.2 ↙ 9.4 ↗ 9.8 ↓ 9.8 →
 beste Teiler 468.2 (36.) 625.8 (37.) 892.0 (39.)
 Trefferlage 4.02 mm rechts, 6.86 mm hoch
 Streuwert 13.24, horizontal: 14.65, vertikal: 11.65


DSQ – Schütze oder Mannschaft wurde disqualifiziert

Unterschrift des Schützen


Ergebnis: **0** (0.0)
 Serien: 95 94 92 89^{DSQ}
 Zähler: 17 18 3 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2918 (21), 2441 (32), 2264 (11)
 beste Teiler 68.4 (22.) 264.4 (18.) 265.3 (40.)
 Trefferlage 2.46 mm links, 2.53 mm hoch
 Streuwert 7.87, horizontal: 8.10, vertikal: 7.63




Serie 1:
 9.7 ↘ 9.1 ↓ 10.1 ← 10.0 ↙ 10.5 *
 10.4 * 9.6 ↗ 9.4 ↖ 9.1 ← 10.0 ↘
 beste Teiler 394.6 (5.) 474.5 (6.) 648.0 (3.)
 Trefferlage 1.78 mm links, 2.25 mm tief
 Streuwert 7.12, horizontal: 8.25, vertikal: 5.77



Serie 2:
 8.1 ↑ 10.4 * 9.4 → 10.0 → 9.8 ↖
 10.3 * 9.4 ↘ 10.6 * 10.3 ↑ 9.9 ↖
 beste Teiler 264.4 (18.) 461.8 (12.) 482.6 (16.)
 Trefferlage 0.91 mm rechts, 5.83 mm hoch
 Streuwert 6.45, horizontal: 6.22, vertikal: 6.66



Serie 3:
 7.3 ↖ 10.9 * 9.7 ↓ 9.9 ↓ 10.3 *
 9.8 ↑ 9.6 ↖ 10.2 → 9.7 ↗ 10.3 ↖
 beste Teiler 68.4 (22.) 486.6 (25.) 546.4 (30.)
 Trefferlage 1.90 mm links, 2.06 mm hoch
 Streuwert 8.61, horizontal: 9.69, vertikal: 7.37





Serie 4:
 9.9 ↑ 7.9 ↖ 8.6 ↖ 9.7 ↖ 9.1 ←
 10.6 * 8.9 ↑ 9.3 ↖ 10.6 * 10.6 *
 beste Teiler 265.3 (40.) 279.4 (39.) 295.3 (36.)
 Trefferlage 7.07 mm links, 4.51 mm hoch
 Streuwert 7.88, horizontal: 6.81, vertikal: 8.83

DSQ – Schütze oder Mannschaft wurde disqualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (398.8)
 Serien: 94 96 95 97
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2012 (29), 1647 (3), 1577 (8)
 beste Teiler 112.6 (10.) 122.0 (32.) 233.4 (21.)
 Trefferlage 3.64 mm links, 1.60 mm tief
 Streuwert 5.76, horizontal: 6.37, vertikal: 5.07




Serie 1:
 9.9 ↙ 10.5 * 8.9 ↘ 10.6 * 10.3 *
 9.8 ↙ 10.2 ↗ 9.0 ← 9.5 ↙ 10.8 *
 beste Teiler 112.6 (10.) 314.9 (4.) 328.2 (2.)
 Trefferlage 1.22 mm links, 3.41 mm tief
 Streuwert 6.50, horizontal: 7.18, vertikal: 5.74



Serie 2:
 10.6 * 10.2 ← 9.0 ← 10.1 ↓ 9.4 ↙
 10.3 * 9.1 ← 10.1 ↘ 10.2 ↙ 9.9 ↙
 beste Teiler 298.4 (11.) 518.1 (16.) 608.0 (12.)
 Trefferlage 6.21 mm links, 2.88 mm tief
 Streuwert 4.73, horizontal: 4.72, vertikal: 4.74



Serie 3:
 10.7 * 10.2 ↙ 9.7 ↗ 9.8 ↙ 10.4 *
 10.3 * 10.3 * 9.1 ↙ 8.4 ← 10.2 ↓
 beste Teiler 233.4 (21.) 411.5 (25.) 494.7 (27.)
 Trefferlage 2.35 mm links, 1.07 mm tief
 Streuwert 6.98, horizontal: 8.07, vertikal: 5.67





Serie 4:
 10.3 * 10.8 * 10.3 * 9.9 ← 10.1 ↘
 10.3 ← 10.3 * 9.3 ← 9.9 ↙ 10.1 ↑
 beste Teiler 122.0 (32.) 483.8 (33.) 511.1 (37.)
 Trefferlage 4.80 mm links, 0.96 mm hoch
 Streuwert 3.90, horizontal: 4.45, vertikal: 3.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (383.5)
 Serien: 89 95 89 93
 Zähler: 15 18 5 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2610 (26), 2528 (6), 2267 (21)
 beste Teiler 256.8 (23.) 273.7 (7.) 323.0 (18.)
 Trefferlage 1.96 mm rechts, 0.82 mm hoch
 Streuwert 8.86, horizontal: 9.47, vertikal: 8.20




Serie 1:
 8.6 ↗ 8.1 ↘ 10.1 ↗ 9.5 → 9.0 ↖
 7.8 → 10.6 * 9.6 → 9.7 ↓ 10.3 ↙
 beste Teiler 273.7 (7.) 533.5 (10.) 654.7 (3.)
 Trefferlage 6.56 mm rechts, 0.33 mm hoch
 Streuwert 9.89, horizontal: 9.14, vertikal: 10.58



Serie 2:
 9.7 ↗ 10.5 * 9.9 → 9.3 ↖ 10.3 *
 9.6 ← 9.2 → 10.5 * 10.5 * 10.5 *
 beste Teiler 323.0 (18.) 361.4 (20.) 367.3 (19.)
 Trefferlage 0.16 mm links, 2.26 mm hoch
 Streuwert 6.06, horizontal: 7.75, vertikal: 3.66



Serie 3:
 8.1 ↙ 9.7 ↗ 10.6 * 9.8 ↘ 10.4 *
 7.7 → 8.6 ↙ 9.3 ↖ 9.3 ↘ 10.0 →
 beste Teiler 256.8 (23.) 465.9 (25.) 738.0 (30.)
 Trefferlage 1.10 mm rechts, 3.50 mm tief
 Streuwert 10.58, horizontal: 12.92, vertikal: 7.54



Serie 4:
 8.9 ↑ 10.5 * 9.7 ← 9.5 → 10.2 ↗
 9.0 ↑ 9.5 ↙ 10.0 ↖ 10.4 * 9.0 ↗
 beste Teiler 342.0 (32.) 467.9 (39.) 597.6 (35.)
 Trefferlage 0.37 mm rechts, 4.22 mm hoch
 Streuwert 7.70, horizontal: 6.78, vertikal: 8.53

Unterschrift des Schützen

Meyton Elektronik