





Ergebnis: **413.1** (396)
 Serien: 101.7 104.0 102.8 104.6
 Zaehler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 372 (7), 323 (23), 282 (2)
 beste Teiler 14.2 (40.) 20.5 (25.) 31.3 (36.)
 Trefferlage 0.10 mm rechts, 0.20 mm hoch
 Streuwert 1.26, horizontal: 1.48, vertikal: 0.99




Serie 1:
 10.1 ↘ 9.8 → 10.2 * 10.3 * 10.4 *
 10.2 * 9.5 ↑ 10.6 * 10.2 * 10.4 *
 beste Teiler 83.7 (8.) 132.7 (10.) 142.0 (5.)
 Trefferlage 0.37 mm rechts, 0.51 mm hoch
 Streuwert 1.50, horizontal: 1.59, vertikal: 1.40



Serie 2:
 10.5 * 9.9 ↘ 10.1 → 10.6 * 10.4 *
 10.4 * 10.4 * 10.1 ↘ 10.8 * 10.8 *
 beste Teiler 48.0 (20.) 48.5 (19.) 92.9 (14.)
 Trefferlage 0.25 mm rechts, 0.31 mm hoch
 Streuwert 1.13, horizontal: 1.37, vertikal: 0.82





Serie 3:
 10.0 ↙ 10.2 * 9.7 ↙ 10.4 * 10.9 *
 10.6 * 10.4 * 10.1 ↘ 10.1 ← 10.4 *
 beste Teiler 20.5 (25.) 85.3 (26.) 128.9 (27.)
 Trefferlage 0.56 mm links, 0.32 mm tief
 Streuwert 1.30, horizontal: 1.63, vertikal: 0.87




Serie 4:
 10.1 → 10.7 * 10.2 * 10.2 * 10.0 →
 10.8 * 10.5 * 10.7 * 10.5 * 10.9 *
 beste Teiler 14.2 (40.) 31.3 (36.) 54.4 (38.)
 Trefferlage 0.36 mm rechts, 0.30 mm hoch
 Streuwert 1.03, horizontal: 1.32, vertikal: 0.62

Unterschrift des Schuetzen


Ergebnis: **416.5** (398)
 Serien: 105.1 102.4 105.2 103.8
 Zaehler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 430 (13), 272 (5), 245 (37)
 beste Teiler 16.4 (26.) 32.9 (3.) 46.6 (1.)
 Trefferlage 0.37 mm links, 0.20 mm tief
 Streuwert 1.07, horizontal: 1.21, vertikal: 0.89




Serie 1:
 10.8 * 10.6 * 10.8 * 10.6 * 9.9 ↘
 10.5 * 10.4 * 10.6 * 10.8 * 10.1 ↘
 beste Teiler 32.9 (3.) 46.6 (1.) 50.2 (9.)
 Trefferlage 0.07 mm links, 0.38 mm tief
 Streuwert 0.96, horizontal: 0.91, vertikal: 1.00



Serie 2:
 10.1 ↙ 10.4 * 9.2 ← 10.2 * 10.5 *
 10.4 * 10.2 * 10.5 * 10.2 * 10.7 *
 beste Teiler 65.1 (20.) 101.1 (18.) 122.0 (15.)
 Trefferlage 0.85 mm links, 0.57 mm tief
 Streuwert 1.29, horizontal: 1.66, vertikal: 0.75



Serie 3:
 10.3 * 10.4 * 10.3 * 10.4 * 10.7 *
 10.9 * 10.6 * 10.5 * 10.7 * 10.4 *
 beste Teiler 16.4 (26.) 62.6 (25.) 63.9 (29.)
 Trefferlage 0.49 mm links, 0.38 mm hoch
 Streuwert 0.76, horizontal: 0.72, vertikal: 0.79





Serie 4:
 10.4 * 10.4 * 10.4 * 10.2 * 10.3 *
 10.7 * 10.0 → 10.3 * 10.7 * 10.4 *
 beste Teiler 52.8 (39.) 69.0 (36.) 128.0 (40.)
 Trefferlage 0.09 mm links, 0.25 mm tief
 Streuwert 1.12, horizontal: 1.34, vertikal: 0.84


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **413.6** (393)
 Serien: 103.2 104.4 102.8 103.2
 Zaehler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 342 (25), 315 (3), 313 (31)
 beste Teiler 23.3 (35.) 46.0 (12.) 69.4 (6.)
 Trefferlage 0.34 mm rechts, 0.19 mm hoch
 Streuwert 1.21, horizontal: 1.41, vertikal: 0.97




Serie 1:
 10.6 * 10.4 * 9.7 ↙ 10.1 ↖ 10.4 *
 10.7 * 10.6 * 10.4 * 9.8 ↓ 10.5 *
 beste Teiler 69.4 (6.) 82.5 (7.) 98.0 (1.)
 Trefferlage 0.66 mm links, 0.35 mm tief
 Streuwert 1.20, horizontal: 1.22, vertikal: 1.17



Serie 2:
 10.6 * 10.8 * 10.6 * 10.2 * 10.6 *
 10.6 * 10.2 * 10.7 * 10.3 * 9.8 ↗
 beste Teiler 46.0 (12.) 71.4 (18.) 80.0 (13.)
 Trefferlage 0.53 mm rechts, 0.59 mm hoch
 Streuwert 0.93, horizontal: 0.98, vertikal: 0.88



Serie 3:
 10.4 * 10.4 * 10.7 * 10.1 ↗ 9.6 →
 10.4 * 9.8 → 10.3 * 10.6 * 10.5 *
 beste Teiler 69.6 (23.) 99.0 (29.) 101.5 (30.)
 Trefferlage 1.14 mm rechts, 0.56 mm hoch
 Streuwert 1.04, horizontal: 1.25, vertikal: 0.79





Serie 4:
 9.7 → 10.5 * 10.4 * 9.9 ↖ 10.9 *
 10.4 * 10.6 * 10.2 * 10.4 * 10.2 *
 beste Teiler 23.3 (35.) 89.1 (37.) 120.1 (32.)
 Trefferlage 0.36 mm rechts, 0.04 mm tief
 Streuwert 1.29, horizontal: 1.65, vertikal: 0.78


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **418.4** (399)
 Serien: 104.7 103.8 104.2 105.7
 Zaehler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 264 (20), 213 (22), 211 (17)
 beste Teiler 2.2 (38.) 16.4 (39.) 36.4 (3.)
 Trefferlage 0.48 mm rechts, 0.00 mm
 Streuwert 0.89, horizontal: 0.85, vertikal: 0.93




Serie 1:
 10.2 * 10.4 * 10.8 * 10.4 * 10.5 *
 10.5 * 10.6 * 10.2 * 10.7 * 10.4 *
 beste Teiler 36.4 (3.) 65.1 (9.) 78.5 (7.)
 Trefferlage 0.36 mm rechts, 0.26 mm hoch
 Streuwert 0.88, horizontal: 0.83, vertikal: 0.92



Serie 2:
 10.2 * 10.6 * 10.6 * 10.5 * 10.3 *
 10.7 * 10.1 ↘ 10.4 * 10.5 * 9.9 ↘
 beste Teiler 70.0 (16.) 77.4 (13.) 94.4 (12.)
 Trefferlage 0.96 mm rechts, 0.21 mm tief
 Streuwert 0.89, horizontal: 1.00, vertikal: 0.76



Serie 3:
 10.2 * 10.1 ↘ 10.7 * 10.6 * 10.7 *
 10.4 * 10.4 * 10.3 * 10.3 * 10.5 *
 beste Teiler 51.8 (23.) 51.8 (25.) 92.7 (24.)
 Trefferlage 0.48 mm rechts, 0.38 mm tief
 Streuwert 0.94, horizontal: 0.48, vertikal: 1.24





Serie 4:
 10.4 * 10.4 * 10.5 * 10.7 * 10.4 *
 10.7 * 10.7 * 10.9 * 10.9 * 10.1 ↗
 beste Teiler 2.2 (38.) 16.4 (39.) 59.4 (37.)
 Trefferlage 0.12 mm rechts, 0.36 mm hoch
 Streuwert 0.76, horizontal: 0.90, vertikal: 0.58


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **420.5** (399)
 Serien: 105.1 104.1 105.5 105.8
 Zaehler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 37
 weiteste: 259 (31), 209 (22), 208 (16)
 beste Teiler 27.8 (23.) 36.1 (32.) 36.4 (34.)
 Trefferlage 0.00 mm , 0.23 mm hoch
 Streuwert 0.86, horizontal: 0.73, vertikal: 0.97




Serie 1:
 10.5 * 10.7 * 10.4 * 10.4 * 10.7 *
 10.2 * 10.5 * 10.7 * 10.4 * 10.6 *
 beste Teiler 67.8 (2.) 72.0 (5.) 75.2 (8.)
 Trefferlage 0.20 mm rechts, 0.13 mm hoch
 Streuwert 0.86, horizontal: 0.79, vertikal: 0.92



Serie 2:
 10.4 * 10.5 * 10.8 * 10.5 * 10.4 *
 10.1 ↘ 10.2 * 10.4 * 10.6 * 10.2 *
 beste Teiler 39.3 (13.) 99.8 (19.) 101.1 (12.)
 Trefferlage 0.18 mm links, 0.00 mm
 Streuwert 1.04, horizontal: 0.84, vertikal: 1.21





Serie 3:
 10.4 * 10.1 ↗ 10.8 * 10.7 * 10.4 *
 10.6 * 10.6 * 10.6 * 10.6 * 10.7 *
 beste Teiler 27.8 (23.) 52.4 (30.) 66.4 (24.)
 Trefferlage 0.05 mm links, 0.31 mm hoch
 Streuwert 0.81, horizontal: 0.78, vertikal: 0.83




Serie 4:
 9.9 ↑ 10.8 * 10.6 * 10.8 * 10.4 *
 10.7 * 10.7 * 10.6 * 10.6 * 10.7 *
 beste Teiler 36.1 (32.) 36.4 (34.) 61.0 (40.)
 Trefferlage 0.06 mm rechts, 0.47 mm hoch
 Streuwert 0.78, horizontal: 0.50, vertikal: 0.98

Unterschrift des Schuetzen


Ergebnis: **419.3** (398)
 Serien: 104.1 105.2 104.1 105.9
 Zaehler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 37
 weiteste: 325 (4), 256 (22), 228 (5)
 beste Teiler 26.5 (35.) 32.2 (34.) 48.1 (1.)
 Trefferlage 0.34 mm links, 0.03 mm tief
 Streuwert 0.93, horizontal: 1.10, vertikal: 0.71




Serie 1:
 10.8 * 10.6 * 10.6 * 9.7 ← 10.0 ←
 10.2 * 10.5 * 10.7 * 10.5 * 10.5 *
 beste Teiler 48.1 (1.) 71.1 (8.) 83.2 (3.)
 Trefferlage 0.62 mm links, 0.29 mm hoch
 Streuwert 1.08, horizontal: 1.30, vertikal: 0.81



Serie 2:
 10.5 * 10.3 * 10.6 * 10.5 * 10.7 *
 10.7 * 10.6 * 10.4 * 10.2 * 10.7 *
 beste Teiler 56.3 (15.) 66.4 (16.) 68.0 (20.)
 Trefferlage 0.73 mm links, 0.22 mm tief
 Streuwert 0.67, horizontal: 0.78, vertikal: 0.53



Serie 3:
 10.7 * 9.9 ↘ 10.3 * 10.5 * 10.5 *
 10.2 * 10.7 * 10.4 * 10.4 * 10.5 *
 beste Teiler 67.8 (21.) 75.3 (27.) 105.2 (25.)
 Trefferlage 0.51 mm links, 0.25 mm tief
 Streuwert 1.00, horizontal: 1.13, vertikal: 0.85



Serie 4:
 10.6 * 10.7 * 10.3 * 10.8 * 10.8 *
 10.5 * 10.7 * 10.5 * 10.3 * 10.7 *
 beste Teiler 26.5 (35.) 32.2 (34.) 55.7 (32.)
 Trefferlage 0.47 mm rechts, 0.04 mm hoch
 Streuwert 0.68, horizontal: 0.79, vertikal: 0.54

Unterschrift des Schuetzen

Meyton Elektronik