





Ergebnis: **361** (378.6)
 Serien: 92 88 91 90
 Zähler: 11 20 8 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2655 (18), 2325 (38), 2223 (26)
 beste Teiler 329.2 (9.) 377.3 (27.) 454.5 (31.)
 Trefferlage 2.06 mm links, 2.20 mm hoch
 Streuwert 9.13, horizontal: 10.00, vertikal: 8.16




Serie 1:
 9.2 ← 8.5 → 10.1 ↑ 9.7 ↘ 9.8 ↗
 9.4 ↓ 9.4 ← 9.0 ↑ 10.5 * 10.1 ←
 beste Teiler 329.2 (9.) 650.7 (3.) 708.8 (10.)
 Trefferlage 1.61 mm links, 1.86 mm hoch
 Streuwert 8.69, horizontal: 9.56, vertikal: 7.71



Serie 2:
 9.6 → 9.6 ↓ 10.1 → 9.1 ↘ 8.7 ↑
 9.7 ↘ 9.3 ↗ 7.6 ← 8.7 ← 10.1 ↘
 beste Teiler 654.8 (13.) 716.9 (20.) 1002.2 (16.)
 Trefferlage 1.96 mm links, 2.96 mm hoch
 Streuwert 10.65, horizontal: 12.60, vertikal: 8.25



Serie 3:
 9.8 → 9.5 ↓ 10.1 ↘ 8.6 ↑ 9.9 ←
 8.2 ← 10.5 * 9.9 ← 10.2 ← 9.3 ←
 beste Teiler 377.3 (27.) 589.0 (29.) 677.6 (23.)
 Trefferlage 4.99 mm links, 1.26 mm hoch
 Streuwert 8.16, horizontal: 8.59, vertikal: 7.71





Serie 4:
 10.4 * 8.7 ↘ 9.4 ↑ 9.8 → 8.7 ↘
 9.3 → 10.4 * 8.0 ↘ 9.6 ↗ 10.1 ↓
 beste Teiler 454.5 (31.) 455.5 (37.) 668.4 (40.)
 Trefferlage 0.32 mm rechts, 2.71 mm hoch
 Streuwert 9.83, horizontal: 9.66, vertikal: 9.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.6)
 Serien: 91 93 94 92
 Zähler: 12 26 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2174 (19), 1687 (9), 1572 (4)
 beste Teiler 276.2 (26.) 288.8 (32.) 317.7 (20.)
 Trefferlage 0.34 mm links, 1.22 mm tief
 Streuwert 7.96, horizontal: 8.60, vertikal: 7.27




Serie 1:
 10.4 * 9.2 ↘ 9.6 ↓ 9.0 ↗ 10.0 ↘
 9.2 ↘ 9.4 ↘ 9.9 ↖ 8.8 → 9.4 →
 beste Teiler 478.7 (1.) 737.4 (5.) 869.8 (8.)
 Trefferlage 5.55 mm rechts, 2.95 mm tief
 Streuwert 7.84, horizontal: 7.22, vertikal: 8.42



Serie 2:
 9.3 ↙ 9.0 ↓ 9.4 ↖ 10.3 ↓ 10.1 →
 9.7 ↓ 10.0 ↗ 9.3 ↖ 8.2 ↖ 10.6 *
 beste Teiler 317.7 (20.) 557.5 (14.) 662.7 (15.)
 Trefferlage 4.35 mm links, 1.69 mm tief
 Streuwert 8.32, horizontal: 9.13, vertikal: 7.41



Serie 3:
 9.9 ↓ 10.3 * 9.3 ↓ 9.0 ↖ 10.5 *
 10.6 * 9.2 ← 9.7 ↖ 9.9 ← 10.3 ↓
 beste Teiler 276.2 (26.) 374.4 (25.) 491.4 (22.)
 Trefferlage 3.98 mm links, 1.55 mm tief
 Streuwert 6.39, horizontal: 6.49, vertikal: 6.28





Serie 4:
 10.5 * 10.6 * 9.6 ↖ 9.4 ↓ 9.7 ↗
 9.9 ↗ 9.1 → 9.6 ↓ 9.4 ↖ 9.3 ↗
 beste Teiler 288.8 (32.) 327.2 (31.) 837.2 (36.)
 Trefferlage 1.40 mm rechts, 1.29 mm hoch
 Streuwert 7.79, horizontal: 8.25, vertikal: 7.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.6)
 Serien: 89 87 87 85
 Zähler: 11 13 11 3 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3478 (20), 3449 (30), 2524 (36)
 beste Teiler 94.3 (19.) 273.0 (21.) 339.1 (12.)
 Trefferlage 1.65 mm rechts, 7.66 mm tief
 Streuwert 10.87, horizontal: 12.27, vertikal: 9.26




Serie 1:
 7.8 ↘ 10.4 * 9.6 ↗ 10.3 ↘ 8.8 ↘
 10.0 → 9.8 ↗ 9.7 ↘ 9.4 ← 8.3 ↘
 beste Teiler 444.7 (2.) 541.4 (4.) 741.0 (6.)
 Trefferlage 4.33 mm rechts, 5.01 mm tief
 Streuwert 9.07, horizontal: 6.52, vertikal: 11.05



Serie 2:
 8.0 ↓ 10.5 * 9.2 ↙ 9.8 ← 8.0 ←
 8.1 → 9.3 ↘ 10.0 ↘ 10.8 * 6.6 ↘
 beste Teiler 94.3 (19.) 339.1 (12.) 745.8 (18.)
 Trefferlage 2.36 mm rechts, 6.08 mm tief
 Streuwert 12.78, horizontal: 14.36, vertikal: 10.97



Serie 3:
 10.6 * 10.1 → 8.1 ↙ 10.1 → 9.9 ↙
 8.2 ↘ 9.0 ↘ 9.0 ↙ 8.5 ↘ 6.6 ↘
 beste Teiler 273.0 (21.) 642.1 (22.) 686.6 (24.)
 Trefferlage 4.30 mm rechts, 10.25 mm tief
 Streuwert 10.62, horizontal: 12.99, vertikal: 7.55





Serie 4:
 10.4 * 8.1 ← 8.5 ← 9.0 ← 9.3 ↓
 7.8 → 10.3 * 8.8 ↓ 9.1 ↗ 7.8 ↓
 beste Teiler 448.7 (31.) 491.2 (37.) 1329.5 (35.)
 Trefferlage 4.38 mm links, 9.30 mm tief
 Streuwert 10.71, horizontal: 13.34, vertikal: 7.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.8)
 Serien: 87 92 92 96
 Zähler: 19 12 6 3 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2810 (9), 2526 (7), 2516 (5)
 beste Teiler 48.8 (19.) 209.9 (31.) 291.0 (10.)
 Trefferlage 5.49 mm rechts, 0.79 mm tief
 Streuwert 8.53, horizontal: 10.37, vertikal: 6.16




Serie 1:
 10.2 ↘ 8.2 ↘ 10.0 → 10.5 * 7.8 →
 8.5 ↗ 7.8 ↗ 10.1 ↗ 7.4 → 10.6 *
 beste Teiler 291.0 (10.) 357.9 (4.) 637.1 (1.)
 Trefferlage 12.67 mm rechts, 1.11 mm hoch
 Streuwert 9.08, horizontal: 10.40, vertikal: 7.53



Serie 2:
 9.1 ↘ 10.4 * 9.1 → 10.0 ✓ 8.8 →
 9.0 ↗ 8.8 ↘ 9.3 → 10.9 * 10.0 ↗
 beste Teiler 48.8 (19.) 415.5 (12.) 733.0 (20.)
 Trefferlage 8.40 mm rechts, 0.28 mm tief
 Streuwert 7.14, horizontal: 7.31, vertikal: 6.96



Serie 3:
 10.0 ← 9.9 ← 9.6 ✓ 10.4 * 8.2 →
 10.3 * 9.2 ↗ 10.4 * 9.8 ✓ 8.6 →
 beste Teiler 410.2 (24.) 449.6 (28.) 530.3 (26.)
 Trefferlage 3.16 mm rechts, 0.64 mm tief
 Streuwert 8.54, horizontal: 10.76, vertikal: 5.48





Serie 4:
 10.7 * 9.0 ✓ 9.6 ← 9.4 ← 10.1 ✓
 10.1 → 10.6 * 10.2 ↘ 9.8 ↘ 10.4 *
 beste Teiler 209.9 (31.) 306.7 (37.) 460.1 (40.)
 Trefferlage 2.28 mm links, 3.35 mm tief
 Streuwert 5.75, horizontal: 6.95, vertikal: 4.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (371.2)
 Serien: 89 90 87 90
 Zähler: 10 18 11 0 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3838 (22), 2391 (26), 2361 (15)
 beste Teiler 162.7 (3.) 183.7 (11.) 260.8 (36.)
 Trefferlage 5.01 mm links, 4.67 mm tief
 Streuwert 9.80, horizontal: 9.27, vertikal: 10.31




Serie 1:
 9.4 ↗ 9.4 ← 10.7 * 9.4 ↘ 8.2 ↘
 8.4 ← 8.5 ↘ 10.0 ↓ 10.5 * 8.6 ↘
 beste Teiler 162.7 (3.) 399.5 (9.) 758.8 (8.)
 Trefferlage 4.81 mm links, 3.58 mm tief
 Streuwert 10.15, horizontal: 8.81, vertikal: 11.34



Serie 2:
 10.7 * 10.5 * 10.1 ↓ 8.2 ↘ 8.0 ←
 9.3 ↘ 9.0 ↗ 9.1 ← 9.5 → 8.4 ←
 beste Teiler 183.7 (11.) 367.1 (12.) 641.3 (13.)
 Trefferlage 5.64 mm links, 3.34 mm tief
 Streuwert 10.19, horizontal: 11.90, vertikal: 8.13



Serie 3:
 9.4 ↘ 6.2 ↘ 9.1 ← 9.9 ← 9.0 ↘
 8.0 ↘ 9.9 ← 9.2 ↓ 9.9 ↖ 10.3 *
 beste Teiler 484.6 (30.) 828.0 (24.) 838.4 (29.)
 Trefferlage 4.27 mm links, 6.97 mm tief
 Streuwert 11.54, horizontal: 9.72, vertikal: 13.11





Serie 4:
 9.2 ↓ 9.0 ← 8.5 ↘ 8.3 ↗ 10.4 *
 10.6 * 10.1 ← 9.6 ↗ 9.9 ← 8.8 ↗
 beste Teiler 260.8 (36.) 402.8 (35.) 667.4 (37.)
 Trefferlage 5.33 mm links, 4.78 mm tief
 Streuwert 8.43, horizontal: 7.58, vertikal: 9.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.0)
 Serien: 94 93 96 86
 Zähler: 17 17 4 2 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2479 (4), 2469 (36), 2028 (18)
 beste Teiler 144.3 (21.) 204.5 (40.) 261.7 (28.)
 Trefferlage 3.03 mm rechts, 0.57 mm tief
 Streuwert 8.30, horizontal: 9.57, vertikal: 6.80




Serie 1:
 10.6 * 10.6 * 10.3 ↘ 7.9 → 10.0 →
 10.0 ← 9.2 ↖ 10.5 * 9.2 → 9.1 ↗
 beste Teiler 295.0 (1.) 300.1 (2.) 342.8 (8.)
 Trefferlage 5.07 mm rechts, 0.04 mm hoch
 Streuwert 7.91, horizontal: 10.24, vertikal: 4.50



Serie 2:
 10.3 → 9.4 ↘ 9.5 → 9.8 ↖ 9.2 ↖
 10.4 * 9.2 ↗ 8.4 ↖ 10.5 * 10.1 ↑
 beste Teiler 324.2 (19.) 471.1 (16.) 539.3 (11.)
 Trefferlage 0.23 mm rechts, 3.02 mm hoch
 Streuwert 8.14, horizontal: 8.81, vertikal: 7.40



Serie 3:
 10.8 * 9.8 → 10.5 * 9.2 ↖ 10.4 *
 9.2 ↘ 10.4 * 10.6 * 9.8 → 10.4 *
 beste Teiler 144.3 (21.) 261.7 (28.) 345.7 (23.)
 Trefferlage 2.78 mm rechts, 0.51 mm hoch
 Streuwert 5.63, horizontal: 5.04, vertikal: 6.16





Serie 4:
 9.9 → 9.1 ↘ 9.1 ↘ 8.6 ↘ 9.1 ↖
 7.9 ← 8.5 → 9.9 → 8.9 ↓ 10.7 *
 beste Teiler 204.5 (40.) 819.9 (31.) 858.2 (38.)
 Trefferlage 4.02 mm rechts, 5.89 mm tief
 Streuwert 10.35, horizontal: 13.20, vertikal: 6.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.8)
 Serien: 96 97 95 95
 Zähler: 23 17 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1505 (25), 1424 (30), 1392 (23)
 beste Teiler 89.6 (3.) 157.1 (9.) 262.2 (10.)
 Trefferlage 0.20 mm links, 3.19 mm hoch
 Streuwert 5.65, horizontal: 6.05, vertikal: 5.22




Serie 1:
 9.4 ↗ 9.7 ↗ 10.8 * 9.7 ← 10.4 *
 10.1 → 10.5 * 9.6 ↘ 10.8 * 10.6 *
 beste Teiler 89.6 (3.) 157.1 (9.) 262.2 (10.)
 Trefferlage 0.41 mm links, 1.69 mm hoch
 Streuwert 5.47, horizontal: 6.42, vertikal: 4.32



Serie 2:
 10.1 ↑ 10.2 ↙ 10.4 * 10.5 * 10.2 ↑
 9.5 ↘ 10.3 * 9.6 ↗ 9.5 ← 10.2 ↘
 beste Teiler 389.6 (14.) 425.6 (13.) 495.1 (17.)
 Trefferlage 1.79 mm links, 2.82 mm hoch
 Streuwert 5.13, horizontal: 5.28, vertikal: 4.98



Serie 3:
 10.1 ↘ 10.1 → 9.2 ↑ 10.0 → 9.1 ↘
 10.5 * 9.8 → 9.5 ← 10.6 * 9.2 ↑
 beste Teiler 284.6 (29.) 379.9 (26.) 676.2 (21.)
 Trefferlage 1.06 mm rechts, 3.99 mm hoch
 Streuwert 6.87, horizontal: 7.00, vertikal: 6.73





Serie 4:
 10.6 * 10.5 * 9.3 ↗ 10.3 ↓ 9.7 ↘
 10.0 ↘ 9.3 ↑ 9.9 ↗ 9.9 ← 10.1 ↗
 beste Teiler 272.0 (31.) 345.8 (32.) 543.5 (34.)
 Trefferlage 0.31 mm rechts, 4.27 mm hoch
 Streuwert 5.49, horizontal: 5.98, vertikal: 4.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **0** (0.0)
 Serien: 93 89 92 96^{DSQ}
 Zähler: 17 17 5 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2670 (20), 2304 (21), 1799 (18)
 beste Teiler 232.5 (17.) 260.2 (6.) 273.1 (32.)
 Trefferlage 0.03 mm links, 2.14 mm hoch
 Streuwert 8.16, horizontal: 8.28, vertikal: 8.03




Serie 1:
 9.8 ↗ 9.5 → 9.7 ↘ 9.9 ← 10.3 *
 10.6 * 10.0 ↑ 9.0 ↘ 10.6 * 8.7 ↘
 beste Teiler 260.2 (6.) 278.4 (9.) 500.1 (5.)
 Trefferlage 3.36 mm rechts, 0.86 mm tief
 Streuwert 7.17, horizontal: 8.14, vertikal: 6.04



Serie 2:
 8.8 ↘ 10.0 ↗ 10.3 * 9.7 ↑ 9.4 ↑
 8.7 ↓ 10.7 * 8.7 ↘ 10.2 ↘ 7.6 ↘
 beste Teiler 232.5 (17.) 482.5 (13.) 623.7 (19.)
 Trefferlage 0.52 mm rechts, 3.34 mm hoch
 Streuwert 10.35, horizontal: 9.42, vertikal: 11.20



Serie 3:
 8.1 ← 9.5 ↗ 9.9 ↓ 9.6 ↑ 10.5 *
 9.1 ↗ 9.6 ↘ 10.0 ↓ 10.2 → 9.1 ←
 beste Teiler 387.0 (25.) 606.1 (29.) 784.4 (28.)
 Trefferlage 2.20 mm links, 3.36 mm hoch
 Streuwert 8.73, horizontal: 10.27, vertikal: 6.85



Serie 4:
 10.5 * 10.6 * 10.1 ↑ 9.3 ↘ 10.2 ↓
 9.2 ↘ 10.3 * 9.6 ↓ 10.2 ↑ 9.6 ↑
 beste Teiler 273.1 (32.) 393.6 (31.) 523.9 (37.)
 Trefferlage 1.84 mm links, 2.75 mm hoch
 Streuwert 5.98, horizontal: 3.84, vertikal: 7.54

DSQ – Schütze oder Mannschaft wurde disqualifiziert

Unterschrift des Schützen

Meyton Elektronik