





Ergebnis: **409.9** (393)
 Serien: 101.6 103.6 103.2 101.5
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 445 (40), 396 (9), 373 (19)
 beste Teiler 37.0 (12.) 51.2 (11.) 62.1 (17.)
 Trefferlage 0.58 mm links, 0.20 mm hoch
 Streuwert 1.36, horizontal: 1.48, vertikal: 1.22




Serie 1:
 10.2 * 9.5 ↘ 10.4 * 10.2 * 10.6 *
 10.2 * 10.6 * 10.4 * 9.4 ← 10.1 ↑
 beste Teiler 80.2 (5.) 93.2 (7.) 135.6 (3.)
 Trefferlage 0.98 mm links, 0.63 mm hoch
 Streuwert 1.39, horizontal: 1.35, vertikal: 1.44



Serie 2:
 10.7 * 10.8 * 10.4 * 10.3 * 9.7 ↘
 10.6 * 10.7 * 10.5 * 9.5 ← 10.4 *
 beste Teiler 37.0 (12.) 51.2 (11.) 62.1 (17.)
 Trefferlage 0.99 mm links, 0.35 mm hoch
 Streuwert 1.09, horizontal: 1.09, vertikal: 1.08



Serie 3:
 10.2 * 10.5 * 10.2 * 10.4 * 10.1 ↘
 10.3 * 10.5 * 10.0 ↓ 10.4 * 10.6 *
 beste Teiler 100.8 (30.) 105.6 (27.) 113.8 (22.)
 Trefferlage 0.42 mm links, 0.68 mm tief
 Streuwert 1.05, horizontal: 0.91, vertikal: 1.18





Serie 4:
 10.5 * 10.1 → 10.4 * 10.5 * 9.8 ↘
 9.9 → 10.7 * 10.0 ↗ 10.4 * 9.2 ←
 beste Teiler 65.1 (37.) 103.7 (31.) 120.8 (34.)
 Trefferlage 0.08 mm rechts, 0.50 mm hoch
 Streuwert 1.64, horizontal: 2.19, vertikal: 0.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **410.1** (392)
 Serien: 101.6 103.0 103.1 102.4
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 427 (17), 405 (1), 341 (27)
 beste Teiler 25.0 (20.) 43.8 (2.) 50.8 (38.)
 Trefferlage 0.20 mm links, 0.05 mm tief
 Streuwert 1.42, horizontal: 1.66, vertikal: 1.12




Serie 1:
 9.3 ← 10.8 * 10.5 * 10.3 * 9.8 ↘
 9.7 → 10.0 ↘ 10.1 ← 10.4 * 10.7 *
 beste Teiler 43.8 (2.) 61.0 (10.) 121.7 (3.)
 Trefferlage 0.50 mm rechts, 0.61 mm tief
 Streuwert 1.58, horizontal: 2.13, vertikal: 0.67



Serie 2:
 10.2 * 10.5 * 10.3 * 10.3 * 10.6 *
 10.6 * 9.2 ↘ 10.4 * 10.0 ↘ 10.9 *
 beste Teiler 25.0 (20.) 82.6 (15.) 97.8 (16.)
 Trefferlage 0.04 mm links, 0.14 mm hoch
 Streuwert 1.43, horizontal: 1.76, vertikal: 1.00



Serie 3:
 10.6 * 10.2 * 10.7 * 10.6 * 10.7 *
 9.8 ↘ 9.6 ↙ 10.4 * 10.4 * 10.1 ↙
 beste Teiler 53.6 (25.) 66.4 (23.) 83.0 (24.)
 Trefferlage 0.88 mm links, 0.32 mm tief
 Streuwert 1.17, horizontal: 1.24, vertikal: 1.09





Serie 4:
 10.4 * 10.0 ↘ 10.4 * 9.9 ↘ 10.5 *
 10.3 * 9.8 ↘ 10.8 * 10.2 * 10.1 ↘
 beste Teiler 50.8 (38.) 110.0 (35.) 126.6 (33.)
 Trefferlage 0.40 mm links, 0.57 mm hoch
 Streuwert 1.32, horizontal: 1.29, vertikal: 1.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.4** (386)
 Serien: 102.5 99.6 101.8 100.5
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 508 (15), 397 (40), 389 (7)
 beste Teiler 13.8 (27.) 32.5 (13.) 53.7 (6.)
 Trefferlage 0.25 mm links, 0.06 mm hoch
 Streuwert 1.69, horizontal: 1.63, vertikal: 1.76




Serie 1:
 9.9 ↘ 10.7 * 10.2 * 10.4 * 10.5 *
 10.7 * 9.4 ↖ 10.5 * 9.8 ↓ 10.4 *
 beste Teiler 53.7 (6.) 55.7 (2.) 109.0 (8.)
 Trefferlage 0.21 mm rechts, 0.27 mm tief
 Streuwert 1.49, horizontal: 1.46, vertikal: 1.51



Serie 2:
 10.0 ↓ 10.1 ↗ 10.8 * 10.5 * 8.9 ↖
 9.7 ↓ 10.6 * 9.5 ↑ 10.0 ↓ 9.5 ↖
 beste Teiler 32.5 (13.) 84.3 (17.) 113.3 (14.)
 Trefferlage 0.77 mm links, 0.34 mm hoch
 Streuwert 2.01, horizontal: 1.53, vertikal: 2.40



Serie 3:
 10.1 ↗ 9.8 → 10.5 * 10.4 * 9.7 →
 10.2 * 10.9 * 9.7 ↙ 9.9 ↖ 10.6 *
 beste Teiler 13.8 (27.) 82.4 (30.) 113.2 (23.)
 Trefferlage 0.23 mm rechts, 0.10 mm hoch
 Streuwert 1.61, horizontal: 1.82, vertikal: 1.37





Serie 4:
 10.6 * 10.0 ↖ 10.0 ↗ 9.8 ← 10.1 ↓
 10.1 ↓ 10.2 * 10.3 * 10.0 ↖ 9.4 ↖
 beste Teiler 88.0 (31.) 167.6 (38.) 189.6 (37.)
 Trefferlage 0.69 mm links, 0.10 mm hoch
 Streuwert 1.72, horizontal: 1.63, vertikal: 1.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **400.1** (384)
 Serien: 101.0 98.0 102.4 98.7
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 649 (13), 545 (20), 489 (32)
 beste Teiler 22.4 (14.) 26.2 (27.) 51.9 (5.)
 Trefferlage 0.11 mm links, 0.15 mm tief
 Streuwert 1.95, horizontal: 2.36, vertikal: 1.44




Serie 1:
 10.1 ↘ 10.4 * 9.5 ← 10.6 * 10.7 *
 10.0 ← 9.9 ↗ 9.2 → 10.4 * 10.2 *
 beste Teiler 51.9 (5.) 77.1 (4.) 133.4 (2.)
 Trefferlage 0.11 mm rechts, 0.11 mm hoch
 Streuwert 1.79, horizontal: 2.25, vertikal: 1.15



Serie 2:
 9.9 ↗ 9.6 → 8.4 → 10.9 * 10.6 *
 10.3 * 9.7 ↑ 9.6 → 10.2 * 8.8 ↘
 beste Teiler 22.4 (14.) 100.5 (15.) 153.6 (16.)
 Trefferlage 1.07 mm rechts, 0.57 mm hoch
 Streuwert 2.38, horizontal: 2.91, vertikal: 1.70



Serie 3:
 10.2 * 10.2 * 10.6 * 10.0 ↓ 10.0 ↘
 10.0 → 10.8 * 10.1 → 10.4 * 10.1 ←
 beste Teiler 26.2 (27.) 82.4 (23.) 134.3 (29.)
 Trefferlage 0.14 mm rechts, 0.60 mm tief
 Streuwert 1.31, horizontal: 1.59, vertikal: 0.95





Serie 4:
 10.0 ← 9.0 ← 9.6 ↓ 10.1 ↑ 10.7 *
 10.5 * 9.5 ↙ 9.7 ← 9.3 ← 10.3 *
 beste Teiler 64.1 (35.) 114.5 (36.) 174.3 (40.)
 Trefferlage 1.78 mm links, 0.69 mm tief
 Streuwert 1.72, horizontal: 1.80, vertikal: 1.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.1** (396)
 Serien: 105.7 103.3 102.7 102.4
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 405 (28), 289 (34), 281 (30)
 beste Teiler 7.2 (18.) 16.4 (3.) 21.9 (26.)
 Trefferlage 0.24 mm rechts, 0.53 mm hoch
 Streuwert 1.17, horizontal: 1.31, vertikal: 1.01




Serie 1:
 10.6 * 10.2 * 10.9 * 10.4 * 10.4 *
 10.8 * 10.8 * 10.4 * 10.5 * 10.7 *
 beste Teiler 16.4 (3.) 36.0 (7.) 50.0 (6.)
 Trefferlage 0.18 mm rechts, 0.17 mm hoch
 Streuwert 0.77, horizontal: 0.43, vertikal: 1.01



Serie 2:
 10.3 * 10.0 ← 10.8 * 10.6 * 10.1 ↗
 10.1 → 10.2 * 10.9 * 10.4 * 9.9 ↘
 beste Teiler 7.2 (18.) 42.7 (13.) 76.4 (14.)
 Trefferlage 0.20 mm rechts, 0.89 mm hoch
 Streuwert 1.12, horizontal: 1.30, vertikal: 0.90



Serie 3:
 10.4 * 10.3 * 10.8 * 10.0 → 10.1 ↗
 10.9 * 10.5 * 9.3 ↖ 10.6 * 9.8 ↖
 beste Teiler 21.9 (26.) 26.6 (23.) 93.0 (29.)
 Trefferlage 0.07 mm rechts, 0.81 mm hoch
 Streuwert 1.39, horizontal: 1.70, vertikal: 0.99



Serie 4:
 10.0 ↖ 10.2 * 10.2 * 9.8 → 10.3 *
 10.8 * 10.4 * 10.2 * 10.3 * 10.2 *
 beste Teiler 37.0 (36.) 130.6 (37.) 151.8 (39.)
 Trefferlage 0.50 mm rechts, 0.23 mm hoch
 Streuwert 1.36, horizontal: 1.60, vertikal: 1.07

Unterschrift des Schützen

Meyton Elektronik