





Ergebnis: **391.7** (375)  
 Serien: 101.3 100.1 90.8 99.5  
 Zaehler: 21 14 4 1 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 900 (21), 704 (29), 680 (24)  
 beste Teiler 38.1 (9.) 71.3 (33.) 72.1 (36.)  
 Trefferlage 0.07 mm rechts, 0.47 mm hoch  
 Streuwert 2.47, horizontal: 3.09, vertikal: 1.63




Serie 1:  
 10.2 \*                      8.7 ↘                      10.4 \*                      10.2 \*                      10.3 \*  
 10.4 \*                      10.2 \*                      10.5 \*                      10.8 \*                      9.6 ↗  
 beste Teiler 38.1 (9.) 109.8 (8.) 133.1 (3.)  
 Trefferlage 0.18 mm rechts, 0.24 mm hoch  
 Streuwert 1.84, horizontal: 1.46, vertikal: 2.16



Serie 2:  
 10.2 \*                      10.5 \*                      10.4 \*                      10.2 \*                      10.3 \*  
 9.4 ↖                      10.3 \*                      9.3 →                      9.6 ↖                      9.9 →  
 beste Teiler 108.7 (12.) 139.0 (13.) 154.2 (17.)  
 Trefferlage 0.03 mm links, 0.68 mm hoch  
 Streuwert 1.84, horizontal: 2.23, vertikal: 1.34



Serie 3:  
 7.4 →                      9.8 →                      9.6 ←                      8.2 ←                      9.3 ←  
 9.2 →                      9.4 →                      10.4 \*                      8.1 ↖                      9.4 ←  
 beste Teiler 128.9 (28.) 296.4 (22.) 326.0 (23.)  
 Trefferlage 0.40 mm links, 0.06 mm hoch  
 Streuwert 3.84, horizontal: 5.19, vertikal: 1.61





Serie 4:  
 9.6 ←                      9.3 →                      10.7 \*                      8.8 ↗                      9.1 ↖  
 10.7 \*                      10.0 ↗                      10.4 \*                      10.3 \*                      10.6 \*  
 beste Teiler 71.3 (33.) 72.1 (36.) 82.0 (40.)  
 Trefferlage 0.56 mm rechts, 0.90 mm hoch  
 Streuwert 2.11, horizontal: 2.63, vertikal: 1.39


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **385.9** (367)  
 Serien: 98.2 98.7 93.7 95.3  
 Zaehler: 16 16 7 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 799 (34), 664 (21), 650 (24)  
 beste Teiler 46.3 (12.) 89.3 (1.) 98.6 (20.)  
 Trefferlage 0.82 mm rechts, 0.10 mm hoch  
 Streuwert 2.62, horizontal: 3.05, vertikal: 2.10




Serie 1:  
 10.6 \* 9.6 ↗ 9.8 ↘ 10.3 \* 8.4 ↗  
 10.5 \* 9.0 ↘ 10.4 \* 10.2 \* 9.4 ↗  
 beste Teiler 89.3 (1.) 122.3 (6.) 137.8 (8.)  
 Trefferlage 0.84 mm rechts, 1.12 mm hoch  
 Streuwert 2.22, horizontal: 2.79, vertikal: 1.46



Serie 2:  
 10.2 \* 10.8 \* 8.5 → 9.7 ↗ 9.8 ↗  
 10.0 ↑ 9.9 ↘ 10.1 ↘ 9.1 → 10.6 \*  
 beste Teiler 46.3 (12.) 98.6 (20.) 180.1 (11.)  
 Trefferlage 2.16 mm rechts, 0.40 mm hoch  
 Streuwert 1.69, horizontal: 1.96, vertikal: 1.37



Serie 3:  
 8.3 → 9.5 ↓ 9.7 ← 8.4 → 9.7 ←  
 9.4 ↘ 10.5 \* 8.6 ↓ 9.6 → 10.0 ↓  
 beste Teiler 109.7 (27.) 246.0 (30.) 307.1 (23.)  
 Trefferlage 0.73 mm rechts, 0.99 mm tief  
 Streuwert 3.07, horizontal: 3.66, vertikal: 2.35





Serie 4:  
 10.4 \* 8.6 → 10.2 \* 7.8 ↘ 8.9 ↘  
 10.1 ↙ 9.3 ↘ 9.9 ↙ 9.9 ↘ 10.2 \*  
 beste Teiler 126.7 (31.) 195.2 (33.) 199.5 (40.)  
 Trefferlage 0.44 mm links, 0.10 mm tief  
 Streuwert 3.04, horizontal: 3.39, vertikal: 2.64


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **376.9** (359)  
 Serien: 87.4 100.4 91.5 97.6  
 Zaehler: 13 15 10 2 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 911 (10), 858 (24), 713 (7)  
 beste Teiler 66.0 (34.) 111.2 (14.) 119.2 (12.)  
 Trefferlage 0.29 mm rechts, 0.25 mm hoch  
 Streuwert 3.11, horizontal: 3.95, vertikal: 1.93




Serie 1:  
 8.5 ↖                      8.8 ↘                      8.8 →                      10.0 →                      8.3 ←  
 8.5 ↗                      8.1 →                      8.9 ↘                      10.2 \*                      7.3 ←  
 beste Teiler 181.2 (9.) 231.7 (4.) 505.2 (8.)  
 Trefferlage 0.70 mm links, 0.70 mm hoch  
 Streuwert 4.31, horizontal: 5.55, vertikal: 2.53



Serie 2:  
 10.3 \*                      10.5 \*                      10.2 \*                      10.5 \*                      10.3 \*  
 9.1 ↘                      10.3 \*                      9.0 →                      10.3 \*                      9.9 ↘  
 beste Teiler 111.2 (14.) 119.2 (12.) 153.3 (19.)  
 Trefferlage 1.35 mm rechts, 0.72 mm tief  
 Streuwert 1.56, horizontal: 1.68, vertikal: 1.43



Serie 3:  
 8.3 ←                      9.7 ↖                      10.1 ↑                      7.5 →                      9.6 ↘  
 9.2 ↖                      8.5 ←                      9.3 →                      9.9 ↑                      9.4 ↗  
 beste Teiler 209.9 (23.) 255.1 (29.) 311.5 (22.)  
 Trefferlage 0.58 mm links, 1.05 mm hoch  
 Streuwert 3.52, horizontal: 4.70, vertikal: 1.65





Serie 4:  
 9.8 →                      10.4 \*                      10.4 \*                      10.7 \*                      9.2 →  
 9.9 ↘                      9.5 ↖                      9.8 ←                      8.6 →                      9.3 ↗  
 beste Teiler 66.0 (34.) 142.6 (32.) 149.4 (33.)  
 Trefferlage 1.13 mm rechts, 0.00 mm  
 Streuwert 2.35, horizontal: 2.84, vertikal: 1.71

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis: **379.9** (363)  
 Serien: 96.1 96.2 94.3 93.3  
 Zaehler: 14 19 4 2 1 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1026 (31), 842 (18), 783 (22)  
 beste Teiler 50.0 (37.) 84.3 (14.) 93.6 (11.)  
 Trefferlage 1.17 mm rechts, 1.18 mm tief  
 Streuwert 2.79, horizontal: 3.06, vertikal: 2.49




Serie 1:  
 9.2 ↓                      9.9 ↙                      10.5 \*                      10.2 \*                      9.3 ↘  
 9.0 ←                      9.1 →                      9.7 ↖                      9.8 ↗                      9.4 →

beste Teiler 121.0 (3.) 193.1 (4.) 274.5 (2.)  
 Trefferlage 0.44 mm links, 1.45 mm tief  
 Streuwert 2.41, horizontal: 3.03, vertikal: 1.56




Serie 2:  
 10.6 \*                      9.9 ↙                      10.4 \*                      10.6 \*                      9.1 ↘  
 9.2 ↓                      10.1 ←                      7.6 →                      10.4 \*                      8.3 →

beste Teiler 84.3 (14.) 93.6 (11.) 136.2 (13.)  
 Trefferlage 0.76 mm rechts, 0.84 mm tief  
 Streuwert 2.96, horizontal: 3.72, vertikal: 1.91



Serie 3:  
 9.9 →                      7.8 →                      9.2 ↓                      10.1 ↖                      8.5 ↘  
 10.2 \*                      9.2 ↘                      9.9 ↑                      10.5 \*                      9.0 ↘

beste Teiler 117.2 (29.) 199.4 (26.) 219.1 (24.)  
 Trefferlage 2.17 mm rechts, 1.04 mm tief  
 Streuwert 2.64, horizontal: 2.80, vertikal: 2.45





Serie 4:  
 6.8 ↘                      10.3 \*                      8.7 ↘                      9.1 ↘                      8.8 →  
 10.1 →                      10.8 \*                      9.6 ↑                      10.1 ↓                      9.0 →

beste Teiler 50.0 (37.) 165.8 (32.) 211.4 (36.)  
 Trefferlage 2.21 mm rechts, 1.39 mm tief  
 Streuwert 3.07, horizontal: 2.09, vertikal: 3.80


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **388.2** (373)  
 Serien: 95.9 98.9 95.9 97.5  
 Zaehler: 19 16 4 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 760 (27), 631 (10), 574 (20)  
 beste Teiler 18.7 (5.) 48.7 (16.) 57.6 (36.)  
 Trefferlage 0.40 mm links, 1.07 mm hoch  
 Streuwert 2.44, horizontal: 2.69, vertikal: 2.17




Serie 1:  
 9.3 ↑ 10.4 \* 9.0 ↗ 10.2 \* 10.9 \*  
 10.3 \* 9.2 ↘ 9.0 ← 9.2 ↗ 8.4 ↘  
 beste Teiler 18.7 (5.) 139.9 (2.) 171.4 (6.)  
 Trefferlage 0.08 mm links, 1.94 mm hoch  
 Streuwert 2.50, horizontal: 2.87, vertikal: 2.06



Serie 2:  
 10.1 ↑ 9.2 ↙ 9.5 ↗ 10.1 → 10.5 \*  
 10.8 \* 9.4 ↓ 10.4 \* 10.2 \* 8.7 ↘  
 beste Teiler 48.7 (16.) 106.9 (15.) 137.2 (18.)  
 Trefferlage 0.40 mm links, 0.39 mm hoch  
 Streuwert 2.29, horizontal: 2.28, vertikal: 2.29



Serie 3:  
 9.0 ↘ 8.9 ↖ 10.1 ↑ 9.9 ← 10.2 \*  
 9.6 ↘ 7.9 ← 10.2 \* 9.9 ↖ 10.2 \*  
 beste Teiler 179.6 (25.) 184.7 (30.) 186.8 (28.)  
 Trefferlage 1.81 mm links, 0.69 mm hoch  
 Streuwert 2.47, horizontal: 3.13, vertikal: 1.55



Serie 4:  
 10.6 \* 10.5 \* 9.2 ↑ 10.4 \* 10.1 ↗  
 10.7 \* 9.1 ↑ 9.1 ↑ 8.7 → 9.1 ↙  
 beste Teiler 57.6 (36.) 99.9 (31.) 108.4 (32.)  
 Trefferlage 0.66 mm rechts, 1.24 mm hoch  
 Streuwert 2.38, horizontal: 2.12, vertikal: 2.62

Unterschrift des Schuetzen

Meyton Elektronik