





Ergebnis:	<b>578.0</b>	(551)
Serien:	94.7 96.3 93.2 97.7 96.8 99.3	
Zähler:	22 27 11 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	2255 (28), 2058 (10), 2001 (27)	
beste Teiler	237.3 (51.) 277.7 (32.) 282.8 (23.)	
Trefferlage	5.24 mm links, 1.41 mm hoch	
Streuwert	7.42, horizontal: 8.40, vertikal: 6.29	




Serie 1:	10.1 ↙	9.5 ↘	10.6 *	10.3 *	8.9 ←
	8.9 →	9.1 ↙	8.8 ↙	10.1 ↗	8.4 ↘
beste Teiler	313.0 (3.) 498.0 (4.) 683.0 (1.)				
Trefferlage	5.11 mm links, 0.49 mm tief				
Streuwert	9.08, horizontal: 10.99, vertikal: 6.64				




Serie 2:	9.3 ↖	9.3 ←	9.8 ↙	9.4 ↖	10.1 ↑
	9.9 ↘	8.7 ↙	9.1 ↙	10.4 *	10.3 *
beste Teiler	412.6 (19.) 528.4 (20.) 665.7 (15.)				
Trefferlage	7.23 mm links, 0.86 mm hoch				
Streuwert	6.54, horizontal: 5.91, vertikal: 7.12				




Serie 3:	9.7 →	8.7 ↖	10.6 *	9.7 ←	9.4 ↑
	9.8 ↘	8.4 ↖	8.1 ↖	8.6 ←	10.2 ↗
beste Teiler	282.8 (23.) 593.4 (30.) 892.3 (26.)				
Trefferlage	7.65 mm links, 5.03 mm hoch				
Streuwert	8.26, horizontal: 10.53, vertikal: 5.05				



Serie 4:	9.8 →	10.6 *	10.2 ↙	9.2 ↙	9.2 ←
	9.5 ←	10.1 ↘	8.7 ←	10.6 *	9.8 ↘
beste Teiler	277.7 (32.) 310.2 (39.) 573.6 (33.)				
Trefferlage	5.21 mm links, 0.05 mm tief				
Streuwert	6.89, horizontal: 8.95, vertikal: 3.84				



Serie 5:	10.3 *	9.9 ↑	9.0 ↘	9.5 ↑	10.4 *
	8.9 ↙	9.5 ←	9.4 ↘	9.9 ↘	10.0 ↑
beste Teiler	456.3 (45.) 523.1 (41.) 727.6 (50.)				
Trefferlage	5.50 mm links, 5.29 mm hoch				
Streuwert	5.82, horizontal: 6.15, vertikal: 5.47				



Serie 6:	10.7 *	10.2 ↖	10.2 ↓	9.4 ↓	9.6 →
	10.1 ↘	9.4 ↓	10.0 ↘	9.1 ←	10.6 *
beste Teiler	237.3 (51.) 295.6 (60.) 576.6 (52.)				
Trefferlage	0.77 mm links, 2.17 mm tief				
Streuwert	6.59, horizontal: 6.69, vertikal: 6.49				

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 27

**Wuitz–Diem, Christl** #172

**StartNr: 26**

31. August 2017 10:04



V–USG Höchst

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.1** (574)  
 Serien: 98.3 101.1 100.7 102.2 101.1 100.7  
 Zähler: 37 20 3 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 1879 (1), 1776 (3), 1754 (57)  
 beste Teiler 34.3 (21.) 44.7 (49.) 112.2 (31.)  
 Trefferlage 1.34 mm links, 1.45 mm hoch  
 Streuwert 5.64, horizontal: 6.53, vertikal: 4.58




Serie 1:  
 8.6 ↖ 9.6 ↖ 8.7 ← 10.1 ← 10.3 ←  
 10.8 \* 10.3 ↓ 9.9 → 9.9 ↘ 10.1 ↑  
 beste Teiler 130.1 (6.) 550.7 (7.) 551.1 (5.)  
 Trefferlage 5.67 mm links, 1.16 mm hoch  
 Streuwert 6.50, horizontal: 8.06, vertikal: 4.42




Serie 2:  
 9.9 ← 10.2 ← 10.3 ↗ 10.3 \* 10.6 \*  
 10.2 → 10.0 ↗ 9.7 → 9.4 ↘ 10.5 \*  
 beste Teiler 272.3 (15.) 357.5 (20.) 516.8 (14.)  
 Trefferlage 1.55 mm rechts, 1.45 mm hoch  
 Streuwert 5.14, horizontal: 6.43, vertikal: 3.40




Serie 3:  
 10.9 \* 9.0 ↑ 10.4 \* 10.5 \* 10.1 ↘  
 9.9 ↑ 9.7 ↙ 10.6 \* 9.9 ← 9.7 ↓  
 beste Teiler 34.3 (21.) 319.0 (28.) 396.8 (24.)  
 Trefferlage 1.31 mm links, 0.89 mm hoch  
 Streuwert 5.99, horizontal: 4.57, vertikal: 7.13



Serie 4:  
 10.8 \* 10.7 \* 10.0 ↘ 10.2 ↘ 10.4 \*  
 9.5 ↘ 10.0 → 10.5 \* 10.2 ↑ 9.9 ↘  
 beste Teiler 112.2 (31.) 228.9 (32.) 328.4 (38.)  
 Trefferlage 0.67 mm links, 1.73 mm hoch  
 Streuwert 4.74, horizontal: 5.77, vertikal: 3.41



Serie 5:  
 10.6 \* 10.2 ← 9.6 ↖ 10.5 \* 10.2 ↓  
 9.7 ← 9.8 ↗ 9.7 ← 10.9 \* 9.9 ↙  
 beste Teiler 44.7 (49.) 316.5 (41.) 327.0 (44.)  
 Trefferlage 3.01 mm links, 0.66 mm hoch  
 Streuwert 5.07, horizontal: 5.12, vertikal: 5.01



Serie 6:  
 10.6 \* 10.3 ↘ 10.5 \* 10.3 ↗ 10.2 →  
 10.2 ↘ 8.8 ↘ 9.4 → 9.9 ↗ 10.5 \*  
 beste Teiler 275.5 (51.) 368.4 (60.) 393.2 (53.)  
 Trefferlage 1.04 mm rechts, 2.81 mm hoch  
 Streuwert 5.84, horizontal: 7.24, vertikal: 3.97

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 28

**Kaspar, Sonja** #220

**StartNr: 27**

31. August 2017 10:03



T – SG Mieming

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **579.4** (557)  
 Serien: 92.9 98.1 94.7 98.4 96.1 99.2  
 Zähler: 27 24 8 1 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2462 (42), 2326 (5), 2051 (9)  
 beste Teiler 97.8 (33.) 184.6 (19.) 347.4 (14.)  
 Trefferlage 1.87 mm links, 0.15 mm hoch  
 Streuwert 8.13, horizontal: 8.56, vertikal: 7.68




Serie 1:  
 9.7 ↙ 9.0 ↖ 10.1 ↗ 9.2 ↘ 8.0 ↙  
 10.1 ↘ 9.5 ↖ 9.0 ↖ 8.4 ↘ 9.9 ↖  
 beste Teiler 672.6 (6.) 693.6 (3.) 875.0 (10.)  
 Trefferlage 4.17 mm links, 5.59 mm tief  
 Streuwert 9.29, horizontal: 10.83, vertikal: 7.43




Serie 2:  
 9.5 ↘ 10.1 ↖ 10.1 ↖ 10.5 \* 8.5 ↓  
 9.7 ↖ 10.4 \* 8.5 ↖ 10.7 \* 10.1 ↘  
 beste Teiler 184.6 (19.) 347.4 (14.) 457.9 (17.)  
 Trefferlage 2.07 mm links, 2.24 mm tief  
 Streuwert 7.68, horizontal: 8.39, vertikal: 6.89




Serie 3:  
 9.5 → 10.1 ↑ 9.8 ↖ 8.4 ↖ 8.9 ↓  
 10.0 ↓ 9.4 ↖ 9.1 → 9.2 ↑ 10.3 \*  
 beste Teiler 481.4 (30.) 668.3 (22.) 731.2 (26.)  
 Trefferlage 1.35 mm links, 0.57 mm tief  
 Streuwert 9.36, horizontal: 9.96, vertikal: 8.73



Serie 4:  
 8.8 → 9.8 → 10.8 \* 9.2 ↖ 10.0 ↖  
 9.9 ↖ 9.2 ↑ 10.4 \* 10.0 ↘ 10.3 ↖  
 beste Teiler 97.8 (33.) 445.3 (38.) 537.2 (40.)  
 Trefferlage 0.80 mm links, 2.10 mm hoch  
 Streuwert 7.24, horizontal: 9.03, vertikal: 4.83



Serie 5:  
 9.6 ↑ 7.9 ↘ 9.5 ↘ 10.2 ↑ 9.4 ↓  
 10.3 \* 10.3 \* 10.0 ↑ 9.1 ↑ 9.8 →  
 beste Teiler 493.4 (46.) 507.6 (47.) 634.7 (44.)  
 Trefferlage 1.05 mm rechts, 5.01 mm hoch  
 Streuwert 8.13, horizontal: 7.84, vertikal: 8.41



Serie 6:  
 9.8 ↘ 9.8 ↘ 10.1 ↘ 10.0 ↓ 10.5 \*  
 10.0 ↘ 10.2 ↖ 10.0 ↘ 8.8 ↖ 10.0 ↖  
 beste Teiler 378.7 (55.) 613.7 (57.) 658.3 (53.)  
 Trefferlage 3.89 mm links, 2.25 mm hoch  
 Streuwert 5.67, horizontal: 5.42, vertikal: 5.91

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 29

**Horvath, Luzia** #171

**StartNr: 28**

31. August 2017 10:03



V–SG Hohenems

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **599.5** (576)  
 Serien: 99.3 101.3 98.2 101.6 98.9 100.2  
 Zähler: 37 22 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 1660 (21), 1568 (24), 1555 (46)  
 beste Teiler 89.6 (31.) 127.6 (4.) 256.2 (16.)  
 Trefferlage 0.29 mm links, 1.11 mm tief  
 Streuwert 6.04, horizontal: 6.44, vertikal: 5.61




Serie 1:  
 10.0 ↘ 10.1 ↗ 10.3 → 10.8 \* 9.8 →  
 9.7 ↗ 9.8 ← 9.7 ↗ 9.0 ↓ 10.1 ←  
 beste Teiler 127.6 (4.) 538.0 (3.) 702.2 (2.)  
 Trefferlage 1.19 mm rechts, 1.07 mm hoch  
 Streuwert 6.60, horizontal: 5.97, vertikal: 7.17




Serie 2:  
 10.1 ↑ 9.8 ↖ 10.1 ↘ 10.3 \* 9.7 →  
 10.6 \* 10.1 ↑ 10.2 ↘ 10.4 \* 10.0 ←  
 beste Teiler 256.2 (16.) 426.1 (19.) 482.5 (14.)  
 Trefferlage 0.17 mm rechts, 2.03 mm hoch  
 Streuwert 4.86, horizontal: 5.77, vertikal: 3.73




Serie 3:  
 8.9 ↙ 10.0 ↑ 9.7 ← 9.0 ← 9.9 →  
 10.3 ↓ 9.8 ↓ 10.5 \* 10.5 \* 9.6 ↙  
 beste Teiler 366.3 (29.) 390.7 (28.) 538.9 (26.)  
 Trefferlage 4.91 mm links, 3.54 mm tief  
 Streuwert 6.05, horizontal: 5.83, vertikal: 6.27



Serie 4:  
 10.8 \* 10.3 ↓ 10.3 ↗ 10.2 ↓ 10.4 \*  
 10.4 \* 9.1 ↓ 10.0 ← 10.0 → 10.1 ↓  
 beste Teiler 89.6 (31.) 432.2 (36.) 472.7 (35.)  
 Trefferlage 0.83 mm rechts, 2.85 mm tief  
 Streuwert 4.88, horizontal: 3.83, vertikal: 5.74



Serie 5:  
 9.9 ↖ 10.3 \* 9.2 ← 9.9 → 9.2 →  
 9.0 ↖ 10.3 \* 10.2 ← 10.6 \* 10.3 \*  
 beste Teiler 268.3 (49.) 490.0 (50.) 491.7 (42.)  
 Trefferlage 1.80 mm links, 0.96 mm tief  
 Streuwert 6.80, horizontal: 8.71, vertikal: 4.09



Serie 6:  
 10.1 ↓ 10.0 ↗ 10.5 \* 10.5 \* 9.6 ↓  
 9.2 ↘ 10.5 \* 10.4 \* 9.9 → 9.5 ←  
 beste Teiler 349.2 (54.) 354.9 (57.) 388.9 (53.)  
 Trefferlage 2.76 mm rechts, 2.41 mm tief  
 Streuwert 5.53, horizontal: 6.15, vertikal: 4.84

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 30

**Konicek, Else** #70817392

**StartNr: 29**

31. August 2017 10:13

NÖ-SV Hollabrunn 1716



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>597.0</b>	(570)				
Serien:	97.6	99.7	101.5	98.9	98.7	100.6
Zähler:	32	26	2	0	0	0
Innenzehner:	15					
weiteste:	1945 (8), 1602 (36), 1395 (26)					
beste Teiler	95.2 (21.) 238.0 (27.) 260.6 (56.)					
Trefferlage	0.58 mm links, 0.76 mm tief					
Streuwert	6.24, horizontal: 5.56, vertikal: 6.85					




Serie 1:	10.0 ↖	9.8 ↖	9.9 ↘	9.7 ↘	9.5 ↑
	10.1 ↓	10.3 ↙	8.5 ↘	10.2 ↓	9.6 ↓
beste Teiler	552.5 (7.) 579.3 (9.) 689.8 (6.)				
Trefferlage	1.59 mm links, 0.05 mm tief				
Streuwert	7.62, horizontal: 6.09, vertikal: 8.89				




Serie 2:	9.9 ↙	9.9 ↑	10.5 *	9.8 →	9.4 ↙
	10.3 ↙	10.2 ↘	10.1 ↓	10.0 ↑	9.6 ↓
beste Teiler	389.4 (13.) 559.8 (16.) 627.2 (17.)				
Trefferlage	0.00 mm , 2.43 mm tief				
Streuwert	5.88, horizontal: 5.61, vertikal: 6.15				




Serie 3:	10.8 *	10.3 *	10.1 ↘	9.2 ↓	10.6 *
	9.2 ↘	10.7 *	10.3 *	10.3 *	10.0 ↘
beste Teiler	95.2 (21.) 238.0 (27.) 262.9 (25.)				
Trefferlage	0.62 mm rechts, 2.26 mm tief				
Streuwert	5.42, horizontal: 3.78, vertikal: 6.66				



Serie 4:	9.8 ↗	10.2 ↗	9.8 ↘	9.7 →	10.4 *
	8.9 ↘	10.3 ↘	10.3 *	10.1 ↗	9.4 ↙
beste Teiler	421.8 (35.) 505.9 (38.) 533.8 (37.)				
Trefferlage	1.01 mm rechts, 0.19 mm hoch				
Streuwert	6.75, horizontal: 7.27, vertikal: 6.19				



Serie 5:	9.3 ↙	9.8 ↘	9.6 ↙	10.1 ↗	10.3 *
	10.5 *	10.2 ↙	9.9 ↓	9.3 ↘	9.7 ↑
beste Teiler	342.8 (46.) 482.0 (45.) 626.7 (47.)				
Trefferlage	3.98 mm links, 0.25 mm hoch				
Streuwert	6.06, horizontal: 4.58, vertikal: 7.24				



Serie 6:	9.6 ↗	9.5 ↓	10.2 ↓	9.6 ↘	9.3 ↘
	10.6 *	10.5 *	10.6 *	10.4 *	10.3 ←
beste Teiler	260.6 (56.) 313.0 (58.) 381.2 (57.)				
Trefferlage	0.43 mm rechts, 0.29 mm tief				
Streuwert	6.03, horizontal: 5.08, vertikal: 6.85				

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 31

**Schneider, Hedi** #173

**StartNr: 30**

31. August 2017 10:06



V-USG Hard

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>600.8</b>	(577)
Serien:	98.3 99.3 101.2 99.9 102.9 99.2	
Zähler:	39 19 2 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1660 (28), 1614 (5), 1527 (9)	
beste Teiler	116.4 (60.) 254.2 (47.) 277.9 (48.)	
Trefferlage	1.16 mm links, 0.27 mm hoch	
Streuwert	5.95, horizontal: 6.12, vertikal: 5.78	




Serie 1:	10.6 *	10.0 ↑	9.4 ↘	10.3 ←	8.9 ↘
	9.8 ↘	10.2 ↘	10.2 ↘	9.0 ↘	9.9 ↘
beste Teiler	281.3 (1.)	559.0 (4.)	570.6 (7.)		
Trefferlage	5.85 mm links, 3.13 mm hoch				
Streuwert	5.46, horizontal: 6.17, vertikal: 4.64				




Serie 2:	10.0 ↑	10.0 ←	10.5 *	9.6 ↘	9.1 ↗
	10.1 ↘	9.9 ↗	9.8 ↘	9.8 ←	10.5 *
beste Teiler	342.0 (13.)	352.7 (20.)	709.2 (16.)		
Trefferlage	1.15 mm rechts, 0.25 mm hoch				
Streuwert	6.47, horizontal: 6.30, vertikal: 6.64				




Serie 3:	10.3 *	10.3 *	10.3 *	10.2 ↘	10.1 →
	10.3 *	10.0 ↘	8.9 ↘	10.3 *	10.5 *
beste Teiler	394.7 (30.)	483.4 (23.)	492.2 (26.)		
Trefferlage	0.10 mm links, 0.98 mm tief				
Streuwert	5.49, horizontal: 4.54, vertikal: 6.31				



Serie 4:	9.1 ↘	10.1 ↑	9.0 ↘	10.5 *	10.1 ↗
	9.5 ↘	10.1 ↘	10.6 *	10.6 *	10.3 *
beste Teiler	292.3 (38.)	319.0 (39.)	398.5 (34.)		
Trefferlage	1.29 mm links, 0.80 mm tief				
Streuwert	6.38, horizontal: 5.10, vertikal: 7.45				



Serie 5:	10.6 *	10.4 *	10.5 *	9.7 ↗	10.3 *
	9.5 ←	10.6 *	10.6 *	10.6 *	10.1 ↑
beste Teiler	254.2 (47.)	277.9 (48.)	290.2 (49.)		
Trefferlage	1.75 mm links, 0.08 mm tief				
Streuwert	4.36, horizontal: 4.70, vertikal: 4.00				



Serie 6:	9.7 ↑	9.1 ←	10.1 ↘	9.4 →	10.0 ↑
	10.2 ↘	10.4 *	9.6 ←	9.9 →	10.8 *
beste Teiler	116.4 (60.)	417.1 (57.)	600.0 (56.)		
Trefferlage	0.85 mm rechts, 0.12 mm hoch				
Streuwert	6.79, horizontal: 7.91, vertikal: 5.46				

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 32

**Pfandler, Elisabeth** #134

**StartNr: 31**

31. August 2017 10:16



T – SG Zams

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>593.5</b>	(568)
Serien:	99.2 97.4 98.0 100.4 96.5 102.0	
Zähler:	31 26 3 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1926 (28), 1617 (15), 1617 (17)	
beste Teiler	210.2 (59.) 239.8 (34.) 276.4 (40.)	
Trefferlage	0.45 mm links, 0.32 mm hoch	
Streuwert	6.71, horizontal: 7.53, vertikal: 5.78	




Serie 1:

10.2 ↙	9.4 ↖	9.9 →	10.3 *	10.4 *
10.1 ↓	10.6 *	9.0 ←	9.9 ↖	9.4 ←
beste Teiler	300.9 (7.) 475.8 (5.) 481.5 (4.)			
Trefferlage	4.33 mm links, 0.42 mm tief			
Streuwert	5.96, horizontal: 7.27, vertikal: 4.28			




Serie 2:

9.8 →	9.8 →	9.4 →	10.6 *	8.9 ↑
9.3 ↘	8.9 ←	10.3 *	10.5 *	9.9 ↑
beste Teiler	283.0 (14.) 330.4 (19.) 519.0 (18.)			
Trefferlage	0.37 mm rechts, 3.66 mm hoch			
Streuwert	7.38, horizontal: 8.32, vertikal: 6.31			




Serie 3:

10.0 ↘	10.3 *	10.0 →	10.3 ↗	10.2 ↗
10.2 ↑	9.6 ↘	8.5 ↙	9.2 ↖	9.7 →
beste Teiler	515.8 (22.) 531.0 (24.) 576.6 (26.)			
Trefferlage	0.42 mm rechts, 1.65 mm hoch			
Streuwert	7.44, horizontal: 7.77, vertikal: 7.09			




Serie 4:

10.6 *	10.5 *	9.3 ↘	10.7 *	9.1 ↖
9.4 ←	10.3 ↙	10.2 ↙	9.7 →	10.6 *
beste Teiler	239.8 (34.) 276.4 (40.) 311.6 (31.)			
Trefferlage	0.95 mm links, 1.67 mm tief			
Streuwert	6.24, horizontal: 7.82, vertikal: 4.08			



Serie 5:

10.2 →	10.0 ↘	10.2 ↙	9.9 →	9.0 →
9.6 ↓	9.0 ↙	9.2 ↙	9.5 ↗	9.9 →
beste Teiler	620.3 (41.) 625.9 (43.) 772.0 (42.)			
Trefferlage	1.09 mm rechts, 1.38 mm tief			
Streuwert	8.06, horizontal: 9.46, vertikal: 6.35			



Serie 6:

10.1 ↑	10.4 *	10.6 *	10.1 ↗	9.7 ↓
10.1 ↓	10.2 ↘	9.7 ↘	10.7 *	10.4 *
beste Teiler	210.2 (59.) 314.0 (53.) 407.6 (52.)			
Trefferlage	0.68 mm rechts, 0.13 mm hoch			
Streuwert	4.86, horizontal: 4.00, vertikal: 5.58			

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 33

**Köb, Brigitte** #177

**StartNr: 32**

31. August 2017 10:15



V-USG Wolfurt

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>581.1</b>	(552)
Serien:	95.6	100.6 92.6 97.7 97.9 96.7
Zähler:	21 32 5 2 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2865 (30), 2533 (57), 2185 (1)	
beste Teiler	89.5 (59.) 227.4 (42.) 245.9 (31.)	
Trefferlage	0.58 mm rechts, 1.45 mm hoch	
Streuwert	8.13, horizontal: 8.46, vertikal: 7.78	




Serie 1:	8.2 ↘	9.6 ↑	10.1 ↘	9.7 →	9.1 →
	9.7 ↗	9.9 ↙	10.2 ←	10.5 *	8.6 →
beste Teiler	341.9 (9.)	583.9 (8.)	680.2 (3.)		
Trefferlage	2.20 mm rechts, 3.66 mm hoch				
Streuwert	8.62, horizontal: 10.07, vertikal: 6.87				




Serie 2:	10.2 ↙	10.1 →	10.2 ↗	9.7 ↘	10.5 *
	10.2 ↖	9.8 ↖	9.3 ↘	10.4 *	10.2 ↘
beste Teiler	330.6 (15.)	404.0 (19.)	573.5 (11.)		
Trefferlage	0.43 mm rechts, 1.48 mm tief				
Streuwert	5.53, horizontal: 6.44, vertikal: 4.45				




Serie 3:	8.2 ↘	10.1 ↘	9.7 ↑	9.7 ↘	9.0 ↙
	9.9 ↙	9.6 ↘	9.4 ↗	9.6 ↘	7.4 ↘
beste Teiler	674.2 (22.)	810.5 (26.)	996.0 (23.)		
Trefferlage	1.72 mm rechts, 0.54 mm tief				
Streuwert	11.13, horizontal: 9.56, vertikal: 12.51				



Serie 4:	10.6 *	10.6 *	9.7 ←	9.9 ↘	9.7 ←
	9.9 ←	9.7 ↘	9.1 ←	9.7 ↗	8.8 ↑
beste Teiler	245.9 (31.)	293.5 (32.)	821.8 (36.)		
Trefferlage	4.75 mm links, 4.64 mm hoch				
Streuwert	5.88, horizontal: 6.70, vertikal: 4.93				



Serie 5:	9.8 ↘	10.7 *	8.9 ↘	9.5 ↑	9.3 →
	9.9 ↗	10.2 ↘	9.2 ↑	10.1 ↓	10.3 *
beste Teiler	227.4 (42.)	523.8 (50.)	618.5 (47.)		
Trefferlage	0.72 mm links, 4.49 mm hoch				
Streuwert	6.84, horizontal: 7.24, vertikal: 6.42				



Serie 6:	9.5 ↘	9.3 ↑	10.4 *	10.5 *	9.3 →
	9.7 ↓	7.8 ↘	10.1 ↘	10.8 *	9.3 ↘
beste Teiler	89.5 (59.)	394.4 (54.)	402.1 (53.)		
Trefferlage	4.62 mm rechts, 2.04 mm tief				
Streuwert	8.20, horizontal: 9.01, vertikal: 7.30				

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 35

**Schrotter, Nadja** #179

**StartNr: 33**

31. August 2017 10:18

V-SSV Rankweil



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>588.9</b>	(560)
Serien:	97.6 98.9 98.4 94.8 100.1 99.1	
Zähler:	26 28 6 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1928 (14), 1890 (53), 1886 (30)	
beste Teiler	66.9 (19.) 106.8 (59.) 172.0 (22.)	
Trefferlage	0.29 mm links, 2.21 mm tief	
Streuwert	7.28, horizontal: 8.35, vertikal: 6.02	




Serie 1:	10.7 *	10.1 ↙	9.3 ←	10.3 ↗	9.2 ↘
	10.3 ↘	9.2 ↙	10.6 *	9.1 ↘	8.8 →
beste Teiler	186.4 (1.)	269.3 (8.)	539.0 (4.)		
Trefferlage	1.49 mm rechts, 3.80 mm tief				
Streuwert	7.65, horizontal: 9.52, vertikal: 5.14				




Serie 2:	9.9 →	10.4 *	10.4 *	8.5 ↘	9.7 ↖
	9.8 ↗	9.8 ↖	9.0 ↘	10.9 *	10.5 *
beste Teiler	66.9 (19.)	386.0 (20.)	470.8 (13.)		
Trefferlage	2.06 mm rechts, 1.64 mm tief				
Streuwert	7.21, horizontal: 7.22, vertikal: 7.20				




Serie 3:	10.0 ←	10.7 *	9.8 ↘	9.7 ↙	9.3 ↗
	10.0 ←	10.4 *	9.9 ↗	10.0 ↖	8.6 ←
beste Teiler	172.0 (22.)	460.4 (27.)	776.0 (21.)		
Trefferlage	2.13 mm links, 0.83 mm hoch				
Streuwert	7.22, horizontal: 9.02, vertikal: 4.78				



Serie 4:	8.7 ↘	9.3 ↓	9.9 ↑	9.6 ↗	9.6 ←
	9.7 ↘	10.3 *	9.2 ↘	9.5 ←	9.0 ↘
beste Teiler	530.9 (37.)	807.5 (33.)	975.3 (36.)		
Trefferlage	0.97 mm rechts, 3.86 mm tief				
Streuwert	8.61, horizontal: 8.96, vertikal: 8.25				



Serie 5:	9.5 ↓	9.9 ↘	9.2 ↘	10.7 *	9.8 ↖
	10.7 *	10.2 ↗	10.3 ↓	10.6 *	9.2 ↖
beste Teiler	186.1 (46.)	205.0 (44.)	318.1 (49.)		
Trefferlage	0.95 mm links, 2.10 mm tief				
Streuwert	6.42, horizontal: 6.82, vertikal: 5.99				



Serie 6:	10.1 ↙	10.3 *	8.6 ←	9.8 →	8.7 ←
	10.4 *	9.6 ↓	10.1 ↓	10.8 *	10.7 *
beste Teiler	106.8 (59.)	179.0 (60.)	421.2 (56.)		
Trefferlage	3.22 mm links, 2.71 mm tief				
Streuwert	6.94, horizontal: 8.98, vertikal: 3.95				

Meyton Elektronik

**ISSF Prone Men** – *Wertung* – **Senioren1\_w**

StandNr: 37

**Immler, Ruth** #175

**StartNr: 34**

31. August 2017 10:05

V-USG Hard

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik