





Ergebnis: **381** (396.1)
 Serien: 95 96 94 96
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1904 (24), 1751 (30), 1548 (14)
 beste Teiler 130.1 (20.) 201.2 (38.) 279.6 (18.)
 Trefferlage 0.56 mm rechts, 2.85 mm tief
 Streuwert 6.36, horizontal: 6.89, vertikal: 5.77




Serie 1:
 10.0 → 9.8 → 10.3 ↓ 10.0 ↘ 10.0 ↙
 9.1 ↓ 10.3 * 9.8 ↓ 9.9 ↓ 9.4 →
 beste Teiler 515.8 (7.) 556.8 (3.) 774.9 (1.)
 Trefferlage 3.75 mm rechts, 4.81 mm tief
 Streuwert 5.18, horizontal: 5.39, vertikal: 4.97



Serie 2:
 10.1 ↖ 9.8 ↗ 10.2 ↓ 9.0 ↘ 9.3 ↘
 10.0 ← 10.1 ↓ 10.6 * 9.7 ↘ 10.8 *
 beste Teiler 130.1 (20.) 279.6 (18.) 574.6 (13.)
 Trefferlage 2.36 mm rechts, 2.53 mm tief
 Streuwert 6.05, horizontal: 6.30, vertikal: 5.78



Serie 3:
 10.5 * 9.1 → 9.8 → 8.6 ↖ 10.1 ↖
 10.1 ↓ 10.2 ↘ 10.1 ↓ 10.2 ↖ 8.8 ↓
 beste Teiler 375.6 (21.) 585.6 (27.) 613.9 (29.)
 Trefferlage 0.34 mm links, 3.12 mm tief
 Streuwert 7.78, horizontal: 8.83, vertikal: 6.56





Serie 4:
 10.3 ← 10.3 * 10.6 * 10.3 * 9.8 ↙
 9.1 ↖ 9.6 ↓ 10.7 * 9.7 ↖ 10.0 ↘
 beste Teiler 201.2 (38.) 310.2 (33.) 481.6 (32.)
 Trefferlage 3.49 mm links, 0.93 mm tief
 Streuwert 5.46, horizontal: 5.00, vertikal: 5.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (389.8)
 Serien: 91 98 92 91
 Zähler: 17 18 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2336 (26), 2273 (3), 1717 (7)
 beste Teiler 140.4 (16.) 181.3 (14.) 265.4 (39.)
 Trefferlage 4.37 mm links, 1.05 mm hoch
 Streuwert 7.12, horizontal: 8.17, vertikal: 5.90




Serie 1:
 9.7 ← 9.3 ↓ 8.1 → 9.5 ↙ 10.4 *
 9.7 ← 8.8 ← 9.6 ↘ 10.4 * 10.2 ↖
 beste Teiler 449.4 (5.) 475.4 (9.) 628.8 (10.)
 Trefferlage 3.27 mm links, 3.42 mm tief
 Streuwert 8.50, horizontal: 10.97, vertikal: 4.90



Serie 2:
 10.1 ↓ 10.1 ↖ 9.0 ← 10.7 * 10.2 ←
 10.8 * 10.1 → 10.1 ← 10.6 * 9.8 ←
 beste Teiler 140.4 (16.) 181.3 (14.) 319.0 (19.)
 Trefferlage 3.54 mm links, 0.89 mm hoch
 Streuwert 4.92, horizontal: 6.12, vertikal: 3.31



Serie 3:
 10.4 * 10.3 * 9.3 ← 9.4 ↑ 10.2 ↖
 8.0 ↖ 9.7 ← 9.7 ↗ 9.5 ↑ 9.1 ↗
 beste Teiler 411.9 (21.) 487.7 (22.) 625.0 (25.)
 Trefferlage 4.00 mm links, 6.13 mm hoch
 Streuwert 7.40, horizontal: 8.92, vertikal: 5.49





Serie 4:
 9.6 ↘ 8.9 ↖ 10.3 * 9.8 ↗ 9.5 ←
 9.6 ← 8.9 ↘ 9.6 ↖ 10.6 * 10.2 ←
 beste Teiler 265.4 (39.) 514.4 (33.) 594.7 (40.)
 Trefferlage 6.66 mm links, 0.61 mm hoch
 Streuwert 6.25, horizontal: 6.60, vertikal: 5.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(399.9)
Serien:	98 95 98 95	
Zähler:	28 10 2 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1789 (15), 1777 (36), 1574 (39)	
beste Teiler	193.9 (26.) 269.1 (35.) 302.3 (9.)	
Trefferlage	1.51 mm rechts, 1.28 mm hoch	
Streuwert	6.02, horizontal: 7.11, vertikal: 4.68	




Serie 1:	10.5 *	10.3 ↗	10.2 ↗	9.8 ←	10.3 *
	10.2 ↑	10.3 *	9.2 ↗	10.6 *	10.5 *
beste Teiler	302.3 (9.)	329.4 (10.)	343.1 (1.)		
Trefferlage	0.31 mm rechts, 2.09 mm hoch				
Streuwert	4.78, horizontal: 4.91, vertikal: 4.65				



Serie 2:	9.5 ↘	9.0 →	9.2 ←	10.4 *	8.7 →
	10.3 *	10.1 ↘	10.6 *	10.1 ↙	10.4 *
beste Teiler	309.7 (18.)	442.7 (14.)	444.5 (20.)		
Trefferlage	2.24 mm rechts, 1.74 mm hoch				
Streuwert	7.27, horizontal: 9.42, vertikal: 4.12				



Serie 3:	9.7 ↗	10.0 ↑	10.1 ↘	10.1 ↘	10.2 ↗
	10.7 *	10.4 *	10.3 *	10.0 ↘	9.7 ↘
beste Teiler	193.9 (26.)	405.1 (27.)	493.4 (28.)		
Trefferlage	1.82 mm rechts, 0.77 mm hoch				
Streuwert	5.02, horizontal: 4.80, vertikal: 5.23				





Serie 4:	10.3 ↗	9.5 ↘	10.2 ↗	10.1 ↑	10.6 *
	8.7 →	9.7 ↘	10.1 ↘	9.0 ←	10.3 ↓
beste Teiler	269.1 (35.)	553.2 (31.)	556.0 (40.)		
Trefferlage	1.66 mm rechts, 0.53 mm hoch				
Streuwert	7.34, horizontal: 8.98, vertikal: 5.19				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.2)
 Serien: 91 91 89 95
 Zähler: 20 10 8 0 2 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3873 (11), 3354 (5), 2315 (16)
 beste Teiler 87.7 (33.) 118.1 (36.) 152.6 (18.)
 Trefferlage 1.90 mm rechts, 0.15 mm hoch
 Streuwert 9.99, horizontal: 12.71, vertikal: 6.16




Serie 1:
 10.4 * 10.5 * 10.6 * 10.4 * 6.8 →
 10.0 ↘ 8.6 ↘ 9.2 → 10.0 ↘ 8.8 →
 beste Teiler 251.8 (3.) 336.0 (2.) 409.1 (1.)
 Trefferlage 9.76 mm rechts, 2.57 mm tief
 Streuwert 7.91, horizontal: 10.73, vertikal: 3.15



Serie 2:
 6.1 → 10.0 ↙ 9.8 ↘ 10.3 * 10.3 ↖
 8.1 ↘ 10.2 → 10.8 * 9.8 ← 9.7 ←
 beste Teiler 152.6 (18.) 516.9 (14.) 546.3 (15.)
 Trefferlage 4.57 mm rechts, 3.74 mm tief
 Streuwert 10.81, horizontal: 13.74, vertikal: 6.69



Serie 3:
 8.4 ← 8.2 → 8.2 ↖ 9.5 → 8.6 ↖
 9.0 ↖ 10.6 * 10.2 ← 9.5 ↖ 10.1 ↑
 beste Teiler 320.4 (27.) 583.9 (28.) 657.0 (30.)
 Trefferlage 4.22 mm links, 3.83 mm hoch
 Streuwert 10.68, horizontal: 13.44, vertikal: 6.88



Serie 4:
 9.8 → 9.4 ↗ 10.8 * 8.3 ↖ 10.1 ←
 10.8 * 10.1 ← 10.1 ↑ 10.4 * 9.7 ↖
 beste Teiler 87.7 (33.) 118.1 (36.) 403.3 (39.)
 Trefferlage 2.51 mm links, 3.10 mm hoch
 Streuwert 6.63, horizontal: 8.70, vertikal: 3.49

Unterschrift des Schützen

Meyton Elektronik