





Ergebnis: **378** (393.6)
 Serien: 96 96 93 93
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2234 (29), 1971 (28), 1642 (35)
 beste Teiler 50.9 (22.) 242.5 (1.) 303.4 (6.)
 Trefferlage 0.04 mm rechts, 1.55 mm tief
 Streuwert 7.13, horizontal: 8.27, vertikal: 5.77




Serie 1:
 10.6 * 9.2 ← 10.1 ← 9.8 ✓ 10.1 ↓
 10.6 * 9.8 ↖ 10.1 ↗ 9.3 ↓ 10.1 ↓
 beste Teiler 242.5 (1.) 303.4 (6.) 648.8 (8.)
 Trefferlage 2.03 mm links, 3.76 mm tief
 Streuwert 5.47, horizontal: 6.38, vertikal: 4.37



Serie 2:
 9.1 ← 10.4 * 10.1 ↘ 9.7 → 9.3 ↗
 10.5 * 10.0 ↘ 10.4 * 9.0 ↓ 10.0 ↑
 beste Teiler 336.2 (16.) 466.0 (12.) 475.2 (18.)
 Trefferlage 2.73 mm rechts, 0.10 mm hoch
 Streuwert 6.97, horizontal: 7.53, vertikal: 6.35



Serie 3:
 10.0 ← 10.9 * 10.5 * 9.6 ↘ 9.7 ←
 10.1 ↓ 10.0 ← 8.5 → 8.2 → 9.3 ↖
 beste Teiler 50.9 (22.) 358.5 (23.) 650.3 (26.)
 Trefferlage 2.14 mm rechts, 1.41 mm tief
 Streuwert 8.84, horizontal: 11.21, vertikal: 5.54





Serie 4:
 9.9 ↘ 10.4 * 9.3 ← 10.3 ✓ 8.9 ↓
 10.1 ↑ 10.5 * 9.4 ↖ 9.9 ✓ 9.9 ↖
 beste Teiler 322.3 (37.) 437.9 (32.) 539.2 (34.)
 Trefferlage 2.66 mm links, 1.15 mm tief
 Streuwert 6.81, horizontal: 6.87, vertikal: 6.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	379	(394.7)
Serien:	94 94 95 96	
Zähler:	21 17 2 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2111 (3), 2035 (19), 1586 (8)	
beste Teiler	131.2 (9.) 162.8 (1.) 209.8 (35.)	
Trefferlage	2.53 mm rechts, 0.74 mm tief	
Streuwert	6.76, horizontal: 7.12, vertikal: 6.38	




Serie 1:				
10.7 *	9.5 ↘	8.3 ↘	9.4 ↓	10.0 ↘
10.4 *	9.9 ←	9.0 ↗	10.8 *	10.2 ↖
beste Teiler	131.2 (9.)	162.8 (1.)	459.5 (6.)	
Trefferlage	1.70 mm rechts, 3.23 mm tief			
Streuwert	7.52, horizontal: 6.99, vertikal: 8.01			



Serie 2:				
10.3 *	9.2 →	9.8 ↑	9.1 ↗	10.1 ↑
10.1 ←	10.1 ↑	10.7 *	8.4 ←	9.7 ↘
beste Teiler	219.1 (18.)	529.8 (11.)	649.4 (16.)	
Trefferlage	1.81 mm rechts, 1.78 mm hoch			
Streuwert	7.82, horizontal: 9.66, vertikal: 5.39			



Serie 3:				
9.8 ↖	9.9 ↖	9.1 ↑	10.0 ↘	9.8 ↘
10.4 *	10.5 *	9.3 →	10.3 *	10.4 *
beste Teiler	363.9 (27.)	430.6 (30.)	437.1 (26.)	
Trefferlage	0.82 mm rechts, 0.40 mm hoch			
Streuwert	6.50, horizontal: 6.46, vertikal: 6.54			





Serie 4:				
9.7 →	9.8 ↘	10.0 ↓	9.1 ↘	10.7 *
10.2 →	10.2 →	9.6 ↘	10.1 →	10.1 →
beste Teiler	209.8 (35.)	615.8 (36.)	621.6 (37.)	
Trefferlage	5.81 mm rechts, 1.91 mm tief			
Streuwert	4.60, horizontal: 4.37, vertikal: 4.82			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	364	(382.8)
Serien:	88 91 95 90	
Zähler:	13 19 7 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2413 (7), 2343 (15), 2081 (36)	
beste Teiler	179.4 (2.) 204.2 (19.) 218.5 (4.)	
Trefferlage	2.24 mm rechts, 0.34 mm hoch	
Streuwert	8.79, horizontal: 8.61, vertikal: 8.96	




Serie 1:	8.5 ↘	10.7 *	8.7 →	10.7 *	9.5 ←
	9.8 ↗	7.9 ↘	9.7 ↑	9.4 →	9.9 ↘
beste Teiler	179.4 (2.)	218.5 (4.)	862.9 (10.)		
Trefferlage	3.69 mm rechts, 0.46 mm hoch				
Streuwert	9.81, horizontal: 11.68, vertikal: 7.48				



Serie 2:	10.3 ↑	10.2 ←	8.5 ↘	10.0 ↗	8.0 ↘
	9.0 ↑	8.9 ↘	9.7 ←	10.7 *	9.9 ↗
beste Teiler	204.2 (19.)	559.5 (11.)	606.1 (12.)		
Trefferlage	2.80 mm links, 2.13 mm hoch				
Streuwert	9.56, horizontal: 9.61, vertikal: 9.50				





Serie 3:	9.3 ↓	9.6 →	10.0 ↘	9.0 ↑	10.4 *
	10.5 *	10.0 →	9.3 ↘	10.1 →	9.6 ↓
beste Teiler	349.8 (26.)	454.0 (25.)	708.5 (29.)		
Trefferlage	4.47 mm rechts, 0.78 mm tief				
Streuwert	6.76, horizontal: 5.33, vertikal: 7.94				




Serie 4:	9.0 ↓	9.9 →	9.2 ↑	10.1 →	9.9 ↓
	8.3 ↑	8.8 ↓	9.8 ↗	10.1 ↗	9.9 →
beste Teiler	679.2 (34.)	701.9 (39.)	828.3 (40.)		
Trefferlage	3.61 mm rechts, 0.42 mm tief				
Streuwert	8.91, horizontal: 5.12, vertikal: 11.52				

Unterschrift des Schützen


Ergebnis:	388	(404.2)
Serien:	99	96 95 98
Zähler:	29	10 1 0 0 0 0 0 0 0
Innenzehner:	15	
weiteste:	1605 (29), 1353 (36), 1345 (32)	
beste Teiler	242.1 (9.)	279.9 (33.) 282.0 (14.)
Trefferlage	0.46 mm rechts, 0.50 mm tief	
Streuwert	5.35, horizontal: 6.39, vertikal: 4.06	




Serie 1:	10.4 *	10.1 ↘	10.4 *	10.3 *	9.9 ↘
	10.0 ↘	10.1 ←	10.5 *	10.6 *	10.6 *
beste Teiler	242.1 (9.)	303.7 (10.)	382.0 (8.)		
Trefferlage	3.32 mm links, 1.43 mm hoch				
Streuwert	3.27, horizontal: 3.58, vertikal: 2.92				



Serie 2:	10.4 *	10.1 ↗	9.7 ←	10.6 *	9.8 ←
	10.0 ↗	9.6 ↗	10.6 *	9.9 ↓	10.1 ←
beste Teiler	282.0 (14.)	318.4 (18.)	417.7 (11.)		
Trefferlage	0.78 mm rechts, 0.23 mm hoch				
Streuwert	5.52, horizontal: 6.83, vertikal: 3.77				



Serie 3:	10.6 *	10.5 *	10.0 ↓	9.7 ↘	9.6 ↘
	10.2 ↙	10.5 *	10.5 *	8.9 ←	9.9 ↑
beste Teiler	312.6 (21.)	329.8 (27.)	355.2 (22.)		
Trefferlage	0.74 mm rechts, 1.91 mm tief				
Streuwert	6.06, horizontal: 7.35, vertikal: 4.39				





Serie 4:	10.2 ↗	9.3 →	10.6 *	10.1 ↓	10.4 *
	9.3 →	10.0 ↘	10.0 ↓	10.1 ↓	10.1 ↘
beste Teiler	279.9 (33.)	440.2 (35.)	588.4 (31.)		
Trefferlage	3.64 mm rechts, 1.76 mm tief				
Streuwert	5.31, horizontal: 5.99, vertikal: 4.53				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (397.9)
 Serien: 96 95 96 96
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1540 (34), 1466 (10), 1339 (19)
 beste Teiler 230.1 (32.) 285.1 (39.) 305.5 (38.)
 Trefferlage 0.20 mm rechts, 3.64 mm tief
 Streuwert 5.67, horizontal: 4.94, vertikal: 6.31




Serie 1:
 10.0 ↙ 9.7 ↗ 10.0 ↓ 9.8 ↓ 10.0 ↓
 10.0 ↘ 9.6 ↓ 10.4 * 10.2 ↘ 9.1 ↓
 beste Teiler 410.1 (8.) 613.5 (9.) 723.3 (6.)
 Trefferlage 1.03 mm rechts, 5.53 mm tief
 Streuwert 5.15, horizontal: 3.93, vertikal: 6.13



Serie 2:
 10.2 ↓ 9.6 ↘ 9.8 ↓ 10.4 * 9.3 ↙
 10.1 ↗ 9.5 ↙ 10.1 ↓ 9.3 ↘ 10.5 *
 beste Teiler 385.1 (20.) 456.8 (14.) 612.5 (11.)
 Trefferlage 1.70 mm links, 3.39 mm tief
 Streuwert 6.34, horizontal: 5.60, vertikal: 7.00



Serie 3:
 10.2 ↘ 9.9 ↙ 10.0 ↑ 10.1 ↗ 9.7 ↓
 10.3 * 10.5 * 9.7 ↘ 9.3 ↓ 10.0 ↑
 beste Teiler 360.2 (27.) 517.5 (26.) 568.3 (21.)
 Trefferlage 0.59 mm links, 2.59 mm tief
 Streuwert 5.75, horizontal: 4.58, vertikal: 6.72





Serie 4:
 10.5 * 10.7 * 9.9 ↗ 9.0 ↓ 9.3 ↘
 10.1 ↘ 9.5 ↘ 10.6 * 10.6 * 10.4 *
 beste Teiler 230.1 (32.) 285.1 (39.) 305.5 (38.)
 Trefferlage 2.09 mm rechts, 3.06 mm tief
 Streuwert 5.65, horizontal: 5.34, vertikal: 5.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	361	(378.7)
Serien:	85 90 93 93	
Zähler:	10 24 3 3 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2812 (7), 2513 (10), 2491 (13)	
beste Teiler	388.2 (33.) 447.3 (31.) 449.0 (27.)	
Trefferlage	5.34 mm rechts, 6.42 mm tief	
Streuwert	7.25, horizontal: 8.28, vertikal: 6.05	




Serie 1:	8.9 ↙	9.0 →	8.5 ↘	9.3 ↓	9.1 ↓
	9.0 ↓	7.4 ↘	10.1 →	9.9 ↓	7.8 ↓
beste Teiler	694.4 (8.) 825.8 (9.) 1327.8 (4.)				
Trefferlage	6.68 mm rechts, 10.90 mm tief				
Streuwert	8.93, horizontal: 10.93, vertikal: 6.33				



Serie 2:	9.5 →	9.8 ↓	7.8 ↘	9.8 ↘	10.3 →
	9.4 ↙	10.1 ↓	9.7 ↘	9.6 ↙	9.6 ↘
beste Teiler	559.0 (15.) 667.9 (17.) 925.8 (12.)				
Trefferlage	2.88 mm rechts, 3.58 mm tief				
Streuwert	8.43, horizontal: 10.39, vertikal: 5.83				



Serie 3:	10.0 ↘	9.2 ↘	9.4 →	9.8 ↓	9.6 ↓
	10.0 →	10.4 *	9.7 ↓	9.4 ↓	9.5 ↓
beste Teiler	449.0 (27.) 794.3 (26.) 797.2 (21.)				
Trefferlage	4.25 mm rechts, 7.28 mm tief				
Streuwert	4.62, horizontal: 4.35, vertikal: 4.88				





Serie 4:	10.4 *	10.2 ↘	10.5 *	9.0 ↘	8.6 →
	9.9 ↘	10.2 ↑	9.8 ↘	9.4 ↘	9.1 →
beste Teiler	388.2 (33.) 447.3 (31.) 606.7 (32.)				
Trefferlage	7.55 mm rechts, 3.90 mm tief				
Streuwert	5.32, horizontal: 5.93, vertikal: 4.65				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.2)
 Serien: 91 96 95 93
 Zähler: 20 16 3 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2890 (1), 1815 (22), 1808 (26)
 beste Teiler 135.3 (23.) 141.1 (7.) 240.9 (39.)
 Trefferlage 0.11 mm links, 0.24 mm tief
 Streuwert 7.57, horizontal: 8.34, vertikal: 6.72




Serie 1:
 7.3 ↖ 9.3 ↙ 9.1 ↖ 9.2 ↗ 9.5 ←
 9.5 ↗ 10.8 * 10.0 ↓ 9.7 ← 10.6 *
 beste Teiler 141.1 (7.) 283.5 (10.) 762.6 (8.)
 Trefferlage 8.17 mm links, 2.20 mm hoch
 Streuwert 8.05, horizontal: 8.05, vertikal: 8.05



Serie 2:
 10.3 * 10.1 ↖ 9.4 ↘ 9.1 ↘ 9.9 ←
 10.4 * 10.1 ↑ 9.7 ↗ 10.4 * 10.2 ←
 beste Teiler 439.2 (16.) 462.3 (19.) 508.5 (11.)
 Trefferlage 0.12 mm rechts, 0.12 mm hoch
 Streuwert 6.35, horizontal: 5.77, vertikal: 6.89



Serie 3:
 9.2 ↘ 8.7 ↙ 10.8 * 10.6 * 10.3 *
 8.7 ↘ 10.2 → 10.2 ↘ 10.3 ↑ 10.4 *
 beste Teiler 135.3 (23.) 297.9 (24.) 459.6 (30.)
 Trefferlage 2.69 mm rechts, 2.73 mm tief
 Streuwert 6.91, horizontal: 8.51, vertikal: 4.82





Serie 4:
 9.9 → 9.8 ↓ 10.2 ↗ 9.9 → 9.9 ↑
 8.9 ↘ 10.0 ↘ 10.6 * 10.7 * 9.3 ↗
 beste Teiler 240.9 (39.) 289.6 (38.) 639.5 (33.)
 Trefferlage 4.91 mm rechts, 0.58 mm tief
 Streuwert 5.83, horizontal: 4.63, vertikal: 6.82

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	378	(391.5)
Serien:	95 95 94 94	
Zähler:	20 19 0 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	3096 (7), 1593 (11), 1577 (40)	
beste Teiler	241.7 (2.) 326.9 (16.) 339.2 (23.)	
Trefferlage	1.52 mm links, 0.62 mm hoch	
Streuwert	7.50, horizontal: 8.90, vertikal: 5.77	




Serie 1:

10.1 ↘	10.6 *	10.4 *	10.4 *	9.0 ←
10.1 ←	7.1 ←	9.6 ↓	10.3 *	10.4 *
beste Teiler	241.7 (2.)	419.3 (10.)	446.0 (3.)	
Trefferlage	4.62 mm links, 1.01 mm hoch			
Streuwert	8.43, horizontal: 10.69, vertikal: 5.26			




Serie 2:

9.0 →	9.7 ↑	9.4 ↘	10.3 *	10.1 ←
10.5 *	9.6 →	10.4 *	9.4 ↙	10.2 →
beste Teiler	326.9 (16.)	414.2 (18.)	493.2 (14.)	
Trefferlage	0.12 mm rechts, 0.72 mm hoch			
Streuwert	7.10, horizontal: 8.63, vertikal: 5.14			



Serie 3:

10.0 ↙	9.1 ←	10.5 *	10.1 ↓	9.8 →
9.4 ↓	9.3 ←	10.1 ↗	9.8 ↗	9.8 →
beste Teiler	339.2 (23.)	644.4 (24.)	708.2 (28.)	
Trefferlage	0.02 mm links, 0.08 mm hoch			
Streuwert	7.34, horizontal: 8.45, vertikal: 6.02			





Serie 4:


9.6 ↘	10.4 *	10.2 ↙	10.0 ↓	10.0 ↘
9.2 ↘	9.8 ↓	9.2 →	9.6 ↘	9.0 ↘
beste Teiler	438.9 (32.)	576.3 (33.)	721.2 (35.)	
Trefferlage	1.57 mm links, 0.68 mm hoch			
Streuwert	7.76, horizontal: 8.19, vertikal: 7.32			

Unterschrift des Schützen


Ergebnis:	381	(396.8)
Serien:	94 96 95 96	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1898 (7), 1522 (34), 1508 (16)	
beste Teiler	146.5 (37.) 237.2 (3.) 293.8 (11.)	
Trefferlage	1.57 mm links, 0.93 mm hoch	
Streuwert	6.52, horizontal: 7.60, vertikal: 5.22	




Serie 1:	10.4 *	10.2 ↖	10.7 *	10.4 *	9.3 ↓
	9.8 →	8.6 ←	9.5 ←	9.8 ←	10.1 →
beste Teiler	237.2 (3.)	415.6 (4.)	439.0 (1.)		
Trefferlage	3.09 mm links, 1.28 mm tief				
Streuwert	6.96, horizontal: 8.46, vertikal: 5.04				



Serie 2:	10.6 *	9.1 ↖	9.6 ↘	10.1 →	10.1 →
	9.1 ↖	10.1 ↖	9.5 →	10.2 ↗	10.5 *
beste Teiler	293.8 (11.)	396.1 (20.)	640.7 (19.)		
Trefferlage	0.77 mm rechts, 3.07 mm hoch				
Streuwert	6.71, horizontal: 7.20, vertikal: 6.19				



Serie 3:	10.4 *	10.5 *	9.5 ↙	9.7 ↖	10.4 *
	9.7 →	10.3 *	9.9 →	9.1 ←	10.2 ↖
beste Teiler	386.5 (22.)	447.3 (25.)	477.8 (21.)		
Trefferlage	1.48 mm links, 0.98 mm tief				
Streuwert	6.24, horizontal: 7.24, vertikal: 5.03				





Serie 4:	9.6 →	10.0 ↗	9.5 ←	9.0 ↖	9.5 ←
	10.1 ↗	10.8 *	10.5 *	10.0 ↖	10.4 *
beste Teiler	146.5 (37.)	375.2 (38.)	437.6 (40.)		
Trefferlage	2.50 mm links, 2.94 mm hoch				
Streuwert	6.10, horizontal: 8.03, vertikal: 3.15				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (406.2)
 Serien: 97 100 98 96
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1441 (6), 1261 (40), 1231 (4)
 beste Teiler 106.0 (3.) 187.7 (14.) 225.0 (25.)
 Trefferlage 1.46 mm links, 0.40 mm tief
 Streuwert 4.95, horizontal: 5.56, vertikal: 4.24




Serie 1:
 10.3 ↖ 9.9 ← 10.8 * 9.4 ↓ 10.2 ↗
 9.1 → 10.1 ← 10.6 * 10.5 * 10.6 *
 beste Teiler 106.0 (3.) 241.1 (10.) 308.0 (8.)
 Trefferlage 0.60 mm rechts, 2.46 mm tief
 Streuwert 5.27, horizontal: 6.43, vertikal: 3.76



Serie 2:
 10.6 * 10.2 ↗ 10.2 ← 10.7 * 10.3 ↗
 10.4 * 10.0 ↗ 10.2 ↘ 10.1 ↗ 10.0 ↑
 beste Teiler 187.7 (14.) 307.7 (11.) 437.3 (16.)
 Trefferlage 1.26 mm links, 0.72 mm hoch
 Streuwert 4.15, horizontal: 3.62, vertikal: 4.61



Serie 3:
 10.1 ← 10.4 * 9.7 ↖ 10.4 * 10.7 *
 10.0 ← 10.4 * 10.3 * 9.6 ← 10.3 *
 beste Teiler 225.0 (25.) 444.3 (27.) 454.2 (24.)
 Trefferlage 5.53 mm links, 0.08 mm hoch
 Streuwert 2.77, horizontal: 2.99, vertikal: 2.52





Serie 4:
 10.2 ↗ 9.4 ← 9.8 → 10.3 * 10.2 ↗
 10.2 ← 10.0 ↘ 9.9 ↙ 10.7 * 9.4 ↑
 beste Teiler 228.7 (39.) 509.4 (34.) 562.2 (31.)
 Trefferlage 0.35 mm rechts, 0.05 mm hoch
 Streuwert 6.05, horizontal: 6.60, vertikal: 5.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	378	(397.1)
Serien:	94 93 94 97	
Zähler:	22 15 2 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2405 (11), 1700 (7), 1634 (34)	
beste Teiler	117.7 (16.) 263.7 (4.) 279.4 (17.)	
Trefferlage	0.92 mm rechts, 0.99 mm hoch	
Streuwert	6.76, horizontal: 8.27, vertikal: 4.80	




Serie 1:	9.2 ↘	10.3 *	9.9 →	10.6 *	10.3 *
	9.1 →	8.8 ↘	9.7 →	10.2 ↗	10.2 ↘
beste Teiler	263.7 (4.) 500.9 (5.) 516.1 (2.)				
Trefferlage	3.09 mm rechts, 1.30 mm hoch				
Streuwert	7.06, horizontal: 8.90, vertikal: 4.53				



Serie 2:	7.9 →	10.1 ↖	10.2 ↖	9.8 ↗	9.2 →
	10.8 *	10.6 *	10.5 *	9.7 ↘	9.8 ↘
beste Teiler	117.7 (16.) 279.4 (17.) 361.9 (18.)				
Trefferlage	2.49 mm rechts, 1.94 mm hoch				
Streuwert	7.63, horizontal: 10.03, vertikal: 3.98				



Serie 3:	10.5 *	9.9 ↖	10.2 ↗	9.8 ↘	9.0 ↖
	9.5 ↓	10.5 *	9.2 ↘	10.3 *	9.5 ↗
beste Teiler	328.3 (27.) 377.0 (21.) 523.6 (29.)				
Trefferlage	0.90 mm links, 0.95 mm hoch				
Streuwert	7.17, horizontal: 7.20, vertikal: 7.15				





Serie 4:	10.3 ↘	10.5 *	9.6 ↘	8.9 ↖	10.4 *
	10.5 *	10.5 *	10.3 *	10.4 *	10.4 *
beste Teiler	321.2 (37.) 332.8 (32.) 393.3 (36.)				
Trefferlage	0.97 mm links, 0.21 mm tief				
Streuwert	5.40, horizontal: 6.99, vertikal: 3.07				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.6)
 Serien: 91 88 91 94
 Zähler: 19 10 9 0 2 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3364 (22), 3290 (9), 2202 (39)
 beste Teiler 184.0 (6.) 232.0 (27.) 251.2 (33.)
 Trefferlage 2.15 mm rechts, 3.09 mm tief
 Streuwert 9.20, horizontal: 10.76, vertikal: 7.33




Serie 1:
 10.4 * 10.0 ↗ 8.4 ↘ 9.9 → 8.2 ↘
 10.7 * 10.4 * 10.6 * 6.8 ↘ 10.3 *
 beste Teiler 184.0 (6.) 265.8 (8.) 417.4 (7.)
 Trefferlage 4.28 mm rechts, 0.40 mm tief
 Streuwert 10.56, horizontal: 12.18, vertikal: 8.64



Serie 2:
 10.3 * 8.8 → 8.9 ↘ 9.7 ↙ 8.9 ↘
 10.5 * 8.5 ↙ 10.4 * 8.8 → 9.5 ↙
 beste Teiler 349.1 (16.) 444.4 (18.) 519.0 (11.)
 Trefferlage 2.84 mm rechts, 5.54 mm tief
 Streuwert 8.89, horizontal: 10.23, vertikal: 7.30



Serie 3:
 9.5 ↑ 6.7 → 10.1 ← 10.0 → 9.2 ←
 10.1 → 10.7 * 9.5 ↘ 8.9 ← 10.5 *
 beste Teiler 232.0 (27.) 324.6 (30.) 655.5 (23.)
 Trefferlage 1.03 mm rechts, 1.44 mm tief
 Streuwert 10.56, horizontal: 13.85, vertikal: 5.57





Serie 4:
 9.9 → 10.5 * 10.6 * 10.5 * 10.3 *
 9.6 ↘ 9.5 ↘ 10.3 * 8.2 ↓ 9.0 ←
 beste Teiler 251.2 (33.) 325.7 (34.) 337.8 (32.)
 Trefferlage 0.45 mm rechts, 4.97 mm tief
 Streuwert 7.02, horizontal: 6.81, vertikal: 7.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.3)
 Serien: 92 94 91 94
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2667 (6), 2252 (40), 2201 (14)
 beste Teiler 85.7 (17.) 238.2 (11.) 277.7 (34.)
 Trefferlage 1.60 mm links, 1.96 mm hoch
 Streuwert 7.99, horizontal: 8.61, vertikal: 7.31




Serie 1:
 9.7 ↗ 10.5 * 10.0 ↘ 10.1 ↘ 9.0 ↖
 7.6 ← 9.3 ↑ 10.0 ← 9.5 ↖ 9.9 ↑
 beste Teiler 399.5 (2.) 644.1 (4.) 739.9 (8.)
 Trefferlage 5.05 mm links, 0.56 mm hoch
 Streuwert 8.71, horizontal: 9.80, vertikal: 7.45



Serie 2:
 10.7 * 9.8 ← 10.5 * 8.2 ↗ 10.5 *
 8.4 ← 10.8 * 9.7 ↗ 10.4 * 10.2 ↘
 beste Teiler 85.7 (17.) 238.2 (11.) 322.1 (13.)
 Trefferlage 0.76 mm links, 2.56 mm hoch
 Streuwert 7.78, horizontal: 9.39, vertikal: 5.74



Serie 3:
 9.7 ↘ 9.9 ↘ 10.1 ↓ 10.0 ← 8.8 ↘
 9.8 ↗ 9.5 ↑ 9.7 ↑ 9.4 ↓ 9.7 ↖
 beste Teiler 686.7 (23.) 725.2 (24.) 869.8 (22.)
 Trefferlage 1.09 mm links, 1.54 mm hoch
 Streuwert 7.79, horizontal: 5.76, vertikal: 9.39





Serie 4:
 9.5 ↑ 10.3 * 10.3 * 10.6 * 9.0 ↘
 10.6 * 8.6 ↘ 10.6 * 10.3 * 8.1 ↗
 beste Teiler 277.7 (34.) 290.0 (36.) 297.1 (38.)
 Trefferlage 0.51 mm rechts, 3.17 mm hoch
 Streuwert 8.23, horizontal: 9.20, vertikal: 7.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	376	(391.0)
Serien:	93 92 95 96	
Zähler:	21 15 3 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2940 (16), 2308 (1), 1763 (28)	
beste Teiler	234.7 (25.) 291.0 (15.) 295.7 (19.)	
Trefferlage	0.06 mm links, 3.79 mm hoch	
Streuwert	7.36, horizontal: 8.10, vertikal: 6.54	




Serie 1:	8.1 ↗	9.5 ↗	10.1 ↘	9.7 ↗	10.2 ↑
	10.1 ↑	9.6 ←	10.1 →	8.8 ↑	10.6 *
beste Teiler	305.3 (10.)	631.6 (5.)	657.4 (8.)		
Trefferlage	3.70 mm rechts, 5.21 mm hoch				
Streuwert	7.31, horizontal: 8.29, vertikal: 6.17				



Serie 2:	9.4 ↑	9.5 ←	9.3 ↘	10.5 *	10.6 *
	7.3 ↘	9.2 ←	9.6 →	10.6 *	10.4 *
beste Teiler	291.0 (15.)	295.7 (19.)	400.0 (14.)		
Trefferlage	4.30 mm links, 3.06 mm hoch				
Streuwert	8.85, horizontal: 10.41, vertikal: 6.95				



Serie 3:	10.2 ↘	10.3 ↘	10.2 ↘	9.8 ↘	10.7 *
	10.1 ←	9.7 ←	8.7 ↑	9.0 ↑	10.2 ↓
beste Teiler	234.7 (25.)	538.9 (22.)	593.5 (23.)		
Trefferlage	0.31 mm links, 2.99 mm hoch				
Streuwert	6.81, horizontal: 4.82, vertikal: 8.34				



Serie 4:	10.2 ↑	9.3 ↗	10.1 ↘	10.3 *	10.2 ↖
	10.1 →	9.5 ↑	9.6 ↗	10.2 ↑	9.4 ↖
beste Teiler	491.5 (34.)	568.9 (35.)	597.0 (39.)		
Trefferlage	0.65 mm rechts, 3.88 mm hoch				
Streuwert	6.07, horizontal: 6.90, vertikal: 5.12				

Unterschrift des Schützen

Meyton Elektronik