





Ergebnis: **384.6** (370)
 Serien: 97.5 95.3 96.5 95.3
 Zähler: 18 14 8 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 749 (12), 707 (36), 679 (21)
 beste Teiler 56.0 (39.) 76.2 (27.) 107.2 (7.)
 Trefferlage 0.97 mm links, 1.11 mm hoch
 Streuwert 2.53, horizontal: 3.02, vertikal: 1.91




Serie 1:
 10.4 * 10.1 ← 9.0 ↘ 9.0 ↑ 8.9 ↖
 9.2 ↗ 10.5 * 10.2 * 10.5 * 9.7 →
 beste Teiler 107.2 (7.) 110.2 (9.) 129.4 (1.)
 Trefferlage 0.09 mm links, 0.82 mm hoch
 Streuwert 2.43, horizontal: 2.71, vertikal: 2.11



Serie 2:
 9.9 ← 8.0 ← 8.5 ↘ 10.4 * 9.0 ←
 10.1 ↑ 8.9 ← 10.0 ↘ 10.1 ↑ 10.4 *
 beste Teiler 143.8 (20.) 150.7 (14.) 204.4 (19.)
 Trefferlage 2.36 mm links, 1.44 mm hoch
 Streuwert 2.26, horizontal: 2.83, vertikal: 1.47



Serie 3:
 8.2 ↑ 10.4 * 10.4 * 10.2 * 9.6 ←
 8.3 ← 10.6 * 9.4 ↘ 9.5 ↗ 9.9 ↗
 beste Teiler 76.2 (27.) 130.5 (22.) 149.9 (23.)
 Trefferlage 1.19 mm links, 1.00 mm hoch
 Streuwert 2.61, horizontal: 2.74, vertikal: 2.47





Serie 4:
 10.0 ↑ 8.8 ↖ 10.1 ← 9.0 ↑ 9.2 →
 8.1 ← 9.4 → 9.9 ↗ 10.7 * 10.1 ↘
 beste Teiler 56.0 (39.) 203.8 (33.) 206.3 (40.)
 Trefferlage 0.26 mm links, 1.17 mm hoch
 Streuwert 2.82, horizontal: 3.62, vertikal: 1.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.1** (363)
 Serien: 94.2 94.5 94.9 97.5
 Zähler: 17 15 3 4 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1097 (8), 893 (16), 795 (29)
 beste Teiler 62.9 (17.) 63.3 (40.) 81.8 (23.)
 Trefferlage 0.12 mm rechts, 0.71 mm hoch
 Streuwert 3.03, horizontal: 3.95, vertikal: 1.66




Serie 1:
 9.3 ↗ 10.3 * 10.3 * 9.4 ↘ 10.3 *
 9.7 → 9.2 ↘ 6.6 → 10.0 ↑ 9.1 ↖
 beste Teiler 154.8 (5.) 158.8 (3.) 162.7 (2.)
 Trefferlage 1.53 mm rechts, 0.21 mm hoch
 Streuwert 3.28, horizontal: 4.15, vertikal: 2.06



Serie 2:
 10.6 * 7.8 ← 9.5 ← 8.9 → 9.7 ↑
 7.4 ← 10.7 * 10.5 * 9.4 → 10.0 ↑
 beste Teiler 62.9 (17.) 89.1 (11.) 122.0 (18.)
 Trefferlage 1.07 mm links, 0.93 mm hoch
 Streuwert 3.30, horizontal: 4.44, vertikal: 1.43





Serie 3:
 10.2 * 8.8 ↖ 10.6 * 7.9 ↖ 9.9 ↘
 10.1 ↗ 9.0 → 10.5 * 7.8 → 10.1 ↘
 beste Teiler 81.8 (23.) 119.6 (28.) 193.1 (21.)
 Trefferlage 0.12 mm links, 0.35 mm hoch
 Streuwert 3.27, horizontal: 4.34, vertikal: 1.60




Serie 4:
 10.1 ↑ 9.0 ↘ 9.6 ↗ 9.9 ↗ 10.1 ↖
 8.6 → 9.9 → 10.0 ← 9.6 ↖ 10.7 *
 beste Teiler 63.3 (40.) 221.5 (35.) 223.8 (31.)
 Trefferlage 0.16 mm rechts, 1.36 mm hoch
 Streuwert 2.26, horizontal: 2.83, vertikal: 1.48

Unterschrift des Schützen


Ergebnis: **403.6** (387)
 Serien: 100.1 100.5 101.0 102.0
 Zähler: 28 11 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 512 (4), 487 (19), 423 (35)
 beste Teiler 27.1 (6.) 63.2 (37.) 68.9 (36.)
 Trefferlage 0.58 mm links, 0.51 mm hoch
 Streuwert 1.68, horizontal: 1.76, vertikal: 1.59




Serie 1:
 10.0 → 10.2 * 10.4 * 8.9 ↘ 10.4 *
 10.8 * 9.9 ↘ 10.1 ↙ 9.8 ↘ 9.6 ↘
 beste Teiler 27.1 (6.) 147.4 (3.) 149.6 (5.)
 Trefferlage 0.80 mm links, 0.46 mm hoch
 Streuwert 1.85, horizontal: 2.07, vertikal: 1.59



Serie 2:
 10.5 * 9.9 ↑ 10.0 ↙ 10.3 * 10.6 *
 10.3 * 9.8 ↑ 9.5 ↑ 9.0 ↘ 10.6 *
 beste Teiler 84.8 (15.) 85.9 (20.) 116.2 (11.)
 Trefferlage 0.92 mm links, 0.99 mm hoch
 Streuwert 1.64, horizontal: 1.33, vertikal: 1.89



Serie 3:
 10.5 * 10.1 ↘ 10.0 ↗ 10.2 * 10.1 ↘
 10.3 * 9.3 → 10.6 * 10.1 ↑ 9.8 ↙
 beste Teiler 79.9 (28.) 122.3 (21.) 175.8 (26.)
 Trefferlage 0.18 mm rechts, 0.64 mm hoch
 Streuwert 1.66, horizontal: 1.79, vertikal: 1.53





Serie 4:
 9.4 ↙ 10.1 ↑ 10.6 * 10.5 * 9.3 ←
 10.7 * 10.7 * 10.0 ↓ 10.6 * 10.1 ↗
 beste Teiler 63.2 (37.) 68.9 (36.) 94.3 (33.)
 Trefferlage 0.80 mm links, 0.05 mm tief
 Streuwert 1.60, horizontal: 1.80, vertikal: 1.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.5** (374)
 Serien: 94.0 100.7 96.0 97.8
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 699 (8), 658 (7), 644 (3)
 beste Teiler 42.0 (6.) 97.0 (35.) 131.3 (18.)
 Trefferlage 0.25 mm links, 1.07 mm hoch
 Streuwert 2.38, horizontal: 3.06, vertikal: 1.38




Serie 1:
 9.1 → 9.3 ↖ 8.4 ↗ 10.0 ↘ 9.9 ↖
 10.8 * 8.3 → 8.2 ← 10.1 ↑ 9.9 ←
 beste Teiler 42.0 (6.) 223.0 (9.) 249.7 (4.)
 Trefferlage 0.12 mm links, 1.12 mm hoch
 Streuwert 3.20, horizontal: 4.23, vertikal: 1.60



Serie 2:
 10.2 * 10.4 * 9.8 ↑ 9.8 ↑ 9.9 →
 10.1 ↑ 9.8 → 10.4 * 10.0 ← 10.3 *
 beste Teiler 131.3 (18.) 132.4 (12.) 163.6 (20.)
 Trefferlage 0.39 mm rechts, 0.98 mm hoch
 Streuwert 1.52, horizontal: 1.66, vertikal: 1.36



Serie 3:
 9.4 ↙ 10.1 ↘ 9.2 ← 9.3 → 9.5 ↗
 9.1 ← 10.4 * 9.3 ↘ 10.4 * 9.3 →
 beste Teiler 139.6 (27.) 144.3 (29.) 213.8 (22.)
 Trefferlage 0.11 mm links, 0.61 mm hoch
 Streuwert 2.66, horizontal: 3.46, vertikal: 1.46





Serie 4:
 9.0 ↘ 10.2 * 10.4 * 8.5 ↘ 10.6 *
 10.0 ↘ 10.1 ↘ 10.1 ↘ 9.3 → 9.6 ↖
 beste Teiler 97.0 (35.) 142.0 (33.) 187.1 (32.)
 Trefferlage 1.15 mm links, 1.58 mm hoch
 Streuwert 1.98, horizontal: 2.57, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.7** (385)
 Serien: 100.7 100.7 99.8 100.5
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 494 (11), 454 (30), 451 (14)
 beste Teiler 62.4 (16.) 91.0 (9.) 92.8 (20.)
 Trefferlage 0.45 mm links, 0.44 mm hoch
 Streuwert 1.77, horizontal: 2.21, vertikal: 1.19




Serie 1:
 9.3 ↘ 10.5 * 10.3 * 9.9 → 9.5 ←
 9.9 ↗ 10.0 ← 10.5 * 10.6 * 10.2 *
 beste Teiler 91.0 (9.) 105.0 (8.) 117.0 (2.)
 Trefferlage 1.06 mm links, 0.77 mm hoch
 Streuwert 1.54, horizontal: 1.70, vertikal: 1.37



Serie 2:
 9.0 → 9.9 → 10.2 * 9.1 ↖ 9.9 →
 10.7 * 10.4 * 10.4 * 10.5 * 10.6 *
 beste Teiler 62.4 (16.) 92.8 (20.) 124.3 (19.)
 Trefferlage 0.56 mm rechts, 0.16 mm hoch
 Streuwert 1.90, horizontal: 2.50, vertikal: 0.99



Serie 3:
 10.0 ↑ 9.9 ← 9.5 → 10.6 * 10.3 *
 10.4 * 10.6 * 9.2 ← 10.2 * 9.1 ←
 beste Teiler 95.9 (27.) 100.8 (24.) 143.6 (26.)
 Trefferlage 1.14 mm links, 0.36 mm hoch
 Streuwert 1.85, horizontal: 2.44, vertikal: 0.95





Serie 4:
 10.2 * 10.5 * 9.4 ↘ 10.3 * 10.1 →
 10.1 ↗ 9.8 ↘ 9.7 ← 10.0 ↑ 10.4 *
 beste Teiler 114.4 (32.) 132.9 (40.) 155.2 (34.)
 Trefferlage 0.16 mm links, 0.47 mm hoch
 Streuwert 1.73, horizontal: 1.96, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372.8** (355)
 Serien: 95.9 96.0 90.2 90.7
 Zähler: 7 21 12 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 697 (38), 689 (10), 657 (24)
 beste Teiler 10.7 (35.) 98.6 (7.) 182.6 (15.)
 Trefferlage 1.21 mm links, 0.66 mm tief
 Streuwert 3.00, horizontal: 3.65, vertikal: 2.16




Serie 1:
 9.9 ↗ 9.7 ↑ 9.8 ↑ 8.4 ← 10.1 ↘
 9.2 → 10.6 * 9.9 ↗ 10.1 ← 8.2 ←
 beste Teiler 98.6 (7.) 206.1 (9.) 218.6 (5.)
 Trefferlage 0.44 mm links, 0.46 mm hoch
 Streuwert 2.87, horizontal: 3.52, vertikal: 2.02



Serie 2:
 10.0 ← 9.5 ← 9.8 ↘ 9.2 ← 10.2 *
 9.6 ↓ 8.8 ↘ 10.2 * 9.5 ← 9.2 ←
 beste Teiler 182.6 (15.) 190.9 (18.) 249.0 (11.)
 Trefferlage 1.13 mm links, 1.21 mm tief
 Streuwert 2.32, horizontal: 2.85, vertikal: 1.63



Serie 3:
 8.6 ↙ 9.1 ↙ 9.4 → 8.3 → 9.9 →
 9.1 ↘ 9.4 ↗ 8.5 ← 8.8 ← 9.1 ↗
 beste Teiler 262.1 (25.) 384.1 (23.) 385.5 (27.)
 Trefferlage 0.19 mm links, 0.29 mm tief
 Streuwert 3.65, horizontal: 4.50, vertikal: 2.52





Serie 4:
 9.9 ↙ 9.0 ← 8.8 ↘ 8.4 ← 10.9 *
 8.7 ← 8.6 ↙ 8.2 ← 9.0 ↙ 9.2 ←
 beste Teiler 10.7 (35.) 271.5 (31.) 435.4 (40.)
 Trefferlage 3.08 mm links, 1.64 mm tief
 Streuwert 2.76, horizontal: 3.34, vertikal: 2.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373.0** (356)
 Serien: 94.8 93.3 88.3 96.6
 Zähler: 10 20 7 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1242 (19), 826 (27), 772 (4)
 beste Teiler 20.1 (38.) 116.7 (34.) 156.6 (31.)
 Trefferlage 0.06 mm rechts, 0.44 mm tief
 Streuwert 3.35, horizontal: 3.50, vertikal: 3.20




Serie 1:
 9.5 → 9.2 ↓ 9.7 ↓ 7.9 ↗ 9.2 ↖
 9.5 → 10.0 ↓ 9.9 ↑ 10.0 ↙ 9.9 ↘
 beste Teiler 231.8 (7.) 248.1 (9.) 262.2 (8.)
 Trefferlage 1.08 mm rechts, 0.52 mm tief
 Streuwert 2.84, horizontal: 3.02, vertikal: 2.65



Serie 2:
 9.8 ↘ 9.9 ↘ 10.0 ↑ 10.0 ↓ 9.6 ↓
 9.2 ↙ 10.0 ← 9.1 ↗ 6.0 ↓ 9.7 ↖
 beste Teiler 227.4 (14.) 229.0 (13.) 232.5 (17.)
 Trefferlage 0.42 mm rechts, 1.54 mm tief
 Streuwert 3.50, horizontal: 2.47, vertikal: 4.29



Serie 3:
 10.1 ↑ 9.5 ↓ 9.7 ↘ 8.6 → 8.0 ↖
 8.7 ↙ 7.6 ↗ 8.0 ↗ 8.0 ← 10.1 ↖
 beste Teiler 201.9 (30.) 224.9 (21.) 321.2 (23.)
 Trefferlage 0.01 mm links, 0.81 mm hoch
 Streuwert 4.27, horizontal: 5.32, vertikal: 2.84





Serie 4:
 10.3 * 9.4 ↑ 9.6 ↓ 10.5 * 8.7 ←
 9.9 ↙ 9.9 ← 10.9 * 9.2 ↓ 8.2 ↖
 beste Teiler 20.1 (38.) 116.7 (34.) 156.6 (31.)
 Trefferlage 1.22 mm links, 0.52 mm tief
 Streuwert 2.64, horizontal: 2.50, vertikal: 2.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385.8** (369)
 Serien: 91.2 98.7 96.3 99.6
 Zähler: 16 18 5 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 806 (1), 580 (6), 559 (4)
 beste Teiler 60.4 (33.) 69.3 (15.) 143.5 (30.)
 Trefferlage 0.13 mm rechts, 0.02 mm hoch
 Streuwert 2.60, horizontal: 3.13, vertikal: 1.92




Serie 1:
 7.7 → 8.9 ← 9.8 → 8.7 → 9.9 ↙
 8.6 ↘ 8.7 → 9.2 ↘ 9.3 ← 10.4 *
 beste Teiler 144.3 (10.) 258.0 (5.) 287.3 (3.)
 Trefferlage 2.08 mm rechts, 1.20 mm tief
 Streuwert 3.20, horizontal: 4.31, vertikal: 1.37



Serie 2:
 9.3 ← 9.4 ← 10.1 ↓ 10.2 * 10.7 *
 9.4 ↗ 10.1 ↘ 9.8 → 9.7 ← 10.0 ↓
 beste Teiler 69.3 (15.) 198.6 (14.) 201.8 (17.)
 Trefferlage 0.45 mm links, 0.25 mm tief
 Streuwert 2.14, horizontal: 2.52, vertikal: 1.67



Serie 3:
 8.9 → 10.3 * 9.1 ↓ 9.3 ↖ 9.0 ↖
 9.5 ↘ 10.1 ↓ 10.3 * 9.4 ↖ 10.4 *
 beste Teiler 143.5 (30.) 159.0 (28.) 162.0 (22.)
 Trefferlage 0.56 mm links, 0.82 mm hoch
 Streuwert 2.55, horizontal: 2.67, vertikal: 2.43





Serie 4:
 10.0 ↖ 9.3 ← 10.7 * 10.0 ↖ 10.3 *
 9.6 ↘ 10.0 ↗ 9.9 ↑ 9.5 → 10.3 *
 beste Teiler 60.4 (33.) 161.1 (35.) 163.3 (40.)
 Trefferlage 0.53 mm links, 0.73 mm hoch
 Streuwert 1.90, horizontal: 2.20, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.3** (360)
 Serien: 96.0 94.3 94.8 96.2
 Zähler: 11 18 11 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 673 (17), 660 (5), 635 (10)
 beste Teiler 57.4 (9.) 76.6 (28.) 83.0 (39.)
 Trefferlage 1.09 mm links, 0.18 mm tief
 Streuwert 2.70, horizontal: 2.94, vertikal: 2.43




Serie 1:
 9.5 → 10.2 * 9.3 ↘ 10.1 ↓ 8.3 ←
 9.7 ↓ 9.9 ← 9.9 ↗ 10.7 * 8.4 ↓
 beste Teiler 57.4 (9.) 180.4 (2.) 205.5 (4.)
 Trefferlage 0.86 mm links, 1.37 mm tief
 Streuwert 2.58, horizontal: 2.71, vertikal: 2.43



Serie 2:
 9.6 → 9.9 → 9.1 ← 9.5 ← 8.8 ↖
 9.6 ← 8.3 ↑ 9.7 ↗ 9.8 ↘ 10.0 →
 beste Teiler 241.2 (20.) 273.2 (12.) 292.3 (19.)
 Trefferlage 1.34 mm links, 0.79 mm hoch
 Streuwert 2.79, horizontal: 2.94, vertikal: 2.62



Serie 3:
 9.4 → 9.6 → 8.9 ↘ 8.9 ↓ 10.5 *
 8.9 ← 9.2 ↘ 10.6 * 10.0 ↑ 8.8 ↖
 beste Teiler 76.6 (28.) 113.8 (25.) 229.2 (29.)
 Trefferlage 1.05 mm links, 0.01 mm tief
 Streuwert 2.88, horizontal: 3.29, vertikal: 2.41



Serie 4:
 9.7 ↑ 10.2 * 8.7 ↘ 10.2 * 9.7 ↖
 8.8 ← 10.5 * 9.3 ← 10.6 * 8.5 ←
 beste Teiler 83.0 (39.) 120.0 (37.) 182.2 (34.)
 Trefferlage 1.12 mm links, 0.15 mm tief
 Streuwert 2.73, horizontal: 3.24, vertikal: 2.08

Unterschrift des Schützen