





Ergebnis: **594.9** (568)
 Serien: 96.8 97.3 100.8 100.6 100.4 99.0
 Zähler: 31 26 3 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 1940 (1), 1713 (2), 1701 (3)
 beste Teiler 85.5 (6.) 103.4 (9.) 157.0 (20.)
 Trefferlage 1.36 mm rechts, 1.10 mm tief
 Streuwert 6.58, horizontal: 5.96, vertikal: 7.15




Serie 1:
 8.5 ↘ 8.8 ↘ 8.8 ↓ 9.6 ✓ 9.2 ↓
 10.8 * 9.7 ↘ 10.4 * 10.8 * 10.2 ↙
 beste Teiler 85.5 (6.) 103.4 (9.) 459.3 (8.)
 Trefferlage 1.92 mm links, 2.04 mm tief
 Streuwert 8.72, horizontal: 6.78, vertikal: 10.30




Serie 2:
 9.3 ↑ 9.1 ↘ 9.9 ← 9.5 ✓ 9.8 ↘
 10.4 * 9.0 ↘ 9.8 ↓ 9.7 ↘ 10.8 *
 beste Teiler 157.0 (20.) 447.2 (16.) 828.9 (13.)
 Trefferlage 1.97 mm rechts, 4.25 mm tief
 Streuwert 7.05, horizontal: 7.44, vertikal: 6.63




Serie 3:
 10.7 * 9.6 → 10.3 * 9.8 ↘ 10.2 ↘
 10.5 * 10.3 ↘ 9.4 ↓ 10.0 → 10.0 ←
 beste Teiler 194.2 (21.) 334.7 (26.) 524.2 (23.)
 Trefferlage 1.89 mm rechts, 2.11 mm tief
 Streuwert 5.30, horizontal: 5.50, vertikal: 5.09



Serie 4:
 9.7 ↘ 10.6 * 10.0 ✓ 9.4 → 10.5 *
 9.8 ↘ 10.1 ↑ 10.0 ↘ 9.9 ↘ 10.6 *
 beste Teiler 283.9 (32.) 314.7 (40.) 327.7 (35.)
 Trefferlage 0.79 mm rechts, 1.14 mm hoch
 Streuwert 5.63, horizontal: 5.67, vertikal: 5.59



Serie 5:
 10.3 * 9.0 ↑ 9.8 ↑ 9.3 ↘ 10.4 *
 10.2 ↓ 10.4 * 10.4 * 10.2 ↘ 10.4 *
 beste Teiler 404.7 (47.) 430.7 (50.) 443.6 (45.)
 Trefferlage 2.38 mm rechts, 0.13 mm hoch
 Streuwert 5.87, horizontal: 4.40, vertikal: 7.04



Serie 6:
 10.5 * 9.7 ↗ 9.5 ↗ 9.2 → 10.7 *
 10.2 ↑ 10.1 ↑ 10.4 * 9.4 ↓ 9.3 ↓
 beste Teiler 172.5 (55.) 331.6 (51.) 434.2 (58.)
 Trefferlage 3.03 mm rechts, 0.52 mm hoch
 Streuwert 6.59, horizontal: 5.67, vertikal: 7.39

Meyton Elektronik

KK liegend – Wertung – **Senioren_1w**

StandNr: 36

Zecha, Edith #1000000371

StartNr: 36



16. August 2018 8:53

NÖ–SV Klosterneuburg 1288


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	603.5	(576)
Serien:	98.6 99.5 100.9 101.8 101.1 101.6	
Zähler:	39 19 1 1 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	2515 (2), 1827 (9), 1409 (17)	
beste Teiler	87.6 (10.) 174.3 (8.) 190.8 (47.)	
Trefferlage	1.77 mm rechts, 1.15 mm tief	
Streuwert	5.74, horizontal: 5.29, vertikal: 6.16	




Serie 1:	10.1 ←	7.8 ↘	10.6 *	9.5 ↘	9.7 ↓
	10.5 *	10.2 ↘	10.7 *	8.7 ↘	10.8 *
beste Teiler	87.6 (10.)	174.3 (8.)	303.3 (3.)		
Trefferlage	4.57 mm rechts, 5.29 mm tief				
Streuwert	6.79, horizontal: 7.43, vertikal: 6.10				




Serie 2:	10.5 *	10.0 ↖	10.2 ↗	9.9 ↗	10.1 ←
	9.2 →	9.2 ↘	10.1 ↑	10.5 *	9.8 ↗
beste Teiler	325.9 (19.)	327.0 (11.)	614.3 (13.)		
Trefferlage	2.83 mm rechts, 1.44 mm hoch				
Streuwert	5.98, horizontal: 5.86, vertikal: 6.10				




Serie 3:	9.9 ↗	9.4 ↗	10.1 ↗	10.7 *	9.7 ←
	10.4 *	10.1 ↓	10.4 *	10.4 *	9.8 ↓
beste Teiler	193.9 (24.)	403.1 (29.)	425.4 (26.)		
Trefferlage	1.46 mm rechts, 0.01 mm tief				
Streuwert	5.46, horizontal: 5.33, vertikal: 5.58				



Serie 4:	9.7 ↑	10.2 →	10.7 *	10.4 *	10.1 ↖
	10.3 *	9.5 ↓	10.7 *	9.5 ↘	10.7 *
beste Teiler	192.3 (33.)	195.5 (38.)	225.7 (40.)		
Trefferlage	1.01 mm rechts, 0.69 mm tief				
Streuwert	5.23, horizontal: 4.56, vertikal: 5.83				



Serie 5:	10.4 *	10.5 *	10.6 *	9.9 ↗	9.5 ↓
	10.1 ↓	10.7 *	9.7 ↓	10.0 ←	9.7 ↗
beste Teiler	190.8 (47.)	293.8 (43.)	346.3 (42.)		
Trefferlage	0.09 mm rechts, 1.26 mm tief				
Streuwert	5.46, horizontal: 3.91, vertikal: 6.65				



Serie 6:	10.1 ↓	10.2 ↖	10.1 ↖	9.5 ↓	10.7 *
	10.5 *	10.4 *	9.9 ↓	10.2 ↑	10.0 →
beste Teiler	195.1 (55.)	393.3 (56.)	435.6 (57.)		
Trefferlage	0.68 mm rechts, 1.12 mm tief				
Streuwert	5.04, horizontal: 3.82, vertikal: 6.03				

Meyton Elektronik

KK liegend – Wertung – **Senioren_1w**

StandNr: 37

Schachner, Rosemarie #1000000372

StartNr: 37

16. August 2018 9:02

S – SG Zell am See

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **591.6** (567)

Serien: 98.0 97.1 100.0 98.7 100.4 97.4

Zähler: 30 27 3 0 0 0 0 0 0 0



Innenzehner: 8

weiteste: 1675 (39), 1614 (21), 1608 (60)

beste Teiler 95.3 (33.) 169.0 (34.) 281.7 (48.)

Trefferlage 0.77 mm links, 0.18 mm hoch

Streuwert 6.77, horizontal: 6.21, vertikal: 7.29




Serie 1:

9.1 ↖	9.4 ↙	9.8 ←	10.4 *	9.8 →
10.6 *	10.2 →	9.2 ↗	10.5 *	9.0 ↑

beste Teiler 317.1 (6.) 353.5 (9.) 402.1 (4.)

Trefferlage 0.05 mm links, 4.10 mm hoch

Streuwert 7.10, horizontal: 6.17, vertikal: 7.92




Serie 2:

9.1 ↗	9.6 ←	10.0 ↓	9.6 ↑	10.1 →
10.0 ↙	10.3 ↘	9.6 ↘	9.0 ↘	9.8 ↗

beste Teiler 538.4 (17.) 716.2 (15.) 741.5 (16.)

Trefferlage 1.75 mm rechts, 1.62 mm hoch

Streuwert 7.59, horizontal: 7.35, vertikal: 7.82




Serie 3:

8.9 ↓	10.3 *	10.2 ↓	9.5 ↓	10.3 *
10.2 ↙	10.1 →	10.2 ↙	10.0 ←	10.3 ←

beste Teiler 518.4 (25.) 522.2 (22.) 542.0 (30.)

Trefferlage 0.07 mm rechts, 3.70 mm tief

Streuwert 5.53, horizontal: 4.83, vertikal: 6.15




Serie 4:

10.1 ↓	9.9 ↘	10.8 *	10.7 *	9.8 ↘
10.2 ↖	9.5 ↙	9.3 ↑	8.9 ←	9.5 ↖

beste Teiler 95.3 (33.) 169.0 (34.) 571.7 (36.)

Trefferlage 2.87 mm links, 0.78 mm tief

Streuwert 6.94, horizontal: 7.47, vertikal: 6.36




Serie 5:

10.0 →	10.1 ↓	10.1 →	9.9 ↖	10.0 ←
9.8 ↗	10.2 ↙	10.6 *	9.9 ↖	9.8 ↖

beste Teiler 281.7 (48.) 611.8 (47.) 679.7 (42.)

Trefferlage 1.91 mm links, 1.25 mm hoch

Streuwert 5.35, horizontal: 5.75, vertikal: 4.91



Serie 6:

10.3 ←	10.2 ↙	9.4 ↓	10.0 ↖	9.9 →
10.0 ←	9.1 ↑	9.9 ↑	9.7 ↓	8.9 ↙

beste Teiler 559.4 (51.) 627.5 (52.) 735.9 (56.)

Trefferlage 1.65 mm links, 1.41 mm tief

Streuwert 7.52, horizontal: 5.70, vertikal: 8.97

Meyton Elektronik



KK liegend – Wertung – **Senioren_1w**
StandNr: 1
Grabensberger, Anita #252

StartNr: 41
16. August 2018 10:36
B – PSV Eisenstadt


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.9	(580)
Serien:	100.6 102.3 101.9 103.0 100.1 102.0	
Zähler:	40 20 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	1320 (4), 1308 (9), 1197 (47)	
beste Teiler	13.6 (51.) 28.0 (29.) 154.9 (18.)	
Trefferlage	0.75 mm rechts, 0.54 mm tief	
Streuwert	5.02, horizontal: 5.07, vertikal: 4.97	




Serie 1:	10.3 →	10.2 ←	10.7 *	9.3 ↘	10.3 ↑
	9.7 ↖	10.0 ↖	10.6 *	9.3 →	10.2 ↘
beste Teiler	221.4 (3.) 269.5 (8.) 533.1 (5.)				
Trefferlage	1.43 mm rechts, 0.99 mm hoch				
Streuwert	5.85, horizontal: 6.38, vertikal: 5.28				




Serie 2:	10.3 *	9.5 ↑	9.7 ↓	10.7 *	10.3 ↖
	10.5 *	10.1 →	10.8 *	10.5 *	9.9 ↖
beste Teiler	154.9 (18.) 185.5 (14.) 335.5 (19.)				
Trefferlage	0.64 mm links, 0.03 mm tief				
Streuwert	4.94, horizontal: 4.61, vertikal: 5.25				




Serie 3:	10.1 ↓	10.1 ↓	10.6 *	9.5 ↘	9.9 ↓
	10.2 ↑	9.9 ↘	10.2 ↑	10.9 *	10.5 *
beste Teiler	28.0 (29.) 269.1 (23.) 366.1 (30.)				
Trefferlage	1.36 mm rechts, 2.03 mm tief				
Streuwert	4.66, horizontal: 3.67, vertikal: 5.46				



Serie 4:	9.6 ↙	9.9 ↑	9.8 ↘	10.7 *	10.5 *
	10.6 *	10.7 *	10.3 ↘	10.6 *	10.3 ↘
beste Teiler	219.9 (37.) 239.7 (34.) 311.5 (36.)				
Trefferlage	0.20 mm rechts, 1.70 mm tief				
Streuwert	4.37, horizontal: 4.41, vertikal: 4.34				



Serie 5:	10.5 *	9.9 ↘	9.9 ↘	10.1 ↖	10.2 ←
	9.7 ↑	9.5 ↖	10.4 *	10.2 →	9.7 →
beste Teiler	376.4 (41.) 465.8 (48.) 570.3 (49.)				
Trefferlage	0.84 mm rechts, 0.68 mm hoch				
Streuwert	5.96, horizontal: 6.64, vertikal: 5.20				



Serie 6:	10.9 *	10.0 ↖	10.3 *	10.2 ↑	9.8 ↘
	9.7 →	10.1 →	10.6 *	9.8 ↓	10.6 *
beste Teiler	13.6 (51.) 293.0 (60.) 296.5 (58.)				
Trefferlage	1.31 mm rechts, 1.21 mm tief				
Streuwert	4.88, horizontal: 5.09, vertikal: 4.65				

KK liegend – Wertung – **Senioren_1w**

StandNr: 2

Köb, Brigitte #1000000376

StartNr: 42



16. August 2018 10:38

V-USG Wolfurt / Vorarlberg 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	607.7	(581)
Serien:	103.6	102.9 101.7 96.7 102.7 100.1
Zähler:	41	19 0 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	1436	(33), 1345 (35), 1240 (48)
beste Teiler	73.7	(22.) 112.1 (16.) 135.0 (45.)
Trefferlage	0.25 mm	rechts, 0.48 mm hoch
Streuwert	5.32,	horizontal: 5.42, vertikal: 5.22




Serie 1:	10.7 *	10.1 ↘	10.2 ↗	10.8 *	9.6 ↑
	10.5 *	10.3 ↙	10.7 *	10.3 *	10.4 *
beste Teiler	145.1	(4.) 172.3 (8.)	222.4 (1.)		
Trefferlage	0.12 mm	rechts, 1.28 mm hoch			
Streuwert	3.98,	horizontal: 3.24, vertikal: 4.61			




Serie 2:	10.7 *	9.6 ↙	10.0 ↖	10.2 ↖	10.7 *
	10.8 *	10.2 ↘	10.5 *	10.4 *	9.8 ↑
beste Teiler	112.1	(16.) 187.0 (11.)	198.0 (15.)		
Trefferlage	2.00 mm	links, 0.48 mm hoch			
Streuwert	4.31,	horizontal: 3.08, vertikal: 5.27			




Serie 3:	10.2 ↗	10.9 *	10.2 →	10.2 →	10.0 →
	10.5 *	9.5 ↘	9.4 ↓	10.1 ↙	10.7 *
beste Teiler	73.7	(22.) 168.0 (30.)	354.1 (26.)		
Trefferlage	3.80 mm	rechts, 0.62 mm tief			
Streuwert	4.55,	horizontal: 4.01, vertikal: 5.03			



Serie 4:	9.9 ↖	9.7 ↙	9.2 →	9.5 ↑	9.3 ↘
	9.8 ↘	9.6 ↘	10.0 ↖	10.2 ↑	9.5 ↘
beste Teiler	561.5	(39.) 785.5 (38.)	849.3 (31.)		
Trefferlage	2.59 mm	rechts, 0.15 mm hoch			
Streuwert	7.61,	horizontal: 8.05, vertikal: 7.15			



Serie 5:	10.5 *	9.6 →	10.3 ←	10.6 *	10.8 *
	10.2 ↓	10.8 *	9.4 ↙	10.2 ↖	10.3 *
beste Teiler	135.0	(45.) 143.3 (47.)	291.7 (44.)		
Trefferlage	1.19 mm	links, 0.21 mm hoch			
Streuwert	4.78,	horizontal: 4.76, vertikal: 4.80			



Serie 6:	10.1 ↓	10.3 *	10.3 ↘	10.3 *	9.5 ↙
	10.4 *	10.3 *	9.8 ↑	9.4 ↖	9.7 ↖
beste Teiler	463.7	(56.) 500.5 (54.)	508.8 (52.)		
Trefferlage	1.81 mm	links, 1.36 mm hoch			
Streuwert	5.63,	horizontal: 6.02, vertikal: 5.22			

Meyton Elektronik

KK liegend – Wertung – **Senioren_1w**

StandNr: 3

Kaspar, Sonja #12

StartNr: 43

16. August 2018 10:35

T – SG Mieming / Tirol 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **594.4** (563)

Serien: 96.7 99.5 100.3 100.4 97.6 99.9

Zähler: 27 29 4 0 0 0 0 0 0 0



Innenzehner: 18

weiteste: 1744 (5), 1725 (60), 1687 (42)

beste Teiler 13.6 (59.) 68.5 (58.) 167.2 (21.)

Trefferlage 1.13 mm links, 0.82 mm hoch

Streuwert 6.63, horizontal: 7.15, vertikal: 6.06




Serie 1:

9.5 ↘	10.3 *	9.3 ↖	9.9 ↗	8.8 ↙
8.9 ↘	10.1 →	9.5 ↑	10.0 ←	10.4 *

beste Teiler 440.8 (10.) 498.1 (2.) 720.1 (7.)

Trefferlage 4.99 mm links, 2.32 mm hoch

Streuwert 7.17, horizontal: 7.49, vertikal: 6.84




Serie 2:

10.1 ↗	10.4 *	9.8 ↓	10.4 *	9.5 →
9.4 ←	9.9 ←	9.4 ↑	10.7 *	9.9 ↘

beste Teiler 198.8 (19.) 460.1 (12.) 464.7 (14.)

Trefferlage 0.95 mm links, 1.34 mm hoch

Streuwert 6.45, horizontal: 7.07, vertikal: 5.75




Serie 3:

10.7 *	10.5 *	9.8 ↗	10.2 ↖	9.7 ↗
10.6 *	9.9 →	10.2 ←	9.2 ↘	9.5 ←

beste Teiler 167.2 (21.) 274.5 (26.) 398.5 (22.)

Trefferlage 0.60 mm rechts, 0.14 mm hoch

Streuwert 6.19, horizontal: 6.28, vertikal: 6.09




Serie 4:

9.6 ↘	10.6 *	9.7 ↓	10.6 *	10.6 *
10.3 *	9.4 →	10.1 ↘	9.6 ↖	9.9 ←

beste Teiler 287.2 (34.) 291.6 (35.) 316.1 (32.)

Trefferlage 1.06 mm rechts, 2.66 mm tief

Streuwert 5.66, horizontal: 6.31, vertikal: 4.91




Serie 5:

9.9 →	8.8 ↖	10.0 ↓	9.0 ↗	9.8 ↖
10.5 *	10.4 *	9.7 ↓	9.8 ↑	9.7 →

beste Teiler 353.1 (46.) 411.7 (47.) 730.0 (43.)

Trefferlage 0.59 mm links, 3.16 mm hoch

Streuwert 7.24, horizontal: 7.68, vertikal: 6.78



Serie 6:

10.6 *	9.5 ↙	10.4 *	9.1 ←	10.0 ←
9.7 ↘	10.0 ↑	10.9 *	10.9 *	8.8 →

beste Teiler 13.6 (59.) 68.5 (58.) 272.5 (51.)

Trefferlage 1.94 mm links, 0.66 mm hoch

Streuwert 6.89, horizontal: 8.02, vertikal: 5.52

Meyton Elektronik

KK liegend – Wertung – **Senioren_1w**

StandNr: 4

Schneider, Hedi #1000000377

StartNr: 44



16. August 2018 10:29

V-USG Hard / Vorarlberg 1

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	580.4	(558)
Serien:	97.2 97.0 97.3 96.9 96.1 95.9	
Zähler:	22 34 4 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2240 (39), 1681 (11), 1679 (53)	
beste Teiler	295.4 (22.) 326.5 (17.) 377.2 (33.)	
Trefferlage	1.62 mm rechts, 0.11 mm hoch	
Streuwert	7.82, horizontal: 8.18, vertikal: 7.44	




Serie 1:

10.0 ↖	10.5 *	10.3 →	10.2 →	9.6 ↙
9.0 ↘	8.9 ↘	9.8 ↗	9.5 ↖	9.4 ↓
beste Teiler	387.9 (2.) 550.3 (3.) 634.7 (4.)			
Trefferlage	1.08 mm rechts, 3.24 mm tief			
Streuwert	7.59, horizontal: 8.00, vertikal: 7.16			




Serie 2:

8.8 ↘	10.0 ↖	9.5 →	9.7 ↗	9.6 ↘
10.3 ↗	10.5 *	9.0 ↖	9.2 ↖	10.4 *
beste Teiler	326.5 (17.) 475.9 (20.) 549.7 (16.)			
Trefferlage	1.75 mm rechts, 1.41 mm hoch			
Streuwert	7.98, horizontal: 9.15, vertikal: 6.62			




Serie 3:

9.4 ↗	10.6 *	9.5 ↓	9.2 ↘	9.3 ↗
10.1 ↑	9.4 →	9.4 ↓	10.1 ↘	10.3 *
beste Teiler	295.4 (22.) 523.4 (30.) 677.6 (26.)			
Trefferlage	5.12 mm rechts, 1.90 mm tief			
Streuwert	6.68, horizontal: 4.64, vertikal: 8.23			




Serie 4:

10.0 ↖	10.4 *	10.5 *	9.8 →	10.2 ↑
10.1 →	9.2 ↖	9.2 →	8.2 ←	9.3 ↖
beste Teiler	377.2 (33.) 417.6 (32.) 580.1 (35.)			
Trefferlage	1.89 mm links, 2.92 mm hoch			
Streuwert	8.17, horizontal: 10.37, vertikal: 5.09			




Serie 5:

9.9 →	10.4 *	9.4 →	9.2 ↗	9.3 ↓
9.2 ↗	9.7 ↓	9.0 ↘	10.0 ↑	10.0 ↘
beste Teiler	452.0 (42.) 762.0 (49.) 789.0 (50.)			
Trefferlage	3.59 mm rechts, 2.62 mm tief			
Streuwert	7.71, horizontal: 6.14, vertikal: 9.01			



Serie 6:

10.4 *	9.3 →	8.9 ↙	9.6 ↗	9.4 ↖
10.2 →	9.4 ↖	9.5 ↑	9.7 ↗	9.5 ↑
beste Teiler	415.9 (51.) 596.2 (56.) 1025.8 (59.)			
Trefferlage	0.06 mm rechts, 4.11 mm hoch			
Streuwert	8.03, horizontal: 9.49, vertikal: 6.25			



KK liegend – Wertung – **Senioren_1w**

StandNr: 5

Sporer, Angelika #405

StartNr: 45



16. August 2018 10:27

T – SG Mieming / Tirol 1

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	584.5	(561)
Serien:	97.2 93.5 97.5 98.3 100.1 97.9	
Zähler:	30 22 7 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2630 (20), 2200 (7), 2184 (60)	
beste Teiler	179.7 (43.) 226.3 (49.) 250.9 (54.)	
Trefferlage	0.69 mm rechts, 1.05 mm hoch	
Streuwert	7.90, horizontal: 8.49, vertikal: 7.26	



Serie 1:

10.1 ←	9.9 ↑	10.2 ↘	9.7 ↘	9.1 →
10.5 *	8.2 ↑	10.1 →	9.3 →	10.1 ↙


beste Teiler 353.2 (6.) 567.6 (3.) 657.6 (10.)
 Trefferlage 3.34 mm rechts, 2.17 mm hoch
 Streuwert 7.69, horizontal: 7.65, vertikal: 7.74



Serie 2:

8.4 ↗	9.4 ↘	10.6 *	9.4 ↗	9.1 ↘
10.1 →	10.0 →	9.0 ←	9.8 ↘	7.7 ↘


beste Teiler 251.0 (13.) 651.8 (16.) 729.0 (17.)
 Trefferlage 0.05 mm links, 3.69 mm hoch
 Streuwert 10.43, horizontal: 12.30, vertikal: 8.15



Serie 3:

10.1 ↗	9.6 ↙	10.0 ↘	10.2 ↘	9.2 →
9.1 →	10.0 ↘	10.1 ↘	9.4 ↓	9.8 ↑


beste Teiler 637.2 (24.) 699.3 (21.) 715.1 (28.)
 Trefferlage 2.78 mm rechts, 0.22 mm tief
 Streuwert 7.30, horizontal: 7.48, vertikal: 7.12



Serie 4:

10.0 ↓	10.3 ←	9.9 ↓	9.1 ←	10.4 *
10.1 →	8.6 ↘	10.5 *	8.9 ↑	10.5 *


beste Teiler 324.1 (38.) 372.1 (40.) 410.7 (35.)
 Trefferlage 0.16 mm links, 1.52 mm tief
 Streuwert 7.75, horizontal: 7.22, vertikal: 8.24



Serie 5:

9.5 ↘	10.2 ↑	10.7 *	9.8 →	9.9 ↗
10.5 *	9.2 →	10.2 →	10.7 *	9.4 ↓

beste Teiler 179.7 (43.) 226.3 (49.) 353.3 (46.)
 Trefferlage 2.39 mm rechts, 0.14 mm tief
 Streuwert 6.05, horizontal: 5.78, vertikal: 6.31



Serie 6:

10.1 ↙	10.4 *	10.5 *	10.6 *	10.3 ←
10.5 *	8.7 ↘	9.7 ↗	8.9 ←	8.2 ↘

beste Teiler 250.9 (54.) 327.2 (56.) 348.6 (53.)
 Trefferlage 4.12 mm links, 2.37 mm hoch
 Streuwert 7.65, horizontal: 8.84, vertikal: 6.23

Meyton Elektronik

KK liegend – Wertung – **Senioren_1w**

StandNr: 6

Immler, Ruth #1000000378

StartNr: 46

16. August 2018 10:29

V-USG Hard / Vorarlberg 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **595.0** (567)

Serien: 100.7 99.6 96.6 101.0 99.8 97.3

Zähler: 30 27 3 0 0 0 0 0 0 0



Innenzehner: 17

weiteste: 2093 (20), 1709 (60), 1638 (25)

beste Teiler 132.1 (8.) 140.8 (10.) 272.5 (58.)

Trefferlage 0.21 mm rechts, 0.80 mm tief

Streuwert 6.57, horizontal: 6.07, vertikal: 7.03




Serie 1:

9.6 ↑	10.6 *	10.6 *	9.5 ↑	9.5 ↘
10.3 *	9.9 ↘	10.8 *	9.1 ↘	10.8 *

beste Teiler 132.1 (8.) 140.8 (10.) 297.8 (2.)

Trefferlage 2.58 mm rechts, 0.98 mm tief

Streuwert 6.02, horizontal: 4.27, vertikal: 7.36




Serie 2:

10.4 *	10.6 *	9.7 ↗	10.0 ←	10.3 *
10.6 *	10.1 ↓	9.7 ↘	9.9 ↘	8.3 ↙

beste Teiler 304.6 (12.) 313.0 (16.) 440.1 (11.)

Trefferlage 0.66 mm rechts, 3.11 mm tief

Streuwert 6.61, horizontal: 6.05, vertikal: 7.13




Serie 3:

10.3 *	10.0 ↗	10.1 ←	9.8 ↘	8.9 ↑
9.4 ↑	9.6 ↗	9.7 ↗	9.5 ↘	9.3 →

beste Teiler 485.5 (21.) 715.1 (23.) 733.9 (22.)

Trefferlage 4.50 mm rechts, 2.68 mm hoch

Streuwert 7.05, horizontal: 5.26, vertikal: 8.46




Serie 4:

10.2 ↘	10.6 *	9.7 ↙	10.3 *	9.9 ↓
10.5 *	10.1 ↗	9.4 ↘	10.1 ←	10.2 ↘

beste Teiler 296.9 (32.) 325.6 (36.) 502.1 (34.)

Trefferlage 1.00 mm links, 0.79 mm tief

Streuwert 5.33, horizontal: 5.37, vertikal: 5.28




Serie 5:

10.3 *	9.6 ←	9.7 ↙	9.2 →	9.9 ↘
10.5 *	10.3 ↓	9.9 ←	10.3 *	10.1 ←

beste Teiler 327.6 (46.) 499.3 (41.) 508.9 (49.)

Trefferlage 3.37 mm links, 1.36 mm tief

Streuwert 5.50, horizontal: 6.52, vertikal: 4.24



Serie 6:

9.2 ↗	9.0 ↘	9.8 ↘	10.2 ↙	10.1 ↘
10.2 ←	9.8 ↙	10.6 *	9.6 ↓	8.8 ↓

beste Teiler 272.5 (58.) 595.9 (54.) 603.1 (56.)

Trefferlage 2.07 mm links, 1.24 mm tief

Streuwert 7.77, horizontal: 6.26, vertikal: 9.03

Meyton Elektronik

KK liegend – Wertung – **Senioren_1w**

StandNr: 7

Pfandler, Elisabeth #1000000379

StartNr: 47

16. August 2018 10:42

T – SG Zams / Tirol 1

Unterschrift des Schützen

Meyton Elektronik