





Ergebnis: **412.2** (394)
 Serien: 102.8 101.9 102.9 104.6
 Zaehler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 307 (20), 306 (13), 296 (19)
 beste Teiler 16.1 (3.) 47.4 (2.) 55.0 (34.)
 Trefferlage 0.55 mm rechts, 0.08 mm tief
 Streuwert 1.23, horizontal: 1.30, vertikal: 1.16




Serie 1:
 10.3 * 10.8 * 10.9 * 10.2 * 10.4 *
 10.0 ↑ 10.1 ↖ 9.9 ↓ 10.2 * 10.0 →
 beste Teiler 16.1 (3.) 47.4 (2.) 139.9 (5.)
 Trefferlage 0.71 mm rechts, 0.26 mm tief
 Streuwert 1.29, horizontal: 1.22, vertikal: 1.34



Serie 2:
 10.6 * 10.2 * 9.7 ↘ 10.4 * 10.2 *
 9.9 ↓ 10.7 * 10.7 * 9.8 ↗ 9.7 →
 beste Teiler 63.0 (18.) 72.2 (17.) 88.2 (11.)
 Trefferlage 1.17 mm rechts, 0.56 mm tief
 Streuwert 1.26, horizontal: 1.22, vertikal: 1.29



Serie 3:
 10.0 ↗ 10.3 * 10.4 * 10.5 * 10.7 *
 10.0 → 10.6 * 10.4 * 10.2 * 9.8 →
 beste Teiler 57.4 (25.) 95.5 (27.) 120.5 (24.)
 Trefferlage 0.45 mm rechts, 0.23 mm hoch
 Streuwert 1.27, horizontal: 1.49, vertikal: 1.01





Serie 4:
 10.4 * 10.5 * 10.7 * 10.7 * 10.5 *
 10.2 * 10.4 * 10.7 * 10.4 * 10.1 ↖
 beste Teiler 55.0 (34.) 55.7 (33.) 66.0 (38.)
 Trefferlage 0.14 mm links, 0.26 mm hoch
 Streuwert 0.96, horizontal: 1.03, vertikal: 0.88


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **417.2** (397)
 Serien: 105.8 105.4 102.8 103.2
 Zaehler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 289 (26), 282 (39), 263 (31)
 beste Teiler 20.1 (4.) 31.3 (13.) 33.8 (16.)
 Trefferlage 0.33 mm rechts, 0.57 mm hoch
 Streuwert 0.94, horizontal: 0.90, vertikal: 0.97




Serie 1:
 10.2 * 10.6 * 10.8 * 10.9 * 10.8 *
 10.4 * 10.3 * 10.6 * 10.6 * 10.6 *
 beste Teiler 20.1 (4.) 41.1 (3.) 50.5 (5.)
 Trefferlage 0.12 mm rechts, 0.03 mm hoch
 Streuwert 0.82, horizontal: 0.81, vertikal: 0.82



Serie 2:
 10.4 * 10.5 * 10.8 * 10.8 * 10.1 ↗
 10.8 * 10.6 * 10.6 * 10.3 * 10.5 *
 beste Teiler 31.3 (13.) 33.8 (16.) 48.8 (14.)
 Trefferlage 0.08 mm rechts, 0.39 mm hoch
 Streuwert 0.81, horizontal: 0.73, vertikal: 0.89



Serie 3:
 10.3 * 10.2 * 10.4 * 10.5 * 10.2 *
 9.8 ↗ 10.7 * 10.5 * 10.1 ↗ 10.1 ↗
 beste Teiler 67.4 (27.) 109.2 (28.) 125.8 (24.)
 Trefferlage 0.54 mm rechts, 0.92 mm hoch
 Streuwert 1.07, horizontal: 0.90, vertikal: 1.22





Serie 4:
 9.9 ↘ 10.4 * 10.3 * 10.3 * 10.5 *
 10.4 * 10.6 * 10.5 * 9.8 → 10.5 *
 beste Teiler 93.9 (37.) 108.0 (40.) 118.5 (38.)
 Trefferlage 0.59 mm rechts, 0.96 mm hoch
 Streuwert 0.94, horizontal: 1.13, vertikal: 0.71


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **409.4** (391)
 Serien: 101.3 101.5 104.4 102.2
 Zaehler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 366 (5), 349 (10), 339 (7)
 beste Teiler 20.3 (8.) 30.0 (1.) 40.0 (16.)
 Trefferlage 0.11 mm links, 0.10 mm tief
 Streuwert 1.44, horizontal: 1.80, vertikal: 0.96




Serie 1:
 10.8 * 10.1 → 10.4 * 10.4 * 9.5 →
 9.7 ↘ 9.6 ↘ 10.9 * 10.3 * 9.6 →
 beste Teiler 20.3 (8.) 30.0 (1.) 131.7 (3.)
 Trefferlage 1.56 mm rechts, 0.53 mm tief
 Streuwert 1.30, horizontal: 1.65, vertikal: 0.82



Serie 2:
 9.7 → 10.1 ↘ 9.8 → 10.3 * 9.9 ↙
 10.8 * 10.5 * 10.1 ↗ 10.1 ← 10.2 *
 beste Teiler 40.0 (16.) 116.1 (17.) 166.2 (14.)
 Trefferlage 0.16 mm rechts, 0.22 mm tief
 Streuwert 1.59, horizontal: 2.02, vertikal: 0.97



Serie 3:
 10.3 * 10.6 * 10.4 * 10.3 * 10.4 *
 10.6 * 10.3 * 10.5 * 10.6 * 10.4 *
 beste Teiler 82.8 (26.) 97.0 (22.) 100.0 (29.)
 Trefferlage 0.80 mm links, 0.15 mm hoch
 Streuwert 0.77, horizontal: 0.79, vertikal: 0.74





Serie 4:
 10.0 ↙ 9.6 ↘ 9.9 ← 10.6 * 10.1 ↘
 10.6 * 10.7 * 10.0 ← 10.0 ↖ 10.7 *
 beste Teiler 61.0 (37.) 71.4 (40.) 83.2 (36.)
 Trefferlage 1.37 mm links, 0.17 mm hoch
 Streuwert 1.11, horizontal: 1.01, vertikal: 1.20


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **408.9** (388)
 Serien: 101.5 103.7 102.2 101.5
 Zaehler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 413 (2), 366 (16), 343 (4)
 beste Teiler 5.3 (13.) 23.5 (20.) 37.5 (5.)
 Trefferlage 0.30 mm rechts, 0.30 mm hoch
 Streuwert 1.46, horizontal: 1.75, vertikal: 1.09




Serie 1:
 10.6 * 9.3 → 10.6 * 9.6 ↘ 10.8 *
 9.9 → 10.7 * 9.9 ← 10.0 ↖ 10.1 →
 beste Teiler 37.5 (5.) 64.0 (7.) 80.5 (3.)
 Trefferlage 0.86 mm rechts, 0.12 mm hoch
 Streuwert 1.64, horizontal: 2.18, vertikal: 0.79



Serie 2:
 10.6 * 10.5 * 10.9 * 10.4 * 10.4 *
 9.5 → 9.9 ↖ 10.3 * 10.3 * 10.9 *
 beste Teiler 5.3 (13.) 23.5 (20.) 79.1 (11.)
 Trefferlage 0.66 mm rechts, 0.48 mm hoch
 Streuwert 1.16, horizontal: 1.46, vertikal: 0.75



Serie 3:
 10.3 * 10.6 * 9.8 ← 10.3 * 10.2 *
 10.0 ↖ 10.5 * 10.7 * 9.7 ↘ 10.1 ↓
 beste Teiler 74.7 (28.) 84.3 (22.) 101.3 (27.)
 Trefferlage 0.10 mm rechts, 0.21 mm hoch
 Streuwert 1.46, horizontal: 1.51, vertikal: 1.42





Serie 4:
 9.9 ↙ 9.8 ↖ 10.4 * 9.8 ← 10.7 *
 10.7 * 9.7 ↗ 10.0 ← 10.3 * 10.2 *
 beste Teiler 51.0 (36.) 71.5 (35.) 137.8 (33.)
 Trefferlage 0.41 mm links, 0.40 mm hoch
 Streuwert 1.56, horizontal: 1.72, vertikal: 1.38


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **417.3** (395)
 Serien: 104.8 103.4 104.1 105.0
 Zaehler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 282 (27), 279 (23), 275 (15)
 beste Teiler 28.0 (31.) 32.0 (25.) 33.3 (21.)
 Trefferlage 0.54 mm links, 0.07 mm hoch
 Streuwert 1.00, horizontal: 1.09, vertikal: 0.90




Serie 1:
 10.5 * 10.6 * 10.5 * 10.4 * 10.4 *
 10.7 * 10.2 * 10.7 * 10.5 * 10.3 *
 beste Teiler 62.3 (8.) 65.5 (6.) 99.0 (2.)
 Trefferlage 0.29 mm links, 0.38 mm tief
 Streuwert 0.85, horizontal: 1.06, vertikal: 0.57



Serie 2:
 10.0 ← 10.7 * 9.9 ← 10.5 * 9.9 ↖
 10.2 * 10.5 * 10.6 * 10.6 * 10.5 *
 beste Teiler 64.1 (12.) 86.7 (19.) 94.8 (18.)
 Trefferlage 0.74 mm links, 0.23 mm tief
 Streuwert 1.14, horizontal: 1.37, vertikal: 0.87



Serie 3:
 10.8 * 10.6 * 9.8 ↖ 9.9 ← 10.8 *
 10.7 * 9.8 ↖ 10.4 * 10.7 * 10.6 *
 beste Teiler 32.0 (25.) 33.3 (21.) 61.2 (26.)
 Trefferlage 0.57 mm links, 0.56 mm hoch
 Streuwert 1.09, horizontal: 1.29, vertikal: 0.83





Serie 4:
 10.8 * 10.2 * 10.1 ↖ 10.3 * 10.8 *
 10.2 * 10.6 * 10.5 * 10.8 * 10.7 *
 beste Teiler 28.0 (31.) 36.3 (35.) 36.6 (39.)
 Trefferlage 0.55 mm links, 0.32 mm hoch
 Streuwert 0.84, horizontal: 0.60, vertikal: 1.03


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **407.1** (388)
 Serien: 102.3 101.9 100.7 102.2
 Zaehler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 459 (12), 445 (9), 409 (6)
 beste Teiler 21.9 (25.) 37.7 (40.) 39.6 (8.)
 Trefferlage 0.42 mm links, 0.80 mm hoch
 Streuwert 1.49, horizontal: 1.85, vertikal: 1.02




Serie 1:
 10.6 * 10.1 ↗ 10.3 * 10.3 * 10.5 *
 9.3 ↖ 10.7 * 10.8 * 9.2 ↖ 10.5 *
 beste Teiler 39.6 (8.) 69.2 (7.) 90.4 (1.)
 Trefferlage 0.78 mm links, 0.72 mm hoch
 Streuwert 1.48, horizontal: 1.98, vertikal: 0.69



Serie 2:
 10.4 * 9.1 ↘ 10.6 * 10.3 * 10.1 ↘
 10.5 * 9.7 ↖ 10.1 ↙ 10.4 * 10.7 *
 beste Teiler 70.1 (20.) 94.0 (13.) 106.1 (16.)
 Trefferlage 0.83 mm links, 0.62 mm hoch
 Streuwert 1.44, horizontal: 1.57, vertikal: 1.30



Serie 3:
 10.5 * 9.3 ↘ 9.9 ↘ 9.9 ↗ 10.9 *
 10.3 * 9.8 ↗ 9.4 → 10.2 * 10.5 *
 beste Teiler 21.9 (25.) 116.8 (21.) 122.7 (30.)
 Trefferlage 0.13 mm rechts, 1.32 mm hoch
 Streuwert 1.61, horizontal: 2.02, vertikal: 1.05





Serie 4:
 9.8 ↘ 10.5 * 10.1 ↗ 9.5 ↖ 10.3 *
 10.6 * 9.7 ↘ 10.5 * 10.4 * 10.8 *
 beste Teiler 37.7 (40.) 88.2 (36.) 119.8 (38.)
 Trefferlage 0.23 mm links, 0.52 mm hoch
 Streuwert 1.48, horizontal: 1.89, vertikal: 0.89


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **416.1** (398)
 Serien: 102.9 104.3 104.3 104.6
 Zaehler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 418 (8), 270 (37), 238 (25)
 beste Teiler 19.2 (19.) 40.2 (33.) 48.1 (23.)
 Trefferlage 0.46 mm rechts, 0.20 mm hoch
 Streuwert 1.07, horizontal: 1.15, vertikal: 0.97




Serie 1:
 10.6 * 10.2 * 10.4 * 10.2 * 10.1 ↑
 10.3 * 10.7 * 9.3 → 10.6 * 10.5 *
 beste Teiler 63.1 (7.) 88.6 (1.) 91.0 (9.)
 Trefferlage 0.45 mm rechts, 0.41 mm hoch
 Streuwert 1.37, horizontal: 1.58, vertikal: 1.12



Serie 2:
 10.3 * 10.5 * 10.1 ↑ 10.3 * 10.3 *
 10.7 * 10.0 → 10.7 * 10.9 * 10.5 *
 beste Teiler 19.2 (19.) 54.0 (18.) 67.9 (16.)
 Trefferlage 0.15 mm rechts, 0.33 mm hoch
 Streuwert 1.05, horizontal: 1.22, vertikal: 0.83



Serie 3:
 10.2 * 10.3 * 10.8 * 10.2 * 10.0 ↑
 10.5 * 10.5 * 10.5 * 10.7 * 10.6 *
 beste Teiler 48.1 (23.) 74.9 (29.) 78.8 (30.)
 Trefferlage 0.53 mm rechts, 0.46 mm hoch
 Streuwert 0.93, horizontal: 0.81, vertikal: 1.05





Serie 4:
 10.7 * 10.1 ↗ 10.8 * 10.5 * 10.6 *
 10.6 * 9.9 → 10.4 * 10.4 * 10.6 *
 beste Teiler 40.2 (33.) 63.1 (31.) 86.4 (35.)
 Trefferlage 0.71 mm rechts, 0.40 mm tief
 Streuwert 0.85, horizontal: 0.95, vertikal: 0.72


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **413.4** (392)
 Serien: 104.1 103.0 103.6 102.7
 Zaehler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 301 (15), 295 (9), 294 (36)
 beste Teiler 27.3 (10.) 28.6 (18.) 44.5 (34.)
 Trefferlage 0.13 mm links, 0.03 mm hoch
 Streuwert 1.24, horizontal: 1.43, vertikal: 1.00




Serie 1:
 10.7 * 10.5 * 10.7 * 10.2 * 10.6 *
 10.1 ↘ 10.6 * 10.1 ↘ 9.8 ↖ 10.8 *
 beste Teiler 27.3 (10.) 59.4 (3.) 64.8 (1.)
 Trefferlage 0.10 mm links, 0.38 mm tief
 Streuwert 1.13, horizontal: 1.40, vertikal: 0.78



Serie 2:
 10.2 * 9.9 ↗ 10.4 * 10.6 * 9.7 →
 10.4 * 10.6 * 10.8 * 10.4 * 10.0 ↙
 beste Teiler 28.6 (18.) 77.1 (17.) 78.6 (14.)
 Trefferlage 0.51 mm rechts, 0.10 mm tief
 Streuwert 1.28, horizontal: 1.37, vertikal: 1.19



Serie 3:
 10.7 * 10.2 * 9.9 ← 10.5 * 10.2 *
 9.9 ↖ 10.6 * 10.4 * 10.6 * 10.6 *
 beste Teiler 69.8 (21.) 76.4 (29.) 96.5 (27.)
 Trefferlage 0.32 mm links, 0.36 mm hoch
 Streuwert 1.17, horizontal: 1.31, vertikal: 1.02





Serie 4:
 9.9 ← 10.5 * 10.0 ↖ 10.8 * 10.5 *
 9.8 ↗ 10.4 * 10.4 * 9.9 ← 10.5 *
 beste Teiler 44.5 (34.) 106.0 (40.) 112.2 (35.)
 Trefferlage 0.61 mm links, 0.26 mm hoch
 Streuwert 1.32, horizontal: 1.62, vertikal: 0.95


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **406.3** (389)
 Serien: 100.7 101.6 101.4 102.6
 Zaehler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 479 (7), 388 (25), 295 (21)
 beste Teiler 62.8 (37.) 70.8 (3.) 91.9 (11.)
 Trefferlage 0.01 mm rechts, 0.80 mm hoch
 Streuwert 1.43, horizontal: 1.78, vertikal: 0.96




Serie 1:
 10.0 ↘ 10.0 ↙ 10.7 * 10.1 ↖ 10.2 *
 10.4 * 9.0 ↖ 10.3 * 10.1 → 9.9 ↗
 beste Teiler 70.8 (3.) 129.8 (6.) 167.9 (8.)
 Trefferlage 0.33 mm links, 0.78 mm hoch
 Streuwert 1.67, horizontal: 2.20, vertikal: 0.88



Serie 2:
 10.6 * 9.8 ↖ 10.1 ↗ 10.3 * 10.1 →
 10.5 * 9.8 ↑ 10.1 → 9.9 → 10.4 *
 beste Teiler 91.9 (11.) 107.2 (16.) 130.3 (20.)
 Trefferlage 0.61 mm rechts, 1.13 mm hoch
 Streuwert 1.21, horizontal: 1.48, vertikal: 0.87



Serie 3:
 9.8 ↖ 10.4 * 10.5 * 10.5 * 9.4 ↖
 10.5 * 9.9 → 10.1 ↖ 10.0 ↙ 10.3 *
 beste Teiler 107.1 (24.) 117.3 (23.) 123.7 (26.)
 Trefferlage 0.21 mm links, 1.01 mm hoch
 Streuwert 1.48, horizontal: 1.98, vertikal: 0.67





Serie 4:
 10.3 * 9.9 ↗ 10.5 * 10.5 * 10.2 *
 9.9 ← 10.7 * 10.4 * 9.9 ↖ 10.3 *
 beste Teiler 62.8 (37.) 109.0 (34.) 125.6 (33.)
 Trefferlage 0.00 mm , 0.29 mm hoch
 Streuwert 1.36, horizontal: 1.46, vertikal: 1.26


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **414.3** (397)
 Serien: 103.6 104.3 103.4 103.0
 Zaehler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 365 (34), 293 (30), 291 (1)
 beste Teiler 39.9 (8.) 58.8 (14.) 62.8 (10.)
 Trefferlage 0.19 mm rechts, 0.17 mm tief
 Streuwert 1.15, horizontal: 1.17, vertikal: 1.14




Serie 1:
 9.8 ↙ 10.0 ↘ 10.3 * 10.1 ↘ 10.6 *
 10.5 * 10.5 * 10.8 * 10.3 * 10.7 *
 beste Teiler 39.9 (8.) 62.8 (10.) 87.3 (5.)
 Trefferlage 0.79 mm links, 0.18 mm tief
 Streuwert 1.06, horizontal: 1.04, vertikal: 1.08



Serie 2:
 10.5 * 10.1 ↓ 10.6 * 10.7 * 10.5 *
 10.4 * 10.4 * 10.4 * 10.4 * 10.3 *
 beste Teiler 58.8 (14.) 83.5 (13.) 108.2 (15.)
 Trefferlage 0.24 mm rechts, 0.04 mm tief
 Streuwert 1.01, horizontal: 0.83, vertikal: 1.16



Serie 3:
 10.2 * 10.4 * 10.5 * 10.5 * 10.6 *
 10.3 * 10.4 * 10.6 * 10.1 ↓ 9.8 ↘
 beste Teiler 87.2 (25.) 100.5 (28.) 104.0 (23.)
 Trefferlage 0.75 mm rechts, 0.76 mm tief
 Streuwert 0.93, horizontal: 0.95, vertikal: 0.91





Serie 4:
 10.7 * 10.4 * 10.1 ↘ 9.5 ↗ 10.6 *
 10.4 * 10.4 * 10.5 * 10.2 * 10.2 *
 beste Teiler 73.7 (31.) 85.9 (35.) 115.1 (38.)
 Trefferlage 0.57 mm rechts, 0.29 mm hoch
 Streuwert 1.28, horizontal: 1.28, vertikal: 1.27


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **402.5** (385)
 Serien: 99.2 101.9 101.6 99.8
 Zaehler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 680 (39), 438 (7), 429 (21)
 beste Teiler 52.8 (3.) 71.0 (19.) 71.5 (32.)
 Trefferlage 0.69 mm rechts, 0.66 mm hoch
 Streuwert 1.72, horizontal: 1.87, vertikal: 1.56




Serie 1:
 9.6 ↑ 9.3 ↗ 10.7 * 10.2 * 10.3 *
 10.0 ↑ 9.2 ↑ 10.0 ← 9.7 → 10.2 *
 beste Teiler 52.8 (3.) 152.2 (5.) 183.8 (4.)
 Trefferlage 0.93 mm rechts, 1.53 mm hoch
 Streuwert 1.63, horizontal: 1.65, vertikal: 1.60



Serie 2:
 10.2 * 9.5 → 9.7 → 10.4 * 10.5 *
 10.0 → 10.6 * 9.9 ↑ 10.7 * 10.4 *
 beste Teiler 71.0 (19.) 81.3 (17.) 113.0 (15.)
 Trefferlage 1.27 mm rechts, 0.76 mm hoch
 Streuwert 1.18, horizontal: 1.35, vertikal: 0.97



Serie 3:
 9.2 ↗ 9.6 → 10.5 * 9.7 ↖ 10.5 *
 10.5 * 10.5 * 10.3 * 10.4 * 10.4 *
 beste Teiler 105.1 (23.) 108.4 (26.) 114.4 (25.)
 Trefferlage 0.50 mm rechts, 0.50 mm hoch
 Streuwert 1.62, horizontal: 1.82, vertikal: 1.39





Serie 4:
 9.5 ↗ 10.7 * 10.3 * 10.4 * 10.2 *
 9.9 ↘ 9.8 ↘ 10.6 * 8.2 ← 10.2 *
 beste Teiler 71.5 (32.) 78.1 (38.) 129.8 (34.)
 Trefferlage 0.05 mm rechts, 0.14 mm tief
 Streuwert 2.21, horizontal: 2.50, vertikal: 1.86


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **417.9** (397)
 Serien: 105.0 104.4 104.6 103.9
 Zaehler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 37
 weiteste: 302 (25), 261 (38), 259 (20)
 beste Teiler 41.1 (6.) 43.7 (29.) 44.1 (19.)
 Trefferlage 0.46 mm links, 0.08 mm hoch
 Streuwert 0.95, horizontal: 0.94, vertikal: 0.97




Serie 1:
 10.3 * 10.7 * 10.6 * 10.5 * 10.3 *
 10.8 * 10.5 * 10.3 * 10.4 * 10.6 *
 beste Teiler 41.1 (6.) 73.0 (2.) 84.5 (10.)
 Trefferlage 0.86 mm links, 0.30 mm hoch
 Streuwert 0.60, horizontal: 0.61, vertikal: 0.58



Serie 2:
 10.2 * 10.7 * 10.3 * 10.2 * 10.6 *
 10.5 * 10.7 * 10.5 * 10.8 * 9.9 →
 beste Teiler 44.1 (19.) 52.6 (12.) 73.0 (17.)
 Trefferlage 0.14 mm links, 0.33 mm hoch
 Streuwert 1.04, horizontal: 1.19, vertikal: 0.88



Serie 3:
 10.7 * 10.4 * 10.3 * 10.6 * 9.7 ←
 10.4 * 10.7 * 10.6 * 10.8 * 10.4 *
 beste Teiler 43.7 (29.) 67.5 (27.) 70.7 (21.)
 Trefferlage 0.32 mm links, 0.06 mm hoch
 Streuwert 1.02, horizontal: 1.17, vertikal: 0.83





Serie 4:
 10.5 * 10.6 * 10.2 * 10.7 * 10.3 *
 10.7 * 10.4 * 9.9 ↓ 10.4 * 10.2 *
 beste Teiler 65.1 (34.) 74.0 (36.) 83.6 (32.)
 Trefferlage 0.51 mm links, 0.35 mm tief
 Streuwert 1.06, horizontal: 0.58, vertikal: 1.38


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **373.7** (357)
 Serien: 95.0 89.6 94.8 94.3
 Zaehler: 14 15 6 4 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1027 (25), 946 (39), 836 (13)
 beste Teiler 92.0 (35.) 108.4 (36.) 111.0 (2.)
 Trefferlage 2.42 mm rechts, 0.91 mm hoch
 Streuwert 2.84, horizontal: 3.44, vertikal: 2.06




Serie 1:
 9.3 ↘ 10.5 * 9.8 ↘ 10.0 ↘ 8.7 →
 10.0 ↗ 8.0 → 10.2 * 8.2 → 10.3 *
 beste Teiler 111.0 (2.) 168.0 (10.) 188.1 (8.)
 Trefferlage 2.31 mm rechts, 0.09 mm hoch
 Streuwert 2.63, horizontal: 2.81, vertikal: 2.43



Serie 2:
 10.0 ↑ 7.8 → 7.6 ↗ 9.3 ↗ 10.1 ←
 8.3 → 10.3 * 9.0 ↗ 9.0 → 8.2 →
 beste Teiler 169.0 (17.) 207.2 (15.) 235.7 (11.)
 Trefferlage 3.38 mm rechts, 1.64 mm hoch
 Streuwert 2.96, horizontal: 3.45, vertikal: 2.38



Serie 3:
 10.3 * 9.9 ↖ 9.7 ↖ 10.5 * 6.8 →
 9.4 ↗ 10.4 * 9.9 ↗ 9.4 → 8.5 ↗
 beste Teiler 124.9 (24.) 129.0 (27.) 160.8 (21.)
 Trefferlage 1.87 mm rechts, 1.22 mm hoch
 Streuwert 2.91, horizontal: 3.66, vertikal: 1.89





Serie 4:
 9.9 ↗ 9.7 ↗ 10.2 * 9.7 ← 10.6 *
 10.5 * 9.5 ← 9.2 ↗ 7.2 → 7.8 →
 beste Teiler 92.0 (35.) 108.4 (36.) 188.3 (33.)
 Trefferlage 2.14 mm rechts, 0.71 mm hoch
 Streuwert 3.04, horizontal: 4.09, vertikal: 1.35


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **412.3** (395)
 Serien: 103.9 100.7 102.7 105.0
 Zaehler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 413 (12), 303 (13), 290 (5)
 beste Teiler 44.2 (23.) 44.5 (40.) 45.5 (8.)
 Trefferlage 0.10 mm rechts, 0.30 mm hoch
 Streuwert 1.26, horizontal: 1.28, vertikal: 1.24




Serie 1:
 10.2 * 10.3 * 10.4 * 10.0 ↘ 9.8 ↗
 10.5 * 10.7 * 10.8 * 10.5 * 10.7 *
 beste Teiler 45.5 (8.) 60.1 (10.) 66.8 (7.)
 Trefferlage 0.31 mm links, 0.49 mm hoch
 Streuwert 1.12, horizontal: 0.90, vertikal: 1.30



Serie 2:
 10.2 * 9.3 ↘ 9.7 ↘ 10.2 * 10.2 *
 9.8 ↘ 9.9 ↘ 10.5 * 10.6 * 10.3 *
 beste Teiler 96.0 (19.) 122.2 (18.) 175.5 (20.)
 Trefferlage 0.20 mm links, 0.19 mm tief
 Streuwert 1.77, horizontal: 2.03, vertikal: 1.48



Serie 3:
 10.2 * 10.4 * 10.8 * 10.2 * 10.0 ↗
 10.1 ↗ 10.2 * 10.1 ↑ 10.3 * 10.4 *
 beste Teiler 44.2 (23.) 128.7 (30.) 141.3 (22.)
 Trefferlage 0.73 mm rechts, 0.89 mm hoch
 Streuwert 0.98, horizontal: 0.98, vertikal: 0.98





Serie 4:
 10.4 * 10.5 * 10.5 * 10.4 * 10.5 *
 10.2 * 10.5 * 10.7 * 10.5 * 10.8 *
 beste Teiler 44.5 (40.) 70.5 (38.) 114.0 (32.)
 Trefferlage 0.20 mm rechts, 0.03 mm hoch
 Streuwert 0.90, horizontal: 0.73, vertikal: 1.04


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **408.3** (391)
 Serien: 99.8 104.2 103.7 100.6
 Zaehler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 464 (9), 381 (7), 368 (40)
 beste Teiler 33.2 (24.) 57.0 (18.) 65.4 (27.)
 Trefferlage 0.41 mm links, 0.17 mm hoch
 Streuwert 1.47, horizontal: 1.70, vertikal: 1.21




Serie 1:
 10.2 * 10.3 * 10.0 ← 10.2 * 9.8 ↙
 10.1 → 9.4 → 10.3 * 9.1 ↖ 10.4 *
 beste Teiler 132.2 (10.) 151.2 (8.) 171.4 (2.)
 Trefferlage 0.38 mm links, 0.16 mm tief
 Streuwert 1.94, horizontal: 2.33, vertikal: 1.44



Serie 2:
 10.4 * 10.4 * 10.3 * 10.5 * 10.2 *
 10.2 * 10.6 * 10.7 * 10.5 * 10.4 *
 beste Teiler 57.0 (18.) 92.4 (17.) 109.6 (19.)
 Trefferlage 0.29 mm links, 0.21 mm hoch
 Streuwert 1.00, horizontal: 0.86, vertikal: 1.12



Serie 3:
 10.4 * 10.3 * 10.1 ← 10.8 * 10.5 *
 9.9 ↘ 10.7 * 9.7 ↘ 10.6 * 10.7 *
 beste Teiler 33.2 (24.) 65.4 (27.) 75.7 (30.)
 Trefferlage 0.68 mm links, 0.16 mm hoch
 Streuwert 1.20, horizontal: 1.13, vertikal: 1.26



Serie 4:
 9.6 ↖ 10.1 ← 10.3 * 10.6 * 10.3 *
 9.6 → 9.8 → 10.3 * 10.5 * 9.5 ↖
 beste Teiler 80.4 (34.) 110.6 (39.) 152.0 (38.)
 Trefferlage 0.30 mm links, 0.49 mm hoch
 Streuwert 1.75, horizontal: 2.23, vertikal: 1.08

Unterschrift des Schuetzen