





Ergebnis: **388** (408.6)  
 Serien: 95 95 100 98  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 1617 (8), 1157 (1), 1071 (20)  
 beste Teiler 94.5 (26.) 103.4 (35.) 126.2 (27.)  
 Trefferlage 0.97 mm links, 1.81 mm tief  
 Streuwert 4.61, horizontal: 4.11, vertikal: 5.06




Serie 1:  
 9.5 ↙ 10.5 \* 10.5 \* 9.9 ↘ 10.1 ←  
 10.6 \* 10.6 \* 8.9 ↓ 10.2 ↑ 9.9 ↓  
 beste Teiler 250.4 (6.) 265.8 (7.) 324.6 (3.)  
 Trefferlage 2.64 mm links, 2.18 mm tief  
 Streuwert 5.45, horizontal: 3.80, vertikal: 6.71



Serie 2:  
 9.9 ↘ 9.7 ↑ 10.1 ↘ 9.9 ← 10.2 ↓  
 10.1 ↙ 10.2 ↓ 9.8 ↓ 10.7 \* 9.6 ↙  
 beste Teiler 191.7 (19.) 567.0 (15.) 597.9 (17.)  
 Trefferlage 1.62 mm links, 2.39 mm tief  
 Streuwert 5.44, horizontal: 4.54, vertikal: 6.21



Serie 3:  
 10.1 ← 10.2 ← 10.3 ↘ 10.7 \* 10.3 ↓  
 10.8 \* 10.8 \* 10.4 \* 10.1 → 10.7 \*  
 beste Teiler 94.5 (26.) 126.2 (27.) 194.0 (24.)  
 Trefferlage 0.99 mm links, 0.74 mm tief  
 Streuwert 3.47, horizontal: 4.17, vertikal: 2.58





Serie 4:  
 10.2 ↘ 10.4 \* 10.7 \* 10.6 \* 10.8 \*  
 9.9 ↗ 9.7 ↓ 10.6 \* 10.4 \* 10.0 ↓  
 beste Teiler 103.4 (35.) 168.0 (33.) 280.4 (34.)  
 Trefferlage 1.34 mm rechts, 1.94 mm tief  
 Streuwert 3.89, horizontal: 3.37, vertikal: 4.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>378</b>	(392.4)
Serien:	94 91 97 96	
Zähler:	20 18 2 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1905 (10), 1634 (16), 1569 (36)	
beste Teiler	180.3 (26.) 197.7 (6.) 239.2 (34.)	
Trefferlage	1.65 mm rechts, 6.43 mm hoch	
Streuwert	5.72, horizontal: 6.23, vertikal: 5.16	




Serie 1:					
	9.0 ↗	9.8 ↑	10.0 ↗	10.3 *	9.8 →
	10.7 *	10.4 *	10.3 *	9.2 ↑	8.6 ↑
beste Teiler	197.7 (6.) 461.9 (7.) 506.5 (4.)				
Trefferlage	2.73 mm rechts, 6.60 mm hoch				
Streuwert	5.82, horizontal: 5.20, vertikal: 6.38				



Serie 2:					
	9.4 ↘	9.4 ↑	10.1 ↘	9.0 ↑	9.1 ↘
	8.9 ↘	9.2 ↑	10.5 *	9.1 ↗	9.2 →
beste Teiler	354.5 (18.) 658.2 (13.) 1256.0 (11.)				
Trefferlage	1.70 mm links, 9.01 mm hoch				
Streuwert	6.92, horizontal: 8.76, vertikal: 4.35				





Serie 3:					
	9.9 ↗	10.2 ↗	10.4 *	10.5 *	10.2 →
	10.7 *	9.1 ↗	10.5 *	9.4 ↑	10.0 ↘
beste Teiler	180.3 (26.) 370.6 (28.) 376.9 (24.)				
Trefferlage	2.66 mm rechts, 4.32 mm hoch				
Streuwert	4.43, horizontal: 4.91, vertikal: 3.90				




Serie 4:					
	10.4 *	10.6 *	9.3 ↗	10.7 *	10.6 *
	9.0 ↑	9.7 ↑	10.1 ↘	9.0 ↑	10.1 →
beste Teiler	239.2 (34.) 241.2 (35.) 241.5 (32.)				
Trefferlage	2.93 mm rechts, 5.80 mm hoch				
Streuwert	5.06, horizontal: 4.83, vertikal: 5.27				

Unterschrift des Schützen

Ergebnis: **385** (403.6)  
 Serien: 94 97 97 97  
 Zähler: 25 15 0 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 1476 (22), 1402 (17), 1367 (6)  
 beste Teiler 106.4 (16.) 151.0 (24.) 191.6 (21.)  
 Trefferlage 0.47 mm rechts, 1.25 mm hoch  
 Streuwert 5.61, horizontal: 6.70, vertikal: 4.24




Serie 1:  
 10.1 ↘                      10.2 ↗                      10.6 \*                      9.9 ↖                      9.4 ↖  
 9.2 ↑                      10.3 ↙                      9.4 ←                      9.2 ←                      9.6 ↖  
 beste Teiler 285.2 (3.) 548.1 (7.) 575.2 (2.)  
 Trefferlage 5.14 mm links, 2.82 mm hoch  
 Streuwert 6.03, horizontal: 6.71, vertikal: 5.25



Serie 2:  
 10.2 ←                      9.6 →                      10.6 \*                      10.2 →                      10.5 \*  
 10.8 \*                      9.2 ←                      10.2 ↘                      10.2 ↓                      9.8 ↗  
 beste Teiler 106.4 (16.) 247.2 (13.) 364.6 (15.)  
 Trefferlage 0.83 mm rechts, 0.01 mm hoch  
 Streuwert 5.53, horizontal: 6.93, vertikal: 3.61





Serie 3:  
 10.7 \*                      9.1 →                      10.7 \*                      10.8 \*                      10.6 \*  
 9.8 →                      10.7 \*                      10.5 \*                      10.1 ↘                      9.9 →  
 beste Teiler 151.0 (24.) 191.6 (21.) 195.2 (27.)  
 Trefferlage 3.95 mm rechts, 0.66 mm tief  
 Streuwert 4.06, horizontal: 5.54, vertikal: 1.52




Serie 4:  
 10.4 \*                      10.3 →                      9.4 ↖                      10.0 →                      10.5 \*  
 9.9 ↑                      10.3 ↓                      10.6 \*                      10.4 \*                      9.7 →  
 beste Teiler 267.0 (38.) 399.8 (35.) 462.5 (31.)  
 Trefferlage 2.24 mm rechts, 2.84 mm hoch  
 Streuwert 4.59, horizontal: 4.29, vertikal: 4.87

Unterschrift des Schützen


Ergebnis: **359** (375.2)  
 Serien: 92 88 86 93  
 Zähler: 13 16 8 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3148 (20), 2797 (15), 2459 (29)  
 beste Teiler 139.0 (34.) 173.1 (9.) 454.1 (27.)  
 Trefferlage 0.79 mm rechts, 1.27 mm hoch  
 Streuwert 10.21, horizontal: 10.83, vertikal: 9.55




Serie 1:  
 8.6 ↘                      8.8 ↙                      10.3 ↘                      10.0 ↗                      10.4 \*  
 9.7 ↙                      9.8 ↗                      9.5 →                      10.7 \*                      9.4 ↘  
 beste Teiler 173.1 (9.) 465.8 (5.) 553.9 (3.)  
 Trefferlage 2.61 mm rechts, 3.56 mm tief  
 Streuwert 7.59, horizontal: 6.62, vertikal: 8.44



Serie 2:  
 8.1 ↙                      8.0 ↙                      10.3 ↘                      10.0 ↘                      7.5 ↗  
 10.1 ↘                      9.2 ↑                      9.6 ←                      10.0 →                      7.0 ←  
 beste Teiler 548.0 (13.) 695.8 (16.) 747.9 (14.)  
 Trefferlage 5.37 mm links, 2.32 mm hoch  
 Streuwert 12.88, horizontal: 13.84, vertikal: 11.84



Serie 3:  
 9.4 ↑                      8.9 ↑                      8.6 ←                      8.6 ↑                      9.4 ↗  
 9.1 ↘                      10.4 \*                      9.2 ↘                      7.9 →                      9.2 ↑  
 beste Teiler 454.1 (27.) 1278.9 (21.) 1278.9 (25.)  
 Trefferlage 4.79 mm rechts, 4.95 mm hoch  
 Streuwert 10.73, horizontal: 11.40, vertikal: 10.02





Serie 4:  
 8.7 ↙                      9.4 ↘                      9.8 ↑                      10.8 \*                      10.0 ↗  
 9.4 →                      9.3 ↗                      9.8 →                      10.0 ←                      10.3 →  
 beste Teiler 139.0 (34.) 531.7 (40.) 740.7 (39.)  
 Trefferlage 1.13 mm rechts, 1.37 mm hoch  
 Streuwert 7.75, horizontal: 8.89, vertikal: 6.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (385.8)  
 Serien: 91 91 95 94  
 Zähler: 19 15 4 2 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 2779 (5), 2482 (11), 2360 (6)  
 beste Teiler 100.2 (25.) 163.4 (3.) 239.2 (36.)  
 Trefferlage 1.23 mm rechts, 4.22 mm hoch  
 Streuwert 8.29, horizontal: 9.83, vertikal: 6.38




Serie 1:  
 9.1 → 10.4 \* 10.7 \* 10.1 ↑ 7.5 ←  
 8.0 ↗ 9.6 → 8.1 ↘ 10.3 \* 10.4 \*  
 beste Teiler 163.4 (3.) 437.9 (2.) 445.3 (10.)  
 Trefferlage 0.31 mm links, 5.28 mm hoch  
 Streuwert 10.62, horizontal: 13.56, vertikal: 6.46



Serie 2:  
 7.8 ↘ 9.0 ↑ 9.1 ↘ 9.4 → 10.3 \*  
 9.4 → 9.9 ↗ 10.4 \* 9.1 ↘ 10.3 \*  
 beste Teiler 440.9 (18.) 486.4 (15.) 494.7 (20.)  
 Trefferlage 2.24 mm rechts, 4.60 mm hoch  
 Streuwert 9.13, horizontal: 9.99, vertikal: 8.17



Serie 3:  
 9.3 → 8.8 ↑ 10.3 \* 10.1 ↗ 10.8 \*  
 10.5 \* 10.0 ↑ 9.1 ↘ 9.7 ↘ 10.2 ↗  
 beste Teiler 100.2 (25.) 373.4 (26.) 518.5 (23.)  
 Trefferlage 0.66 mm rechts, 5.26 mm hoch  
 Streuwert 6.11, horizontal: 6.87, vertikal: 5.24





Serie 4:  
 9.4 ↗ 9.2 ↘ 9.8 ↑ 9.3 ↘ 10.2 ↘  
 10.7 \* 10.3 \* 10.3 \* 8.5 → 10.4 \*  
 beste Teiler 239.2 (36.) 464.9 (40.) 514.1 (37.)  
 Trefferlage 2.33 mm rechts, 1.74 mm hoch  
 Streuwert 7.54, horizontal: 9.08, vertikal: 5.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (395.1)  
 Serien: 86 95 97 98  
 Zähler: 26 12 1 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 1816 (3), 1438 (13), 1343 (19)  
 beste Teiler 82.2 (22.) 141.6 (27.) 178.0 (10.)  
 Trefferlage 1.92 mm rechts, 1.76 mm tief  
 Streuwert 5.20, horizontal: 6.44, vertikal: 3.56




Serie 1:  
 0.0F 10.6 \* 8.7 ↘ 9.3 → 10.1 →  
 9.9 ←<sup>MIS</sup> 10.0 ↘ 10.3 \* 10.5 \* 10.7 \*  
 beste Teiler 178.0 (10.) 242.4 (2.) 350.2 (9.)  
 Trefferlage 3.38 mm rechts, 3.26 mm tief  
 Streuwert 5.73, horizontal: 7.46, vertikal: 3.17



Serie 2:  
 9.6 ↗ 10.4 \* 9.2 ↙ 10.2 ← 9.8 ↘  
 10.3 \* 10.2 → 9.5 ↗ 9.3 → 10.4 \*  
 beste Teiler 438.5 (20.) 478.7 (12.) 528.7 (16.)  
 Trefferlage 2.62 mm rechts, 1.84 mm tief  
 Streuwert 6.51, horizontal: 7.86, vertikal: 4.80



Serie 3:  
 9.9 → 10.8 \* 9.9 → 9.5 ↘ 10.6 \*  
 10.6 \* 10.8 \* 10.4 \* 10.5 \* 10.7 \*  
 beste Teiler 82.2 (22.) 141.6 (27.) 215.1 (30.)  
 Trefferlage 2.77 mm rechts, 0.47 mm tief  
 Streuwert 3.85, horizontal: 4.61, vertikal: 2.91





Serie 4:  
 10.4 \* 10.2 ← 10.0 ↘ 10.6 \* 9.7 →  
 10.2 ↓ 9.8 ← 10.5 \* 10.3 ↓ 10.7 \*  
 beste Teiler 188.6 (40.) 290.9 (34.) 331.8 (38.)  
 Trefferlage 0.96 mm links, 1.61 mm tief  
 Streuwert 4.40, horizontal: 5.47, vertikal: 2.97

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.2)  
 Serien: 87 90 89 95  
 Zähler: 10 23 6 0 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3329 (7), 2051 (13), 1976 (17)  
 beste Teiler 356.0 (38.) 364.6 (32.) 366.2 (31.)  
 Trefferlage 3.63 mm rechts, 0.17 mm hoch  
 Streuwert 9.13, horizontal: 9.45, vertikal: 8.80




Serie 1:  
 9.3 ↙ 9.7 ↘ 9.2 ↓ 9.6 → 9.9 ↘  
 9.5 ↙ 6.8 → 9.5 ← 9.4 ← 9.2 ↙  
 beste Teiler 855.5 (5.) 964.7 (2.) 1041.6 (4.)  
 Trefferlage 0.32 mm links, 5.25 mm tief  
 Streuwert 10.79, horizontal: 14.12, vertikal: 5.80



Serie 2:  
 9.2 ↘ 9.0 ↗ 8.4 ↑ 9.1 ↑ 10.0 →  
 10.4 \* 8.5 ↗ 9.7 ↑ 9.6 → 9.5 ↘  
 beste Teiler 455.4 (16.) 740.3 (15.) 1036.7 (18.)  
 Trefferlage 5.79 mm rechts, 4.54 mm hoch  
 Streuwert 8.68, horizontal: 6.09, vertikal: 10.65





Serie 3:  
 8.8 ↘ 10.1 ↑ 9.1 ↗ 9.8 → 9.2 →  
 8.6 → 10.5 \* 9.4 ↗ 9.4 ↙ 8.7 ↓  
 beste Teiler 380.6 (27.) 655.2 (22.) 930.3 (24.)  
 Trefferlage 6.69 mm rechts, 1.67 mm tief  
 Streuwert 8.77, horizontal: 7.79, vertikal: 9.65




Serie 4:  
 10.5 \* 10.5 \* 8.7 ↘ 9.6 ↗ 10.0 →  
 9.6 ↗ 10.3 \* 10.5 \* 10.3 \* 9.1 →  
 beste Teiler 356.0 (38.) 364.6 (32.) 366.2 (31.)  
 Trefferlage 2.35 mm rechts, 3.10 mm hoch  
 Streuwert 6.47, horizontal: 7.44, vertikal: 5.33

Unterschrift des Schützen


Ergebnis: **367** (384.9)  
 Serien: 93 93 90 91  
 Zähler: 15 18 6 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2437 (26), 2335 (23), 1989 (36)  
 beste Teiler 106.8 (39.) 151.3 (16.) 245.1 (19.)  
 Trefferlage 1.58 mm links, 3.59 mm hoch  
 Streuwert 8.23, horizontal: 8.60, vertikal: 7.84




Serie 1:  
 9.0 ↑                      9.1 ↙                      10.4 \*                      9.2 ↙                      10.3 ↘  
 9.2 ↑                      9.6 ↙                      9.7 ↑                      10.0 ←                      9.6 ↗  
 beste Teiler 456.3 (3.) 531.5 (5.) 738.0 (9.)  
 Trefferlage 3.65 mm links, 2.18 mm hoch  
 Streuwert 7.80, horizontal: 6.93, vertikal: 8.59



Serie 2:  
 9.9 ↓                      8.8 ↑                      8.7 ↘                      9.1 ↗                      10.1 ↑  
 10.8 \*                      10.1 ↙                      10.0 ↙                      10.6 \*                      9.8 ↖  
 beste Teiler 151.3 (16.) 245.1 (19.) 660.7 (17.)  
 Trefferlage 1.55 mm links, 3.54 mm hoch  
 Streuwert 7.40, horizontal: 6.68, vertikal: 8.06



Serie 3:  
 9.1 ↖                      9.9 ↖                      8.0 ↖                      10.0 ↘                      9.0 →  
 7.9 ↖                      9.0 ↖                      10.3 ↗                      9.5 ↖                      10.6 \*  
 beste Teiler 316.4 (30.) 541.9 (28.) 794.8 (24.)  
 Trefferlage 3.22 mm links, 7.47 mm hoch  
 Streuwert 9.12, horizontal: 9.13, vertikal: 9.11





Serie 4:  
 10.6 \*                      9.9 ↙                      10.2 →                      9.8 ↖                      8.9 ←  
 8.5 →                      8.7 →                      9.6 ↗                      10.8 \*                      10.6 \*  
 beste Teiler 106.8 (39.) 251.7 (31.) 293.4 (40.)  
 Trefferlage 2.10 mm rechts, 1.16 mm hoch  
 Streuwert 8.40, horizontal: 11.03, vertikal: 4.40

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **369** (389.1)  
 Serien: 88 93 89 99  
 Zähler: 20 13 3 4 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 3198 (4), 2637 (14), 2633 (21)  
 beste Teiler 143.6 (32.) 186.2 (31.) 209.3 (37.)  
 Trefferlage 1.13 mm links, 5.03 mm hoch  
 Streuwert 8.06, horizontal: 8.94, vertikal: 7.07




Serie 1:  
 9.9 ←                      8.7 ↖                      7.9 ↖                      7.0 ←                      9.5 ↑  
 10.5 \*                      10.4 \*                      9.6 ↑                      9.1 ↖                      10.6 \*  
 beste Teiler 269.3 (10.) 368.0 (6.) 441.4 (7.)  
 Trefferlage 6.42 mm links, 7.67 mm hoch  
 Streuwert 9.15, horizontal: 10.48, vertikal: 7.59



Serie 2:  
 10.0 ↖                      10.6 \*                      10.3 →                      7.7 →                      9.7 ↑  
 9.9 ↑                      10.5 \*                      9.0 ↑                      9.2 ←                      10.1 ←  
 beste Teiler 258.5 (12.) 396.1 (17.) 551.3 (13.)  
 Trefferlage 0.02 mm rechts, 3.99 mm hoch  
 Streuwert 8.45, horizontal: 10.39, vertikal: 5.89





Serie 3:  
 7.7 ↖                      10.4 \*                      8.5 ↗                      9.3 ↖                      9.7 ↗  
 9.9 ↑                      10.4 \*                      8.9 ↑                      10.7 \*                      9.3 ↘  
 beste Teiler 222.0 (29.) 440.5 (27.) 454.0 (22.)  
 Trefferlage 0.90 mm rechts, 7.89 mm hoch  
 Streuwert 8.50, horizontal: 8.82, vertikal: 8.17




Serie 4:  
 10.7 \*                      10.8 \*                      10.5 \*                      10.3 \*                      10.3 \*  
 10.4 \*                      10.7 \*                      9.6 ↑                      10.4 \*                      10.4 \*  
 beste Teiler 143.6 (32.) 186.2 (31.) 209.3 (37.)  
 Trefferlage 0.95 mm rechts, 0.57 mm hoch  
 Streuwert 3.60, horizontal: 2.94, vertikal: 4.17

Unterschrift des Schützen


Ergebnis:	<b>388</b>	(405.6)
Serien:	95 96 99 98	
Zähler:	28 12 0 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1407 (4), 1376 (30), 1207 (11)	
beste Teiler	115.0 (18.) 287.5 (21.) 305.5 (37.)	
Trefferlage	2.04 mm links, 0.27 mm tief	
Streuwert	4.99, horizontal: 5.60, vertikal: 4.29	




Serie 1:	10.2 ↗	9.9 →	9.8 ↙	9.2 ←	10.5 *
	9.6 ↘	10.5 *	10.6 *	9.9 ↖	10.2 ↘
beste Teiler	314.8 (8.)	334.2 (5.)	377.0 (7.)		
Trefferlage	3.37 mm links, 2.45 mm hoch				
Streuwert	5.13, horizontal: 6.15, vertikal: 3.84				



Serie 2:	9.4 ↖	10.5 *	10.5 *	10.0 ←	10.1 ↓
	9.7 ↙	9.5 ←	10.8 *	9.7 →	10.5 *
beste Teiler	115.0 (18.)	357.2 (13.)	365.5 (20.)		
Trefferlage	2.71 mm links, 0.97 mm tief				
Streuwert	5.52, horizontal: 6.48, vertikal: 4.35				



Serie 3:	10.6 *	10.0 ↙	10.2 ↘	10.5 *	10.5 *
	10.1 ↘	10.0 ←	10.4 *	10.3 *	9.2 ←
beste Teiler	287.5 (21.)	332.2 (24.)	335.4 (25.)		
Trefferlage	1.06 mm links, 1.78 mm tief				
Streuwert	4.89, horizontal: 6.23, vertikal: 3.00				



Serie 4:	10.4 *	10.3 ↗	10.4 *	10.3 ↓	10.3 ↖
	9.6 ↙	10.6 *	9.9 ↓	10.5 *	10.4 *
beste Teiler	305.5 (37.)	362.0 (39.)	413.3 (40.)		
Trefferlage	1.03 mm links, 0.80 mm tief				
Streuwert	4.35, horizontal: 3.56, vertikal: 5.03				

Unterschrift des Schützen

Meyton Elektronik