





Ergebnis: **385** (405.2)
 Serien: 97 98 95 95
 Zähler: 26 13 1 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 1711 (33), 1491 (40), 1128 (3)
 beste Teiler 87.2 (31.) 91.3 (26.) 98.4 (19.)
 Trefferlage 0.33 mm rechts, 0.56 mm hoch
 Streuwert 5.34, horizontal: 6.02, vertikal: 4.56




Serie 1:
 10.3 * 10.1 ↖ 9.5 ↗ 10.2 ↓ 10.0 ↖
 10.4 * 10.3 * 9.5 ↖ 10.3 * 9.7 ↗
 beste Teiler 466.0 (6.) 499.0 (1.) 508.5 (9.)
 Trefferlage 0.25 mm links, 1.79 mm hoch
 Streuwert 5.53, horizontal: 5.89, vertikal: 5.15



Serie 2:
 10.6 * 9.8 ↗ 10.7 * 10.8 * 10.4 *
 10.0 ↖ 9.6 → 10.4 * 10.8 * 10.1 ↘
 beste Teiler 98.4 (19.) 112.2 (14.) 222.2 (13.)
 Trefferlage 1.95 mm rechts, 1.18 mm hoch
 Streuwert 4.24, horizontal: 5.20, vertikal: 2.99



Serie 3:
 9.8 ↖ 10.6 * 9.8 ↖ 10.4 * 9.7 ↘
 10.8 * 10.4 * 10.4 * 9.8 ↓ 9.9 ↖
 beste Teiler 91.3 (26.) 306.5 (22.) 417.8 (24.)
 Trefferlage 1.03 mm links, 0.21 mm hoch
 Streuwert 5.13, horizontal: 5.69, vertikal: 4.50





Serie 4:
 10.8 * 10.5 * 8.8 ↖ 10.5 * 10.2 →
 9.7 ↖ 10.3 * 10.3 * 9.9 ↓ 9.1 ↘
 beste Teiler 87.2 (31.) 336.6 (32.) 398.9 (34.)
 Trefferlage 0.64 mm rechts, 0.93 mm tief
 Streuwert 6.60, horizontal: 7.58, vertikal: 5.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (395.3)
 Serien: 92 93 97 92
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2189 (38), 2170 (1), 1613 (5)
 beste Teiler 154.8 (8.) 184.6 (32.) 208.7 (29.)
 Trefferlage 0.48 mm rechts, 1.96 mm tief
 Streuwert 6.93, horizontal: 7.85, vertikal: 5.88




Serie 1:
 8.2 ↘ 10.6 * 9.5 ↘ 9.9 ↓ 8.9 ↓
 10.6 * 10.0 ↓ 10.8 * 9.5 → 9.3 →
 beste Teiler 154.8 (8.) 272.0 (2.) 308.6 (6.)
 Trefferlage 3.81 mm rechts, 5.30 mm tief
 Streuwert 7.13, horizontal: 9.12, vertikal: 4.29



Serie 2:
 9.7 → 9.9 ↓ 10.6 * 9.4 ↓ 10.1 ↙
 9.9 ↙ 9.8 ↘ 10.6 * 9.9 ↖ 9.5 ↖
 beste Teiler 251.0 (13.) 284.9 (18.) 678.3 (15.)
 Trefferlage 1.59 mm links, 1.06 mm tief
 Streuwert 6.30, horizontal: 6.11, vertikal: 6.49



Serie 3:
 9.8 ↓ 10.5 * 10.5 * 10.5 * 10.2 ↑
 9.4 ↘ 9.5 ← 10.1 → 10.7 * 10.2 →
 beste Teiler 208.7 (29.) 336.8 (24.) 386.3 (23.)
 Trefferlage 0.47 mm rechts, 0.14 mm tief
 Streuwert 5.46, horizontal: 5.65, vertikal: 5.26





Serie 4:
 9.1 ↙ 10.7 * 9.3 ↓ 9.6 → 9.8 ↖
 9.9 ← 9.9 ← 8.2 → 10.1 ↖ 10.6 *
 beste Teiler 184.6 (32.) 271.4 (40.) 670.6 (39.)
 Trefferlage 0.77 mm links, 1.35 mm tief
 Streuwert 8.35, horizontal: 9.77, vertikal: 6.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (380.7)
 Serien: 88 92 92 93
 Zähler: 14 19 6 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3977 (1), 2398 (25), 2339 (11)
 beste Teiler 171.2 (13.) 244.4 (40.) 285.3 (30.)
 Trefferlage 4.23 mm links, 0.20 mm tief
 Streuwert 9.23, horizontal: 11.53, vertikal: 6.13




Serie 1:
 6.0 ← 10.0 ↘ 9.5 → 9.8 ↗ 8.6 ←
 9.8 ↓ 10.6 * 9.9 ↓ 9.2 ↖ 9.6 ←
 beste Teiler 296.2 (7.) 750.7 (2.) 806.2 (8.)
 Trefferlage 6.48 mm links, 2.16 mm tief
 Streuwert 11.12, horizontal: 14.77, vertikal: 5.38



Serie 2:
 8.0 ← 9.7 ↖ 10.7 * 10.2 ↘ 10.0 ←
 9.5 ← 8.8 ← 10.4 * 9.5 ↖ 9.1 ↓
 beste Teiler 171.2 (13.) 447.9 (18.) 562.6 (14.)
 Trefferlage 7.46 mm links, 0.50 mm tief
 Streuwert 7.50, horizontal: 8.76, vertikal: 5.98



Serie 3:
 9.8 ↘ 8.2 → 9.1 ← 9.4 ↗ 8.0 ←
 10.3 ↘ 10.3 ↖ 9.4 ↗ 10.1 ↖ 10.6 *
 beste Teiler 285.3 (30.) 543.5 (27.) 559.5 (26.)
 Trefferlage 0.62 mm links, 3.18 mm hoch
 Streuwert 9.64, horizontal: 12.21, vertikal: 6.07





Serie 4:
 10.2 ← 10.0 ↘ 9.1 ↙ 8.3 ← 9.7 ↖
 10.4 * 9.7 ↘ 9.1 ↘ 9.5 ↑ 10.6 *
 beste Teiler 244.4 (40.) 411.0 (36.) 581.7 (31.)
 Trefferlage 2.37 mm links, 1.34 mm tief
 Streuwert 8.35, horizontal: 9.84, vertikal: 6.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (390.9)
 Serien: 94 91 91 94
 Zähler: 14 22 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2064 (19), 1672 (16), 1672 (28)
 beste Teiler 96.1 (23.) 143.6 (37.) 238.8 (24.)
 Trefferlage 0.03 mm links, 0.38 mm hoch
 Streuwert 7.54, horizontal: 8.59, vertikal: 6.34




Serie 1:
 10.3 * 9.7 ↘ 9.7 ↓ 9.1 ↘ 9.5 ↙
 9.2 ↗ 9.2 ↗ 10.2 ↑ 10.6 * 10.3 *
 beste Teiler 288.8 (9.) 495.2 (10.) 526.4 (1.)
 Trefferlage 3.27 mm rechts, 2.38 mm tief
 Streuwert 7.02, horizontal: 7.02, vertikal: 7.02



Serie 2:
 10.4 * 9.8 → 10.0 ↘ 10.2 ↖ 9.9 ↑
 8.9 ↖ 9.7 ↖ 9.5 ↑ 8.4 ↘ 9.3 →
 beste Teiler 469.1 (11.) 577.5 (14.) 777.1 (13.)
 Trefferlage 1.76 mm rechts, 2.03 mm hoch
 Streuwert 8.49, horizontal: 9.89, vertikal: 6.82



Serie 3:
 9.5 ↖ 9.7 ↖ 10.8 * 10.7 * 10.6 *
 9.9 ↙ 9.7 ← 8.9 ← 8.9 ← 9.7 ↘
 beste Teiler 96.1 (23.) 238.8 (24.) 315.2 (25.)
 Trefferlage 6.26 mm links, 0.73 mm tief
 Streuwert 6.20, horizontal: 7.42, vertikal: 4.69



Serie 4:
 9.6 ← 9.7 → 9.9 ↘ 9.1 → 10.3 *
 10.3 * 10.8 * 10.1 ↑ 9.3 ↖ 9.5 ↖
 beste Teiler 143.6 (37.) 482.9 (35.) 506.2 (36.)
 Trefferlage 1.08 mm rechts, 2.63 mm hoch
 Streuwert 6.88, horizontal: 7.55, vertikal: 6.14

Unterschrift des Schützen

Meyton Elektronik

Stehend aufgelegt – Wertung – **Senioren_1w**

StandNr: 18


Schmid,, Dagmar #70515123

StartNr: 66



14. Juli 2018 12:18

SG_Zams / SG Zams 1


Ergebnis: **0** (0.0)_{.DNS}
Serien:
Zähler: 0 0 0 0 0 0 0 0 0 0
Innenzehner: 0
weiteste:
~~beste~~ Teiler – Did not start
Trefferlage 0.00 mm , 0.00 mm
Streuwert
Unterschrift des Schützen




Ergebnis: **364** (380.6)
 Serien: 92 87 95 90
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3110 (13), 2297 (12), 2114 (15)
 beste Teiler 99.3 (3.) 187.0 (2.) 343.0 (24.)
 Trefferlage 1.94 mm rechts, 2.27 mm hoch
 Streuwert 9.03, horizontal: 10.96, vertikal: 6.56




Serie 1:
 9.2 ↘ 10.7 * 10.8 * 9.5 ← 9.8 ↓
 9.2 → 9.7 ↑ 10.0 ↗ 8.9 ↑ 9.2 →
 beste Teiler 99.3 (3.) 187.0 (2.) 800.8 (8.)
 Trefferlage 0.68 mm rechts, 4.18 mm hoch
 Streuwert 7.64, horizontal: 8.53, vertikal: 6.64



Serie 2:
 9.2 ↙ 8.1 → 7.1 ← 10.4 * 8.3 →
 9.5 ↘ 9.1 ← 9.9 ↘ 9.7 ↗ 9.6 ↘
 beste Teiler 427.3 (14.) 867.1 (18.) 985.8 (19.)
 Trefferlage 1.27 mm links, 1.17 mm hoch
 Streuwert 12.41, horizontal: 16.32, vertikal: 6.48



Serie 3:
 10.2 → 8.9 → 9.9 → 10.5 * 10.0 ←
 9.2 → 10.1 ↑ 10.1 ↘ 9.1 ↙ 10.3 *
 beste Teiler 343.0 (24.) 511.2 (30.) 640.1 (21.)
 Trefferlage 1.96 mm rechts, 0.67 mm hoch
 Streuwert 7.34, horizontal: 9.38, vertikal: 4.47





Serie 4:
 9.8 ↘ 9.0 ↘ 10.5 * 8.6 ↗ 9.2 →
 10.3 * 9.5 ↗ 9.4 ↗ 9.4 ↘ 8.7 ↘
 beste Teiler 375.7 (33.) 488.6 (36.) 907.4 (31.)
 Trefferlage 6.41 mm rechts, 3.06 mm hoch
 Streuwert 8.06, horizontal: 7.63, vertikal: 8.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (395.3)
 Serien: 92 95 95 94
 Zähler: 19 18 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1854 (31), 1839 (8), 1698 (13)
 beste Teiler 258.3 (20.) 265.6 (29.) 283.6 (4.)
 Trefferlage 0.09 mm rechts, 0.13 mm tief
 Streuwert 6.82, horizontal: 8.51, vertikal: 4.54




Serie 1:
 10.5 * 9.8 ↗ 9.2 → 10.6 * 9.6 ↖
 9.7 ↘ 9.5 → 8.7 ↖ 10.5 * 9.9 ↗
 beste Teiler 283.6 (4.) 341.6 (9.) 380.4 (1.)
 Trefferlage 1.42 mm rechts, 0.84 mm hoch
 Streuwert 7.63, horizontal: 9.47, vertikal: 5.17



Serie 2:
 9.2 → 10.0 → 8.8 ← 9.8 ↖ 10.6 *
 10.6 * 9.4 ↘ 10.2 → 10.5 * 10.6 *
 beste Teiler 258.3 (20.) 297.6 (16.) 308.9 (15.)
 Trefferlage 1.55 mm rechts, 0.12 mm hoch
 Streuwert 6.74, horizontal: 8.55, vertikal: 4.21



Serie 3:
 10.2 ← 10.1 → 9.0 ↖ 10.0 ← 9.8 →
 9.6 ← 9.9 ← 10.3 ↓ 10.6 * 9.9 ↙
 beste Teiler 265.6 (29.) 541.9 (28.) 625.2 (21.)
 Trefferlage 3.31 mm links, 0.62 mm tief
 Streuwert 6.06, horizontal: 7.61, vertikal: 3.94



Serie 4:
 8.6 → 10.2 ↘ 9.7 ↖ 10.2 ↗ 10.0 ↑
 10.0 ↘ 9.9 ← 9.8 → 9.6 ← 10.2 ↙
 beste Teiler 570.0 (40.) 603.2 (32.) 629.3 (34.)
 Trefferlage 0.69 mm rechts, 0.87 mm tief
 Streuwert 7.17, horizontal: 8.68, vertikal: 5.24

Unterschrift des Schützen

Meyton Elektronik