





Ergebnis: **385** (405.9)
 Serien: 98 97 94 96
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2218 (23), 1604 (22), 1252 (25)
 beste Teiler 59.9 (4.) 112.2 (11.) 122.2 (28.)
 Trefferlage 0.83 mm links, 0.73 mm tief
 Streuwert 5.38, horizontal: 6.52, vertikal: 3.92




Serie 1:
 9.9 ← 10.6 * 10.4 * 10.9 * 10.3 *
 9.9 ← 10.6 * 10.5 * 10.6 * 10.6 *
 beste Teiler 59.9 (4.) 247.2 (9.) 252.5 (7.)
 Trefferlage 2.32 mm links, 0.77 mm tief
 Streuwert 2.97, horizontal: 3.54, vertikal: 2.27



Serie 2:
 10.8 * 9.9 → 10.4 * 10.2 ↘ 10.2 ↗
 10.4 * 10.0 → 10.3 ↙ 9.7 ↗ 9.8 ←
 beste Teiler 112.2 (11.) 406.6 (13.) 432.2 (16.)
 Trefferlage 2.20 mm rechts, 0.39 mm hoch
 Streuwert 4.66, horizontal: 5.58, vertikal: 3.50



Serie 3:
 10.2 → 8.9 ↖ 8.2 ← 9.7 ← 9.4 ↘
 10.1 ↙ 10.2 ↘ 10.8 * 10.4 * 10.3 *
 beste Teiler 122.2 (28.) 405.0 (29.) 511.7 (30.)
 Trefferlage 2.22 mm links, 0.66 mm tief
 Streuwert 7.87, horizontal: 10.02, vertikal: 4.84





Serie 4:
 10.1 ← 9.9 ↘ 10.4 * 10.8 * 10.5 *
 10.5 * 10.4 * 9.4 ↖ 9.9 ↙ 9.8 ↓
 beste Teiler 141.4 (34.) 333.2 (35.) 334.7 (36.)
 Trefferlage 0.98 mm links, 1.89 mm tief
 Streuwert 4.93, horizontal: 5.05, vertikal: 4.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (375.6)
 Serien: 90 92 84 89
 Zähler: 8 19 13 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2287 (33), 2051 (10), 2024 (29)
 beste Teiler 94.8 (38.) 159.3 (9.) 170.9 (26.)
 Trefferlage 1.79 mm links, 1.40 mm tief
 Streuwert 9.66, horizontal: 10.62, vertikal: 8.60




Serie 1:
 10.4 * 9.6 ← 9.3 ← 8.8 ← 9.4 ↓
 9.0 ↑ 9.5 → 9.9 ← 10.8 * 8.4 ↓
 beste Teiler 159.3 (9.) 460.4 (1.) 840.8 (8.)
 Trefferlage 3.79 mm links, 0.91 mm tief
 Streuwert 9.01, horizontal: 8.96, vertikal: 9.07



Serie 2:
 10.5 * 9.5 ↓ 8.5 ↘ 9.4 ↖ 9.7 ↗
 10.2 ↗ 9.6 ↗ 9.2 ↗ 10.1 ↓ 9.3 ←
 beste Teiler 394.7 (11.) 636.5 (16.) 655.7 (19.)
 Trefferlage 1.46 mm rechts, 1.24 mm tief
 Streuwert 8.64, horizontal: 9.50, vertikal: 7.67



Serie 3:
 8.9 ↙ 8.6 ↙ 8.8 ↖ 8.4 ↘ 8.9 ↓
 10.7 * 9.4 ← 8.7 ← 8.4 ↖ 9.0 ↖
 beste Teiler 170.9 (26.) 1266.3 (27.) 1577.6 (30.)
 Trefferlage 7.33 mm links, 1.23 mm tief
 Streuwert 10.98, horizontal: 10.86, vertikal: 11.11





Serie 4:
 8.8 ↗ 9.7 ↖ 8.1 → 9.4 ↓ 9.6 ↙
 10.5 * 9.8 ↓ 10.8 * 9.1 ↓ 8.9 ←
 beste Teiler 94.8 (38.) 325.0 (36.) 885.9 (37.)
 Trefferlage 2.47 mm rechts, 2.23 mm tief
 Streuwert 9.60, horizontal: 11.38, vertikal: 7.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.3)
 Serien: 94 93 93 92
 Zähler: 14 24 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1727 (12), 1725 (28), 1502 (37)
 beste Teiler 33.9 (15.) 152.6 (9.) 290.3 (14.)
 Trefferlage 1.43 mm rechts, 0.67 mm tief
 Streuwert 7.20, horizontal: 7.34, vertikal: 7.06




Serie 1:
 9.6 ↘ 10.2 ↑ 9.6 → 9.2 ↘ 9.3 ↗
 10.4 * 9.8 ↓ 9.8 ↗ 10.8 * 10.1 ↖
 beste Teiler 152.6 (9.) 475.2 (6.) 600.3 (2.)
 Trefferlage 0.55 mm rechts, 2.18 mm tief
 Streuwert 6.73, horizontal: 6.46, vertikal: 7.00



Serie 2:
 9.8 → 8.8 ↘ 10.0 ↘ 10.6 * 10.9 *
 9.9 → 9.7 ↓ 9.9 ↘ 9.2 ↗ 10.0 ↗
 beste Teiler 33.9 (15.) 290.3 (14.) 783.6 (20.)
 Trefferlage 5.58 mm rechts, 1.41 mm tief
 Streuwert 5.85, horizontal: 5.49, vertikal: 6.19



Serie 3:
 9.7 → 9.9 ↘ 9.8 ↖ 9.8 ↖ 9.3 ↗
 10.5 * 10.3 * 8.8 → 10.1 → 10.2 →
 beste Teiler 366.7 (26.) 503.6 (27.) 576.9 (30.)
 Trefferlage 2.50 mm rechts, 0.11 mm hoch
 Streuwert 6.97, horizontal: 8.80, vertikal: 4.45





Serie 4:
 9.4 ↘ 9.2 ↓ 9.7 ↖ 9.2 ↘ 9.7 ↑
 10.4 * 9.1 ↖ 10.0 ↖ 9.5 ↑ 9.1 ↖
 beste Teiler 464.5 (36.) 739.7 (38.) 1011.0 (35.)
 Trefferlage 2.89 mm links, 0.78 mm hoch
 Streuwert 8.52, horizontal: 6.48, vertikal: 10.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (385.0)
 Serien: 90 93 91 91
 Zähler: 13 19 8 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2274 (23), 2189 (6), 1996 (34)
 beste Teiler 211.1 (18.) 231.9 (35.) 251.7 (9.)
 Trefferlage 1.15 mm rechts, 2.08 mm tief
 Streuwert 8.39, horizontal: 9.86, vertikal: 6.59




Serie 1:
 9.9 ↙ 10.1 ↗ 8.6 ↖ 9.0 ↘ 9.4 ↘
 8.2 ↘ 9.7 ↓ 9.3 → 10.6 * 9.7 ↘
 beste Teiler 251.7 (9.) 700.0 (2.) 830.5 (1.)
 Trefferlage 3.72 mm rechts, 3.90 mm tief
 Streuwert 8.90, horizontal: 11.09, vertikal: 5.94



Serie 2:
 8.8 ↙ 9.8 ← 9.9 ↗ 9.5 → 10.6 *
 9.8 ↙ 9.9 ← 10.7 * 10.2 ↙ 10.6 *
 beste Teiler 211.1 (18.) 255.3 (20.) 295.5 (15.)
 Trefferlage 2.74 mm links, 1.59 mm tief
 Streuwert 6.26, horizontal: 7.93, vertikal: 3.91



Serie 3:
 9.7 → 10.0 ← 8.1 ↘ 9.5 ↓ 8.7 ↘
 8.7 ← 10.3 * 10.2 ↘ 10.0 ← 9.4 ↗
 beste Teiler 519.7 (27.) 620.9 (28.) 760.1 (22.)
 Trefferlage 1.35 mm rechts, 2.06 mm tief
 Streuwert 9.60, horizontal: 11.59, vertikal: 7.07





Serie 4:
 10.2 ↖ 8.5 ↘ 9.6 ↖ 8.5 ↘ 10.7 *
 9.9 ↓ 9.4 ↘ 10.2 ↖ 9.3 ↖ 9.8 ↗
 beste Teiler 231.9 (35.) 628.3 (38.) 637.7 (31.)
 Trefferlage 2.26 mm rechts, 0.78 mm tief
 Streuwert 8.88, horizontal: 8.69, vertikal: 9.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (403.2)
 Serien: 98 94 95 97
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1854 (26), 1406 (33), 1382 (38)
 beste Teiler 59.5 (16.) 91.5 (28.) 134.9 (19.)
 Trefferlage 0.61 mm rechts, 2.08 mm tief
 Streuwert 5.68, horizontal: 6.96, vertikal: 4.01




Serie 1:
 10.4 * 10.3 ← 10.3 ↓ 10.4 * 9.8 ↘
 10.1 → 10.5 * 10.6 * 10.2 ↑ 9.9 →
 beste Teiler 274.8 (8.) 333.8 (7.) 420.2 (4.)
 Trefferlage 1.91 mm rechts, 2.08 mm tief
 Streuwert 3.95, horizontal: 4.32, vertikal: 3.54



Serie 2:
 9.5 ← 9.6 ↖ 10.6 * 9.7 ↓ 9.7 →
 10.9 * 9.7 → 10.0 ↓ 10.8 * 9.3 ↘
 beste Teiler 59.5 (16.) 134.9 (19.) 245.5 (13.)
 Trefferlage 0.82 mm rechts, 2.18 mm tief
 Streuwert 6.40, horizontal: 7.91, vertikal: 4.41



Serie 3:
 9.4 ↙ 10.4 * 10.1 → 10.5 * 9.3 ↘
 8.6 ↘ 10.6 * 10.8 * 10.7 * 9.7 ←
 beste Teiler 91.5 (28.) 220.9 (29.) 307.7 (27.)
 Trefferlage 1.75 mm rechts, 3.73 mm tief
 Streuwert 6.23, horizontal: 7.62, vertikal: 4.43





Serie 4:
 10.3 * 10.7 * 9.2 ← 10.7 * 10.0 ←
 10.1 ↗ 10.3 ↙ 9.2 ← 10.7 * 9.6 ↘
 beste Teiler 167.2 (34.) 188.8 (39.) 198.1 (32.)
 Trefferlage 2.02 mm links, 0.35 mm tief
 Streuwert 5.97, horizontal: 7.71, vertikal: 3.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.4)
 Serien: 94 96 92 85
 Zähler: 16 18 4 1 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3256 (31), 2755 (9), 2391 (32)
 beste Teiler 46.9 (20.) 281.6 (4.) 316.3 (16.)
 Trefferlage 1.10 mm links, 1.47 mm hoch
 Streuwert 9.18, horizontal: 11.33, vertikal: 6.35




Serie 1:
 10.4 * 10.2 ↓ 10.4 * 10.6 * 9.4 ↖
 10.0 → 9.5 ↘ 9.4 ↘ 7.5 → 10.4 *
 beste Teiler 281.6 (4.) 461.1 (1.) 474.9 (10.)
 Trefferlage 0.93 mm rechts, 0.27 mm hoch
 Streuwert 8.68, horizontal: 11.14, vertikal: 5.15



Serie 2:
 9.1 ↗ 10.5 * 9.7 ↗ 9.3 ↖ 9.1 ←
 10.6 * 10.1 ↗ 10.1 ↘ 10.0 ↓ 10.9 *
 beste Teiler 46.9 (20.) 316.3 (16.) 327.9 (12.)
 Trefferlage 0.03 mm links, 2.50 mm hoch
 Streuwert 6.70, horizontal: 8.16, vertikal: 4.82



Serie 3:
 10.1 ↗ 8.6 ← 9.8 ↓ 10.2 ↓ 9.6 ↘
 9.2 ↘ 10.0 → 9.3 → 10.1 → 8.3 ↖
 beste Teiler 624.0 (24.) 689.1 (21.) 697.8 (29.)
 Trefferlage 2.28 mm links, 0.73 mm tief
 Streuwert 9.15, horizontal: 11.17, vertikal: 6.54



Serie 4:
 6.9 ↘ 8.0 ← 9.3 → 9.2 ↗ 9.3 ↖
 9.4 ← 8.7 ↘ 9.7 ↘ 9.6 ↗ 9.9 ↖
 beste Teiler 811.3 (40.) 1021.7 (38.) 1065.1 (39.)
 Trefferlage 3.03 mm links, 3.84 mm hoch
 Streuwert 12.18, horizontal: 15.13, vertikal: 8.25

Unterschrift des Schützen

Meyton Elektronik