





Ergebnis: **404.2** (386)
 Serien: 101.4 99.7 102.8 100.3
 Zähler: 28 11 0 1 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 827 (12), 368 (38), 343 (3)
 beste Teiler 29.0 (29.) 57.7 (10.) 67.6 (14.)
 Trefferlage 0.95 mm rechts, 0.58 mm hoch
 Streuwert 1.58, horizontal: 1.93, vertikal: 1.13




Serie 1:
 10.1 → 9.9 ← 9.6 → 10.1 ↑ 9.6 →
 10.3 * 10.5 * 10.6 * 10.0 → 10.7 *
 beste Teiler 57.7 (10.) 83.0 (8.) 118.4 (7.)
 Trefferlage 0.77 mm rechts, 0.68 mm hoch
 Streuwert 1.45, horizontal: 1.90, vertikal: 0.76



Serie 2:
 9.8 → 7.6 → 10.7 * 10.7 * 10.6 *
 9.8 → 10.6 * 10.2 * 9.8 → 9.9 →
 beste Teiler 67.6 (14.) 69.5 (13.) 85.9 (17.)
 Trefferlage 2.30 mm rechts, 0.32 mm hoch
 Streuwert 1.72, horizontal: 2.21, vertikal: 1.02



Serie 3:
 10.1 ↘ 10.2 * 10.1 ← 10.2 * 10.3 *
 10.2 * 10.3 * 10.3 * 10.8 * 10.3 *
 beste Teiler 29.0 (29.) 156.3 (25.) 166.4 (27.)
 Trefferlage 0.70 mm rechts, 0.10 mm hoch
 Streuwert 1.20, horizontal: 1.27, vertikal: 1.13





Serie 4:
 9.9 ↖ 10.0 → 10.3 * 10.3 * 10.2 *
 10.2 * 9.8 ↗ 9.5 ↘ 9.7 ↑ 10.4 *
 beste Teiler 137.5 (40.) 164.6 (34.) 167.7 (33.)
 Trefferlage 0.05 mm rechts, 1.22 mm hoch
 Streuwert 1.56, horizontal: 1.72, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **416.1** (397)
 Serien: 102.8 103.7 104.9 104.7
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 330 (4), 328 (5), 277 (18)
 beste Teiler 10.1 (28.) 37.0 (36.) 41.5 (24.)
 Trefferlage 0.06 mm links, 0.14 mm tief
 Streuwert 1.13, horizontal: 1.24, vertikal: 1.02




Serie 1:
 10.7 * 10.0 ↖ 10.1 ↙ 9.6 → 9.6 ←
 10.7 * 10.5 * 10.6 * 10.5 * 10.5 *
 beste Teiler 52.3 (1.) 52.9 (6.) 97.5 (8.)
 Trefferlage 0.48 mm links, 0.47 mm tief
 Streuwert 1.35, horizontal: 1.75, vertikal: 0.74



Serie 2:
 10.5 * 10.3 * 10.4 * 10.8 * 10.7 *
 10.4 * 10.2 * 9.8 ↑ 10.6 * 10.0 →
 beste Teiler 50.6 (14.) 75.6 (15.) 76.1 (19.)
 Trefferlage 0.36 mm rechts, 0.33 mm tief
 Streuwert 1.14, horizontal: 1.05, vertikal: 1.22



Serie 3:
 10.1 ↗ 10.7 * 10.8 * 10.8 * 10.1 ↑
 10.4 * 10.0 ↗ 10.9 * 10.5 * 10.6 *
 beste Teiler 10.1 (28.) 41.5 (24.) 47.0 (23.)
 Trefferlage 0.31 mm rechts, 0.57 mm hoch
 Streuwert 0.91, horizontal: 0.90, vertikal: 0.92





Serie 4:
 10.0 ↖ 10.8 * 10.0 ← 10.7 * 10.6 *
 10.8 * 10.7 * 10.4 * 10.4 * 10.3 *
 beste Teiler 37.0 (36.) 48.0 (32.) 56.3 (37.)
 Trefferlage 0.46 mm links, 0.34 mm tief
 Streuwert 0.93, horizontal: 0.97, vertikal: 0.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.7** (397)
 Serien: 102.6 105.0 105.2 102.9
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 343 (4), 307 (33), 266 (14)
 beste Teiler 14.3 (29.) 17.0 (18.) 17.0 (31.)
 Trefferlage 0.06 mm rechts, 0.17 mm tief
 Streuwert 1.17, horizontal: 1.44, vertikal: 0.80




Serie 1:
 10.2 * 10.0 ↘ 10.0 → 9.6 ← 10.7 *
 10.4 * 10.1 ↖ 10.8 * 10.4 * 10.4 *
 beste Teiler 49.6 (8.) 67.9 (5.) 132.1 (9.)
 Trefferlage 0.02 mm links, 0.13 mm hoch
 Streuwert 1.42, horizontal: 1.79, vertikal: 0.93



Serie 2:
 10.6 * 10.8 * 10.5 * 9.9 ← 10.6 *
 10.8 * 10.3 * 10.9 * 10.5 * 10.1 →
 beste Teiler 17.0 (18.) 33.9 (12.) 50.2 (16.)
 Trefferlage 0.30 mm rechts, 0.22 mm tief
 Streuwert 0.98, horizontal: 1.27, vertikal: 0.54



Serie 3:
 10.7 * 10.8 * 10.2 * 10.4 * 10.6 *
 10.6 * 10.2 * 10.7 * 10.9 * 10.1 ←
 beste Teiler 14.3 (29.) 30.0 (22.) 51.9 (21.)
 Trefferlage 0.13 mm links, 0.00 mm
 Streuwert 0.94, horizontal: 1.09, vertikal: 0.76





Serie 4:
 10.9 * 10.2 * 9.7 ↘ 10.6 * 10.2 *
 10.1 ← 10.0 → 10.3 * 10.0 ← 10.9 *
 beste Teiler 17.0 (31.) 18.9 (40.) 97.5 (34.)
 Trefferlage 0.10 mm rechts, 0.61 mm tief
 Streuwert 1.34, horizontal: 1.70, vertikal: 0.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **408.3** (392)
 Serien: 104.4 101.1 100.3 102.5
 Zähler: 33 6 1 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 680 (26), 363 (29), 345 (11)
 beste Teiler 25.9 (1.) 43.7 (16.) 51.0 (20.)
 Trefferlage 0.07 mm rechts, 0.53 mm hoch
 Streuwert 1.53, horizontal: 1.85, vertikal: 1.13




Serie 1:
 10.9 * 10.4 * 10.3 * 10.3 * 10.5 *
 10.5 * 10.5 * 10.6 * 10.5 * 9.9 →
 beste Teiler 25.9 (1.) 80.6 (8.) 110.3 (5.)
 Trefferlage 0.43 mm rechts, 0.05 mm hoch
 Streuwert 1.00, horizontal: 1.19, vertikal: 0.75



Serie 2:
 9.6 → 9.6 ↘ 10.5 * 10.1 ← 10.0 →
 10.8 * 10.2 * 10.0 ↗ 9.6 ↑ 10.7 *
 beste Teiler 43.7 (16.) 51.0 (20.) 108.9 (13.)
 Trefferlage 0.53 mm rechts, 0.66 mm hoch
 Streuwert 1.66, horizontal: 1.93, vertikal: 1.33



Serie 3:
 10.6 * 10.5 * 10.3 * 10.3 * 10.6 *
 8.2 ← 9.7 ↑ 10.6 * 9.5 ← 10.0 →
 beste Teiler 90.4 (21.) 95.8 (28.) 98.6 (25.)
 Trefferlage 0.63 mm links, 0.86 mm hoch
 Streuwert 2.01, horizontal: 2.58, vertikal: 1.19





Serie 4:
 10.3 * 10.0 ↑ 10.2 * 10.0 ↗ 10.0 →
 10.7 * 10.3 * 10.1 ↙ 10.3 * 10.6 *
 beste Teiler 69.1 (36.) 99.3 (40.) 152.5 (37.)
 Trefferlage 0.01 mm links, 0.53 mm hoch
 Streuwert 1.32, horizontal: 1.45, vertikal: 1.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.7** (386)
 Serien: 99.8 100.9 101.0 101.0
 Zähler: 29 8 3 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 682 (26), 572 (5), 569 (17)
 beste Teiler 37.0 (14.) 37.2 (32.) 74.9 (40.)
 Trefferlage 0.73 mm links, 0.68 mm tief
 Streuwert 1.78, horizontal: 2.06, vertikal: 1.44




Serie 1:
 10.3 * 10.4 * 9.5 ↘ 10.2 * 8.7 ↘
 10.0 ← 9.8 ↖ 10.6 * 9.7 ← 10.6 *
 beste Teiler 79.2 (8.) 85.1 (10.) 137.5 (2.)
 Trefferlage 0.30 mm links, 0.42 mm tief
 Streuwert 2.06, horizontal: 2.39, vertikal: 1.68



Serie 2:
 10.0 ← 10.6 * 10.3 * 10.8 * 10.5 *
 10.4 * 8.7 ↘ 10.0 ↗ 10.0 ← 9.6 ↖
 beste Teiler 37.0 (14.) 99.9 (12.) 109.0 (15.)
 Trefferlage 0.52 mm links, 0.43 mm tief
 Streuwert 1.88, horizontal: 2.04, vertikal: 1.70



Serie 3:
 10.2 * 10.6 * 9.5 ↙ 10.6 * 10.3 *
 8.2 ← 10.4 * 10.6 * 10.4 * 10.2 *
 beste Teiler 97.4 (24.) 97.4 (28.) 99.0 (22.)
 Trefferlage 1.23 mm links, 0.77 mm tief
 Streuwert 1.76, horizontal: 2.34, vertikal: 0.83





Serie 4:
 9.2 ↘ 10.8 * 10.2 * 10.6 * 10.1 ↙
 10.3 * 9.3 ↖ 10.1 ↗ 9.7 ↖ 10.7 *
 beste Teiler 37.2 (32.) 74.9 (40.) 94.5 (34.)
 Trefferlage 0.88 mm links, 1.10 mm tief
 Streuwert 1.54, horizontal: 1.60, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.6** (385)
 Serien: 100.3 100.7 99.3 102.3
 Zähler: 28 9 3 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 594 (25), 537 (7), 529 (29)
 beste Teiler 18.8 (24.) 31.0 (37.) 32.5 (17.)
 Trefferlage 0.15 mm rechts, 0.67 mm hoch
 Streuwert 1.82, horizontal: 2.32, vertikal: 1.12




Serie 1:
 10.0 ↘ 9.9 ↗ 10.8 * 9.5 ← 10.4 *
 9.5 → 8.8 ↙ 10.5 * 10.7 * 10.2 *
 beste Teiler 32.8 (3.) 55.0 (9.) 120.5 (8.)
 Trefferlage 0.04 mm rechts, 0.67 mm hoch
 Streuwert 1.97, horizontal: 2.43, vertikal: 1.36



Serie 2:
 10.4 * 10.4 * 10.0 ← 10.1 ↘ 10.5 *
 10.1 ↗ 10.8 * 9.4 ↑ 10.0 ← 9.0 →
 beste Teiler 32.5 (17.) 109.2 (15.) 140.0 (12.)
 Trefferlage 0.20 mm links, 0.86 mm hoch
 Streuwert 1.77, horizontal: 2.23, vertikal: 1.14



Serie 3:
 10.2 * 9.6 ↗ 10.4 * 10.9 * 8.6 ↘
 9.7 ← 10.0 ↗ 10.7 * 8.8 → 10.4 *
 beste Teiler 18.8 (24.) 61.8 (28.) 132.2 (30.)
 Trefferlage 0.12 mm rechts, 0.83 mm hoch
 Streuwert 2.25, horizontal: 3.05, vertikal: 0.91





Serie 4:
 10.2 * 9.9 ↘ 10.5 * 9.5 → 10.5 *
 10.3 * 10.8 * 10.3 * 10.0 → 10.3 *
 beste Teiler 31.0 (37.) 112.3 (33.) 116.6 (35.)
 Trefferlage 0.64 mm rechts, 0.33 mm hoch
 Streuwert 1.40, horizontal: 1.62, vertikal: 1.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.4** (391)
 Serien: 101.2 101.8 99.9 104.5
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 477 (29), 446 (17), 423 (6)
 beste Teiler 36.4 (40.) 43.9 (27.) 44.1 (36.)
 Trefferlage 0.09 mm rechts, 0.23 mm tief
 Streuwert 1.56, horizontal: 2.05, vertikal: 0.81




Serie 1:
 10.0 ↘ 10.1 ↓ 10.0 ↘ 10.3 * 10.7 *
 9.3 → 10.3 * 10.1 ↘ 10.3 * 10.1 ←
 beste Teiler 60.2 (5.) 161.4 (9.) 164.4 (7.)
 Trefferlage 1.17 mm rechts, 1.01 mm tief
 Streuwert 1.24, horizontal: 1.66, vertikal: 0.56



Serie 2:
 9.8 ← 9.9 ← 10.2 * 10.5 * 10.2 *
 10.5 * 9.2 → 10.1 ↖ 10.7 * 10.7 *
 beste Teiler 65.0 (20.) 67.7 (19.) 102.7 (16.)
 Trefferlage 0.52 mm links, 0.10 mm tief
 Streuwert 1.61, horizontal: 2.12, vertikal: 0.82



Serie 3:
 10.1 ← 9.8 ← 10.1 → 10.1 ← 10.1 ←
 10.0 ← 10.8 * 10.2 * 9.0 → 9.7 →
 beste Teiler 43.9 (27.) 176.5 (28.) 203.3 (23.)
 Trefferlage 0.07 mm links, 0.19 mm hoch
 Streuwert 1.94, horizontal: 2.66, vertikal: 0.69





Serie 4:
 10.4 * 10.6 * 9.9 ← 10.6 * 10.6 *
 10.8 * 10.2 * 10.7 * 9.9 ↘ 10.8 *
 beste Teiler 36.4 (40.) 44.1 (36.) 75.5 (38.)
 Trefferlage 0.17 mm links, 0.03 mm tief
 Streuwert 1.10, horizontal: 1.41, vertikal: 0.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.5** (376)
 Serien: 99.4 97.0 100.4 98.7
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 666 (26), 587 (11), 496 (5)
 beste Teiler 50.2 (12.) 54.8 (32.) 55.2 (3.)
 Trefferlage 0.80 mm links, 0.44 mm hoch
 Streuwert 2.09, horizontal: 2.45, vertikal: 1.65




Serie 1:
 9.1 ↘ 9.8 ↖ 10.7 * 10.5 * 9.0 ↑
 10.7 * 10.4 * 9.7 ↖ 9.3 ← 10.2 *
 beste Teiler 55.2 (3.) 65.5 (6.) 116.1 (4.)
 Trefferlage 0.68 mm links, 0.62 mm hoch
 Streuwert 2.12, horizontal: 2.32, vertikal: 1.90



Serie 2:
 8.6 ↖ 10.8 * 9.9 ↖ 9.8 ↘ 9.2 ↖
 9.6 ↖ 9.6 ↘ 9.8 ← 10.1 ↓ 9.6 ↙
 beste Teiler 50.2 (12.) 218.7 (19.) 261.7 (13.)
 Trefferlage 1.15 mm links, 0.06 mm tief
 Streuwert 2.39, horizontal: 2.68, vertikal: 2.06



Serie 3:
 10.4 * 10.4 * 10.6 * 9.9 ↖ 10.0 ↙
 8.3 ← 10.4 * 10.0 ↖ 10.3 * 10.1 ↖
 beste Teiler 88.5 (23.) 139.0 (21.) 143.5 (27.)
 Trefferlage 1.53 mm links, 0.28 mm hoch
 Streuwert 1.72, horizontal: 2.11, vertikal: 1.22





Serie 4:
 9.9 ↙ 10.7 * 9.8 ↖ 9.2 → 9.7 ↖
 10.7 * 9.1 ↗ 10.2 * 9.7 ↗ 9.7 ↖
 beste Teiler 54.8 (32.) 75.4 (36.) 187.1 (38.)
 Trefferlage 0.14 mm rechts, 0.92 mm hoch
 Streuwert 2.14, horizontal: 2.71, vertikal: 1.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **405.5** (386)
 Serien: 100.5 102.3 101.9 100.8
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 522 (36), 368 (25), 354 (4)
 beste Teiler 47.8 (33.) 64.1 (24.) 64.8 (11.)
 Trefferlage 0.46 mm links, 0.50 mm hoch
 Streuwert 1.53, horizontal: 1.47, vertikal: 1.58




Serie 1:
 10.0 ↘ 10.2 * 9.7 ← 9.5 ↗ 10.0 ↘
 10.3 * 9.9 ↘ 10.4 * 10.6 * 9.9 ←
 beste Teiler 87.4 (9.) 128.6 (8.) 161.2 (6.)
 Trefferlage 1.64 mm links, 0.75 mm hoch
 Streuwert 1.14, horizontal: 1.03, vertikal: 1.23



Serie 2:
 10.7 * 10.5 * 10.4 * 10.1 ↑ 10.0 ↘
 10.3 * 10.2 * 10.4 * 9.9 ↗ 9.8 ↓
 beste Teiler 64.8 (11.) 114.4 (12.) 130.5 (18.)
 Trefferlage 0.06 mm links, 0.58 mm hoch
 Streuwert 1.36, horizontal: 1.17, vertikal: 1.53





Serie 3:
 9.9 ↘ 9.7 ↘ 10.5 * 10.7 * 9.5 ←
 10.4 * 9.9 ↓ 10.4 * 10.4 * 10.5 *
 beste Teiler 64.1 (24.) 122.1 (23.) 125.8 (30.)
 Trefferlage 0.10 mm links, 0.32 mm tief
 Streuwert 1.57, horizontal: 1.74, vertikal: 1.38




Serie 4:
 10.1 ↓ 10.3 * 10.8 * 10.1 → 9.6 ↗
 8.9 ↘ 10.5 * 10.4 * 9.9 ↗ 10.2 *
 beste Teiler 47.8 (33.) 103.4 (37.) 145.0 (38.)
 Trefferlage 0.04 mm links, 1.02 mm hoch
 Streuwert 1.71, horizontal: 1.38, vertikal: 1.99

Unterschrift des Schützen


Ergebnis: **396.9** (378)
 Serien: 98.3 98.8 97.6 102.2
 Zähler: 24 10 6 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 627 (21), 588 (19), 576 (16)
 beste Teiler 2.2 (9.) 64.6 (39.) 65.8 (20.)
 Trefferlage 1.52 mm rechts, 0.38 mm tief
 Streuwert 1.89, horizontal: 2.37, vertikal: 1.21




Serie 1:
 10.4 * 10.3 * 9.6 → 10.3 * 9.5 →
 9.5 → 8.7 ← 10.1 → 10.9 * 9.0 →
 beste Teiler 2.2 (9.) 141.4 (1.) 151.0 (4.)
 Trefferlage 1.38 mm rechts, 0.33 mm hoch
 Streuwert 2.15, horizontal: 2.93, vertikal: 0.79



Serie 2:
 10.5 * 10.2 * 8.9 → 10.4 * 9.9 →
 8.6 → 10.6 * 10.4 * 8.6 → 10.7 *
 beste Teiler 65.8 (20.) 76.5 (17.) 105.1 (11.)
 Trefferlage 1.94 mm rechts, 0.63 mm tief
 Streuwert 1.97, horizontal: 2.50, vertikal: 1.23



Serie 3:
 8.4 → 9.9 ↘ 9.5 ↘ 10.3 * 9.5 →
 10.5 * 10.6 * 10.1 ↘ 9.8 ↗ 9.0 ↘
 beste Teiler 79.7 (27.) 116.4 (26.) 157.4 (24.)
 Trefferlage 2.16 mm rechts, 1.13 mm tief
 Streuwert 1.72, horizontal: 2.02, vertikal: 1.37





Serie 4:
 10.1 ↙ 10.3 * 8.9 → 10.2 * 10.2 *
 10.6 * 10.3 * 10.4 * 10.7 * 10.5 *
 beste Teiler 64.6 (39.) 88.5 (36.) 119.1 (40.)
 Trefferlage 0.59 mm rechts, 0.12 mm tief
 Streuwert 1.57, horizontal: 1.97, vertikal: 1.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **413.0** (394)
 Serien: 104.3 103.6 102.0 103.1
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 370 (33), 329 (13), 321 (34)
 beste Teiler 21.9 (37.) 24.6 (12.) 55.0 (7.)
 Trefferlage 0.53 mm rechts, 0.14 mm hoch
 Streuwert 1.21, horizontal: 1.41, vertikal: 0.96




Serie 1:
 10.1 ↙ 10.4 * 10.2 * 10.7 * 10.0 ↘
 10.7 * 10.7 * 10.6 * 10.5 * 10.4 *
 beste Teiler 55.0 (7.) 61.6 (6.) 68.9 (4.)
 Trefferlage 0.39 mm rechts, 0.62 mm tief
 Streuwert 0.90, horizontal: 1.07, vertikal: 0.69



Serie 2:
 10.2 * 10.9 * 9.6 ↘ 10.4 * 10.2 *
 10.7 * 10.5 * 10.6 * 10.5 * 10.0 →
 beste Teiler 24.6 (12.) 65.3 (16.) 92.5 (18.)
 Trefferlage 0.82 mm rechts, 0.01 mm tief
 Streuwert 1.11, horizontal: 1.03, vertikal: 1.19



Serie 3:
 10.1 → 9.9 → 10.4 * 10.1 → 9.8 →
 10.5 * 9.9 → 10.5 * 10.4 * 10.4 *
 beste Teiler 109.6 (28.) 114.0 (26.) 127.7 (30.)
 Trefferlage 1.31 mm rechts, 0.39 mm hoch
 Streuwert 1.06, horizontal: 1.36, vertikal: 0.63





Serie 4:
 10.6 * 10.7 * 9.5 ↘ 9.7 ↘ 10.0 →
 10.6 * 10.9 * 10.3 * 10.5 * 10.3 *
 beste Teiler 21.9 (37.) 57.3 (32.) 90.7 (31.)
 Trefferlage 0.38 mm links, 0.82 mm hoch
 Streuwert 1.29, horizontal: 1.70, vertikal: 0.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.2** (388)
 Serien: 102.0 103.4 99.0 101.8
 Zähler: 30 9 0 1 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 893 (29), 386 (34), 362 (38)
 beste Teiler 34.5 (1.) 36.8 (9.) 47.9 (32.)
 Trefferlage 0.20 mm rechts, 0.19 mm tief
 Streuwert 1.78, horizontal: 2.15, vertikal: 1.30




Serie 1:
 10.8 * 9.6 ↘ 10.0 ← 10.2 * 10.3 *
 9.9 ↘ 10.0 ← 9.7 ↑ 10.8 * 10.7 *
 beste Teiler 34.5 (1.) 36.8 (9.) 59.5 (10.)
 Trefferlage 0.25 mm links, 0.09 mm tief
 Streuwert 1.56, horizontal: 1.59, vertikal: 1.53



Serie 2:
 10.1 ↑ 10.7 * 10.3 * 10.4 * 10.5 *
 10.8 * 9.5 → 10.3 * 10.4 * 10.4 *
 beste Teiler 49.9 (16.) 74.6 (12.) 124.8 (15.)
 Trefferlage 0.38 mm rechts, 0.11 mm hoch
 Streuwert 1.28, horizontal: 1.39, vertikal: 1.17



Serie 3:
 10.3 * 10.0 → 10.6 * 9.6 → 10.3 *
 9.5 → 10.7 * 10.4 * 7.4 ← 10.2 *
 beste Teiler 65.4 (27.) 88.5 (23.) 141.5 (28.)
 Trefferlage 0.07 mm links, 0.28 mm hoch
 Streuwert 2.60, horizontal: 3.58, vertikal: 0.83





Serie 4:
 10.6 * 10.8 * 10.5 * 9.4 ↘ 10.0 ↓
 9.8 → 10.1 ↓ 9.5 ↘ 10.6 * 10.5 *
 beste Teiler 47.9 (32.) 84.3 (31.) 89.8 (39.)
 Trefferlage 0.74 mm rechts, 1.06 mm tief
 Streuwert 1.38, horizontal: 1.44, vertikal: 1.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.9** (374)
 Serien: 96.7 99.5 96.9 96.8
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 625 (7), 623 (23), 585 (40)
 beste Teiler 33.2 (16.) 72.3 (3.) 111.4 (25.)
 Trefferlage 1.40 mm rechts, 0.69 mm tief
 Streuwert 2.11, horizontal: 2.03, vertikal: 2.18




Serie 1:
 9.4 ↘ 9.6 ↙ 10.7 * 9.1 → 10.1 →
 9.6 ↘ 8.5 ↓ 9.7 ↑ 9.9 ↘ 10.1 →
 beste Teiler 72.3 (3.) 209.1 (5.) 209.9 (10.)
 Trefferlage 1.31 mm rechts, 1.27 mm tief
 Streuwert 2.21, horizontal: 1.67, vertikal: 2.64



Serie 2:
 10.0 ↙ 9.2 ↑ 10.3 * 10.0 ↓ 9.5 →
 10.8 * 10.2 * 9.2 → 10.3 * 10.0 ↙
 beste Teiler 33.2 (16.) 152.0 (13.) 155.6 (19.)
 Trefferlage 0.57 mm rechts, 0.92 mm tief
 Streuwert 1.89, horizontal: 1.91, vertikal: 1.88





Serie 3:
 10.0 → 10.0 ↙ 8.5 → 10.4 * 10.5 *
 9.8 → 9.0 ↑ 8.8 → 10.3 * 9.6 →
 beste Teiler 111.4 (25.) 148.0 (24.) 164.0 (29.)
 Trefferlage 1.77 mm rechts, 0.43 mm tief
 Streuwert 2.31, horizontal: 2.51, vertikal: 2.09




Serie 4:
 10.5 * 9.5 ↘ 10.0 → 9.5 ↘ 9.6 ↓
 9.8 ↘ 9.2 ↗ 9.9 → 10.2 * 8.6 →
 beste Teiler 125.0 (31.) 181.4 (39.) 232.9 (33.)
 Trefferlage 1.96 mm rechts, 0.14 mm tief
 Streuwert 2.09, horizontal: 1.97, vertikal: 2.20

Unterschrift des Schützen


Ergebnis: **407.7** (390)
 Serien: 102.8 100.3 101.5 103.1
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 408 (25), 391 (20), 335 (38)
 beste Teiler 51.2 (37.) 57.0 (31.) 66.2 (9.)
 Trefferlage 0.31 mm links, 0.15 mm hoch
 Streuwert 1.48, horizontal: 1.68, vertikal: 1.25




Serie 1:
 9.9 ← 10.1 ↘ 10.6 * 10.4 * 10.6 *
 9.7 → 10.0 ← 10.5 * 10.7 * 10.3 *
 beste Teiler 66.2 (9.) 90.8 (3.) 94.4 (5.)
 Trefferlage 0.22 mm rechts, 0.21 mm tief
 Streuwert 1.37, horizontal: 1.73, vertikal: 0.86



Serie 2:
 10.1 ↖ 10.0 ↗ 10.2 * 10.2 * 9.9 ↙
 10.0 ↗ 10.4 * 9.9 → 10.2 * 9.4 ↘
 beste Teiler 137.0 (17.) 176.6 (19.) 193.6 (13.)
 Trefferlage 0.10 mm links, 0.44 mm hoch
 Streuwert 1.74, horizontal: 1.88, vertikal: 1.60



Serie 3:
 10.4 * 10.5 * 9.9 ← 10.4 * 9.3 ←
 9.7 ← 10.6 * 10.1 ← 10.5 * 10.1 ↑
 beste Teiler 85.9 (27.) 104.5 (22.) 123.0 (29.)
 Trefferlage 1.21 mm links, 0.13 mm hoch
 Streuwert 1.41, horizontal: 1.68, vertikal: 1.08





Serie 4:
 10.7 * 10.1 ↗ 10.5 * 10.2 * 9.9 ↙
 10.7 * 10.7 * 9.6 ↙ 10.4 * 10.3 *
 beste Teiler 51.2 (37.) 57.0 (31.) 74.6 (36.)
 Trefferlage 0.17 mm links, 0.26 mm hoch
 Streuwert 1.34, horizontal: 1.25, vertikal: 1.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.2** (386)
 Serien: 99.9 101.5 99.7 102.1
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 499 (27), 454 (23), 432 (9)
 beste Teiler 7.8 (25.) 41.0 (20.) 57.8 (38.)
 Trefferlage 0.06 mm rechts, 0.24 mm hoch
 Streuwert 1.77, horizontal: 2.21, vertikal: 1.16




Serie 1:
 10.3 * 9.3 ← 10.6 * 10.0 → 10.4 *
 10.3 * 10.1 → 10.0 ↘ 9.2 ↖ 9.7 →
 beste Teiler 88.0 (3.) 150.9 (5.) 167.2 (6.)
 Trefferlage 0.26 mm rechts, 0.20 mm hoch
 Streuwert 1.95, horizontal: 2.57, vertikal: 1.02



Serie 2:
 10.4 * 9.7 → 10.3 * 9.7 ↘ 10.1 →
 9.7 ↗ 9.8 ↖ 10.4 * 10.6 * 10.8 *
 beste Teiler 41.0 (20.) 99.1 (19.) 127.1 (18.)
 Trefferlage 0.31 mm rechts, 0.52 mm hoch
 Streuwert 1.59, horizontal: 1.97, vertikal: 1.08



Serie 3:
 9.6 ↖ 9.6 ← 9.1 ↘ 10.1 → 10.9 *
 9.9 ↖ 9.0 → 10.3 * 10.5 * 10.7 *
 beste Teiler 7.8 (25.) 64.8 (30.) 114.2 (29.)
 Trefferlage 0.00 mm , 0.40 mm tief
 Streuwert 2.17, horizontal: 2.79, vertikal: 1.28





Serie 4:
 10.2 * 10.3 * 9.8 ↖ 10.1 ↘ 10.2 *
 10.6 * 9.8 ↑ 10.7 * 10.0 ↖ 10.4 *
 beste Teiler 57.8 (38.) 85.6 (36.) 136.6 (40.)
 Trefferlage 0.32 mm links, 0.65 mm hoch
 Streuwert 1.40, horizontal: 1.63, vertikal: 1.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **408.8** (390)
 Serien: 100.2 102.6 101.7 104.3
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 483 (5), 412 (37), 349 (6)
 beste Teiler 37.7 (39.) 45.1 (12.) 57.0 (40.)
 Trefferlage 0.26 mm links, 0.00 mm
 Streuwert 1.48, horizontal: 1.85, vertikal: 0.97




Serie 1:
 10.7 * 9.9 ↗ 10.2 * 10.3 * 9.0 ←
 9.6 → 10.7 * 9.9 → 10.2 * 9.7 ↘
 beste Teiler 73.5 (1.) 75.6 (7.) 173.1 (4.)
 Trefferlage 0.33 mm rechts, 0.27 mm hoch
 Streuwert 1.94, horizontal: 2.54, vertikal: 1.04



Serie 2:
 9.8 ← 10.8 * 10.3 * 10.2 * 10.3 *
 10.1 ← 10.5 * 10.2 * 10.3 * 10.1 ↙
 beste Teiler 45.1 (12.) 101.6 (17.) 166.0 (19.)
 Trefferlage 0.42 mm links, 0.09 mm hoch
 Streuwert 1.31, horizontal: 1.54, vertikal: 1.03



Serie 3:
 10.1 ↓ 10.2 * 9.6 ← 9.8 ↘ 9.8 ←
 10.5 * 10.6 * 10.1 ← 10.5 * 10.5 *
 beste Teiler 79.1 (27.) 103.4 (26.) 105.6 (30.)
 Trefferlage 0.36 mm links, 0.62 mm tief
 Streuwert 1.45, horizontal: 1.84, vertikal: 0.90



Serie 4:
 10.4 * 10.5 * 10.7 * 10.7 * 10.5 *
 10.3 * 9.3 ← 10.4 * 10.8 * 10.7 *
 beste Teiler 37.7 (39.) 57.0 (40.) 64.7 (34.)
 Trefferlage 0.59 mm links, 0.29 mm hoch
 Streuwert 1.13, horizontal: 1.44, vertikal: 0.71

Unterschrift des Schützen

Meyton Elektronik