





Ergebnis: **362.6** (343)  
 Serien: 90.1 91.5 91.8 89.2  
 Zaehler: 11 11 11 5 1 1 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1299 (9), 1076 (33), 929 (24)  
 beste Teiler 110.1 (19.) 139.1 (22.) 144.2 (34.)  
 Trefferlage 0.35 mm links, 0.44 mm tief  
 Streuwert 3.92, horizontal: 4.13, vertikal: 3.69




Serie 1:  
 9.7 ↗ 10.0 ↗ 7.9 ↗ 9.0 ↘ 9.7 ↖  
 8.7 → 9.9 ↓ 9.5 ↓ 5.8 ↓ 9.9 ↗  
 beste Teiler 227.4 (2.) 255.8 (10.) 258.7 (7.)  
 Trefferlage 1.28 mm rechts, 0.91 mm tief  
 Streuwert 4.14, horizontal: 3.28, vertikal: 4.84



Serie 2:  
 8.6 ↓ 8.4 ↖ 7.4 ↖ 8.0 → 8.3 ↖  
 9.7 ↖ 10.0 ↖ 10.3 \* 10.5 \* 10.3 \*  
 beste Teiler 110.1 (19.) 161.0 (18.) 166.2 (20.)  
 Trefferlage 1.70 mm links, 0.99 mm hoch  
 Streuwert 3.63, horizontal: 3.99, vertikal: 3.24



Serie 3:  
 8.8 ↙ 10.4 \* 7.5 ↖ 7.2 → 9.8 ↙  
 10.2 \* 9.1 ↗ 10.1 → 9.9 ↙ 8.8 →  
 beste Teiler 139.1 (22.) 189.4 (26.) 204.3 (28.)  
 Trefferlage 0.13 mm rechts, 0.73 mm hoch  
 Streuwert 3.79, horizontal: 4.48, vertikal: 2.94





Serie 4:  
 8.9 ↙ 7.9 ↓ 6.6 ↖ 10.4 \* 10.3 \*  
 8.2 ↙ 10.3 \* 8.9 ↙ 8.6 ← 9.1 ↙  
 beste Teiler 144.2 (34.) 161.0 (35.) 172.0 (37.)  
 Trefferlage 1.15 mm links, 2.59 mm tief  
 Streuwert 3.77, horizontal: 4.60, vertikal: 2.70


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **384.1** (366)  
 Serien: 96.2 90.3 97.4 100.2  
 Zaehler: 14 20 4 2 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 996 (4), 917 (19), 718 (11)  
 beste Teiler 30.0 (26.) 33.7 (33.) 105.4 (5.)  
 Trefferlage 0.21 mm rechts, 0.83 mm tief  
 Streuwert 2.78, horizontal: 2.83, vertikal: 2.73




Serie 1:  
 9.8 ↑                      9.9 ↘                      9.9 ↙                      7.0 ↓                      10.5 \*  
 9.1 ↘                      9.7 ←                      9.9 ↓                      10.2 \*                      10.2 \*  
 beste Teiler 105.4 (5.) 184.0 (9.) 197.0 (10.)  
 Trefferlage 0.07 mm links, 1.29 mm tief  
 Streuwert 2.89, horizontal: 2.26, vertikal: 3.41



Serie 2:  
 8.1 ↗                      9.7 ←                      9.0 ←                      10.3 \*                      8.7 ↘  
 9.4 ↘                      9.8 ↑                      9.6 ←                      7.3 ↓                      8.4 ↗  
 beste Teiler 153.2 (14.) 280.4 (17.) 317.7 (12.)  
 Trefferlage 1.45 mm rechts, 1.18 mm tief  
 Streuwert 3.66, horizontal: 3.94, vertikal: 3.35



Serie 3:  
 8.3 ↘                      10.2 \*                      9.6 →                      9.4 ←                      9.6 ←  
 10.8 \*                      10.3 \*                      9.8 ↙                      10.2 \*                      9.2 ↙  
 beste Teiler 30.0 (26.) 173.0 (27.) 182.4 (22.)  
 Trefferlage 0.15 mm rechts, 0.47 mm tief  
 Streuwert 2.57, horizontal: 3.09, vertikal: 1.90





Serie 4:  
 10.0 ↑                      10.2 \*                      10.8 \*                      9.4 ↖                      9.2 ↓  
 9.9 ↓                      10.4 \*                      9.6 ↓                      10.4 \*                      10.3 \*  
 beste Teiler 33.7 (33.) 134.8 (37.) 142.8 (39.)  
 Trefferlage 0.65 mm links, 0.39 mm tief  
 Streuwert 1.85, horizontal: 1.37, vertikal: 2.23


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **376.4** (358)  
 Serien: 92.6 93.6 94.9 95.3  
 Zaehler: 9 22 8 0 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1139 (20), 689 (1), 641 (5)  
 beste Teiler 102.4 (14.) 142.8 (38.) 169.2 (37.)  
 Trefferlage 0.49 mm rechts, 0.57 mm tief  
 Streuwert 3.04, horizontal: 3.44, vertikal: 2.58




Serie 1:  
 8.2 ↘                      8.7 ↓                      10.1 ↘                      9.1 ↑                      8.4 ↗  
 10.0 ↗                      9.8 ↘                      9.7 ↓                      9.5 →                      9.1 ↑  
 beste Teiler 221.6 (3.) 242.6 (6.) 281.7 (7.)  
 Trefferlage 1.96 mm rechts, 0.11 mm hoch  
 Streuwert 3.05, horizontal: 2.03, vertikal: 3.80



Serie 2:  
 9.2 ↗                      10.1 ↘                      8.8 ↖                      10.5 \*                      9.8 ↓  
 9.1 ↘                      9.9 ↘                      9.5 ↖                      10.3 \*                      6.4 →  
 beste Teiler 102.4 (14.) 173.6 (19.) 224.1 (12.)  
 Trefferlage 1.05 mm rechts, 1.88 mm tief  
 Streuwert 3.25, horizontal: 4.42, vertikal: 1.28



Serie 3:  
 9.8 ↓                      10.0 ↗                      8.5 ↖                      9.9 ↘                      8.9 ↘  
 9.6 ↘                      9.5 ↘                      9.9 ↑                      9.6 ↘                      9.2 ↖  
 beste Teiler 246.9 (22.) 263.6 (28.) 275.4 (24.)  
 Trefferlage 1.09 mm links, 0.28 mm hoch  
 Streuwert 2.75, horizontal: 3.09, vertikal: 2.37





Serie 4:  
 9.8 ↓                      8.9 ←                      10.2 \*                      9.4 ↗                      8.6 ↖  
 9.1 →                      10.3 \*                      10.4 \*                      9.5 →                      9.1 ↘  
 beste Teiler 142.8 (38.) 169.2 (37.) 197.6 (33.)  
 Trefferlage 0.07 mm rechts, 0.78 mm tief  
 Streuwert 2.85, horizontal: 3.51, vertikal: 1.97


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **387.0** (368)  
 Serien: 96.0 93.7 98.1 99.2  
 Zaehler: 16 17 6 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 827 (18), 689 (29), 591 (20)  
 beste Teiler 59.1 (22.) 90.4 (30.) 109.8 (33.)  
 Trefferlage 0.17 mm links, 0.34 mm tief  
 Streuwert 2.58, horizontal: 2.93, vertikal: 2.18




Serie 1:  
 9.9 ↘                      9.6 ←                      10.1 ↑                      9.2 ↘                      10.4 \*  
 9.8 ↗                      9.0 ←                      9.6 ↖                      9.8 ↗                      8.6 ↘  
 beste Teiler 147.8 (5.) 215.5 (3.) 258.5 (1.)  
 Trefferlage 0.72 mm links, 0.83 mm hoch  
 Streuwert 2.56, horizontal: 2.83, vertikal: 2.26



Serie 2:  
 9.4 →                      9.8 ↘                      10.1 →                      10.2 \*                      8.7 ↓  
 10.3 \*                      10.1 ↖                      7.6 →                      8.9 ↘                      8.6 ↓  
 beste Teiler 167.4 (16.) 176.7 (14.) 207.4 (13.)  
 Trefferlage 1.07 mm rechts, 1.22 mm tief  
 Streuwert 3.08, horizontal: 3.22, vertikal: 2.95



Serie 3:  
 10.1 →                      10.7 \*                      9.6 ←                      9.0 ←                      9.7 ↖  
 9.9 →                      10.0 ↘                      10.3 \*                      8.2 ↖                      10.6 \*  
 beste Teiler 59.1 (22.) 90.4 (30.) 162.8 (28.)  
 Trefferlage 1.03 mm links, 0.46 mm tief  
 Streuwert 2.36, horizontal: 3.04, vertikal: 1.39





Serie 4:  
 9.7 ↘                      9.1 →                      10.5 \*                      10.4 \*                      10.4 \*  
 9.8 ←                      10.0 ↗                      10.5 \*                      8.9 ←                      9.9 ↗  
 beste Teiler 109.8 (33.) 120.1 (38.) 127.9 (35.)  
 Trefferlage 0.00 mm , 0.52 mm tief  
 Streuwert 2.13, horizontal: 2.59, vertikal: 1.55


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **370.2** (352)  
 Serien: 91.1 94.3 96.2 88.6  
 Zaehler: 9 18 9 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 954 (3), 923 (39), 869 (11)  
 beste Teiler 44.5 (15.) 94.6 (4.) 100.2 (23.)  
 Trefferlage 0.98 mm links, 0.02 mm hoch  
 Streuwert 3.41, horizontal: 4.19, vertikal: 2.37




Serie 1:  
 8.4 ↖ 8.3 ↙ 7.1 ↖ 10.6 \* 9.3 ↙  
 9.8 ↗ 9.2 ↑ 10.0 ↖ 8.5 ← 9.9 ↓  
 beste Teiler 94.6 (4.) 247.9 (8.) 256.4 (10.)  
 Trefferlage 2.78 mm links, 0.06 mm tief  
 Streuwert 3.28, horizontal: 3.51, vertikal: 3.02



Serie 2:  
 7.5 ↘ 9.4 → 10.1 ↘ 10.4 \* 10.8 \*  
 9.0 ↖ 9.2 ↑ 8.7 ↖ 9.5 ↑ 9.7 ←  
 beste Teiler 44.5 (15.) 149.5 (14.) 201.6 (13.)  
 Trefferlage 0.05 mm links, 0.69 mm hoch  
 Streuwert 3.24, horizontal: 3.96, vertikal: 2.31



Serie 3:  
 9.7 ↘ 10.4 \* 10.6 \* 8.6 ↘ 9.6 →  
 9.5 ↙ 10.0 ← 9.5 ↖ 10.1 ↑ 8.2 ↙  
 beste Teiler 100.2 (23.) 131.2 (22.) 201.4 (29.)  
 Trefferlage 0.80 mm links, 0.44 mm tief  
 Streuwert 2.74, horizontal: 3.10, vertikal: 2.32





Serie 4:  
 8.3 ↖ 9.8 ↘ 7.6 ← 9.4 ← 8.7 ↘  
 8.1 → 9.8 ↖ 9.7 ↖ 7.3 → 9.9 ←  
 beste Teiler 266.8 (40.) 286.2 (32.) 295.3 (37.)  
 Trefferlage 0.30 mm links, 0.07 mm tief  
 Streuwert 4.31, horizontal: 5.78, vertikal: 1.94


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **379.5** (361)  
 Serien: 95.9 92.7 94.5 96.4  
 Zaehler: 14 16 7 3 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 939 (17), 766 (2), 758 (27)  
 beste Teiler 75.0 (29.) 102.9 (6.) 121.8 (23.)  
 Trefferlage 0.46 mm rechts, 0.40 mm hoch  
 Streuwert 2.95, horizontal: 3.42, vertikal: 2.39




Serie 1:  
 9.3 ↗ 7.9 ↘ 8.7 → 10.2 \* 10.3 \*  
 10.5 \* 10.3 \* 10.1 → 9.7 ↖ 8.9 ↖  
 beste Teiler 102.9 (6.) 158.9 (7.) 166.0 (5.)  
 Trefferlage 0.56 mm rechts, 0.27 mm hoch  
 Streuwert 2.93, horizontal: 2.98, vertikal: 2.88



Serie 2:  
 9.3 → 10.2 \* 9.8 → 8.9 → 10.1 ↘  
 8.4 ↖ 7.2 ↘ 9.2 → 10.2 \* 9.4 ↑  
 beste Teiler 176.1 (19.) 195.2 (12.) 202.6 (15.)  
 Trefferlage 2.13 mm rechts, 0.17 mm tief  
 Streuwert 3.14, horizontal: 3.54, vertikal: 2.68



Serie 3:  
 9.6 ↖ 9.5 ← 10.5 \* 8.7 ↖ 9.8 ↖  
 10.0 → 7.9 ↖ 9.0 ↗ 10.7 \* 8.8 ↘  
 beste Teiler 75.0 (29.) 121.8 (23.) 232.4 (26.)  
 Trefferlage 0.99 mm links, 0.91 mm hoch  
 Streuwert 3.01, horizontal: 3.86, vertikal: 1.80





Serie 4:  
 9.3 ↘ 8.3 ↗ 9.3 ← 9.5 ↗ 9.8 ←  
 10.5 \* 9.3 → 10.2 \* 10.3 \* 9.9 ↑  
 beste Teiler 124.7 (36.) 167.2 (39.) 192.0 (38.)  
 Trefferlage 0.15 mm rechts, 0.61 mm hoch  
 Streuwert 2.66, horizontal: 2.97, vertikal: 2.31


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **383.4** (366)  
 Serien: 97.6 92.9 99.1 93.8  
 Zaehler: 14 21 2 3 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 951 (12), 821 (25), 779 (38)  
 beste Teiler 75.8 (27.) 82.2 (8.) 90.2 (24.)  
 Trefferlage 1.17 mm rechts, 0.18 mm tief  
 Streuwert 2.70, horizontal: 3.23, vertikal: 2.04




Serie 1:  
 9.0 →                      8.9 ↘                      10.3 \*                      9.4 ↓                      10.2 \*  
 9.8 →                      10.0 ↑                      10.6 \*                      9.7 ↓                      9.7 →  
 beste Teiler 82.2 (8.) 160.9 (3.) 190.5 (5.)  
 Trefferlage 1.12 mm rechts, 0.00 mm  
 Streuwert 2.27, horizontal: 2.23, vertikal: 2.31



Serie 2:  
 9.0 ↘                      7.1 →                      10.5 \*                      9.0 →                      10.1 ↗  
 9.6 ↙                      9.4 ←                      9.4 →                      9.1 →                      9.7 ↑  
 beste Teiler 116.6 (13.) 205.7 (15.) 314.7 (20.)  
 Trefferlage 1.88 mm rechts, 0.23 mm tief  
 Streuwert 3.17, horizontal: 4.17, vertikal: 1.67



Serie 3:  
 10.6 \*                      9.8 ↘                      10.3 \*                      10.6 \*                      7.7 ←  
 10.3 \*                      10.7 \*                      9.4 →                      9.5 ↖                      10.2 \*  
 beste Teiler 75.8 (27.) 90.2 (24.) 90.4 (21.)  
 Trefferlage 0.38 mm links, 0.62 mm tief  
 Streuwert 2.48, horizontal: 3.23, vertikal: 1.35



Serie 4:  
 8.7 →                      9.2 ↓                      9.0 ↗                      9.8 ↓                      9.7 ↗  
 9.8 ↘                      10.4 \*                      7.8 →                      9.1 ↗                      10.3 \*  
 beste Teiler 142.7 (37.) 163.5 (40.) 287.9 (34.)  
 Trefferlage 2.05 mm rechts, 0.12 mm hoch  
 Streuwert 2.84, horizontal: 2.88, vertikal: 2.79

Unterschrift des Schuetzen

Meyton Elektronik