





Ergebnis: **326** (346.0)
 Serien: 88 81 79 78
 Zähler: 6 15 9 5 3 0 1 0 1 0
 Innenzehner: 3
 weiteste: 6537 (37), 5136 (25), 3886 (19)
 beste Teiler 221.3 (3.) 382.5 (14.) 523.8 (36.)
 Trefferlage 9.86 mm rechts, 0.30 mm hoch
 Streuwert 14.62, horizontal: 18.59, vertikal: 9.07




Serie 1:
 9.7 ↑ 9.8 ↘ 10.7 * 9.1 ↙ 9.3 ↑
 7.2 → 9.7 ↓ 9.7 ↗ 8.3 ← 9.4 ↘
 beste Teiler 221.3 (3.) 893.2 (2.) 978.5 (1.)
 Trefferlage 0.25 mm links, 1.20 mm hoch
 Streuwert 11.20, horizontal: 12.99, vertikal: 9.05



Serie 2:
 6.8 → 10.0 → 8.6 ↑ 10.5 * 6.6 →
 8.3 → 10.2 ← 8.1 ↗ 6.1 ↘ 9.7 ↗
 beste Teiler 382.5 (14.) 611.0 (17.) 752.9 (12.)
 Trefferlage 14.40 mm rechts, 1.16 mm hoch
 Streuwert 13.63, horizontal: 14.18, vertikal: 13.04



Serie 3:
 8.6 → 7.7 → 9.8 ↘ 9.9 ← 4.5 →
 10.2 ↘ 7.2 → 9.9 ↑ 7.3 → 9.7 ↙
 beste Teiler 615.8 (26.) 814.9 (24.) 826.5 (28.)
 Trefferlage 13.64 mm rechts, 0.27 mm tief
 Streuwert 14.79, horizontal: 19.76, vertikal: 6.84





Serie 4:
 8.5 → 8.0 → 8.6 → 8.5 ↗ 9.6 ←
 10.3 * 2.8 → 7.3 ← 9.9 ↓ 9.9 →
 beste Teiler 523.8 (36.) 820.0 (40.) 846.5 (39.)
 Trefferlage 11.66 mm rechts, 0.86 mm tief
 Streuwert 17.81, horizontal: 24.10, vertikal: 7.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.7)
 Serien: 94 91 94 98
 Zähler: 22 13 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2325 (16), 2097 (38), 1726 (27)
 beste Teiler 156.2 (12.) 298.6 (26.) 340.1 (35.)
 Trefferlage 2.44 mm links, 0.35 mm tief
 Streuwert 7.11, horizontal: 8.18, vertikal: 5.85




Serie 1:
 9.7 ↙ 10.1 ↙ 10.4 * 9.8 ↘ 9.9 ↘
 10.0 → 9.8 ↘ 10.4 * 9.9 ↖ 9.4 ↑
 beste Teiler 453.5 (3.) 456.0 (8.) 700.8 (2.)
 Trefferlage 0.00 mm , 1.70 mm tief
 Streuwert 6.29, horizontal: 6.13, vertikal: 6.44



Serie 2:
 9.2 ↖ 10.8 * 8.9 ↖ 10.0 ↖ 9.6 ↖
 8.0 ↙ 10.4 * 8.9 ↙ 9.6 ↖ 10.0 ↙
 beste Teiler 156.2 (12.) 401.9 (17.) 724.3 (14.)
 Trefferlage 8.49 mm links, 1.51 mm hoch
 Streuwert 7.04, horizontal: 7.75, vertikal: 6.25



Serie 3:
 10.0 ↖ 9.1 ↘ 10.5 * 9.4 ↘ 10.5 *
 10.6 * 8.8 ← 9.4 ↓ 9.5 → 10.2 →
 beste Teiler 298.6 (26.) 373.8 (25.) 392.7 (23.)
 Trefferlage 1.43 mm rechts, 2.10 mm tief
 Streuwert 7.62, horizontal: 9.01, vertikal: 5.92





Serie 4:
 10.1 ↖ 10.3 ↗ 10.5 * 10.2 ↙ 10.5 *
 10.2 ↘ 10.3 ↖ 8.3 ← 10.2 ↑ 10.3 *
 beste Teiler 340.1 (35.) 340.6 (33.) 505.9 (40.)
 Trefferlage 2.74 mm links, 0.86 mm hoch
 Streuwert 5.87, horizontal: 6.85, vertikal: 4.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (403.0)
 Serien: 98 92 96 96
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1752 (18), 1660 (39), 1538 (32)
 beste Teiler 147.1 (37.) 164.3 (28.) 174.0 (6.)
 Trefferlage 1.13 mm rechts, 3.71 mm tief
 Streuwert 5.12, horizontal: 5.43, vertikal: 4.79




Serie 1:
 10.3 * 9.8 ↙ 10.6 * 10.5 * 10.2 ↗
 10.7 * 10.4 * 10.0 ↘ 10.2 ↖ 9.9 ↘
 beste Teiler 174.0 (6.) 247.7 (3.) 400.5 (4.)
 Trefferlage 0.51 mm links, 1.36 mm tief
 Streuwert 4.35, horizontal: 4.62, vertikal: 4.06



Serie 2:
 9.5 ↘ 9.7 ↘ 10.6 * 9.5 ↘ 9.4 ↓
 9.9 ↓ 10.7 * 8.8 ↘ 9.9 → 10.7 *
 beste Teiler 195.4 (17.) 200.4 (20.) 268.7 (13.)
 Trefferlage 4.89 mm rechts, 5.28 mm tief
 Streuwert 5.03, horizontal: 4.61, vertikal: 5.41



Serie 3:
 10.5 * 10.4 * 9.9 ↙ 9.9 ↙ 9.9 ↗
 10.2 ↙ 10.0 ↘ 10.7 * 9.2 ↘ 10.5 *
 beste Teiler 164.3 (28.) 364.9 (21.) 366.0 (30.)
 Trefferlage 0.06 mm links, 3.15 mm tief
 Streuwert 5.02, horizontal: 5.03, vertikal: 5.01





Serie 4:
 9.7 ↓ 9.0 ↘ 10.5 * 10.6 * 10.2 ↓
 10.2 ↙ 10.8 * 10.4 * 8.9 ↙ 10.2 ↓
 beste Teiler 147.1 (37.) 282.3 (34.) 352.4 (33.)
 Trefferlage 0.22 mm rechts, 5.05 mm tief
 Streuwert 5.30, horizontal: 6.23, vertikal: 4.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	370	(385.9)
Serien:	91	94 93 92
Zähler:	16 18 6 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2246 (28), 2231 (40), 2203 (9)	
beste Teiler	119.5 (14.) 144.8 (33.) 153.5 (27.)	
Trefferlage	3.19 mm links, 1.91 mm hoch	
Streuwert	8.19, horizontal: 10.28, vertikal: 5.33	




Serie 1:	9.8 ←	9.7 ←	9.7 →	10.3 *	10.0 ↘
	8.8 ↖	9.0 →	10.6 *	8.2 ↖	9.7 →
beste Teiler	295.6 (8.)	527.6 (4.)	772.1 (5.)		
Trefferlage	1.53 mm links, 0.13 mm hoch				
Streuwert	9.07, horizontal: 11.91, vertikal: 4.78				



Serie 2:	9.2 ↑	9.0 ↖	9.7 ↖	10.8 *	10.6 *
	10.0 →	9.0 ←	10.4 *	8.9 →	10.1 ↘
beste Teiler	119.5 (14.)	269.9 (15.)	454.7 (18.)		
Trefferlage	1.81 mm links, 2.96 mm hoch				
Streuwert	7.67, horizontal: 9.83, vertikal: 4.57				



Serie 3:	10.4 *	9.8 ↘	9.2 ↖	9.1 ←	9.3 →
	9.4 ↖	10.8 *	8.1 ←	10.7 *	10.0 ↘
beste Teiler	153.5 (27.)	207.2 (29.)	472.0 (21.)		
Trefferlage	5.52 mm links, 1.84 mm hoch				
Streuwert	7.75, horizontal: 10.17, vertikal: 4.11				





Serie 4:	10.4 *	9.8 ↗	10.8 *	10.0 ↘	8.2 ↘
	9.5 ↘	9.1 ↖	10.2 →	9.4 ↖	8.2 ←
beste Teiler	144.8 (33.)	403.7 (31.)	638.3 (38.)		
Trefferlage	3.89 mm links, 2.71 mm hoch				
Streuwert	8.99, horizontal: 10.23, vertikal: 7.56				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (396.7)
 Serien: 96 92 98 90
 Zähler: 19 19 1 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 2504 (33), 1970 (19), 1377 (5)
 beste Teiler 23.0 (22.) 206.2 (10.) 251.8 (3.)
 Trefferlage 2.86 mm links, 1.32 mm hoch
 Streuwert 6.48, horizontal: 7.13, vertikal: 5.76




Serie 1:
 10.4 * 9.7 ↗ 10.6 * 9.4 ↑ 9.2 ↘
 10.5 * 10.3 * 10.5 * 9.4 ↑ 10.7 *
 beste Teiler 206.2 (10.) 251.8 (3.) 362.9 (8.)
 Trefferlage 0.18 mm links, 3.51 mm hoch
 Streuwert 5.48, horizontal: 4.84, vertikal: 6.06



Serie 2:
 9.3 ↖ 9.8 ↗ 10.4 * 9.5 ↘ 9.7 ←
 9.3 ↓ 10.4 * 10.1 ↙ 8.5 ← 9.6 ←
 beste Teiler 418.7 (17.) 425.2 (13.) 705.7 (18.)
 Trefferlage 4.35 mm links, 1.43 mm hoch
 Streuwert 7.62, horizontal: 8.07, vertikal: 7.15



Serie 3:
 10.4 * 10.9 * 10.6 * 9.9 ← 10.2 →
 9.4 ← 10.1 ↓ 10.5 * 10.6 * 10.5 *
 beste Teiler 23.0 (22.) 298.0 (23.) 307.7 (29.)
 Trefferlage 2.40 mm links, 0.41 mm hoch
 Streuwert 4.12, horizontal: 5.10, vertikal: 2.82



Serie 4:
 10.3 * 9.3 ← 7.8 ↘ 9.8 ↘ 9.7 ↓
 9.6 ← 9.7 ↙ 9.9 ↗ 9.9 → 10.3 *
 beste Teiler 497.2 (31.) 526.5 (40.) 807.6 (38.)
 Trefferlage 4.53 mm links, 0.06 mm tief
 Streuwert 8.10, horizontal: 9.57, vertikal: 6.29

Unterschrift des Schützen

Meyton Elektronik