





Ergebnis: **360** (379.5)
 Serien: 89 91 90 90
 Zähler: 11 19 9 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3034 (4), 2319 (30), 2190 (39)
 beste Teiler 214.7 (34.) 364.2 (38.) 366.8 (11.)
 Trefferlage 0.20 mm links, 1.03 mm tief
 Streuwert 9.49, horizontal: 11.44, vertikal: 7.03




Serie 1:
 10.5 * 9.3 ↖ 10.4 * 7.2 ← 9.9 ↗
 9.4 ↓ 9.9 ↓ 8.4 → 10.1 → 8.5 →
 beste Teiler 385.1 (1.) 471.9 (3.) 661.4 (9.)
 Trefferlage 0.59 mm rechts, 1.63 mm tief
 Streuwert 11.14, horizontal: 14.57, vertikal: 6.02



Serie 2:
 10.5 * 8.5 ← 8.5 ↙ 9.6 ↘ 9.3 ↘
 10.2 → 9.3 → 9.9 ↙ 10.4 * 9.8 ↖
 beste Teiler 366.8 (11.) 415.6 (19.) 596.9 (16.)
 Trefferlage 2.94 mm links, 2.94 mm tief
 Streuwert 8.56, horizontal: 10.42, vertikal: 6.15



Serie 3:
 9.2 ← 10.3 * 9.8 ↘ 9.3 ↖ 9.6 ↗
 10.2 ↓ 9.7 ↖ 8.9 ↓ 9.5 ↑ 8.1 ←
 beste Teiler 488.1 (22.) 627.1 (26.) 881.0 (23.)
 Trefferlage 3.07 mm links, 0.72 mm hoch
 Streuwert 9.28, horizontal: 9.82, vertikal: 8.71





Serie 4:
 8.7 ↗ 9.5 ↓ 9.8 ↗ 10.7 * 9.3 →
 10.1 ← 9.6 ← 10.5 * 8.2 → 8.9 →
 beste Teiler 214.7 (34.) 364.2 (38.) 658.1 (36.)
 Trefferlage 4.59 mm rechts, 0.30 mm tief
 Streuwert 8.99, horizontal: 10.31, vertikal: 7.46

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.8)
 Serien: 87 96 93 91
 Zähler: 15 19 4 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2628 (23), 2594 (4), 2350 (36)
 beste Teiler 70.4 (29.) 227.0 (13.) 306.2 (28.)
 Trefferlage 6.20 mm rechts, 0.69 mm tief
 Streuwert 7.99, horizontal: 10.16, vertikal: 4.95



Serie 1:

9.0 → 9.9 ← 9.2 ↙ 7.7 → 9.7 →
 9.0 ← 10.3 * 9.3 → 8.4 → 8.6 →


beste Teiler 522.0 (7.) 841.5 (2.) 1035.4 (5.)
 Trefferlage 6.62 mm rechts, 2.25 mm tief
 Streuwert 10.63, horizontal: 14.24, vertikal: 4.83



Serie 2:

10.4 * 10.4 * 10.7 * 9.9 → 9.1 →
 10.0 ↗ 10.4 * 9.3 ↘ 10.1 ↑ 9.5 ↗


beste Teiler 227.0 (13.) 418.0 (17.) 455.0 (11.)
 Trefferlage 4.27 mm rechts, 0.86 mm hoch
 Streuwert 5.64, horizontal: 5.65, vertikal: 5.64



Serie 3:

10.2 ↙ 10.4 * 7.7 → 9.4 ↗ 9.4 ↘
 9.2 ← 9.2 → 10.6 * 10.9 * 10.0 ←

beste Teiler 70.4 (29.) 306.2 (28.) 454.6 (22.)
 Trefferlage 3.36 mm rechts, 0.25 mm tief
 Streuwert 8.83, horizontal: 11.08, vertikal: 5.78



Serie 4:



10.3 ↗ 9.7 ↘ 9.1 → 10.2 ↘ 8.6 →
 8.0 → 9.5 → 9.4 → 9.5 → 10.6 *

beste Teiler 312.1 (40.) 541.1 (31.) 589.6 (34.)
 Trefferlage 10.57 mm rechts, 1.14 mm tief
 Streuwert 5.80, horizontal: 7.43, vertikal: 3.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	382	(400.2)
Serien:	95	96 96 95
Zähler:	23	16 1 0 0 0 0 0 0 0
Innenzehner:	9	
weiteste:	1667	(24), 1394 (11), 1271 (7)
beste Teiler	79.0	(9.) 246.9 (23.) 256.8 (29.)
Trefferlage	0.83 mm	rechts, 0.67 mm hoch
Streuwert	5.93,	horizontal: 5.86, vertikal: 6.00




Serie 1:	10.0 ↗	10.1 ↘	9.8 ↗	10.0 ↓	9.4 →
	10.6 *	9.4 →	9.9 ↘	10.9 *	9.9 ↑
beste Teiler	79.0	(9.) 283.3 (6.) 653.8 (2.)			
Trefferlage	3.37 mm	rechts, 0.55 mm hoch			
Streuwert	5.83,	horizontal: 6.25, vertikal: 5.37			



Serie 2:	9.2 ↗	9.8 ↓	10.0 →	9.9 →	10.2 ↘
	10.5 *	9.8 ↖	10.1 ↘	10.6 *	10.1 ↖
beste Teiler	264.7	(19.) 393.8 (16.) 628.2 (15.)			
Trefferlage	1.13 mm	rechts, 1.42 mm hoch			
Streuwert	5.83,	horizontal: 5.46, vertikal: 6.18			



Serie 3:	10.1 ↖	10.2 ↖	10.6 *	8.9 ↖	10.0 ↘
	10.2 ↘	9.9 ↗	9.7 ↘	10.6 *	10.2 ↖
beste Teiler	246.9	(23.) 256.8 (29.) 631.5 (22.)			
Trefferlage	1.37 mm	links, 1.32 mm hoch			
Streuwert	6.02,	horizontal: 6.69, vertikal: 5.26			





Serie 4:	10.5 *	10.4 *	9.8 ↖	9.6 ↘	9.6 ↑
	10.5 *	9.4 ↓	10.0 →	9.6 ↑	10.2 ↓
beste Teiler	345.4	(36.) 376.9 (31.) 438.5 (32.)			
Trefferlage	0.22 mm	rechts, 0.60 mm tief			
Streuwert	6.36,	horizontal: 4.71, vertikal: 7.65			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.3)
 Serien: 86 92 89 89
 Zähler: 11 19 7 2 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4657 (4), 2699 (31), 2601 (36)
 beste Teiler 258.1 (5.) 280.8 (16.) 283.4 (39.)
 Trefferlage 5.25 mm links, 0.28 mm hoch
 Streuwert 10.12, horizontal: 10.78, vertikal: 9.41




Serie 1:
 8.6 ← 9.0 ↓ 9.7 ↙ 5.1 ↘ 10.6 *
 9.9 ↓ 10.4 * 9.4 ↘ 8.8 ↓ 9.0 ↑
 beste Teiler 258.1 (5.) 403.6 (7.) 802.7 (6.)
 Trefferlage 6.18 mm links, 7.84 mm tief
 Streuwert 12.13, horizontal: 12.56, vertikal: 11.69



Serie 2:
 9.6 ↑ 9.7 ↘ 9.8 ↗ 10.0 ↖ 9.8 ↖
 10.6 * 8.8 ↖ 9.6 ↗ 9.9 ↘ 10.3 *
 beste Teiler 280.8 (16.) 489.6 (20.) 721.1 (14.)
 Trefferlage 0.01 mm rechts, 2.91 mm hoch
 Streuwert 6.90, horizontal: 6.91, vertikal: 6.89





Serie 3:
 10.1 → 8.5 ← 10.3 * 9.7 ↗ 8.4 ←
 9.8 → 9.5 ↘ 8.4 ← 9.1 ↑ 9.2 ←
 beste Teiler 515.7 (23.) 661.1 (21.) 890.2 (26.)
 Trefferlage 5.63 mm links, 1.17 mm hoch
 Streuwert 9.80, horizontal: 11.96, vertikal: 6.99




Serie 4:
 7.6 ↖ 8.5 ← 9.2 ↖ 10.1 ↑ 10.2 ↘
 7.7 ↖ 9.3 ↖ 9.4 ← 10.6 * 10.1 ↑
 beste Teiler 283.4 (39.) 562.0 (35.) 642.4 (34.)
 Trefferlage 9.21 mm links, 4.91 mm hoch
 Streuwert 8.67, horizontal: 10.27, vertikal: 6.69

Unterschrift des Schützen


Ergebnis: **372** (389.7)
 Serien: 91 91 95 95
 Zähler: 15 22 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2272 (18), 1683 (29), 1611 (8)
 beste Teiler 159.0 (31.) 184.8 (22.) 186.0 (28.)
 Trefferlage 2.75 mm links, 2.14 mm hoch
 Streuwert 7.34, horizontal: 9.05, vertikal: 5.09




Serie 1:
 9.4 ← 9.7 ← 9.9 ← 9.1 ← 9.4 ←
 9.8 ↗ 10.6 * 8.9 ↖ 10.5 * 9.3 ←
 beste Teiler 308.1 (7.) 360.3 (9.) 869.0 (3.)
 Trefferlage 7.19 mm links, 0.79 mm hoch
 Streuwert 6.24, horizontal: 7.44, vertikal: 4.74



Serie 2:
 9.5 ↘ 9.2 ↖ 10.4 * 9.5 ← 9.0 ←
 9.4 ↗ 9.9 ↑ 8.1 ↗ 10.5 * 9.8 ↘
 beste Teiler 345.1 (19.) 419.9 (13.) 840.6 (17.)
 Trefferlage 2.12 mm links, 4.69 mm hoch
 Streuwert 8.50, horizontal: 10.83, vertikal: 5.22



Serie 3:
 9.3 → 10.7 * 9.3 ← 10.3 * 9.8 ↗
 10.5 * 10.0 ↙ 10.7 * 8.8 ← 10.2 ↖
 beste Teiler 184.8 (22.) 186.0 (28.) 367.8 (26.)
 Trefferlage 2.59 mm links, 0.36 mm hoch
 Streuwert 6.64, horizontal: 8.93, vertikal: 2.90





Serie 4:
 10.8 * 10.0 ↙ 10.0 ↘ 9.2 ↑ 9.8 ↗
 9.2 ↗ 10.5 * 9.0 ← 10.4 * 9.3 ↗
 beste Teiler 159.0 (31.) 374.8 (37.) 460.9 (39.)
 Trefferlage 0.90 mm rechts, 2.71 mm hoch
 Streuwert 7.30, horizontal: 8.08, vertikal: 6.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	360	(378.0)
Serien:	89	86 95 90
Zähler:	11	21 5 3 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	3082 (5),	2845 (32), 2576 (19)
beste Teiler	174.1 (24.)	238.7 (23.) 253.2 (29.)
Trefferlage	2.69 mm links, 0.99 mm tief	
Streuwert	9.78, horizontal: 10.26, vertikal: 9.28	




Serie 1:	9.3 ↙	10.3 *	8.2 ↘	9.1 ↖	7.1 ←
	9.4 ↓	10.6 *	9.3 ↓	9.5 ↓	9.9 ↗
beste Teiler	285.2 (7.) 511.0 (2.) 844.1 (10.)				
Trefferlage	6.80 mm links, 3.35 mm tief				
Streuwert	10.09, horizontal: 10.74, vertikal: 9.40				



Serie 2:	9.3 ↓	8.2 ↘	10.4 *	9.9 ←	9.8 ↘
	9.4 ↘	8.3 ↘	8.0 ↗	7.7 ↘	9.6 ↓
beste Teiler	459.6 (13.) 823.1 (14.) 931.5 (15.)				
Trefferlage	1.92 mm rechts, 3.75 mm tief				
Streuwert	11.94, horizontal: 10.37, vertikal: 13.31				



Serie 3:	10.2 ↗	9.0 ↘	10.7 *	10.7 *	9.9 ←
	9.5 ↖	9.9 ↘	10.4 *	10.6 *	9.5 ↘
beste Teiler	174.1 (24.) 238.7 (23.) 253.2 (29.)				
Trefferlage	1.16 mm links, 0.81 mm hoch				
Streuwert	6.24, horizontal: 7.35, vertikal: 4.88				





Serie 4:	10.0 ↗	7.4 ←	10.4 *	9.4 ↖	9.6 ↗
	9.0 ↖	9.8 ↗	10.2 ↗	8.7 ↖	9.8 ↗
beste Teiler	406.1 (33.) 633.2 (38.) 790.2 (31.)				
Trefferlage	4.71 mm links, 2.30 mm hoch				
Streuwert	9.57, horizontal: 11.38, vertikal: 7.32				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (395.0)
 Serien: 93 94 95 93
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2026 (1), 2024 (39), 1612 (14)
 beste Teiler 127.3 (10.) 202.5 (9.) 259.1 (38.)
 Trefferlage 0.75 mm links, 0.54 mm tief
 Streuwert 6.97, horizontal: 7.90, vertikal: 5.89




Serie 1:
 8.4 ← 9.9 ← 9.7 ↖ 9.2 ↗ 9.9 ↘
 10.4 * 10.0 ↘ 9.7 ↘ 10.7 * 10.8 *
 beste Teiler 127.3 (10.) 202.5 (9.) 456.7 (6.)
 Trefferlage 1.74 mm links, 0.33 mm tief
 Streuwert 7.45, horizontal: 8.77, vertikal: 5.84



Serie 2:
 10.6 * 10.2 → 10.3 ← 8.9 ↘ 9.8 ↘
 10.5 * 9.8 ↘ 9.6 ↘ 9.2 ↘ 10.2 ↗
 beste Teiler 283.9 (11.) 380.4 (16.) 546.8 (13.)
 Trefferlage 0.90 mm links, 2.21 mm hoch
 Streuwert 6.70, horizontal: 6.39, vertikal: 7.00



Serie 3:
 9.3 ← 10.2 ↗ 9.3 ← 9.4 ↘ 9.4 ↘
 10.2 ↘ 9.8 ↘ 10.4 * 10.2 ← 10.6 *
 beste Teiler 271.5 (30.) 460.1 (28.) 561.0 (22.)
 Trefferlage 3.74 mm links, 3.69 mm tief
 Streuwert 5.82, horizontal: 7.09, vertikal: 4.17





Serie 4:
 10.4 * 10.3 * 9.7 ↗ 9.8 ↘ 10.4 *
 9.9 ← 9.4 ↗ 10.6 * 8.4 → 9.5 ↗
 beste Teiler 259.1 (38.) 444.5 (31.) 445.3 (35.)
 Trefferlage 3.39 mm rechts, 0.34 mm tief
 Streuwert 7.17, horizontal: 8.52, vertikal: 5.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.9)
 Serien: 96 94 97 95
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1655 (36), 1562 (34), 1554 (6)
 beste Teiler 93.4 (2.) 185.6 (37.) 225.0 (5.)
 Trefferlage 0.79 mm rechts, 2.04 mm hoch
 Streuwert 6.07, horizontal: 7.13, vertikal: 4.78




Serie 1:
 10.0 → 10.8 * 9.2 ↘ 10.7 * 10.7 *
 9.0 → 10.4 * 9.7 ↘ 10.4 * 9.7 ←
 beste Teiler 93.4 (2.) 225.0 (5.) 231.7 (4.)
 Trefferlage 0.30 mm links, 2.31 mm hoch
 Streuwert 6.18, horizontal: 8.19, vertikal: 3.05



Serie 2:
 9.9 ↘ 9.7 → 9.6 ↗ 10.5 * 10.4 *
 9.5 ↘ 10.6 * 9.6 → 10.4 * 9.1 →
 beste Teiler 291.8 (17.) 379.4 (14.) 405.0 (19.)
 Trefferlage 3.36 mm rechts, 3.34 mm hoch
 Streuwert 5.65, horizontal: 6.26, vertikal: 4.97



Serie 3:
 10.3 ↘ 10.0 ← 10.3 * 10.5 * 10.5 *
 10.1 ↑ 9.2 ↘ 9.6 ↘ 9.7 ↘ 10.4 *
 beste Teiler 343.6 (24.) 387.9 (25.) 415.5 (30.)
 Trefferlage 1.18 mm rechts, 1.37 mm tief
 Streuwert 5.77, horizontal: 5.56, vertikal: 5.97





Serie 4:
 10.1 → 10.6 * 9.5 ← 9.0 ← 10.5 *
 8.9 ↗ 10.7 * 9.9 ↘ 10.2 ↗ 10.0 →
 beste Teiler 185.6 (37.) 254.5 (32.) 333.3 (35.)
 Trefferlage 1.06 mm links, 3.88 mm hoch
 Streuwert 6.37, horizontal: 8.39, vertikal: 3.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.5)
 Serien: 95 94 89 94
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2022 (9), 1871 (29), 1639 (11)
 beste Teiler 22.4 (16.) 127.1 (5.) 261.9 (19.)
 Trefferlage 2.92 mm rechts, 5.66 mm tief
 Streuwert 6.11, horizontal: 7.06, vertikal: 4.98




Serie 1:
 9.5 ↘ 10.6 * 10.6 * 10.1 ✓ 10.8 *
 9.6 → 10.1 ↘ 10.2 ↓ 8.4 → 9.3 ↘
 beste Teiler 127.1 (5.) 265.2 (2.) 303.3 (3.)
 Trefferlage 4.32 mm rechts, 2.53 mm tief
 Streuwert 6.35, horizontal: 7.79, vertikal: 4.45



Serie 2:
 8.9 ↘ 9.5 → 10.0 ↓ 9.9 ↘ 10.4 *
 10.9 * 9.5 ✓ 9.2 ↓ 10.6 * 10.3 ✓
 beste Teiler 22.4 (16.) 261.9 (19.) 437.3 (15.)
 Trefferlage 1.60 mm rechts, 6.04 mm tief
 Streuwert 5.38, horizontal: 5.70, vertikal: 5.05



Serie 3:
 9.7 → 9.7 ✓ 8.9 → 9.5 ✓ 10.1 ↓
 9.7 ↓ 9.4 ↓ 9.1 → 8.6 → 9.0 ✓
 beste Teiler 690.9 (25.) 981.3 (26.) 987.1 (22.)
 Trefferlage 3.77 mm rechts, 7.35 mm tief
 Streuwert 7.50, horizontal: 9.89, vertikal: 3.82



Serie 4:
 10.5 * 10.5 * 9.9 → 9.2 ↓ 10.1 ↘
 9.4 ↓ 9.1 ↓ 9.9 ← 9.5 ↓ 10.3 *
 beste Teiler 358.0 (31.) 363.5 (32.) 511.7 (40.)
 Trefferlage 2.01 mm rechts, 6.70 mm tief
 Streuwert 5.04, horizontal: 4.35, vertikal: 5.65

Unterschrift des Schützen

Meyton Elektronik