





Ergebnis: **369.2** (350)  
 Serien: 94.9 89.1 91.7 93.5  
 Zähler: 9 17 9 5 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 997 (19), 865 (11), 860 (9)  
 beste Teiler 90.0 (3.) 136.5 (2.) 147.4 (14.)  
 Trefferlage 1.24 mm rechts, 1.37 mm hoch  
 Streuwert 3.23, horizontal: 3.64, vertikal: 2.77




Serie 1:  
 8.0 → 10.4 \* 10.6 \* 9.9 ↗ 9.7 ↗  
 10.1 ↑ 10.2 \* 9.9 ↖ 7.5 ↘ 8.6 ↘  
 beste Teiler 90.0 (3.) 136.5 (2.) 198.5 (7.)  
 Trefferlage 0.87 mm rechts, 1.08 mm hoch  
 Streuwert 3.14, horizontal: 3.31, vertikal: 2.96



Serie 2:  
 7.5 ↗ 9.9 ↘ 8.8 ↗ 10.4 \* 10.3 \*  
 9.4 ↗ 9.0 → 8.2 ← 7.0 ↘ 8.6 ↗  
 beste Teiler 147.4 (14.) 159.2 (15.) 261.7 (12.)  
 Trefferlage 0.78 mm rechts, 2.72 mm hoch  
 Streuwert 3.75, horizontal: 4.69, vertikal: 2.48



Serie 3:  
 9.3 ↗ 9.3 ↗ 8.9 ↑ 9.7 ↘ 7.7 ↗  
 9.6 ↗ 9.2 ↘ 10.1 → 10.0 ↖ 7.9 ↘  
 beste Teiler 216.3 (28.) 228.6 (29.) 317.6 (24.)  
 Trefferlage 0.91 mm rechts, 2.69 mm hoch  
 Streuwert 2.95, horizontal: 3.57, vertikal: 2.15





Serie 4:  
 10.2 \* 9.2 ↓ 8.2 → 9.4 → 8.8 →  
 9.9 ↓ 9.9 → 8.5 → 9.7 ↖ 9.7 →  
 beste Teiler 196.2 (31.) 252.2 (37.) 272.9 (36.)  
 Trefferlage 2.40 mm rechts, 0.98 mm tief  
 Streuwert 2.57, horizontal: 3.12, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364.9** (348)  
 Serien: 94.8 88.9 90.5 90.7  
 Zähler: 11 12 12 4 1 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1005 (28), 861 (18), 851 (11)  
 beste Teiler 84.0 (5.) 107.4 (21.) 130.0 (20.)  
 Trefferlage 0.13 mm rechts, 1.44 mm hoch  
 Streuwert 3.58, horizontal: 4.21, vertikal: 2.80




Serie 1:  
 9.8 → 8.5 ↗ 9.7 ↙ 7.7 ↓ 10.6 \*  
 10.4 \* 10.4 \* 8.4 ↗ 10.2 \* 9.1 ↘  
 beste Teiler 84.0 (5.) 141.0 (7.) 149.5 (6.)  
 Trefferlage 0.16 mm rechts, 0.55 mm hoch  
 Streuwert 3.24, horizontal: 2.47, vertikal: 3.86



Serie 2:  
 7.5 ↗ 10.2 \* 9.5 ↘ 8.6 → 8.4 →  
 9.8 ↗ 9.0 ↑ 7.5 ↘ 8.0 ↗ 10.4 \*  
 beste Teiler 130.0 (20.) 193.2 (12.) 290.8 (16.)  
 Trefferlage 0.98 mm rechts, 2.87 mm hoch  
 Streuwert 3.61, horizontal: 4.51, vertikal: 2.40



Serie 3:  
 10.5 \* 8.7 ↘ 10.3 \* 10.1 ↘ 8.8 ←  
 8.4 → 10.2 \* 6.9 ← 8.1 ↘ 8.5 ↘  
 beste Teiler 107.4 (21.) 164.6 (23.) 191.3 (27.)  
 Trefferlage 2.35 mm links, 1.70 mm hoch  
 Streuwert 3.51, horizontal: 4.50, vertikal: 2.11





Serie 4:  
 10.3 \* 8.0 → 9.7 ↘ 9.0 → 9.7 ↗  
 9.3 → 7.8 → 9.1 ← 9.2 → 8.6 ↙  
 beste Teiler 169.2 (31.) 303.3 (33.) 324.5 (35.)  
 Trefferlage 1.75 mm rechts, 0.64 mm hoch  
 Streuwert 3.50, horizontal: 4.41, vertikal: 2.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379.5** (362)  
 Serien: 95.0 96.4 95.3 92.8  
 Zähler: 11 20 9 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 708 (29), 605 (4), 566 (16)  
 beste Teiler 39.0 (13.) 51.7 (39.) 103.8 (19.)  
 Trefferlage 0.01 mm rechts, 1.70 mm hoch  
 Streuwert 2.61, horizontal: 2.99, vertikal: 2.16




Serie 1:  
 9.5 ↑                      9.7 ↖                      9.0 ↘                      8.5 ↗                      10.0 ↙  
 8.8 ←                      10.5 \*                      8.9 →                      9.6 ↘                      10.5 \*  
 beste Teiler 106.5 (7.) 124.3 (10.) 246.6 (5.)  
 Trefferlage 0.39 mm links, 1.76 mm hoch  
 Streuwert 2.63, horizontal: 3.10, vertikal: 2.05



Serie 2:  
 9.0 ↓                      10.4 \*                      10.8 \*                      9.5 →                      10.1 ↖  
 8.7 →                      8.9 ↘                      9.5 →                      10.5 \*                      9.0 ←  
 beste Teiler 39.0 (13.) 103.8 (19.) 141.4 (12.)  
 Trefferlage 0.55 mm rechts, 0.11 mm hoch  
 Streuwert 2.76, horizontal: 3.31, vertikal: 2.08



Serie 3:  
 9.8 ←                      10.2 \*                      9.1 →                      9.8 ↑                      8.9 ↗  
 10.2 \*                      9.0 ↑                      9.9 ←                      8.1 ↘                      10.3 \*  
 beste Teiler 159.0 (30.) 189.6 (22.) 197.6 (26.)  
 Trefferlage 0.46 mm links, 1.74 mm hoch  
 Streuwert 2.61, horizontal: 3.23, vertikal: 1.77





Serie 4:  
 9.1 →                      9.4 ↑                      9.0 ↑                      9.2 ↘                      8.7 ↑  
 8.7 ↖                      9.2 ↗                      9.8 ↑                      10.7 \*                      9.0 ↘  
 beste Teiler 51.7 (39.) 281.8 (38.) 393.5 (32.)  
 Trefferlage 0.36 mm rechts, 3.19 mm hoch  
 Streuwert 2.24, horizontal: 2.60, vertikal: 1.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.4** (372)  
 Serien: 96.9 94.0 96.9 100.6  
 Zähler: 20 13 6 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 912 (4), 632 (22), 618 (14)  
 beste Teiler 42.5 (33.) 57.0 (21.) 75.4 (26.)  
 Trefferlage 0.55 mm rechts, 0.12 mm hoch  
 Streuwert 2.60, horizontal: 2.79, vertikal: 2.40




Serie 1:  
 9.5 → 10.5 \* 9.9 ↑ 7.3 → 9.0 ↓  
 9.5 ↘ 10.1 ↑ 10.4 \* 10.6 \* 10.1 ←  
 beste Teiler 76.0 (9.) 110.4 (2.) 137.7 (8.)  
 Trefferlage 0.98 mm rechts, 0.76 mm hoch  
 Streuwert 2.77, horizontal: 3.12, vertikal: 2.37



Serie 2:  
 9.0 ↓ 10.2 \* 9.4 → 8.5 ↓ 9.7 ↗  
 8.7 ↘ 10.2 \* 8.9 ↗ 9.0 → 10.4 \*  
 beste Teiler 126.7 (20.) 186.8 (17.) 195.3 (12.)  
 Trefferlage 1.52 mm rechts, 0.10 mm tief  
 Streuwert 2.94, horizontal: 2.53, vertikal: 3.30



Serie 3:  
 10.7 \* 8.4 → 10.5 \* 8.7 ← 9.3 ←  
 10.7 \* 9.3 ↓ 10.0 ↗ 10.3 \* 9.0 ↓  
 beste Teiler 57.0 (21.) 75.4 (26.) 102.0 (23.)  
 Trefferlage 0.40 mm rechts, 0.57 mm tief  
 Streuwert 2.74, horizontal: 3.42, vertikal: 1.82





Serie 4:  
 9.3 ↓ 8.9 ↘ 10.8 \* 10.4 \* 10.1 ↘  
 10.3 \* 9.8 ↘ 10.2 \* 10.3 \* 10.5 \*  
 beste Teiler 42.5 (33.) 101.1 (40.) 137.0 (34.)  
 Trefferlage 0.69 mm links, 0.42 mm hoch  
 Streuwert 1.85, horizontal: 1.68, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365.0** (349)  
 Serien: 92.0 92.4 91.3 89.3  
 Zähler: 6 19 13 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 798 (38), 765 (23), 721 (4)  
 beste Teiler 76.9 (21.) 118.3 (19.) 153.9 (13.)  
 Trefferlage 0.41 mm links, 0.01 mm tief  
 Streuwert 3.50, horizontal: 3.50, vertikal: 3.50




Serie 1:  
 9.8 ↓                      9.8 ↙                      8.9 ↘                      8.1 ↗                      10.0 →  
 9.0 ←                      9.4 →                      9.5 ←                      8.2 ↖                      9.3 ↓  
 beste Teiler 235.4 (5.) 286.1 (1.) 290.8 (2.)  
 Trefferlage 1.13 mm links, 0.25 mm hoch  
 Streuwert 3.35, horizontal: 3.64, vertikal: 3.04



Serie 2:  
 8.4 ←                      8.3 ↘                      10.3 \*                      9.3 ↑                      10.3 \*  
 8.3 ↘                      9.5 ↘                      8.1 ↓                      10.5 \*                      9.4 ↑  
 beste Teiler 118.3 (19.) 153.9 (13.) 167.3 (15.)  
 Trefferlage 0.04 mm links, 0.58 mm tief  
 Streuwert 3.55, horizontal: 3.22, vertikal: 3.84



Serie 3:  
 10.6 \*                      9.2 ↘                      7.9 →                      9.4 ↑                      9.4 ↓  
 8.4 ↘                      9.5 ←                      8.7 →                      10.0 ↖                      8.2 ↙  
 beste Teiler 76.9 (21.) 244.5 (29.) 371.0 (27.)  
 Trefferlage 1.15 mm rechts, 1.45 mm tief  
 Streuwert 3.43, horizontal: 3.65, vertikal: 3.19



Serie 4:  
 9.3 ↑                      9.2 ←                      9.2 ↘                      9.8 ←                      8.6 ↗  
 8.6 ←                      9.0 ↑                      7.8 ↘                      8.8 ↓                      9.0 ↑  
 beste Teiler 299.7 (34.) 423.8 (31.) 427.0 (32.)  
 Trefferlage 1.63 mm links, 1.73 mm hoch  
 Streuwert 3.45, horizontal: 3.33, vertikal: 3.57

Unterschrift des Schützen

Meyton Elektronik