





Ergebnis: **353.0** (335)
 Serien: 81.1 91.1 95.1 85.7
 Zähler: 8 13 12 3 1 3 0 0 0 0
 Innenzehner: 5
 weiteste: 1437 (34), 1318 (31), 1289 (4)
 beste Teiler 41.2 (28.) 90.3 (30.) 117.3 (25.)
 Trefferlage 1.84 mm rechts, 0.35 mm tief
 Streuwert 4.30, horizontal: 5.38, vertikal: 2.85




Serie 1:
 7.9 → 10.0 → 8.5 ↖ 5.8 ↖ 7.0 ↖
 8.3 ↙ 6.3 → 9.2 → 9.2 ↓ 8.9 →
 beste Teiler 233.6 (2.) 435.8 (9.) 448.5 (8.)
 Trefferlage 0.28 mm rechts, 0.30 mm tief
 Streuwert 5.83, horizontal: 7.13, vertikal: 4.14



Serie 2:
 9.6 ↓ 9.9 ← 8.1 ↘ 8.4 → 9.5 ↖
 8.5 ↗ 9.5 → 10.2 * 7.9 → 9.5 ↑
 beste Teiler 197.3 (18.) 252.3 (12.) 339.4 (11.)
 Trefferlage 1.98 mm rechts, 0.13 mm hoch
 Streuwert 3.41, horizontal: 3.63, vertikal: 3.17





Serie 3:
 9.5 ↓ 8.8 → 9.8 → 9.6 ↓ 10.5 *
 8.1 → 8.0 → 10.8 * 9.4 ↓ 10.6 *
 beste Teiler 41.2 (28.) 90.3 (30.) 117.3 (25.)
 Trefferlage 1.93 mm rechts, 1.18 mm tief
 Streuwert 2.72, horizontal: 3.55, vertikal: 1.48




Serie 4:
 5.7 → 9.3 ↓ 8.5 ← 5.2 → 10.3 *
 8.1 → 9.8 ← 10.0 ↘ 8.8 → 10.0 ↖
 beste Teiler 161.9 (35.) 233.9 (40.) 244.0 (38.)
 Trefferlage 3.16 mm rechts, 0.06 mm tief
 Streuwert 4.94, horizontal: 6.63, vertikal: 2.18

Unterschrift des Schützen


Ergebnis: **370.9** (355)
 Serien: 91.6 92.7 90.0 96.6
 Zähler: 11 14 14 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 859 (31), 739 (8), 714 (28)
 beste Teiler 58.8 (21.) 135.5 (33.) 158.2 (34.)
 Trefferlage 0.71 mm links, 0.16 mm hoch
 Streuwert 3.32, horizontal: 3.78, vertikal: 2.79




Serie 1:
 10.3 * 9.0 ↖ 8.9 ↙ 10.3 * 9.2 ↓
 8.1 ↖ 9.7 ↘ 8.0 ↗ 9.7 → 8.4 ↖
 beste Teiler 165.0 (1.) 175.0 (4.) 304.3 (9.)
 Trefferlage 1.87 mm links, 0.59 mm tief
 Streuwert 3.36, horizontal: 3.59, vertikal: 3.12



Serie 2:
 8.1 ↖ 10.0 ← 8.9 ↘ 10.1 → 10.2 *
 8.5 ↓ 8.5 ← 9.0 ↖ 10.2 * 9.2 →
 beste Teiler 183.4 (15.) 191.9 (19.) 225.2 (14.)
 Trefferlage 0.74 mm links, 0.90 mm tief
 Streuwert 3.31, horizontal: 3.97, vertikal: 2.47



Serie 3:
 10.7 * 8.6 ↑ 9.6 ↘ 9.5 ↑ 8.3 ↑
 8.2 → 9.0 ↘ 8.1 ↖ 8.3 ↖ 9.7 ↑
 beste Teiler 58.8 (21.) 323.5 (30.) 342.6 (23.)
 Trefferlage 0.22 mm links, 1.50 mm hoch
 Streuwert 3.78, horizontal: 3.98, vertikal: 3.56





Serie 4:
 7.5 ← 9.8 → 10.4 * 10.3 * 8.6 →
 9.8 → 10.2 * 9.9 ↖ 9.9 ↖ 10.2 *
 beste Teiler 135.5 (33.) 158.2 (34.) 193.3 (37.)
 Trefferlage 0.03 mm links, 0.65 mm hoch
 Streuwert 2.86, horizontal: 3.89, vertikal: 1.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370.7** (351)
 Serien: 94.0 93.4 89.2 94.1
 Zähler: 6 24 7 1 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1071 (30), 1063 (5), 775 (22)
 beste Teiler 31.7 (8.) 70.2 (6.) 113.9 (14.)
 Trefferlage 0.93 mm links, 0.60 mm hoch
 Streuwert 3.33, horizontal: 3.31, vertikal: 3.36




Serie 1:
 9.8 ↗ 10.4 * 8.2 ↘ 9.1 ↖ 6.7 ←
 10.7 * 9.4 ↙ 10.8 * 8.6 ← 10.3 *
 beste Teiler 31.7 (8.) 70.2 (6.) 129.7 (2.)
 Trefferlage 1.49 mm links, 0.06 mm tief
 Streuwert 3.53, horizontal: 4.16, vertikal: 2.76



Serie 2:
 9.3 ↖ 8.2 ↗ 10.4 * 10.5 * 9.0 ←
 9.9 ↖ 8.0 ↗ 8.5 ↘ 9.7 ↙ 9.9 ↑
 beste Teiler 113.9 (14.) 131.5 (13.) 252.0 (20.)
 Trefferlage 0.50 mm links, 1.79 mm hoch
 Streuwert 3.06, horizontal: 3.27, vertikal: 2.83



Serie 3:
 9.7 ↘ 7.9 ↖ 8.9 ↑ 9.6 ↓ 9.4 ↗
 9.1 ↑ 9.1 ↖ 9.4 ↗ 9.4 → 6.7 ↓
 beste Teiler 305.3 (21.) 340.0 (24.) 376.7 (28.)
 Trefferlage 1.03 mm links, 0.00 mm
 Streuwert 4.08, horizontal: 3.18, vertikal: 4.82





Serie 4:
 9.4 ↖ 9.4 ↖ 9.9 ← 9.5 ↓ 9.1 ↑
 9.8 ← 9.3 → 8.9 ↘ 9.2 ↑ 9.6 ↖
 beste Teiler 270.4 (33.) 296.6 (36.) 341.2 (40.)
 Trefferlage 0.71 mm links, 0.67 mm hoch
 Streuwert 2.85, horizontal: 2.96, vertikal: 2.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385.1** (366)
 Serien: 96.3 98.1 93.1 97.6
 Zähler: 13 20 7 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 673 (2), 666 (28), 599 (34)
 beste Teiler 23.0 (9.) 73.0 (10.) 94.6 (19.)
 Trefferlage 0.25 mm rechts, 0.26 mm tief
 Streuwert 2.64, horizontal: 3.02, vertikal: 2.19




Serie 1:
 9.2 ↙ 8.3 ↑ 9.0 ↙ 9.2 ↑ 9.8 ↖
 9.4 ↓ 9.8 ← 10.0 ← 10.9 * 10.7 *
 beste Teiler 23.0 (9.) 73.0 (10.) 235.4 (8.)
 Trefferlage 1.32 mm links, 0.06 mm hoch
 Streuwert 2.67, horizontal: 1.81, vertikal: 3.31



Serie 2:
 9.9 ↗ 10.0 ↑ 10.0 ↓ 10.4 * 9.8 ↖
 8.9 ↘ 9.1 → 10.3 * 10.6 * 9.1 →
 beste Teiler 94.6 (19.) 141.4 (14.) 173.0 (18.)
 Trefferlage 1.77 mm rechts, 0.32 mm hoch
 Streuwert 1.95, horizontal: 2.19, vertikal: 1.67



Serie 3:
 9.3 ↖ 9.6 ← 9.8 → 8.6 → 8.6 →
 9.9 → 9.7 ↘ 8.3 ↙ 10.0 ← 9.3 ↘
 beste Teiler 237.6 (29.) 257.5 (26.) 284.1 (23.)
 Trefferlage 0.76 mm rechts, 0.85 mm tief
 Streuwert 3.12, horizontal: 4.08, vertikal: 1.67



Serie 4:
 10.2 * 10.0 ↗ 9.8 → 8.6 ← 9.9 ←
 10.4 * 9.8 ↘ 9.8 ↖ 10.4 * 8.7 ↘
 beste Teiler 136.0 (36.) 142.2 (39.) 181.9 (31.)
 Trefferlage 0.19 mm links, 0.60 mm tief
 Streuwert 2.47, horizontal: 2.99, vertikal: 1.81

Unterschrift des Schützen

Meyton Elektronik