





Ergebnis: **402.8** (386)  
 Serien: 99.8 101.0 98.7 103.3  
 Zähler: 27 12 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 556 (24), 499 (30), 469 (25)  
 beste Teiler 48.4 (21.) 53.3 (34.) 55.0 (40.)  
 Trefferlage 0.05 mm links, 0.14 mm tief  
 Streuwert 1.86, horizontal: 2.29, vertikal: 1.29




Serie 1:  
 10.4 \* 9.5 → 9.4 ↘ 10.2 \* 10.4 \*  
 9.3 ↙ 10.1 ↗ 9.8 ← 10.2 \* 10.5 \*  
 beste Teiler 115.1 (10.) 135.0 (1.) 136.1 (5.)  
 Trefferlage 0.33 mm links, 0.20 mm hoch  
 Streuwert 1.98, horizontal: 2.41, vertikal: 1.43



Serie 2:  
 10.4 \* 10.3 \* 10.1 ↘ 10.6 \* 9.7 ←  
 10.7 \* 9.1 ↙ 9.4 ← 10.7 \* 10.0 →  
 beste Teiler 61.1 (19.) 74.0 (16.) 95.1 (14.)  
 Trefferlage 0.42 mm links, 0.29 mm hoch  
 Streuwert 1.81, horizontal: 2.34, vertikal: 1.03



Serie 3:  
 10.8 \* 10.3 \* 10.7 \* 8.7 ← 9.1 →  
 9.4 ↘ 10.3 \* 10.4 \* 10.0 ← 9.0 →  
 beste Teiler 48.4 (21.) 68.1 (23.) 138.2 (28.)  
 Trefferlage 0.23 mm rechts, 0.95 mm tief  
 Streuwert 2.31, horizontal: 3.03, vertikal: 1.20





Serie 4:  
 10.5 \* 10.2 \* 9.9 ↗ 10.7 \* 10.4 \*  
 10.1 ↙ 9.8 ↘ 10.6 \* 10.4 \* 10.7 \*  
 beste Teiler 53.3 (34.) 55.0 (40.) 88.8 (38.)  
 Trefferlage 0.31 mm rechts, 0.12 mm tief  
 Streuwert 1.30, horizontal: 1.32, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>395.1</b>	(380)
Serien:	99.9	99.9 98.1 97.2
Zähler:	23	14 3 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	562	(23), 558 (31), 501 (33)
beste Teiler	78.0	(12.) 79.0 (6.) 94.5 (28.)
Trefferlage	0.79 mm	rechts, 0.35 mm hoch
Streuwert	2.04,	horizontal: 2.40, vertikal: 1.61




Serie 1:	10.1 ↙	10.0 ↘	9.0 ←	10.4 *	9.5 ↘
	10.6 *	10.0 →	9.9 ↙	10.1 ↑	10.3 *
beste Teiler	79.0	(6.) 150.4	(4.) 154.9	(10.)	
Trefferlage	1.04 mm	links, 0.50 mm	hoch		
Streuwert	1.78,	horizontal: 2.16,	vertikal: 1.29		



Serie 2:	9.1 →	10.6 *	9.9 ↘	9.8 ↘	10.1 ↙
	10.2 *	9.3 ↗	10.2 *	10.4 *	10.3 *
beste Teiler	78.0	(12.) 133.6	(19.) 151.3	(20.)	
Trefferlage	0.87 mm	rechts, 0.63 mm	tief		
Streuwert	1.80,	horizontal: 1.94,	vertikal: 1.64		



Serie 3:	9.8 →	9.2 ↑	8.7 →	10.4 *	9.9 ↗
	10.1 ↘	10.1 →	10.6 *	10.0 ←	9.3 →
beste Teiler	94.5	(28.) 129.5	(24.) 202.2	(26.)	
Trefferlage	1.31 mm	rechts, 0.53 mm	hoch		
Streuwert	2.12,	horizontal: 2.57,	vertikal: 1.53		





Serie 4:	8.7 ↗	9.6 ↗	8.9 →	10.4 *	10.0 →
	9.5 →	10.5 *	10.0 ↗	9.3 ↑	10.3 *
beste Teiler	120.6	(37.) 134.2	(34.) 167.8	(40.)	
Trefferlage	2.05 mm	rechts, 1.03 mm	hoch		
Streuwert	1.86,	horizontal: 2.03,	vertikal: 1.68		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.9** (383)  
 Serien: 102.3 101.9 101.5 99.2  
 Zähler: 25 13 2 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 609 (40), 501 (33), 456 (34)  
 beste Teiler 30.0 (39.) 33.6 (1.) 44.5 (21.)  
 Trefferlage 0.34 mm rechts, 0.29 mm tief  
 Streuwert 1.70, horizontal: 1.97, vertikal: 1.37




Serie 1:  
 10.8 \*                      10.2 \*                      10.2 \*                      10.2 \*                      9.7 ↙  
 10.6 \*                      10.5 \*                      9.7 →                      9.9 ↙                      10.5 \*  
 beste Teiler 33.6 (1.) 80.6 (6.) 121.1 (7.)  
 Trefferlage 0.11 mm rechts, 0.33 mm tief  
 Streuwert 1.49, horizontal: 1.39, vertikal: 1.58



Serie 2:  
 9.8 ↙                      10.0 ↖                      10.7 \*                      9.9 ↙                      10.1 ↘  
 10.4 \*                      10.7 \*                      10.3 \*                      9.7 →                      10.3 \*  
 beste Teiler 60.4 (13.) 65.0 (17.) 136.0 (16.)  
 Trefferlage 0.23 mm links, 0.13 mm tief  
 Streuwert 1.53, horizontal: 1.92, vertikal: 0.99





Serie 3:  
 10.8 \*                      9.8 ↙                      10.2 \*                      9.9 ↖                      10.0 ↘  
 10.4 \*                      9.7 ↖                      9.9 ↙                      10.4 \*                      10.4 \*  
 beste Teiler 44.5 (21.) 132.2 (29.) 137.2 (26.)  
 Trefferlage 0.59 mm links, 0.46 mm tief  
 Streuwert 1.54, horizontal: 1.46, vertikal: 1.61




Serie 4:  
 9.9 →                      10.6 \*                      8.9 →                      9.1 ↘                      10.5 \*  
 9.9 →                      10.6 \*                      10.4 \*                      10.8 \*                      8.5 ↘  
 beste Teiler 30.0 (39.) 79.9 (37.) 83.2 (32.)  
 Trefferlage 2.10 mm rechts, 0.23 mm tief  
 Streuwert 1.77, horizontal: 2.05, vertikal: 1.42

Unterschrift des Schützen


Ergebnis: **404.3** (385)  
 Serien: 101.2 102.3 99.7 101.1  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 632 (26), 447 (35), 394 (32)  
 beste Teiler 3.6 (24.) 13.4 (40.) 30.0 (17.)  
 Trefferlage 0.04 mm rechts, 0.83 mm tief  
 Streuwert 1.68, horizontal: 2.10, vertikal: 1.13




Serie 1:  
 9.6 ↙ 10.8 \* 10.4 \* 9.9 ↘ 10.7 \*  
 9.7 ← 9.4 ↖ 10.4 \* 10.1 ↗ 10.2 \*  
 beste Teiler 45.0 (2.) 55.8 (5.) 129.6 (3.)  
 Trefferlage 0.79 mm links, 0.26 mm tief  
 Streuwert 1.65, horizontal: 1.78, vertikal: 1.50



Serie 2:  
 10.6 \* 10.1 ↓ 9.5 → 10.2 \* 10.7 \*  
 10.2 \* 10.8 \* 10.7 \* 9.4 → 10.1 →  
 beste Teiler 30.0 (17.) 51.2 (15.) 66.5 (18.)  
 Trefferlage 0.83 mm rechts, 0.83 mm tief  
 Streuwert 1.33, horizontal: 1.71, vertikal: 0.77





Serie 3:  
 9.6 ↙ 10.1 ← 10.0 ← 10.9 \* 9.8 ↓  
 8.4 → 10.2 \* 9.8 ↗ 10.2 \* 10.7 \*  
 beste Teiler 3.6 (24.) 66.1 (30.) 179.8 (29.)  
 Trefferlage 0.42 mm links, 1.12 mm tief  
 Streuwert 2.00, horizontal: 2.59, vertikal: 1.13




Serie 4:  
 10.5 \* 9.4 → 10.1 ↓ 10.4 \* 9.2 ↘  
 9.8 → 10.3 \* 10.6 \* 9.9 ↗ 10.9 \*  
 beste Teiler 13.4 (40.) 93.6 (38.) 101.1 (31.)  
 Trefferlage 0.55 mm rechts, 1.13 mm tief  
 Streuwert 1.59, horizontal: 2.07, vertikal: 0.91

Unterschrift des Schützen


Ergebnis: **410.3** (391)  
 Serien: 103.4 101.3 103.0 102.6  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 389 (15), 374 (3), 310 (16)  
 beste Teiler 37.6 (30.) 51.6 (18.) 60.8 (2.)  
 Trefferlage 0.34 mm links, 0.02 mm hoch  
 Streuwert 1.37, horizontal: 1.60, vertikal: 1.10




Serie 1:  
 10.7 \*                      10.7 \*                      9.5 ←                      10.6 \*                      10.3 \*  
 10.3 \*                      10.5 \*                      10.5 \*                      10.4 \*                      9.9 ↘  
 beste Teiler 60.8 (2.) 64.7 (1.) 85.4 (4.)  
 Trefferlage 0.17 mm links, 0.14 mm hoch  
 Streuwert 1.34, horizontal: 1.43, vertikal: 1.23



Serie 2:  
 9.7 ↙                      10.5 \*                      10.4 \*                      10.1 ↗                      9.4 ←  
 9.7 ←                      9.9 ↙                      10.7 \*                      10.4 \*                      10.5 \*  
 beste Teiler 51.6 (18.) 106.4 (20.) 114.6 (12.)  
 Trefferlage 1.18 mm links, 0.16 mm tief  
 Streuwert 1.46, horizontal: 1.63, vertikal: 1.27



Serie 3:  
 10.3 \*                      9.9 ←                      10.4 \*                      10.2 \*                      10.6 \*  
 9.8 ←                      10.6 \*                      10.3 \*                      10.1 ↑                      10.8 \*  
 beste Teiler 37.6 (30.) 95.6 (25.) 97.3 (27.)  
 Trefferlage 0.17 mm links, 0.10 mm hoch  
 Streuwert 1.33, horizontal: 1.59, vertikal: 1.02





Serie 4:  
 10.3 \*                      10.5 \*                      10.1 →                      10.2 \*                      10.0 ↖  
 10.5 \*                      10.7 \*                      9.9 ↙                      10.4 \*                      10.0 →  
 beste Teiler 61.4 (37.) 113.8 (36.) 122.1 (32.)  
 Trefferlage 0.16 mm rechts, 0.00 mm  
 Streuwert 1.36, horizontal: 1.65, vertikal: 0.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.5** (390)  
 Serien: 102.6 99.1 103.0 101.8  
 Zähler: 31 8 1 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 548 (12), 373 (31), 362 (39)  
 beste Teiler 20.2 (27.) 50.8 (35.) 52.0 (2.)  
 Trefferlage 0.53 mm rechts, 0.39 mm hoch  
 Streuwert 1.53, horizontal: 1.92, vertikal: 1.00




Serie 1:  
 10.1 ↘ 10.7 \* 10.1 ↗ 10.0 ↗ 10.3 \*  
 9.9 → 10.4 \* 10.1 ↙ 10.6 \* 10.4 \*  
 beste Teiler 52.0 (2.) 92.6 (9.) 136.1 (10.)  
 Trefferlage 0.90 mm rechts, 0.02 mm hoch  
 Streuwert 1.21, horizontal: 1.25, vertikal: 1.16



Serie 2:  
 10.1 ← 8.8 ← 9.7 ↗ 9.9 ↗ 9.7 ↖  
 10.1 → 10.6 \* 10.1 ↗ 10.0 ↘ 10.1 ↗  
 beste Teiler 97.5 (17.) 201.0 (18.) 203.6 (20.)  
 Trefferlage 0.25 mm links, 0.85 mm hoch  
 Streuwert 2.00, horizontal: 2.67, vertikal: 0.92



Serie 3:  
 10.2 \* 10.1 ↖ 9.7 ↗ 10.3 \* 10.6 \*  
 10.7 \* 10.9 \* 10.4 \* 10.2 \* 9.9 ↖  
 beste Teiler 20.2 (27.) 70.0 (26.) 87.8 (25.)  
 Trefferlage 0.55 mm rechts, 0.30 mm hoch  
 Streuwert 1.34, horizontal: 1.59, vertikal: 1.03





Serie 4:  
 9.5 → 10.0 ↖ 10.7 \* 10.1 ↖ 10.8 \*  
 10.5 \* 10.5 \* 10.2 \* 9.5 → 10.0 →  
 beste Teiler 50.8 (35.) 54.1 (33.) 106.0 (36.)  
 Trefferlage 0.92 mm rechts, 0.37 mm hoch  
 Streuwert 1.47, horizontal: 1.91, vertikal: 0.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **413.0** (393)  
 Serien: 104.0 103.6 102.8 102.6  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 370 (40), 301 (29), 284 (13)  
 beste Teiler 26.6 (4.) 33.5 (12.) 39.0 (5.)  
 Trefferlage 0.52 mm links, 0.13 mm hoch  
 Streuwert 1.20, horizontal: 1.42, vertikal: 0.92




Serie 1:  
 10.3 \*                      10.5 \*                      10.5 \*                      10.8 \*                      10.8 \*  
 10.2 \*                      10.2 \*                      9.9 ←                      10.5 \*                      10.3 \*  
 beste Teiler 26.6 (4.) 39.0 (5.) 103.0 (2.)  
 Trefferlage 0.39 mm links, 0.31 mm hoch  
 Streuwert 1.08, horizontal: 1.28, vertikal: 0.84



Serie 2:  
 10.5 \*                      10.8 \*                      9.8 ↖                      10.3 \*                      10.7 \*  
 10.7 \*                      10.2 \*                      10.5 \*                      10.2 \*                      9.9 ←  
 beste Teiler 33.5 (12.) 57.5 (16.) 69.4 (15.)  
 Trefferlage 0.50 mm links, 0.16 mm hoch  
 Streuwert 1.20, horizontal: 1.54, vertikal: 0.72



Serie 3:  
 9.9 ↓                      10.4 \*                      10.4 \*                      10.4 \*                      10.6 \*  
 10.1 →                      10.5 \*                      10.5 \*                      9.7 ↖                      10.3 \*  
 beste Teiler 90.9 (25.) 101.0 (28.) 123.6 (27.)  
 Trefferlage 0.18 mm links, 0.21 mm tief  
 Streuwert 1.33, horizontal: 1.48, vertikal: 1.15





Serie 4:  
 10.7 \*                      10.5 \*                      10.2 \*                      10.1 ←                      10.4 \*  
 10.2 \*                      10.5 \*                      9.9 ↖                      10.6 \*                      9.5 ↖  
 beste Teiler 75.6 (31.) 83.8 (39.) 122.1 (32.)  
 Trefferlage 0.99 mm links, 0.27 mm hoch  
 Streuwert 1.24, horizontal: 1.45, vertikal: 0.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.7** (369)  
 Serien: 97.3 95.7 97.3 101.4  
 Zähler: 12 25 3 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 588 (17), 527 (13), 504 (22)  
 beste Teiler 38.4 (34.) 96.1 (36.) 129.8 (33.)  
 Trefferlage 0.43 mm rechts, 0.47 mm hoch  
 Streuwert 2.18, horizontal: 2.42, vertikal: 1.92




Serie 1:  
 9.8 ↘ 10.4 \* 10.4 \* 10.0 ↘ 9.5 ↑  
 9.2 ↗ 9.6 ↗ 9.6 ↗ 9.1 → 9.7 ↖  
 beste Teiler 140.2 (3.) 140.6 (2.) 232.1 (4.)  
 Trefferlage 1.59 mm rechts, 0.97 mm hoch  
 Streuwert 1.95, horizontal: 1.85, vertikal: 2.05



Serie 2:  
 9.6 ↗ 10.3 \* 8.8 ↗ 10.1 → 9.7 →  
 9.9 → 8.6 ← 9.6 ↗ 9.2 ↑ 9.9 ↑  
 beste Teiler 153.0 (12.) 224.3 (14.) 262.5 (20.)  
 Trefferlage 0.85 mm rechts, 1.73 mm hoch  
 Streuwert 2.34, horizontal: 2.77, vertikal: 1.82



Serie 3:  
 9.9 ↑ 8.9 ← 9.6 → 9.5 ← 10.3 \*  
 9.8 → 9.7 ↘ 10.0 ↓ 9.7 ↓ 9.9 ↖  
 beste Teiler 155.5 (25.) 235.8 (28.) 252.2 (30.)  
 Trefferlage 0.53 mm links, 0.70 mm tief  
 Streuwert 2.24, horizontal: 2.64, vertikal: 1.77





Serie 4:  
 9.4 ← 9.9 ↗ 10.4 \* 10.8 \* 10.3 \*  
 10.6 \* 9.9 ← 9.9 ← 9.8 → 10.4 \*  
 beste Teiler 38.4 (34.) 96.1 (36.) 129.8 (33.)  
 Trefferlage 0.16 mm links, 0.10 mm tief  
 Streuwert 1.67, horizontal: 2.04, vertikal: 1.17

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **402.4** (385)  
 Serien: 100.2 99.4 100.3 102.5  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 503 (7), 474 (30), 436 (16)  
 beste Teiler 78.5 (29.) 82.7 (17.) 83.2 (40.)  
 Trefferlage 1.16 mm rechts, 0.08 mm hoch  
 Streuwert 1.61, horizontal: 1.86, vertikal: 1.31




Serie 1:  
 10.4 \*                      9.8 →                      10.3 \*                      9.9 →                      10.3 \*  
 9.8 ↑                      8.9 →                      10.3 \*                      10.4 \*                      10.1 →  
 beste Teiler 141.7 (9.) 150.0 (1.) 159.4 (8.)  
 Trefferlage 1.48 mm rechts, 0.64 mm hoch  
 Streuwert 1.50, horizontal: 1.72, vertikal: 1.25



Serie 2:  
 9.7 ↗                      9.6 ↗                      9.7 ↘                      10.1 →                      10.1 ↘  
 9.2 →                      10.6 \*                      10.6 \*                      10.5 \*                      9.3 →  
 beste Teiler 82.7 (17.) 93.8 (18.) 121.7 (19.)  
 Trefferlage 2.15 mm rechts, 0.31 mm tief  
 Streuwert 1.36, horizontal: 1.44, vertikal: 1.27



Serie 3:  
 9.5 →                      10.6 \*                      10.3 \*                      10.5 \*                      9.7 ↑  
 10.1 ↑                      9.3 ↘                      10.6 \*                      10.6 \*                      9.1 →  
 beste Teiler 78.5 (29.) 86.3 (22.) 93.8 (28.)  
 Trefferlage 1.46 mm rechts, 0.51 mm hoch  
 Streuwert 1.66, horizontal: 1.84, vertikal: 1.45



Serie 4:  
 10.2 \*                      10.0 →                      10.3 \*                      10.5 \*                      10.4 \*  
 10.5 \*                      10.3 \*                      10.0 ←                      9.7 ↓                      10.6 \*  
 beste Teiler 83.2 (40.) 118.0 (36.) 118.8 (34.)  
 Trefferlage 0.43 mm links, 0.50 mm tief  
 Streuwert 1.31, horizontal: 1.54, vertikal: 1.03

Unterschrift des Schützen

Meyton Elektronik