





Ergebnis: **374** (394.7)
 Serien: 90 94 97 93
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1945 (6), 1778 (5), 1698 (1)
 beste Teiler 45.8 (8.) 105.5 (29.) 144.0 (14.)
 Trefferlage 0.26 mm rechts, 0.71 mm hoch
 Streuwert 7.20, horizontal: 6.66, vertikal: 7.70




Serie 1:
 8.8 ↓ 10.0 ↘ 9.9 ↑ 10.5 * 8.7 ↑
 8.5 → 8.9 ↖ 10.9 * 10.7 * 9.9 ↓
 beste Teiler 45.8 (8.) 174.5 (9.) 375.8 (4.)
 Trefferlage 1.35 mm rechts, 0.68 mm hoch
 Streuwert 8.95, horizontal: 7.01, vertikal: 10.54



Serie 2:
 9.8 ↗ 9.9 ↑ 9.9 ↘ 10.8 * 10.6 *
 9.1 ↓ 9.2 ← 10.6 * 9.5 ↘ 10.2 ↓
 beste Teiler 144.0 (14.) 261.0 (15.) 283.2 (18.)
 Trefferlage 1.14 mm links, 0.92 mm tief
 Streuwert 6.66, horizontal: 6.29, vertikal: 7.01



Serie 3:
 9.1 ↘ 10.4 * 10.1 ← 10.6 * 9.5 ↑
 10.1 ↗ 10.7 * 9.4 ↗ 10.8 * 10.2 ←
 beste Teiler 105.5 (29.) 183.2 (27.) 281.4 (24.)
 Trefferlage 1.18 mm rechts, 1.18 mm hoch
 Streuwert 5.95, horizontal: 6.55, vertikal: 5.30





Serie 4:
 10.5 * 9.9 ↖ 10.0 ↓ 9.1 ↑ 9.1 ←
 9.1 ↗ 9.6 ↑ 10.5 * 9.8 ↓ 9.8 →
 beste Teiler 335.8 (31.) 344.8 (38.) 799.6 (33.)
 Trefferlage 0.34 mm links, 1.92 mm hoch
 Streuwert 7.73, horizontal: 7.45, vertikal: 8.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.6)
 Serien: 98 97 93 98
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1775 (21), 1582 (12), 1513 (39)
 beste Teiler 193.5 (5.) 220.9 (7.) 244.5 (20.)
 Trefferlage 1.44 mm rechts, 0.18 mm tief
 Streuwert 5.68, horizontal: 5.42, vertikal: 5.93




Serie 1:
 9.8 ↘ 9.3 ↗ 10.2 ↑ 10.0 → 10.7 *
 10.6 * 10.7 * 10.1 ↙ 10.5 * 10.4 *
 beste Teiler 193.5 (5.) 220.9 (7.) 266.1 (6.)
 Trefferlage 0.93 mm rechts, 1.32 mm hoch
 Streuwert 4.90, horizontal: 5.48, vertikal: 4.24



Serie 2:
 10.5 * 9.0 ↗ 9.6 ↘ 10.2 ↘ 10.1 ↑
 10.1 ↙ 9.8 ↘ 10.5 * 10.3 ↑ 10.6 *
 beste Teiler 244.5 (20.) 360.9 (11.) 395.9 (18.)
 Trefferlage 1.15 mm rechts, 0.10 mm tief
 Streuwert 5.88, horizontal: 4.20, vertikal: 7.18



Serie 3:
 8.7 ↗ 10.6 * 10.6 * 9.9 ↑ 9.8 ↘
 10.5 * 9.7 ↑ 10.3 * 9.1 ↓ 9.5 →
 beste Teiler 250.0 (22.) 284.3 (23.) 334.9 (26.)
 Trefferlage 3.94 mm rechts, 0.16 mm hoch
 Streuwert 6.62, horizontal: 5.53, vertikal: 7.55





Serie 4:
 10.4 * 10.1 ↙ 10.6 * 10.6 * 9.2 →
 10.6 * 10.5 * 10.3 ↙ 9.1 ↙ 10.5 *
 beste Teiler 285.5 (33.) 289.1 (36.) 315.2 (34.)
 Trefferlage 0.25 mm links, 2.11 mm tief
 Streuwert 5.34, horizontal: 6.19, vertikal: 4.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	373	(389.7)			
Serien:	90	92	93	98	
Zähler:	20	14	5	1	0 0 0 0 0 0
Innenzehner:	12				
weiteste:	2757 (28), 2176 (18), 2174 (7)				
beste Teiler	78.4 (4.) 110.4 (23.) 216.3 (39.)				
Trefferlage	1.08 mm rechts, 3.30 mm hoch				
Streuwert	7.81, horizontal: 8.11, vertikal: 7.49				




Serie 1:					
	9.8 ↗	9.0 ↑	9.6 ↖	10.9 *	9.4 ↑
	8.9 ↗	8.2 ↑	9.2 ↖	9.1 ↗	10.4 *
beste Teiler	78.4 (4.) 432.5 (10.) 931.4 (1.)				
Trefferlage	1.13 mm rechts, 9.94 mm hoch				
Streuwert	6.53, horizontal: 6.87, vertikal: 6.16				



Serie 2:					
	9.8 ↓	10.2 ↖	10.0 ↓	9.8 →	9.4 ↗
	10.5 *	9.3 →	8.2 ↗	9.6 ↖	9.8 →
beste Teiler	326.8 (16.) 621.2 (12.) 777.7 (13.)				
Trefferlage	6.18 mm rechts, 0.67 mm hoch				
Streuwert	7.06, horizontal: 6.64, vertikal: 7.45				



Serie 3:					
	8.6 ↗	10.0 ↖	10.8 *	10.4 *	10.1 ↖
	10.3 ↑	10.4 *	7.5 ↖	8.6 ↖	10.2 ↗
beste Teiler	110.4 (23.) 417.5 (27.) 438.6 (24.)				
Trefferlage	3.45 mm links, 4.66 mm hoch				
Streuwert	8.59, horizontal: 10.22, vertikal: 6.55				



Serie 4:					
	10.5 *	10.3 *	10.3 *	10.3 *	10.6 *
	9.1 ←	9.7 ↓	10.2 ↗	10.7 *	10.0 →
beste Teiler	216.3 (39.) 278.8 (35.) 361.8 (31.)				
Trefferlage	0.45 mm rechts, 2.05 mm tief				
Streuwert	5.14, horizontal: 6.10, vertikal: 3.96				

Unterschrift des Schützen