





Ergebnis: **412.1** (395)
 Serien: 103.4 102.0 103.0 103.7
 Zaehler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 335 (30), 309 (15), 289 (11)
 beste Teiler 25.3 (21.) 28.8 (10.) 36.6 (23.)
 Trefferlage 0.37 mm links, 0.10 mm tief
 Streuwert 1.28, horizontal: 1.37, vertikal: 1.18




Serie 1:
 9.9 → 10.6 * 10.6 * 10.4 * 10.0 ←
 10.0 ↖ 10.0 ↘ 10.8 * 10.3 * 10.8 *
 beste Teiler 28.8 (10.) 50.0 (8.) 87.9 (3.)
 Trefferlage 0.39 mm links, 0.76 mm hoch
 Streuwert 1.15, horizontal: 1.38, vertikal: 0.85



Serie 2:
 9.8 ↖ 10.7 * 9.8 → 10.5 * 9.7 ←
 10.6 * 10.4 * 10.1 ↘ 10.4 * 10.0 ↙
 beste Teiler 70.4 (12.) 95.4 (16.) 111.2 (14.)
 Trefferlage 0.35 mm links, 0.36 mm tief
 Streuwert 1.49, horizontal: 1.67, vertikal: 1.27



Serie 3:
 10.9 * 10.2 * 10.8 * 10.2 * 10.0 ←
 10.6 * 10.3 * 10.3 * 10.1 → 9.6 ↙
 beste Teiler 25.3 (21.) 36.6 (23.) 82.9 (26.)
 Trefferlage 0.00 mm , 0.81 mm tief
 Streuwert 1.26, horizontal: 1.39, vertikal: 1.13





Serie 4:
 10.5 * 10.6 * 10.7 * 10.2 * 10.0 ↙
 10.0 ← 10.5 * 10.7 * 10.4 * 10.1 ←
 beste Teiler 62.0 (33.) 72.3 (38.) 80.1 (32.)
 Trefferlage 0.74 mm links, 0.00 mm
 Streuwert 1.04, horizontal: 1.09, vertikal: 0.99


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **399.8** (382)
 Serien: 100.5 100.2 98.6 100.5
 Zaehler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 564 (21), 449 (22), 448 (23)
 beste Teiler 27.3 (28.) 45.8 (35.) 56.0 (36.)
 Trefferlage 0.01 mm rechts, 0.40 mm hoch
 Streuwert 1.92, horizontal: 1.82, vertikal: 2.01




Serie 1:
 10.7 * 10.2 * 10.0 → 9.3 → 9.7 ↓
 10.6 * 10.4 * 9.9 ↙ 9.7 ↓ 10.0 ↑
 beste Teiler 59.4 (1.) 90.2 (6.) 144.0 (7.)
 Trefferlage 0.06 mm rechts, 0.76 mm tief
 Streuwert 1.76, horizontal: 1.79, vertikal: 1.73



Serie 2:
 9.5 ↑ 9.5 → 10.0 ↘ 9.8 ← 10.5 *
 10.7 * 10.2 * 9.3 ↑ 10.3 * 10.4 *
 beste Teiler 75.4 (16.) 110.0 (15.) 145.6 (20.)
 Trefferlage 0.30 mm rechts, 1.06 mm hoch
 Streuwert 1.74, horizontal: 1.79, vertikal: 1.69



Serie 3:
 8.7 ↗ 9.2 ↘ 9.2 ↘ 10.0 ← 10.1 ↘
 10.2 * 10.2 * 10.8 * 9.9 ↓ 10.3 *
 beste Teiler 27.3 (28.) 162.8 (30.) 177.4 (27.)
 Trefferlage 0.27 mm links, 1.01 mm hoch
 Streuwert 2.22, horizontal: 1.99, vertikal: 2.42





Serie 4:
 9.6 → 10.2 * 9.8 ↘ 10.4 * 10.8 *
 10.7 * 9.6 ↖ 9.7 ↑ 9.2 ↘ 10.5 *
 beste Teiler 45.8 (35.) 56.0 (36.) 102.7 (40.)
 Trefferlage 0.01 mm links, 0.28 mm hoch
 Streuwert 1.90, horizontal: 1.94, vertikal: 1.86


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **386.4** (367)
 Serien: 98.0 92.4 98.0 98.0
 Zaehler: 17 14 8 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 823 (20), 685 (14), 637 (18)
 beste Teiler 12.0 (36.) 48.5 (26.) 79.2 (29.)
 Trefferlage 0.94 mm links, 0.29 mm hoch
 Streuwert 2.57, horizontal: 3.19, vertikal: 1.75




Serie 1:
 10.1 ↗ 9.4 ↓ 10.2 * 9.7 → 10.1 →
 9.2 → 9.7 ← 10.6 * 10.1 ← 8.9 ↘
 beste Teiler 92.6 (8.) 196.2 (3.) 202.7 (5.)
 Trefferlage 0.11 mm rechts, 0.23 mm hoch
 Streuwert 2.34, horizontal: 2.72, vertikal: 1.88



Serie 2:
 9.7 → 9.6 ↙ 10.1 → 8.2 ← 10.2 *
 10.0 ↑ 9.4 ↓ 8.4 ← 9.1 ← 7.7 ←
 beste Teiler 179.3 (15.) 211.4 (13.) 238.1 (16.)
 Trefferlage 2.13 mm links, 0.15 mm tief
 Streuwert 3.17, horizontal: 4.05, vertikal: 1.92



Serie 3:
 10.1 ↙ 8.9 ← 8.9 ↘ 9.7 ↘ 9.8 →
 10.8 * 9.7 ← 9.7 ↑ 10.6 * 9.8 →
 beste Teiler 48.5 (26.) 79.2 (29.) 209.0 (21.)
 Trefferlage 0.84 mm links, 0.53 mm hoch
 Streuwert 2.29, horizontal: 2.74, vertikal: 1.72



Serie 4:
 8.5 → 10.2 * 10.4 * 8.9 ← 9.8 ←
 10.9 * 10.0 ↘ 8.4 ↘ 10.3 * 10.6 *
 beste Teiler 12.0 (36.) 97.7 (40.) 127.0 (33.)
 Trefferlage 0.90 mm links, 0.56 mm hoch
 Streuwert 2.52, horizontal: 3.17, vertikal: 1.64

Unterschrift des Schuetzen

Meyton Elektronik