





Ergebnis: **417.0** (397)  
 Serien: 103.9 104.8 103.3 105.0  
 Zaehler: 37 3 0 0 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 283 (23), 283 (27), 281 (31)  
 beste Teiler 17.0 (40.) 44.0 (9.) 48.2 (33.)  
 Trefferlage 0.01 mm rechts, 0.10 mm tief  
 Streuwert 1.06, horizontal: 1.18, vertikal: 0.92




Serie 1:  
 10.4 \*                      10.1 ↙                      10.2 \*                      10.5 \*                      10.7 \*  
 10.7 \*                      10.1 →                      10.2 \*                      10.8 \*                      10.2 \*  
 beste Teiler 44.0 (9.) 63.8 (6.) 75.0 (5.)  
 Trefferlage 0.66 mm links, 0.55 mm tief  
 Streuwert 0.96, horizontal: 1.15, vertikal: 0.73



Serie 2:  
 10.2 \*                      10.5 \*                      10.5 \*                      10.6 \*                      10.7 \*  
 10.4 \*                      10.5 \*                      10.5 \*                      10.4 \*                      10.5 \*  
 beste Teiler 54.4 (15.) 100.2 (14.) 101.9 (20.)  
 Trefferlage 0.16 mm links, 0.02 mm tief  
 Streuwert 0.89, horizontal: 0.92, vertikal: 0.86



Serie 3:  
 10.7 \*                      10.3 \*                      9.8 →                      10.6 \*                      10.0 ↗  
 10.6 \*                      9.8 ↗                      10.4 \*                      10.5 \*                      10.6 \*  
 beste Teiler 71.4 (21.) 85.8 (26.) 87.0 (30.)  
 Trefferlage 0.65 mm rechts, 0.36 mm hoch  
 Streuwert 1.16, horizontal: 1.23, vertikal: 1.09





Serie 4:  
 9.8 ↗                      10.7 \*                      10.8 \*                      10.2 \*                      10.3 \*  
 10.7 \*                      10.6 \*                      10.4 \*                      10.6 \*                      10.9 \*  
 beste Teiler 17.0 (40.) 48.2 (33.) 58.1 (32.)  
 Trefferlage 0.23 mm rechts, 0.20 mm tief  
 Streuwert 1.00, horizontal: 1.14, vertikal: 0.85


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **400.5** (377)  
 Serien: 101.8 99.5 101.7 97.5  
 Zaehler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 616 (32), 584 (36), 542 (18)  
 beste Teiler 45.2 (1.) 47.0 (28.) 57.1 (27.)  
 Trefferlage 0.30 mm links, 0.97 mm tief  
 Streuwert 1.78, horizontal: 2.13, vertikal: 1.35




Serie 1:  
 10.8 \*                      9.6 ↘                      9.8 →                      10.2 \*                      10.3 \*  
 9.8 ↘                      10.7 \*                      10.1 ↙                      10.2 \*                      10.3 \*  
 beste Teiler 45.2 (1.) 69.1 (7.) 167.5 (10.)  
 Trefferlage 0.47 mm rechts, 1.10 mm tief  
 Streuwert 1.30, horizontal: 1.49, vertikal: 1.08



Serie 2:  
 9.9 ↘                      9.8 ↙                      10.6 \*                      9.9 ↘                      10.0 ↘  
 9.8 ↘                      9.8 ↘                      8.8 ↘                      10.4 \*                      10.5 \*  
 beste Teiler 82.7 (13.) 116.6 (20.) 135.3 (19.)  
 Trefferlage 0.81 mm rechts, 1.71 mm tief  
 Streuwert 1.51, horizontal: 1.48, vertikal: 1.54





Serie 3:  
 10.3 \*                      9.7 ↙                      9.9 ←                      9.9 ↙                      9.9 ↙  
 9.8 ↙                      10.7 \*                      10.8 \*                      10.4 \*                      10.3 \*  
 beste Teiler 47.0 (28.) 57.1 (27.) 138.5 (29.)  
 Trefferlage 0.96 mm links, 0.88 mm tief  
 Streuwert 1.31, horizontal: 1.25, vertikal: 1.36




Serie 4:  
 9.8 ←                      8.5 ←                      10.5 \*                      9.5 ←                      10.4 \*  
 8.6 ←                      9.8 ↙                      9.7 →                      10.6 \*                      10.1 →  
 beste Teiler 100.8 (39.) 108.8 (33.) 135.0 (35.)  
 Trefferlage 1.53 mm links, 0.19 mm tief  
 Streuwert 2.30, horizontal: 3.07, vertikal: 1.07

Unterschrift des Schuetzen


Ergebnis: **416.6** (397)  
 Serien: 104.2 101.8 105.1 105.4  
 Zaehler: 37 3 0 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 376 (6), 318 (16), 266 (17)  
 beste Teiler 7.0 (39.) 41.4 (9.) 46.4 (7.)  
 Trefferlage 0.36 mm links, 0.35 mm tief  
 Streuwert 1.06, horizontal: 1.26, vertikal: 0.82




Serie 1:  
 10.6 \* 10.7 \* 10.4 \* 10.7 \* 10.5 \*  
 9.4 ← 10.8 \* 10.2 \* 10.8 \* 10.1 ↖  
 beste Teiler 41.4 (9.) 46.4 (7.) 70.1 (4.)  
 Trefferlage 0.88 mm links, 0.29 mm tief  
 Streuwert 1.04, horizontal: 1.31, vertikal: 0.67



Serie 2:  
 10.1 ↙ 10.5 \* 10.6 \* 10.0 ← 10.2 \*  
 9.7 ↘ 9.9 ↓ 10.6 \* 10.0 → 10.2 \*  
 beste Teiler 79.0 (18.) 84.4 (13.) 111.2 (12.)  
 Trefferlage 0.00 mm , 0.67 mm tief  
 Streuwert 1.44, horizontal: 1.70, vertikal: 1.12





Serie 3:  
 10.1 ↖ 10.3 \* 10.6 \* 10.5 \* 10.8 \*  
 10.6 \* 10.2 \* 10.7 \* 10.5 \* 10.8 \*  
 beste Teiler 49.3 (25.) 50.1 (30.) 57.2 (28.)  
 Trefferlage 0.12 mm links, 0.12 mm tief  
 Streuwert 0.93, horizontal: 1.07, vertikal: 0.75




Serie 4:  
 10.7 \* 10.4 \* 10.7 \* 10.4 \* 10.6 \*  
 10.7 \* 10.5 \* 10.5 \* 10.9 \* 10.1 ↖  
 beste Teiler 7.0 (39.) 54.0 (33.) 56.0 (36.)  
 Trefferlage 0.42 mm links, 0.31 mm tief  
 Streuwert 0.72, horizontal: 0.76, vertikal: 0.69

Unterschrift des Schuetzen


Ergebnis: **403.6** (381)  
 Serien: 101.7 97.9 101.6 102.4  
 Zaehler: 24 13 3 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 551 (15), 534 (21), 534 (36)  
 beste Teiler 35.3 (9.) 50.2 (27.) 52.9 (40.)  
 Trefferlage 0.40 mm rechts, 0.05 mm hoch  
 Streuwert 1.79, horizontal: 1.77, vertikal: 1.81




Serie 1:  
 10.6 \*                      9.7 ←                      10.2 \*                      9.8 ↙                      10.4 \*  
 10.5 \*                      9.9 ↘                      10.3 \*                      10.8 \*                      9.5 →  
 beste Teiler 35.3 (9.) 96.1 (1.) 123.5 (6.)  
 Trefferlage 0.20 mm links, 0.06 mm tief  
 Streuwert 1.63, horizontal: 2.02, vertikal: 1.10



Serie 2:  
 10.6 \*                      10.1 ↗                      9.4 ↗                      9.8 ↗                      8.7 ↑  
 10.4 \*                      9.6 ↑                      10.0 ↑                      9.5 ↑                      9.8 ↓  
 beste Teiler 87.4 (11.) 128.5 (16.) 225.6 (12.)  
 Trefferlage 0.40 mm rechts, 1.70 mm hoch  
 Streuwert 1.97, horizontal: 1.60, vertikal: 2.28



Serie 3:  
 8.8 ↘                      10.3 \*                      10.6 \*                      9.9 ↘                      10.7 \*  
 10.4 \*                      10.8 \*                      9.9 ↓                      9.8 →                      10.4 \*  
 beste Teiler 50.2 (27.) 54.6 (25.) 92.8 (23.)  
 Trefferlage 1.01 mm rechts, 0.49 mm tief  
 Streuwert 1.60, horizontal: 1.71, vertikal: 1.48





Serie 4:  
 10.2 \*                      10.3 \*                      10.5 \*                      10.6 \*                      10.6 \*  
 8.8 ↘                      9.9 ←                      10.4 \*                      10.4 \*                      10.7 \*  
 beste Teiler 52.9 (40.) 87.1 (34.) 100.2 (35.)  
 Trefferlage 0.39 mm rechts, 0.93 mm tief  
 Streuwert 1.46, horizontal: 1.77, vertikal: 1.06


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **403.7** (386)  
 Serien: 100.0 101.9 101.2 100.6  
 Zaehler: 27 12 1 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 537 (34), 391 (2), 385 (20)  
 beste Teiler 42.0 (28.) 69.5 (14.) 69.6 (40.)  
 Trefferlage 0.81 mm rechts, 0.59 mm hoch  
 Streuwert 1.57, horizontal: 1.69, vertikal: 1.43




Serie 1:  
 10.0 → 9.4 ↑ 10.0 ↗ 10.3 \* 10.6 \*  
 10.5 \* 10.2 \* 9.7 → 9.4 ↘ 9.9 →  
 beste Teiler 87.7 (5.) 124.7 (6.) 152.0 (4.)  
 Trefferlage 0.95 mm rechts, 0.82 mm hoch  
 Streuwert 1.67, horizontal: 1.67, vertikal: 1.66



Serie 2:  
 10.6 \* 9.7 ↗ 10.3 \* 10.7 \* 9.9 →  
 9.8 ↓ 10.4 \* 10.6 \* 10.5 \* 9.4 ↑  
 beste Teiler 69.5 (14.) 83.6 (18.) 88.4 (11.)  
 Trefferlage 0.34 mm rechts, 0.64 mm hoch  
 Streuwert 1.55, horizontal: 1.42, vertikal: 1.66



Serie 3:  
 10.3 \* 10.4 \* 10.0 → 9.6 → 10.2 \*  
 10.0 → 10.0 ↘ 10.8 \* 9.9 ↗ 10.0 →  
 beste Teiler 42.0 (28.) 139.1 (22.) 159.5 (21.)  
 Trefferlage 1.16 mm rechts, 0.51 mm hoch  
 Streuwert 1.34, horizontal: 1.58, vertikal: 1.05



Serie 4:  
 10.0 ↖ 10.2 \* 10.3 \* 8.8 → 10.6 \*  
 10.3 \* 9.5 ↑ 9.8 → 10.4 \* 10.7 \*  
 beste Teiler 69.6 (40.) 93.1 (35.) 147.2 (39.)  
 Trefferlage 0.78 mm rechts, 0.39 mm hoch  
 Streuwert 1.84, horizontal: 2.17, vertikal: 1.43

Unterschrift des Schuetzen