





Ergebnis:	383	(402.1)
Serien:	97 96 96 94	
Zähler:	24 15 1 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1770 (39), 1544 (6), 1505 (35)	
beste Teiler	126.5 (29.) 150.0 (18.) 241.1 (15.)	
Trefferlage	2.09 mm links, 0.99 mm tief	
Streuwert	5.67, horizontal: 5.90, vertikal: 5.43	




Serie 1:	10.2 ↘	10.2 ←	10.5 *	9.5 ←	10.1 ↙
	9.0 ↘	10.6 *	9.6 ↓	10.2 ←	10.4 *
beste Teiler	285.5 (7.)	332.1 (3.)	414.4 (10.)		
Trefferlage	3.44 mm links, 3.69 mm tief				
Streuwert	4.90, horizontal: 5.14, vertikal: 4.66				



Serie 2:	9.7 ←	9.6 ←	10.5 *	9.7 ↘	10.6 *
	10.1 ↘	9.5 ↘	10.8 *	10.6 *	10.2 ↙
beste Teiler	150.0 (18.)	241.1 (15.)	270.5 (19.)		
Trefferlage	2.25 mm links, 1.84 mm tief				
Streuwert	5.18, horizontal: 5.88, vertikal: 4.37				





Serie 3:	10.6 *	9.6 ↑	9.8 ↖	9.9 ↓	10.6 *
	10.6 *	10.3 *	10.6 *	10.8 *	9.9 →
beste Teiler	126.5 (29.)	263.8 (28.)	275.5 (21.)		
Trefferlage	0.98 mm rechts, 1.43 mm hoch				
Streuwert	4.57, horizontal: 4.27, vertikal: 4.85				




Serie 4:	10.4 *	10.4 *	9.8 ↘	10.1 ↖	9.1 ↖
	9.4 ↖	9.6 ↑	10.0 ↓	8.7 ↘	10.3 *
beste Teiler	402.9 (31.)	412.3 (32.)	491.3 (40.)		
Trefferlage	3.65 mm links, 0.11 mm hoch				
Streuwert	7.17, horizontal: 7.51, vertikal: 6.82				

Unterschrift des Schützen


Ergebnis:	384	(401.0)
Serien:	98 93 95 98	
Zähler:	26 12 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1814 (17), 1731 (16), 1469 (4)	
beste Teiler	89.2 (19.) 90.8 (37.) 95.5 (2.)	
Trefferlage	2.31 mm links, 1.53 mm tief	
Streuwert	5.84, horizontal: 5.24, vertikal: 6.38	




Serie 1:	10.4 *	10.8 *	10.0 ←	9.1 ↓	10.4 *
	10.4 *	9.3 ←	10.3 ↘	10.3 *	10.6 *
beste Teiler	95.5 (2.)	286.5 (10.)	442.4 (6.)		
Trefferlage	2.16 mm links, 2.77 mm tief				
Streuwert	5.03, horizontal: 5.45, vertikal: 4.56				



Serie 2:	9.9 ↘	10.1 ↓	9.4 ←	10.2 ←	9.3 ↘
	8.8 ↘	8.7 ↓	10.6 *	10.8 *	10.1 ←
beste Teiler	89.2 (19.)	264.1 (18.)	597.6 (14.)		
Trefferlage	2.89 mm links, 3.83 mm tief				
Streuwert	7.14, horizontal: 6.49, vertikal: 7.73				





Serie 3:	9.8 ←	10.0 ↘	9.6 ←	10.6 *	9.2 ↘
	9.1 ↘	10.4 *	9.5 ↘	10.6 *	10.4 *
beste Teiler	252.0 (24.)	260.5 (29.)	438.5 (27.)		
Trefferlage	3.19 mm links, 1.22 mm hoch				
Streuwert	6.35, horizontal: 6.05, vertikal: 6.64				




Serie 4:	10.5 *	10.4 *	9.7 ↓	9.9 ↓	10.0 ↘
	10.4 *	10.8 *	10.0 ↑	10.4 *	10.2 ↘
beste Teiler	90.8 (37.)	367.2 (31.)	434.5 (39.)		
Trefferlage	1.01 mm links, 0.74 mm tief				
Streuwert	4.62, horizontal: 2.74, vertikal: 5.94				

Unterschrift des Schützen


Ergebnis:	384	(402.0)
Serien:	97	95
Zähler:	25	14
Innenzehner:	1	0
weiteste:	1704 (37),	1375 (11), 1374 (12)
beste Teiler	155.5 (32.)	182.2 (31.) 222.4 (13.)
Trefferlage	0.46 mm links, 0.62 mm hoch	
Streuwert	5.87, horizontal: 5.89, vertikal: 5.85	




Serie 1:	10.4 *	10.1 ↓	10.4 *	9.4 ↑	10.6 *
	10.4 *	10.2 ↑	9.9 ↓	9.2 ←	10.5 *
beste Teiler	307.7 (5.) 328.1 (10.) 442.8 (6.)				
Trefferlage	1.95 mm links, 0.12 mm hoch				
Streuwert	5.45, horizontal: 4.83, vertikal: 6.01				



Serie 2:	9.2 ↙	9.2 ↘	10.7 *	10.1 ↑	10.3 *
	10.6 *	9.4 →	9.8 ↘	10.0 ↓	9.6 ↘
beste Teiler	222.4 (13.) 288.8 (16.) 481.2 (15.)				
Trefferlage	1.37 mm links, 0.06 mm tief				
Streuwert	6.95, horizontal: 6.92, vertikal: 6.98				



Serie 3:	10.5 *	10.5 *	9.9 →	9.7 ↘	10.2 ↑
	10.2 ←	10.0 ↑	10.2 ↘	9.5 ↑	10.3 ↘
beste Teiler	345.9 (21.) 392.9 (22.) 548.1 (30.)				
Trefferlage	1.54 mm links, 4.85 mm hoch				
Streuwert	4.00, horizontal: 4.74, vertikal: 3.10				





Serie 4:	10.7 *	10.8 *	9.6 ↘	9.4 ↓	10.2 →
	9.8 ↓	8.8 →	10.6 *	10.6 *	10.5 *
beste Teiler	155.5 (32.) 182.2 (31.) 247.9 (38.)				
Trefferlage	3.01 mm rechts, 2.41 mm tief				
Streuwert	5.55, horizontal: 6.21, vertikal: 4.80				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (403.5)
 Serien: 96 96 94 97
 Zähler: 26 11 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2039 (8), 1652 (25), 1613 (17)
 beste Teiler 108.7 (13.) 116.3 (18.) 178.0 (38.)
 Trefferlage 1.70 mm rechts, 0.62 mm hoch
 Streuwert 5.59, horizontal: 4.52, vertikal: 6.49




Serie 1:
 10.1 ↑ 10.0 ↘ 9.7 ↘ 10.7 * 9.9 ↘
 10.4 * 10.3 * 8.4 ↗ 10.4 * 10.0 ↖
 beste Teiler 190.9 (4.) 423.2 (9.) 476.8 (6.)
 Trefferlage 2.48 mm rechts, 0.40 mm tief
 Streuwert 6.51, horizontal: 5.32, vertikal: 7.51



Serie 2:
 10.4 * 10.5 * 10.8 * 10.6 * 9.6 ↑
 10.3 ↗ 8.9 ↑ 10.8 * 10.2 ↑ 9.7 ↓
 beste Teiler 108.7 (13.) 116.3 (18.) 249.3 (14.)
 Trefferlage 1.02 mm rechts, 1.82 mm hoch
 Streuwert 5.47, horizontal: 2.05, vertikal: 7.47



Serie 3:
 9.9 ↓ 10.3 * 10.5 * 10.7 * 8.9 ↓
 9.9 → 9.9 → 9.5 ↑ 10.5 * 10.3 →
 beste Teiler 214.6 (24.) 359.6 (29.) 391.1 (23.)
 Trefferlage 3.51 mm rechts, 0.58 mm tief
 Streuwert 5.66, horizontal: 3.99, vertikal: 6.94





Serie 4:
 10.4 * 10.2 ↓ 10.1 ← 9.9 ← 9.9 ↑
 10.1 ↗ 9.8 ↗ 10.7 * 10.2 → 10.1 ←
 beste Teiler 178.0 (38.) 430.2 (31.) 600.5 (32.)
 Trefferlage 0.20 mm links, 1.67 mm hoch
 Streuwert 4.89, horizontal: 5.58, vertikal: 4.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(399.1)
Serien:	93 96 94 97	
Zähler:	20 20 0 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1401 (24), 1339 (3), 1276 (10)	
beste Teiler	88.0 (7.) 105.6 (38.) 131.0 (28.)	
Trefferlage	1.28 mm links, 1.31 mm hoch	
Streuwert	6.01, horizontal: 6.07, vertikal: 5.95	




Serie 1:	9.5 ↖	9.5 ↖	9.3 ←	9.9 →	9.4 ↓
	9.5 ↖	10.8 *	10.0 ↖	10.0 ↗	9.4 ↑
beste Teiler	88.0 (7.)	739.2 (8.)	756.6 (9.)		
Trefferlage	4.26 mm links, 2.31 mm hoch				
Streuwert	6.78, horizontal: 5.90, vertikal: 7.57				



Serie 2:	9.7 ↓	10.5 *	9.7 ↖	10.3 *	9.4 ↓
	10.5 *	9.5 ↖	10.2 ↖	10.6 *	10.6 *
beste Teiler	287.0 (20.)	289.8 (19.)	364.3 (16.)		
Trefferlage	2.52 mm links, 0.07 mm hoch				
Streuwert	5.40, horizontal: 4.74, vertikal: 5.99				



Serie 3:	9.8 ↖	9.8 →	10.0 →	9.2 ↖	9.8 ↓
	9.4 →	9.9 →	10.8 *	10.3 *	10.3 *
beste Teiler	131.0 (28.)	497.4 (29.)	510.7 (30.)		
Trefferlage	3.29 mm rechts, 0.08 mm hoch				
Streuwert	6.14, horizontal: 6.77, vertikal: 5.44				





Serie 4:	9.9 ↗	10.1 ↗	9.7 ↖	10.0 ↗	10.3 *
	10.5 *	10.5 *	10.8 *	10.0 ↖	9.7 ↖
beste Teiler	105.6 (38.)	381.1 (37.)	385.6 (36.)		
Trefferlage	1.61 mm links, 2.76 mm hoch				
Streuwert	4.77, horizontal: 4.65, vertikal: 4.89				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(404.2)
Serien:	95	97 96 98
Zähler:	26	14 0 0 0 0 0 0 0 0
Innenzehner:	15	
weiteste:	1281	(18), 1261 (23), 1203 (39)
beste Teiler	63.8	(13.) 128.3 (10.) 133.4 (12.)
Trefferlage	0.82 mm	rechts, 1.17 mm tief
Streuwert	5.31,	horizontal: 5.39, vertikal: 5.22




Serie 1:	10.3 *	10.8 *	9.6 ↘	9.7 ←	10.6 *
	9.5 ↗	9.8 →	10.7 *	9.5 ←	10.8 *
beste Teiler	128.3	(10.) 139.0 (2.)	198.7 (8.)		
Trefferlage	0.05 mm	rechts, 0.82 mm tief			
Streuwert	5.78,	horizontal: 6.86, vertikal: 4.45			



Serie 2:	9.5 ↘	10.8 *	10.9 *	10.0 ↘	10.4 *
	10.2 ↙	10.4 *	9.3 →	9.6 ↘	10.2 ↙
beste Teiler	63.8	(13.) 133.4 (12.)	442.5 (15.)		
Trefferlage	1.24 mm	rechts, 2.64 mm tief			
Streuwert	5.17,	horizontal: 5.54, vertikal: 4.77			



Serie 3:	10.3 *	10.2 ↘	9.4 ↘	10.0 ↗	10.4 *
	10.5 *	10.4 *	9.8 ↖	9.7 ↘	9.8 ↖
beste Teiler	368.3	(26.) 423.5 (25.)	424.7 (27.)		
Trefferlage	0.14 mm	rechts, 0.85 mm tief			
Streuwert	5.68,	horizontal: 4.72, vertikal: 6.50			





Serie 4:	10.2 ↘	10.3 ↗	10.3 ↗	10.3 ↖	9.7 ↗
	10.3 *	10.2 ↓	10.4 *	9.4 ↘	10.0 ↙
beste Teiler	465.7	(38.) 517.9 (36.)	543.2 (33.)		
Trefferlage	1.86 mm	rechts, 0.39 mm tief			
Streuwert	5.15,	horizontal: 4.81, vertikal: 5.48			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	392	(412.1)
Serien:	98 99 96 99	
Zähler:	32 8 0 0 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	1304 (21), 1018 (5), 992 (37)	
beste Teiler	64.0 (14.) 106.5 (6.) 121.3 (39.)	
Trefferlage	0.44 mm rechts, 1.18 mm tief	
Streuwert	4.13, horizontal: 3.36, vertikal: 4.77	




Serie 1:	9.9 ↗	10.6 *	10.1 ↗	10.3 *	9.7 ↘
	10.8 *	10.5 *	10.2 ↗	10.0 ↘	10.3 *
beste Teiler	106.5 (6.)	270.4 (2.)	357.5 (7.)		
Trefferlage	0.66 mm links, 0.22 mm hoch				
Streuwert	4.66, horizontal: 2.63, vertikal: 6.05				



Serie 2:	10.5 *	10.0 ↘	10.6 *	10.9 *	10.5 *
	10.5 *	10.3 ↘	9.7 ↘	10.4 *	10.5 *
beste Teiler	64.0 (14.)	251.4 (13.)	336.7 (20.)		
Trefferlage	0.72 mm links, 3.16 mm tief				
Streuwert	2.85, horizontal: 2.21, vertikal: 3.37				



Serie 3:	9.3 ↘	10.6 *	9.7 ↘	10.4 *	10.1 ↗
	9.9 →	10.5 *	10.7 *	10.4 *	9.9 ↘
beste Teiler	240.2 (28.)	281.3 (22.)	382.3 (27.)		
Trefferlage	2.96 mm rechts, 2.29 mm tief				
Streuwert	4.57, horizontal: 3.67, vertikal: 5.32				





Serie 4:	10.2 →	10.6 *	10.6 *	10.2 ↘	10.5 *
	10.6 *	9.7 ↗	10.4 *	10.8 *	10.7 *
beste Teiler	121.3 (39.)	198.3 (40.)	256.6 (36.)		
Trefferlage	0.21 mm rechts, 0.51 mm hoch				
Streuwert	3.54, horizontal: 3.71, vertikal: 3.37				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (405.3)
 Serien: 99 95 98 95
 Zähler: 29 9 2 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 1685 (26), 1621 (39), 1353 (12)
 beste Teiler 90.2 (29.) 143.5 (24.) 194.8 (11.)
 Trefferlage 0.34 mm links, 2.15 mm hoch
 Streuwert 5.28, horizontal: 6.00, vertikal: 4.45




Serie 1:
 10.7 * 10.1 ↙ 10.0 ↑ 10.0 ↗ 10.0 ←
 10.3 * 9.8 ↘ 10.6 * 10.4 * 10.6 *
 beste Teiler 239.7 (1.) 276.0 (10.) 277.4 (8.)
 Trefferlage 0.89 mm links, 0.85 mm hoch
 Streuwert 4.39, horizontal: 4.77, vertikal: 3.96



Serie 2:
 10.7 * 9.3 ← 10.7 * 9.4 ↑ 10.1 ↑
 9.6 ↑ 10.2 ↑ 9.8 → 9.3 → 10.0 ←
 beste Teiler 194.8 (11.) 221.3 (13.) 596.2 (17.)
 Trefferlage 0.17 mm rechts, 3.32 mm hoch
 Streuwert 6.45, horizontal: 7.43, vertikal: 5.28



Serie 3:
 10.6 * 10.4 * 10.4 * 10.8 * 10.0 ↑
 8.8 ↘ 10.3 * 10.2 ↖ 10.8 * 10.6 *
 beste Teiler 90.2 (29.) 143.5 (24.) 294.5 (30.)
 Trefferlage 1.36 mm links, 2.77 mm hoch
 Streuwert 4.58, horizontal: 4.53, vertikal: 4.64





Serie 4:
 10.5 * 10.7 * 10.6 * 9.4 ↑ 10.6 *
 10.3 * 9.6 → 9.9 ← 8.9 → 10.3 *
 beste Teiler 205.8 (32.) 269.2 (35.) 311.8 (33.)
 Trefferlage 0.68 mm rechts, 1.66 mm hoch
 Streuwert 5.96, horizontal: 7.39, vertikal: 4.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.4)
 Serien: 95 95 97 95
 Zähler: 23 16 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 1680 (8), 1423 (2), 1403 (27)
 beste Teiler 85.4 (26.) 153.6 (21.) 164.5 (34.)
 Trefferlage 3.03 mm rechts, 0.08 mm tief
 Streuwert 5.60, horizontal: 4.95, vertikal: 6.19




Serie 1:
 10.5 * 9.2 ↘ 10.7 * 10.2 ↓ 9.8 ↓
 9.7 ↘ 10.3 * 8.9 → 10.3 * 10.4 *
 beste Teiler 187.4 (3.) 383.0 (1.) 437.1 (10.)
 Trefferlage 1.43 mm rechts, 0.75 mm tief
 Streuwert 6.53, horizontal: 6.84, vertikal: 6.21



Serie 2:
 10.4 * 9.7 → 10.2 ↘ 10.0 ↖ 9.4 ↗
 9.8 ↗ 10.7 * 10.1 ↘ 9.7 → 9.9 ↘
 beste Teiler 173.0 (17.) 438.2 (11.) 618.2 (13.)
 Trefferlage 4.35 mm rechts, 0.44 mm hoch
 Streuwert 5.06, horizontal: 4.80, vertikal: 5.30



Serie 3:
 10.8 * 10.7 * 9.7 → 10.1 → 9.4 ↗
 10.8 * 9.2 ↘ 10.4 * 10.4 * 10.5 *
 beste Teiler 85.4 (26.) 153.6 (21.) 225.5 (22.)
 Trefferlage 2.74 mm rechts, 0.36 mm tief
 Streuwert 5.11, horizontal: 4.43, vertikal: 5.72





Serie 4:
 9.6 → 9.2 ↓ 10.4 * 10.7 * 9.2 ↓
 9.4 ↗ 10.6 * 10.5 * 10.0 ↑ 9.9 →
 beste Teiler 164.5 (34.) 317.8 (37.) 391.1 (38.)
 Trefferlage 3.60 mm rechts, 0.33 mm hoch
 Streuwert 6.20, horizontal: 3.38, vertikal: 8.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	393	(408.9)			
Serien:	98	97	100	98	
Zähler:	33	7	0	0	0 0 0 0 0 0
Innenzehner:	23				
weiteste:	1530 (1), 1463 (9), 1452 (14)				
beste Teiler	127.2 (26.) 129.5 (38.) 139.6 (31.)				
Trefferlage	0.92 mm rechts, 0.05 mm tief				
Streuwert	5.01, horizontal: 4.39, vertikal: 5.57				




Serie 1:				
9.0 ↗	10.5 *	10.8 *	10.0 →	10.0 ↘
10.6 *	10.3 ↘	10.3 *	9.1 →	10.1 ↑
beste Teiler	147.1 (3.) 273.1 (6.) 388.9 (2.)			
Trefferlage	0.84 mm rechts, 3.23 mm hoch			
Streuwert	5.65, horizontal: 6.39, vertikal: 4.78			



Serie 2:				
10.0 →	9.2 ↓	9.2 ↘	9.1 ↓	10.7 *
10.6 *	10.5 *	10.6 *	10.2 ↗	10.7 *
beste Teiler	178.3 (20.) 240.0 (15.) 259.2 (18.)			
Trefferlage	2.60 mm rechts, 4.20 mm tief			
Streuwert	5.16, horizontal: 3.59, vertikal: 6.36			





Serie 3:				
10.4 *	10.2 ↘	10.6 *	10.5 *	10.6 *
10.8 *	10.4 *	10.6 *	10.2 ↙	10.4 *
beste Teiler	127.2 (26.) 283.2 (28.) 306.8 (25.)			
Trefferlage	0.16 mm links, 0.08 mm tief			
Streuwert	3.07, horizontal: 3.27, vertikal: 2.86			




Serie 4:				
10.8 *	9.4 ↑	10.5 *	9.9 ↓	10.4 *
10.1 →	10.4 *	10.8 *	10.4 *	10.0 ←
beste Teiler	129.5 (38.) 139.6 (31.) 358.7 (33.)			
Trefferlage	0.39 mm rechts, 0.82 mm hoch			
Streuwert	4.75, horizontal: 3.79, vertikal: 5.55			

Unterschrift des Schützen


Ergebnis: **385** (402.9)
 Serien: 98 97 97 93
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1735 (34), 1607 (32), 1319 (40)
 beste Teiler 107.0 (23.) 117.7 (39.) 148.4 (15.)
 Trefferlage 1.13 mm rechts, 1.87 mm tief
 Streuwert 5.45, horizontal: 6.23, vertikal: 4.55




Serie 1:
 10.4 * 10.3 ↖ 10.7 * 9.9 → 10.2 ↘
 9.7 ↗ 10.5 * 10.1 ↑ 10.4 * 10.6 *
 beste Teiler 189.6 (3.) 320.1 (10.) 334.0 (7.)
 Trefferlage 1.24 mm rechts, 0.46 mm hoch
 Streuwert 4.15, horizontal: 4.69, vertikal: 3.54



Serie 2:
 10.2 ↘ 10.2 ↙ 10.2 ↙ 10.2 ↗ 10.8 *
 9.8 ↗ 9.6 ↙ 9.6 ↓ 10.0 ↙ 10.2 ↓
 beste Teiler 148.4 (15.) 569.3 (20.) 580.5 (11.)
 Trefferlage 0.17 mm rechts, 3.17 mm tief
 Streuwert 4.92, horizontal: 5.14, vertikal: 4.69



Serie 3:
 9.7 ↘ 10.2 ↘ 10.8 * 10.0 ↘ 10.6 *
 10.1 ↓ 9.5 ↘ 10.3 ← 9.4 ↘ 10.1 ↓
 beste Teiler 107.0 (23.) 320.4 (25.) 554.0 (28.)
 Trefferlage 2.99 mm rechts, 5.15 mm tief
 Streuwert 3.86, horizontal: 4.68, vertikal: 2.82





Serie 4:
 10.1 ↓ 8.9 → 10.1 → 8.8 ← 9.9 ↗
 10.5 * 10.4 * 9.8 ↘ 10.8 * 9.3 ↖
 beste Teiler 117.7 (39.) 383.0 (36.) 470.2 (37.)
 Trefferlage 0.14 mm rechts, 0.38 mm hoch
 Streuwert 7.53, horizontal: 9.59, vertikal: 4.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.7)
 Serien: 89 93 96 97
 Zähler: 21 13 6 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2248 (12), 2201 (6), 2021 (19)
 beste Teiler 135.2 (8.) 143.6 (20.) 194.6 (25.)
 Trefferlage 2.55 mm rechts, 2.52 mm tief
 Streuwert 7.01, horizontal: 8.23, vertikal: 5.54




Serie 1:
 9.2 → 10.6 * 9.8 ↓ 9.3 ↘ 9.2 →
 8.2 ↘ 8.8 ← 10.8 * 8.9 ↘ 9.4 ↓
 beste Teiler 135.2 (8.) 313.3 (2.) 922.5 (3.)
 Trefferlage 6.52 mm rechts, 3.53 mm tief
 Streuwert 8.61, horizontal: 10.28, vertikal: 6.52



Serie 2:
 10.5 * 8.1 ↘ 10.5 * 9.6 ← 10.0 ↓
 9.9 → 10.1 ← 9.8 → 8.4 ↘ 10.8 *
 beste Teiler 143.6 (20.) 348.2 (13.) 349.6 (11.)
 Trefferlage 3.38 mm rechts, 3.29 mm tief
 Streuwert 7.74, horizontal: 9.20, vertikal: 5.95



Serie 3:
 9.8 ← 10.6 * 10.4 * 10.1 ↓ 10.7 *
 10.0 ↘ 10.2 ↑ 9.5 ↘ 8.8 ↘ 10.5 *
 beste Teiler 194.6 (25.) 284.1 (22.) 332.8 (30.)
 Trefferlage 1.95 mm rechts, 2.35 mm tief
 Streuwert 5.72, horizontal: 6.59, vertikal: 4.68





Serie 4:
 9.7 ↘ 10.6 * 10.0 ↓ 10.5 * 9.9 ↑
 10.0 ↓ 10.3 * 10.2 ↘ 10.2 ← 9.8 ←
 beste Teiler 254.9 (32.) 380.3 (34.) 506.4 (37.)
 Trefferlage 1.64 mm links, 0.90 mm tief
 Streuwert 4.99, horizontal: 4.62, vertikal: 5.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (399.1)
 Serien: 93 95 96 95
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1943 (9), 1706 (11), 1666 (7)
 beste Teiler 150.6 (31.) 177.3 (36.) 188.8 (3.)
 Trefferlage 0.01 mm rechts, 0.77 mm hoch
 Streuwert 6.31, horizontal: 6.97, vertikal: 5.56




Serie 1:
 10.0 ↙ 10.6 * 10.7 * 9.9 ← 9.2 →
 10.2 ↑ 8.9 ↗ 9.3 ↘ 8.5 ← 10.2 →
 beste Teiler 188.8 (3.) 282.3 (2.) 605.2 (10.)
 Trefferlage 2.24 mm links, 2.90 mm hoch
 Streuwert 7.76, horizontal: 9.10, vertikal: 6.14



Serie 2:
 8.8 ↘ 10.2 ↓ 9.9 → 10.2 ← 10.3 *
 10.5 * 9.2 ↘ 10.4 * 10.1 ↘ 9.8 ↑
 beste Teiler 388.9 (16.) 464.8 (18.) 512.0 (15.)
 Trefferlage 0.53 mm rechts, 0.85 mm tief
 Streuwert 6.75, horizontal: 6.54, vertikal: 6.95



Serie 3:
 10.2 ↘ 10.6 * 10.4 * 9.9 → 10.5 *
 10.3 ↑ 9.8 ← 10.0 ↘ 9.9 ← 9.9 →
 beste Teiler 303.4 (22.) 367.9 (25.) 455.4 (23.)
 Trefferlage 0.38 mm rechts, 0.54 mm hoch
 Streuwert 5.09, horizontal: 6.25, vertikal: 3.56





Serie 4:
 10.8 * 10.0 ↘ 10.0 ↗ 9.5 ↘ 9.8 ↗
 10.7 * 9.7 ↑ 9.8 ← 9.9 ← 10.5 *
 beste Teiler 150.6 (31.) 177.3 (36.) 346.7 (40.)
 Trefferlage 1.39 mm rechts, 0.49 mm hoch
 Streuwert 5.69, horizontal: 6.14, vertikal: 5.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.0)
 Serien: 94 96 96 93
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2043 (36), 2010 (25), 1595 (35)
 beste Teiler 60.0 (15.) 172.1 (37.) 249.9 (29.)
 Trefferlage 0.83 mm rechts, 0.35 mm tief
 Streuwert 6.60, horizontal: 7.58, vertikal: 5.43




Serie 1:
 9.8 ↘ 9.6 → 10.2 ↙ 10.2 → 9.9 ↘
 10.2 ↘ 10.0 ↘ 9.5 ↖ 9.2 → 9.6 ↘
 beste Teiler 561.4 (6.) 624.1 (3.) 632.3 (4.)
 Trefferlage 2.01 mm rechts, 1.55 mm tief
 Streuwert 6.78, horizontal: 7.76, vertikal: 5.63



Serie 2:
 10.6 * 9.7 ↘ 10.2 ↘ 10.0 → 10.9 *
 9.6 ↙ 9.7 ↑ 9.7 ↘ 10.3 * 10.0 ↙
 beste Teiler 60.0 (15.) 303.4 (11.) 526.6 (19.)
 Trefferlage 0.66 mm rechts, 1.16 mm tief
 Streuwert 5.81, horizontal: 5.82, vertikal: 5.81



Serie 3:
 10.4 * 10.6 * 10.2 ↘ 10.0 ↘ 8.4 ↘
 9.6 ↘ 10.4 * 9.9 ↘ 10.6 * 10.4 *
 beste Teiler 249.9 (29.) 305.4 (22.) 417.2 (30.)
 Trefferlage 0.03 mm links, 0.15 mm hoch
 Streuwert 6.43, horizontal: 7.74, vertikal: 4.78





Serie 4:
 9.7 ↘ 9.7 ↗ 9.8 ↖ 10.1 ↗ 9.0 ↘
 8.4 ↖ 10.7 * 10.0 ↘ 9.7 → 10.5 *
 beste Teiler 172.1 (37.) 348.2 (40.) 662.6 (34.)
 Trefferlage 0.71 mm rechts, 1.14 mm hoch
 Streuwert 7.97, horizontal: 9.63, vertikal: 5.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (399.9)
 Serien: 95 94 93 97
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1739 (26), 1724 (29), 1440 (31)
 beste Teiler 91.0 (32.) 121.7 (21.) 141.4 (22.)
 Trefferlage 0.94 mm rechts, 1.70 mm tief
 Streuwert 6.07, horizontal: 6.58, vertikal: 5.50




Serie 1:
 10.2 ← 9.8 ↑ 9.4 ↗ 10.4 * 10.0 →
 10.6 * 9.6 ↙ 9.8 ↘ 9.5 ← 10.4 *
 beste Teiler 307.6 (6.) 412.1 (10.) 423.4 (4.)
 Trefferlage 0.33 mm links, 0.18 mm hoch
 Streuwert 6.28, horizontal: 7.52, vertikal: 4.72



Serie 2:
 9.7 → 10.7 * 10.5 * 9.8 ↗ 9.5 ↙
 9.7 ↙ 10.3 * 9.6 ↓ 9.8 ↘ 10.4 *
 beste Teiler 218.8 (12.) 390.1 (13.) 437.2 (20.)
 Trefferlage 1.62 mm rechts, 2.66 mm tief
 Streuwert 5.74, horizontal: 5.25, vertikal: 6.18



Serie 3:
 10.8 * 10.8 * 10.1 ↓ 9.7 ↓ 10.6 *
 8.8 ↓ 9.5 → 10.1 ↖ 8.8 → 9.3 ←
 beste Teiler 121.7 (21.) 141.4 (22.) 288.9 (25.)
 Trefferlage 0.25 mm rechts, 3.12 mm tief
 Streuwert 7.50, horizontal: 8.25, vertikal: 6.66





Serie 4:
 9.2 ↘ 10.8 * 10.5 * 10.5 * 10.1 →
 10.5 * 9.9 ↓ 10.2 ↓ 10.1 ↗ 9.9 ←
 beste Teiler 91.0 (32.) 324.4 (36.) 334.3 (34.)
 Trefferlage 2.25 mm rechts, 1.19 mm tief
 Streuwert 4.98, horizontal: 5.56, vertikal: 4.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(388.1)			
Serien:	94	96	90	91	
Zähler:	17	17	6	0	0 0 0 0 0 0
Innenzehner:	8				
weiteste:	2329 (24), 2297 (35), 2173 (27)				
beste Teiler	92.1 (28.) 147.2 (10.) 306.0 (30.)				
Trefferlage	1.51 mm links, 2.82 mm hoch				
Streuwert	7.83, horizontal: 8.60, vertikal: 6.96				




Serie 1:	9.8 ↖	9.3 ↖	9.5 →	9.2 ↓	10.1 ↗
	10.1 ↓	9.9 ↑	10.4 *	9.9 →	10.8 *
beste Teiler	147.2 (10.) 466.1 (8.) 657.4 (5.)				
Trefferlage	0.63 mm rechts, 0.41 mm hoch				
Streuwert	6.76, horizontal: 7.08, vertikal: 6.43				



Serie 2:	10.5 *	10.3 *	9.6 ↘	10.0 ↓	10.1 ↑
	9.6 ↓	10.4 *	9.3 ↑	9.7 →	10.4 *
beste Teiler	384.4 (11.) 416.3 (20.) 454.6 (17.)				
Trefferlage	1.18 mm rechts, 0.51 mm hoch				
Streuwert	6.16, horizontal: 5.47, vertikal: 6.79				



Serie 3:	9.3 ↗	9.7 ↘	9.0 →	8.0 ↖	8.9 ↖
	10.2 ←	8.2 ↖	10.8 *	9.5 ↖	10.6 *
beste Teiler	92.1 (28.) 306.0 (30.) 635.1 (26.)				
Trefferlage	3.30 mm links, 4.88 mm hoch				
Streuwert	9.54, horizontal: 12.03, vertikal: 6.09				





Serie 4:	8.8 ↓	10.3 ↖	8.9 ↖	10.1 ↑	8.1 ↖
	10.2 ↑	10.2 ↖	9.1 ↖	9.7 ↑	9.6 ↑
beste Teiler	544.0 (32.) 573.0 (36.) 602.2 (37.)				
Trefferlage	4.55 mm links, 5.47 mm hoch				
Streuwert	8.05, horizontal: 8.30, vertikal: 7.78				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394** (411.2)
 Serien: 99 97 99 99
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1409 (19), 1041 (29), 960 (1)
 beste Teiler 66.0 (2.) 204.4 (14.) 214.9 (6.)
 Trefferlage 0.61 mm rechts, 0.11 mm hoch
 Streuwert 4.29, horizontal: 4.18, vertikal: 4.38




Serie 1:
 9.8 ↘ 10.9 * 10.2 ← 10.3 * 10.2 ↘
 10.7 * 10.3 ↑ 10.6 * 10.6 * 10.6 *
 beste Teiler 66.0 (2.) 214.9 (6.) 289.6 (10.)
 Trefferlage 0.19 mm rechts, 0.28 mm tief
 Streuwert 3.74, horizontal: 4.33, vertikal: 3.05



Serie 2:
 10.2 ↑ 9.8 ↑ 10.6 * 10.7 * 10.3 *
 10.2 ↘ 9.9 → 10.3 * 9.2 ↓ 10.4 *
 beste Teiler 204.4 (14.) 271.1 (13.) 462.5 (20.)
 Trefferlage 1.60 mm rechts, 1.62 mm hoch
 Streuwert 5.04, horizontal: 4.14, vertikal: 5.81



Serie 3:
 10.5 * 10.0 → 10.3 * 10.3 * 10.6 *
 10.2 ↙ 10.5 * 10.5 * 9.6 ↓ 10.1 ↘
 beste Teiler 284.1 (25.) 349.5 (21.) 364.2 (28.)
 Trefferlage 2.00 mm rechts, 1.70 mm tief
 Streuwert 3.92, horizontal: 3.28, vertikal: 4.46





Serie 4:
 10.2 ↑ 10.4 * 10.0 → 9.9 ↖ 10.0 ↑
 10.7 * 10.1 ← 10.3 * 10.6 * 10.6 *
 beste Teiler 230.1 (36.) 259.6 (39.) 271.2 (40.)
 Trefferlage 1.35 mm links, 0.83 mm hoch
 Streuwert 4.18, horizontal: 4.64, vertikal: 3.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.2)
 Serien: 95 96 96 95
 Zähler: 26 11 2 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2632 (29), 2094 (39), 1634 (20)
 beste Teiler 82.7 (22.) 112.2 (25.) 215.8 (16.)
 Trefferlage 0.39 mm rechts, 0.43 mm tief
 Streuwert 6.40, horizontal: 7.74, vertikal: 4.70




Serie 1:
 9.9 ↘ 9.6 ↓ 10.6 * 10.2 → 10.2 ↖
 9.9 ↙ 10.3 → 9.8 → 10.6 * 9.1 ↗
 beste Teiler 254.0 (9.) 302.4 (3.) 552.2 (7.)
 Trefferlage 2.78 mm rechts, 0.29 mm tief
 Streuwert 5.77, horizontal: 5.07, vertikal: 6.39



Serie 2:
 9.8 ↗ 9.9 ↗ 10.5 * 10.7 * 10.2 ↓
 10.7 * 10.3 * 10.5 * 10.6 * 8.9 →
 beste Teiler 215.8 (16.) 222.6 (14.) 262.2 (19.)
 Trefferlage 2.20 mm rechts, 0.94 mm hoch
 Streuwert 5.04, horizontal: 6.00, vertikal: 3.85



Serie 3:
 10.2 → 10.8 * 10.4 * 9.3 ← 10.8 *
 10.3 * 10.2 ↓ 10.0 ↖ 7.7 ← 10.4 *
 beste Teiler 82.7 (22.) 112.2 (25.) 451.2 (23.)
 Trefferlage 2.80 mm links, 1.07 mm tief
 Streuwert 7.41, horizontal: 9.75, vertikal: 3.84



Serie 4:
 10.3 * 9.7 → 9.9 → 10.2 ← 9.6 ↖
 10.2 ↘ 10.2 ↓ 10.2 ↑ 8.3 ← 10.2 ↘
 beste Teiler 517.6 (31.) 579.3 (34.) 591.4 (36.)
 Trefferlage 0.61 mm links, 1.30 mm tief
 Streuwert 7.14, horizontal: 8.95, vertikal: 4.67

 Unterschrift des Schützen

Meyton Elektronik