





Ergebnis: **375** (394.2)  
 Serien: 91 94 93 97  
 Zähler: 19 17 4 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 2380 (18), 2045 (26), 1967 (4)  
 beste Teiler 75.9 (24.) 123.2 (40.) 127.6 (11.)  
 Trefferlage 0.96 mm links, 0.69 mm hoch  
 Streuwert 7.26, horizontal: 7.55, vertikal: 6.96




Serie 1:  
 8.8 ←                      9.9 →                      9.6 ↑                      8.5 ↑                      10.8 \*  
 10.3 \*                      9.9 ↗                      9.5 ↑                      9.3 ↘                      10.1 →  
 beste Teiler 149.9 (5.) 497.8 (6.) 666.6 (10.)  
 Trefferlage 1.06 mm rechts, 5.11 mm hoch  
 Streuwert 7.58, horizontal: 7.75, vertikal: 7.40



Serie 2:  
 10.8 \*                      9.5 ↘                      9.6 ↘                      10.3 \*                      9.4 ↗  
 10.1 ↑                      10.3 \*                      8.0 ↘                      10.6 \*                      9.3 ←  
 beste Teiler 127.6 (11.) 259.5 (19.) 498.9 (14.)  
 Trefferlage 0.36 mm links, 1.48 mm hoch  
 Streuwert 8.26, horizontal: 8.36, vertikal: 8.17



Serie 3:  
 9.2 ←                      10.4 \*                      10.2 ↘                      10.9 \*                      9.6 ↘  
 8.4 ↖                      9.6 ↓                      9.8 ↘                      10.7 \*                      9.8 ↖  
 beste Teiler 75.9 (24.) 207.5 (29.) 453.0 (22.)  
 Trefferlage 2.94 mm links, 2.17 mm tief  
 Streuwert 7.24, horizontal: 8.51, vertikal: 5.69





Serie 4:  
 10.5 \*                      9.7 ←                      10.0 ↓                      10.4 \*                      10.1 ↘  
 9.8 ↓                      10.2 ↘                      10.0 →                      9.5 ←                      10.8 \*  
 beste Teiler 123.2 (40.) 347.7 (31.) 414.5 (34.)  
 Trefferlage 1.59 mm links, 1.66 mm tief  
 Streuwert 5.16, horizontal: 5.90, vertikal: 4.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (393.5)  
 Serien: 91 97 95 95  
 Zähler: 22 14 4 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1903 (3), 1882 (5), 1866 (28)  
 beste Teiler 82.1 (4.) 252.7 (12.) 304.6 (22.)  
 Trefferlage 0.90 mm links, 3.34 mm tief  
 Streuwert 6.83, horizontal: 7.96, vertikal: 5.47




Serie 1:  
 9.5 ↘                      8.8 ←                      8.6 ↘                      10.8 \*                      8.6 ←  
 9.1 ↓                      10.3 \*                      9.4 ↓                      10.0 ↖                      10.0 ↙  
 beste Teiler 82.1 (4.) 500.6 (7.) 735.0 (10.)  
 Trefferlage 1.62 mm links, 5.15 mm tief  
 Streuwert 8.78, horizontal: 10.04, vertikal: 7.31



Serie 2:  
 9.3 ↓                      10.6 \*                      9.5 ↙                      10.2 ↙                      9.8 ↖  
 10.1 ↘                      10.4 \*                      10.3 \*                      10.3 \*                      10.5 \*  
 beste Teiler 252.7 (12.) 376.4 (20.) 412.3 (17.)  
 Trefferlage 1.68 mm links, 2.75 mm tief  
 Streuwert 5.14, horizontal: 4.95, vertikal: 5.32



Serie 3:  
 10.1 ↖                      10.6 \*                      10.4 \*                      9.7 ↙                      10.1 ←  
 9.7 ←                      9.5 ↘                      8.6 →                      10.3 \*                      10.0 ↓  
 beste Teiler 304.6 (22.) 443.2 (23.) 520.2 (29.)  
 Trefferlage 1.21 mm links, 1.68 mm tief  
 Streuwert 6.87, horizontal: 8.36, vertikal: 4.96





Serie 4:  
 10.1 ↘                      9.0 ↘                      10.1 ←                      9.5 ↙                      9.6 ←  
 9.3 ↘                      9.3 →                      10.6 \*                      10.4 \*                      10.5 \*  
 beste Teiler 309.0 (38.) 372.0 (40.) 445.3 (39.)  
 Trefferlage 0.88 mm rechts, 3.81 mm tief  
 Streuwert 6.73, horizontal: 8.64, vertikal: 4.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (395.9)  
 Serien: 94 93 95 95  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1905 (15), 1811 (24), 1753 (23)  
 beste Teiler 194.4 (28.) 233.4 (29.) 276.8 (27.)  
 Trefferlage 0.82 mm rechts, 1.34 mm tief  
 Streuwert 6.64, horizontal: 6.98, vertikal: 6.29




Serie 1:  
 9.2 ↓                      9.3 ↘                      10.0 ↗                      10.3 \*                      10.3 ↙  
 9.3 ↓                      9.7 ↘                      9.4 ↖                      9.9 ←                      10.1 ↘  
 beste Teiler 517.1 (4.) 536.8 (5.) 681.5 (10.)  
 Trefferlage 0.87 mm rechts, 4.51 mm tief  
 Streuwert 6.83, horizontal: 7.47, vertikal: 6.12



Serie 2:  
 10.1 ↓                      9.8 ↖                      9.4 ↖                      10.2 →                      8.6 →  
 10.6 \*                      9.9 ↘                      10.5 \*                      9.8 ↘                      9.9 →  
 beste Teiler 281.5 (16.) 362.6 (18.) 617.4 (14.)  
 Trefferlage 3.49 mm rechts, 0.05 mm hoch  
 Streuwert 6.68, horizontal: 8.22, vertikal: 4.64



Serie 3:  
 10.1 ↗                      9.9 →                      8.8 ↓                      8.7 ↙                      10.1 ↖  
 10.1 ↗                      10.6 \*                      10.7 \*                      10.7 \*                      10.3 ↘  
 beste Teiler 194.4 (28.) 233.4 (29.) 276.8 (27.)  
 Trefferlage 0.39 mm rechts, 1.21 mm tief  
 Streuwert 6.94, horizontal: 6.04, vertikal: 7.74





Serie 4:  
 10.3 ↘                      10.3 \*                      9.7 ↑                      9.9 ↙                      9.7 ↙  
 10.0 ↘                      9.5 ↖                      9.6 ↖                      10.4 \*                      10.2 ↓  
 beste Teiler 423.7 (39.) 492.4 (32.) 533.3 (31.)  
 Trefferlage 1.44 mm links, 0.29 mm hoch  
 Streuwert 6.07, horizontal: 6.13, vertikal: 6.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.3)  
 Serien: 93 97 91 95  
 Zähler: 19 18 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1873 (27), 1838 (5), 1648 (23)  
 beste Teiler 253.1 (30.) 306.1 (36.) 388.2 (18.)  
 Trefferlage 0.26 mm links, 3.02 mm tief  
 Streuwert 6.72, horizontal: 6.76, vertikal: 6.68




Serie 1:  
 9.9 ↑                      9.8 ←                      10.4 \*                      9.8 ↘                      8.7 ←  
 9.8 ↓                      10.1 ↓                      10.2 ↓                      10.0 ↓                      9.9 ↘  
 beste Teiler 427.9 (3.) 561.0 (8.) 698.7 (7.)  
 Trefferlage 1.91 mm links, 2.71 mm tief  
 Streuwert 6.47, horizontal: 7.66, vertikal: 5.01



Serie 2:  
 9.9 ↖                      10.4 \*                      9.3 ↗                      9.3 ↖                      10.0 ↖  
 10.0 ←                      10.4 \*                      10.5 \*                      10.0 →                      10.4 \*  
 beste Teiler 388.2 (18.) 410.7 (20.) 421.9 (17.)  
 Trefferlage 2.68 mm links, 1.19 mm hoch  
 Streuwert 5.56, horizontal: 6.12, vertikal: 4.94



Serie 3:  
 9.7 →                      9.2 ↓                      8.9 ↘                      9.0 ↓                      10.3 \*  
 10.2 ↙                      8.6 ↘                      9.7 ↓                      9.1 ↓                      10.6 \*  
 beste Teiler 253.1 (30.) 493.4 (25.) 593.9 (26.)  
 Trefferlage 2.31 mm rechts, 7.83 mm tief  
 Streuwert 7.07, horizontal: 7.23, vertikal: 6.91





Serie 4:  
 9.9 →                      10.2 ←                      9.3 ↓                      10.2 ↓                      9.0 ↓  
 10.6 \*                      10.3 →                      10.2 ↘                      9.7 →                      9.8 ↑  
 beste Teiler 306.1 (36.) 546.3 (37.) 566.6 (32.)  
 Trefferlage 1.23 mm rechts, 2.76 mm tief  
 Streuwert 6.35, horizontal: 5.50, vertikal: 7.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (397.7)  
 Serien: 96 95 96 94  
 Zähler: 23 16 0 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 3081 (31), 1566 (15), 1539 (32)  
 beste Teiler 127.2 (37.) 183.8 (4.) 308.5 (28.)  
 Trefferlage 0.17 mm rechts, 0.77 mm tief  
 Streuwert 6.76, horizontal: 7.22, vertikal: 6.27




Serie 1:  
 10.4 \*                      10.3 \*                      10.1 ↘                      10.7 \*                      9.4 ↓  
 9.9 ↘                      9.8 ↘                      10.5 \*                      10.5 \*                      9.9 ←  
 beste Teiler 183.8 (4.) 357.1 (8.) 368.4 (9.)  
 Trefferlage 1.27 mm links, 0.02 mm hoch  
 Streuwert 5.16, horizontal: 4.53, vertikal: 5.73



Serie 2:  
 10.1 ↙                      9.5 ↘                      9.4 →                      10.0 →                      9.0 ↘  
 9.6 ↘                      10.4 \*                      10.1 ↙                      9.7 ←                      10.5 \*  
 beste Teiler 362.3 (20.) 475.2 (17.) 696.2 (18.)  
 Trefferlage 1.51 mm rechts, 2.76 mm tief  
 Streuwert 6.77, horizontal: 7.79, vertikal: 5.57



Serie 3:  
 10.1 ↑                      10.5 \*                      10.3 \*                      9.6 ←                      9.8 ↓  
 10.4 \*                      9.6 ↘                      10.6 \*                      10.3 ↓                      9.8 ↘  
 beste Teiler 308.5 (28.) 341.7 (22.) 432.6 (26.)  
 Trefferlage 0.52 mm links, 0.99 mm tief  
 Streuwert 5.49, horizontal: 5.30, vertikal: 5.68





Serie 4:  
 7.1 ↘                      9.0 ↑                      10.2 ←                      9.6 ←                      10.0 ↓  
 9.7 →                      10.8 \*                      10.2 ↘                      10.3 →                      10.0 ←  
 beste Teiler 127.2 (37.) 541.7 (39.) 609.1 (33.)  
 Trefferlage 0.98 mm rechts, 0.62 mm hoch  
 Streuwert 9.44, horizontal: 10.55, vertikal: 8.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (394.8)  
 Serien: 97 92 95 94  
 Zähler: 21 16 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1806 (31), 1709 (20), 1672 (23)  
 beste Teiler 164.7 (6.) 254.0 (35.) 257.7 (2.)  
 Trefferlage 3.04 mm links, 0.39 mm hoch  
 Streuwert 6.51, horizontal: 5.21, vertikal: 7.60




Serie 1:  
 10.0 ↙ 10.6 \* 9.3 ↓ 10.1 ↗ 9.8 ↘  
 10.7 \* 10.2 ← 10.3 \* 10.1 ↖ 9.3 ↗  
 beste Teiler 164.7 (6.) 257.7 (2.) 498.2 (8.)  
 Trefferlage 3.27 mm links, 3.67 mm tief  
 Streuwert 4.80, horizontal: 4.53, vertikal: 5.05



Serie 2:  
 9.8 ↗ 10.6 \* 9.8 ↓ 9.8 ↖ 10.1 ↗  
 9.3 ↖ 9.1 ↘ 10.1 ↓ 9.7 ↓ 8.8 ↘  
 beste Teiler 268.0 (12.) 643.5 (15.) 663.0 (18.)  
 Trefferlage 4.80 mm links, 1.75 mm tief  
 Streuwert 7.05, horizontal: 5.84, vertikal: 8.08





Serie 3:  
 10.2 ↘ 10.2 ↘ 8.9 ↖ 9.8 ↓ 10.0 ↘  
 9.5 ↘ 10.4 \* 10.3 \* 10.2 → 9.7 ↗  
 beste Teiler 412.0 (27.) 506.5 (28.) 568.2 (29.)  
 Trefferlage 3.90 mm links, 0.14 mm hoch  
 Streuwert 5.99, horizontal: 5.51, vertikal: 6.43




Serie 4:  
 8.7 ↑ 10.2 ↓ 10.6 \* 9.2 ↑ 10.6 \*  
 9.5 ↗ 10.0 ↑ 9.2 ↑ 9.8 ↘ 10.3 ↘  
 beste Teiler 254.0 (35.) 273.7 (33.) 547.2 (40.)  
 Trefferlage 0.18 mm links, 6.86 mm hoch  
 Streuwert 5.79, horizontal: 4.37, vertikal: 6.93

Unterschrift des Schützen


Ergebnis: **373** (391.4)  
 Serien: 93 91 95 94  
 Zähler: 19 18 1 1 1 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 3350 (16), 3079 (1), 1846 (37)  
 beste Teiler 166.6 (39.) 247.1 (27.) 275.6 (21.)  
 Trefferlage 0.06 mm rechts, 3.72 mm tief  
 Streuwert 7.63, horizontal: 8.87, vertikal: 6.13




Serie 1:  
 7.1 ↘ 10.5 \* 9.1 ← 9.7 ← 10.5 \*  
 9.6 ↗ 10.2 ↘ 9.8 ↓ 10.1 ↓ 10.2 ←  
 beste Teiler 339.4 (2.) 384.1 (5.) 611.0 (7.)  
 Trefferlage 0.10 mm rechts, 5.46 mm tief  
 Streuwert 8.51, horizontal: 10.38, vertikal: 6.10



Serie 2:  
 9.6 ↓ 9.1 ↘ 10.0 ↗ 9.5 ↗ 10.4 \*  
 6.8 ↘ 10.2 ↗ 9.9 ↘ 10.4 \* 9.9 ↗  
 beste Teiler 410.9 (15.) 448.0 (19.) 587.8 (17.)  
 Trefferlage 4.08 mm rechts, 5.76 mm tief  
 Streuwert 8.69, horizontal: 11.10, vertikal: 5.26



Serie 3:  
 10.6 \* 9.2 ← 10.3 \* 9.8 ← 9.6 ↓  
 10.3 ↓ 10.6 \* 9.7 ↖ 10.1 ↓ 9.7 ↗  
 beste Teiler 247.1 (27.) 275.6 (21.) 504.5 (23.)  
 Trefferlage 4.17 mm links, 3.14 mm tief  
 Streuwert 4.87, horizontal: 5.10, vertikal: 4.63





Serie 4:  
 10.4 \* 9.7 ↓ 9.6 ↘ 9.8 → 10.4 \*  
 9.2 ↖ 8.6 ↖ 10.4 \* 10.7 \* 10.1 ↘  
 beste Teiler 166.6 (39.) 431.2 (31.) 439.5 (35.)  
 Trefferlage 0.23 mm rechts, 0.52 mm tief  
 Streuwert 7.18, horizontal: 6.80, vertikal: 7.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (389.4)  
 Serien: 91 91 94 93  
 Zähler: 15 19 6 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2097 (12), 1745 (6), 1706 (9)  
 beste Teiler 73.8 (34.) 116.7 (8.) 235.8 (18.)  
 Trefferlage 2.41 mm rechts, 1.48 mm hoch  
 Streuwert 7.48, horizontal: 8.63, vertikal: 6.12




Serie 1:  
 9.4 ←                      10.3 \*                      9.6 ↓                      9.7 ↘                      10.1 ↑  
 8.8 ↖                      9.9 ←                      10.8 \*                      8.8 ←                      9.8 ←  
 beste Teiler 116.7 (8.) 519.1 (2.) 677.0 (5.)  
 Trefferlage 5.39 mm links, 0.43 mm tief  
 Streuwert 7.09, horizontal: 8.13, vertikal: 5.86



Serie 2:  
 9.8 ↘                      8.3 ↗                      9.9 ↗                      9.5 →                      9.0 →  
 8.9 ↗                      10.0 →                      10.7 \*                      10.6 \*                      9.9 →  
 beste Teiler 235.8 (18.) 250.3 (19.) 799.5 (17.)  
 Trefferlage 6.83 mm rechts, 3.76 mm hoch  
 Streuwert 6.54, horizontal: 7.29, vertikal: 5.70



Serie 3:  
 9.0 ↗                      9.4 ↑                      9.2 ↘                      10.2 ↘                      9.7 →  
 10.0 →                      9.8 ↙                      9.2 ↘                      10.1 ↖                      10.3 ↙  
 beste Teiler 554.7 (30.) 562.3 (24.) 713.1 (29.)  
 Trefferlage 4.54 mm rechts, 0.27 mm hoch  
 Streuwert 7.13, horizontal: 7.01, vertikal: 7.25





Serie 4:  
 8.9 ↗                      9.8 ↑                      10.0 →                      10.9 \*                      9.9 ↗  
 10.3 ↘                      8.9 ↗                      10.3 \*                      10.3 ↓                      9.4 ←  
 beste Teiler 73.8 (34.) 490.7 (38.) 531.4 (36.)  
 Trefferlage 3.69 mm rechts, 2.34 mm hoch  
 Streuwert 6.65, horizontal: 7.61, vertikal: 5.52

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **395** (410.4)  
 Serien: 98 100 98 99  
 Zähler: 36 3 1 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 1700 (25), 1261 (4), 907 (6)  
 beste Teiler 95.7 (3.) 107.8 (30.) 164.9 (17.)  
 Trefferlage 0.62 mm rechts, 0.27 mm tief  
 Streuwert 4.41, horizontal: 3.96, vertikal: 4.82




Serie 1:  
 10.1 ↘ 10.2 ↗ 10.8 \* 9.4 ↘ 10.3 \*  
 9.8 ↘ 10.0 ↘ 10.3 ↙ 10.3 ↙ 10.2 ↘  
 beste Teiler 95.7 (3.) 487.1 (5.) 536.5 (8.)  
 Trefferlage 2.04 mm links, 2.46 mm hoch  
 Streuwert 4.68, horizontal: 4.03, vertikal: 5.26



Serie 2:  
 10.4 \* 10.3 \* 10.3 ↘ 10.4 \* 10.1 ↗  
 10.1 ↗ 10.7 \* 10.5 \* 10.5 \* 10.7 \*  
 beste Teiler 164.9 (17.) 174.6 (20.) 335.2 (19.)  
 Trefferlage 2.76 mm rechts, 0.60 mm hoch  
 Streuwert 2.81, horizontal: 1.93, vertikal: 3.48



Serie 3:  
 10.4 \* 10.3 ↘ 10.1 ↘ 10.5 \* 8.8 ↘  
 10.1 ↘ 10.6 \* 10.4 \* 10.2 ↗ 10.8 \*  
 beste Teiler 107.8 (30.) 316.0 (27.) 325.0 (24.)  
 Trefferlage 0.78 mm rechts, 3.85 mm tief  
 Streuwert 4.44, horizontal: 3.71, vertikal: 5.07





Serie 4:  
 10.4 \* 10.5 \* 10.5 \* 10.3 ↘ 10.2 ↗  
 10.0 → 10.5 \* 10.3 \* 10.2 ↗ 9.9 ←  
 beste Teiler 322.1 (37.) 354.9 (33.) 399.1 (32.)  
 Trefferlage 1.02 mm rechts, 0.31 mm tief  
 Streuwert 4.06, horizontal: 4.59, vertikal: 3.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.1)  
 Serien: 95 95 93 91  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1943 (19), 1885 (35), 1814 (20)  
 beste Teiler 110.9 (17.) 133.6 (12.) 214.4 (27.)  
 Trefferlage 0.77 mm links, 1.09 mm tief  
 Streuwert 7.24, horizontal: 8.17, vertikal: 6.17




Serie 1:  
 9.9 ↗ 10.6 \* 10.1 ↓ 9.1 ↘ 10.2 →  
 9.8 ↖ 9.0 ← 10.0 ↓ 9.5 ← 10.5 \*  
 beste Teiler 265.0 (2.) 331.4 (10.) 629.3 (5.)  
 Trefferlage 1.61 mm links, 2.00 mm tief  
 Streuwert 6.85, horizontal: 8.71, vertikal: 4.23



Serie 2:  
 10.0 → 10.8 \* 10.4 \* 10.0 ↗ 10.4 \*  
 10.6 \* 10.8 \* 9.6 ↘ 8.5 ↖ 8.7 ↘  
 beste Teiler 110.9 (17.) 133.6 (12.) 295.3 (16.)  
 Trefferlage 2.08 mm rechts, 0.64 mm tief  
 Streuwert 7.26, horizontal: 6.66, vertikal: 7.81



Serie 3:  
 9.9 → 9.4 ← 9.7 ↙ 9.1 → 10.1 ↓  
 9.9 → 10.7 \* 10.6 \* 9.1 ↖ 9.9 →  
 beste Teiler 214.4 (27.) 288.4 (28.) 719.6 (25.)  
 Trefferlage 0.19 mm rechts, 0.76 mm tief  
 Streuwert 7.31, horizontal: 9.51, vertikal: 4.08





Serie 4:  
 9.4 ↘ 9.6 ↙ 10.5 \* 9.5 ← 8.6 ←  
 10.1 ↓ 9.4 ↙ 9.9 ↑ 9.5 ↖ 9.7 ↑  
 beste Teiler 381.4 (33.) 649.3 (36.) 815.0 (38.)  
 Trefferlage 3.73 mm links, 0.94 mm tief  
 Streuwert 7.95, horizontal: 7.62, vertikal: 8.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (363.3)  
 Serien: 86 86 84 91  
 Zähler: 9 14 13 3 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3363 (2), 2997 (21), 2824 (18)  
 beste Teiler 107.9 (20.) 115.1 (40.) 275.0 (9.)  
 Trefferlage 5.36 mm links, 2.57 mm tief  
 Streuwert 11.24, horizontal: 10.97, vertikal: 11.50




Serie 1:  
 9.8 ↙ 6.7 ← 8.5 ← 7.7 ← 9.3 ↓  
 9.4 → 10.6 \* 9.4 ↘ 10.6 \* 9.5 ↓  
 beste Teiler 275.0 (9.) 280.7 (7.) 892.2 (1.)  
 Trefferlage 6.27 mm links, 5.29 mm tief  
 Streuwert 11.09, horizontal: 14.60, vertikal: 5.75



Serie 2:  
 9.2 ← 8.8 ↖ 8.0 ↑ 9.0 ↘ 8.4 ↓  
 9.3 ← 10.0 → 7.4 ↖ 8.3 ↑ 10.8 \*  
 beste Teiler 107.9 (20.) 742.0 (17.) 1311.6 (16.)  
 Trefferlage 5.54 mm links, 0.93 mm hoch  
 Streuwert 12.68, horizontal: 11.14, vertikal: 14.05



Serie 3:  
 7.2 ↘ 8.7 ↓ 9.3 ↘ 8.9 ↗ 9.3 ↖  
 8.0 ↖ 10.0 ↓ 9.4 ↓ 8.7 ↖ 8.0 ↖  
 beste Teiler 758.6 (27.) 1274.5 (28.) 1286.3 (25.)  
 Trefferlage 7.87 mm links, 2.11 mm hoch  
 Streuwert 12.42, horizontal: 10.77, vertikal: 13.87





Serie 4:  
 9.3 ↓ 10.1 ↙ 9.5 ↖ 8.3 ↓ 8.8 ↖  
 10.0 ↓ 8.3 ↓ 10.1 ↓ 9.9 ↘ 10.8 \*  
 beste Teiler 115.1 (40.) 656.2 (32.) 704.1 (38.)  
 Trefferlage 1.78 mm links, 8.07 mm tief  
 Streuwert 7.66, horizontal: 6.83, vertikal: 8.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (403.7)  
 Serien: 96 99 96 97  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1534 (7), 1504 (6), 1316 (32)  
 beste Teiler 27.6 (15.) 126.5 (40.) 200.2 (35.)  
 Trefferlage 2.90 mm rechts, 0.30 mm tief  
 Streuwert 5.14, horizontal: 5.77, vertikal: 4.44




Serie 1:  
 10.7 \*                      10.5 \*                      9.5 ←                      10.2 ↗                      9.8 ↑  
 9.1 ↘                      9.0 →                      10.6 \*                      10.5 \*                      10.1 →  
 beste Teiler 233.4 (1.) 258.1 (8.) 325.0 (2.)  
 Trefferlage 2.59 mm rechts, 0.65 mm tief  
 Streuwert 6.33, horizontal: 7.24, vertikal: 5.25



Serie 2:  
 10.1 ↘                      10.3 \*                      10.1 ↑                      10.0 ↗                      10.9 \*  
 10.1 ↗                      10.2 ←                      9.4 →                      10.4 \*                      10.4 \*  
 beste Teiler 27.6 (15.) 444.7 (20.) 475.9 (19.)  
 Trefferlage 2.46 mm rechts, 0.08 mm hoch  
 Streuwert 4.65, horizontal: 4.73, vertikal: 4.56



Serie 3:  
 10.0 →                      9.7 ↓                      9.8 ↓                      10.3 ↓                      10.4 \*  
 9.9 →                      10.4 \*                      10.1 ↗                      10.3 \*                      9.7 →  
 beste Teiler 461.9 (27.) 473.2 (25.) 487.6 (29.)  
 Trefferlage 2.81 mm rechts, 1.76 mm tief  
 Streuwert 5.08, horizontal: 5.26, vertikal: 4.89





Serie 4:  
 9.6 →                      9.3 →                      10.0 →                      9.5 →                      10.7 \*  
 10.5 \*                      10.3 ↑                      10.1 ↖                      10.4 \*                      10.8 \*  
 beste Teiler 126.5 (40.) 200.2 (35.) 392.6 (36.)  
 Trefferlage 3.76 mm rechts, 1.12 mm hoch  
 Streuwert 4.92, horizontal: 6.36, vertikal: 2.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (393.6)  
 Serien: 92 95 96 90  
 Zähler: 16 21 3 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1728 (19), 1669 (32), 1638 (7)  
 beste Teiler 187.2 (22.) 199.9 (8.) 254.8 (12.)  
 Trefferlage 2.12 mm links, 1.05 mm hoch  
 Streuwert 6.86, horizontal: 6.52, vertikal: 7.18




Serie 1:  
 10.3 \* 9.9 ↗ 9.3 ↘ 10.3 \* 9.5 ↗  
 9.2 ↙ 8.9 ↓ 10.7 \* 9.4 ← 9.2 ↘  
 beste Teiler 199.9 (8.) 501.3 (1.) 529.0 (4.)  
 Trefferlage 2.38 mm links, 0.70 mm hoch  
 Streuwert 8.07, horizontal: 6.80, vertikal: 9.17



Serie 2:  
 9.1 ↗ 10.6 \* 9.8 ← 9.8 → 10.4 \*  
 10.1 → 10.4 \* 10.2 ↑ 8.8 ← 10.5 \*  
 beste Teiler 254.8 (12.) 398.9 (20.) 448.3 (15.)  
 Trefferlage 0.98 mm links, 0.35 mm hoch  
 Streuwert 6.85, horizontal: 8.36, vertikal: 4.90



Serie 3:  
 10.2 ↗ 10.7 \* 9.8 ↘ 9.2 ↘ 9.8 ↗  
 10.4 \* 10.1 ← 10.4 \* 9.8 ↓ 10.4 \*  
 beste Teiler 187.2 (22.) 424.0 (30.) 446.4 (28.)  
 Trefferlage 0.86 mm links, 0.97 mm hoch  
 Streuwert 5.63, horizontal: 5.40, vertikal: 5.84





Serie 4:  
 9.7 ↓ 8.9 ↘ 9.8 ↙ 9.6 ← 9.4 ↗  
 9.9 ↖ 10.3 ↙ 9.9 ↓ 9.5 ← 9.4 ↑  
 beste Teiler 533.9 (37.) 839.5 (36.) 873.7 (38.)  
 Trefferlage 4.26 mm links, 2.16 mm hoch  
 Streuwert 7.39, horizontal: 5.51, vertikal: 8.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (390.3)  
 Serien: 90 97 94 93  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2072 (32), 1928 (28), 1665 (1)  
 beste Teiler 68.0 (14.) 217.9 (23.) 281.7 (29.)  
 Trefferlage 0.38 mm rechts, 0.66 mm hoch  
 Streuwert 7.60, horizontal: 7.54, vertikal: 7.67




Serie 1:  
 8.9 ↗ 9.4 ↘ 9.8 ↗ 9.1 ↗ 9.3 ↘  
 9.6 ↘ 9.5 ↘ 10.1 ↓ 9.7 ↘ 9.1 ↓  
 beste Teiler 642.9 (8.) 896.6 (3.) 1025.8 (9.)  
 Trefferlage 5.40 mm rechts, 0.57 mm tief  
 Streuwert 8.24, horizontal: 6.05, vertikal: 9.96



Serie 2:  
 9.5 ↗ 9.3 ↖ 10.1 ↓ 10.9 \* 9.8 ↘  
 10.4 \* 10.5 \* 10.0 ↖ 10.5 \* 10.0 ↗  
 beste Teiler 68.0 (14.) 323.3 (19.) 344.8 (17.)  
 Trefferlage 1.90 mm links, 1.31 mm hoch  
 Streuwert 5.48, horizontal: 5.47, vertikal: 5.49



Serie 3:  
 9.7 ↗ 9.5 ↑ 10.7 \* 9.4 → 9.5 ↑  
 10.4 \* 10.2 → 8.5 ← 10.6 \* 10.0 ↓  
 beste Teiler 217.9 (23.) 281.7 (29.) 450.6 (26.)  
 Trefferlage 0.86 mm rechts, 3.39 mm hoch  
 Streuwert 7.11, horizontal: 7.89, vertikal: 6.24





Serie 4:  
 9.3 → 8.4 ↘ 10.3 ↓ 9.2 ↖ 9.2 ↗  
 9.4 ↖ 9.8 ↘ 10.4 \* 10.3 \* 10.0 ↓  
 beste Teiler 464.2 (38.) 486.7 (39.) 555.6 (33.)  
 Trefferlage 2.83 mm links, 1.47 mm tief  
 Streuwert 8.45, horizontal: 8.49, vertikal: 8.41


\_\_\_\_\_  
 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.9)  
 Serien: 96 98 97 95  
 Zähler: 27 12 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 1999 (32), 1414 (26), 1346 (24)  
 beste Teiler 98.7 (27.) 212.6 (30.) 222.4 (36.)  
 Trefferlage 0.16 mm links, 1.43 mm tief  
 Streuwert 5.66, horizontal: 7.05, vertikal: 3.80




Serie 1:  
 10.6 \*                      9.5 ←                      10.0 ←                      9.3 ←                      9.9 ←  
 10.6 \*                      10.4 \*                      9.8 ↖                      10.7 \*                      10.3 \*  
 beste Teiler 223.4 (9.) 309.4 (1.) 311.3 (6.)  
 Trefferlage 3.65 mm links, 0.90 mm tief  
 Streuwert 5.00, horizontal: 6.62, vertikal: 2.51



Serie 2:  
 10.1 ↓                      10.0 ↙                      10.5 \*                      10.6 \*                      10.6 \*  
 10.3 \*                      10.2 ←                      10.2 ↓                      9.8 ↗                      9.5 →  
 beste Teiler 278.7 (15.) 309.4 (14.) 341.1 (13.)  
 Trefferlage 0.78 mm rechts, 2.00 mm tief  
 Streuwert 4.79, horizontal: 5.61, vertikal: 3.80



Serie 3:  
 10.5 \*                      9.8 ↖                      10.1 →                      9.3 ↘                      10.1 →  
 9.2 →                      10.8 \*                      10.0 ↙                      10.7 \*                      10.7 \*  
 beste Teiler 98.7 (27.) 212.6 (30.) 234.9 (29.)  
 Trefferlage 2.36 mm rechts, 0.83 mm tief  
 Streuwert 5.66, horizontal: 7.14, vertikal: 3.62





Serie 4:  
 9.4 ↖                      8.5 ↘                      10.4 \*                      10.6 \*                      9.8 ↙  
 10.7 \*                      10.4 \*                      10.3 ↘                      10.1 ↓                      9.6 ↖  
 beste Teiler 222.4 (36.) 309.9 (34.) 413.1 (37.)  
 Trefferlage 0.16 mm links, 1.98 mm tief  
 Streuwert 6.88, horizontal: 8.20, vertikal: 5.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.2)  
 Serien: 95 93 94 93  
 Zähler: 19 18 2 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2442 (34), 1761 (12), 1716 (22)  
 beste Teiler 120.5 (2.) 138.3 (26.) 161.0 (36.)  
 Trefferlage 1.17 mm rechts, 2.97 mm tief  
 Streuwert 6.93, horizontal: 8.30, vertikal: 5.22




Serie 1:  
 9.1 ←                      10.8 \*                      9.1 ↘                      10.4 \*                      10.4 \*  
 10.1 ↖                      9.5 →                      9.9 →                      9.9 ↑                      10.4 \*  
 beste Teiler 120.5 (2.) 435.5 (5.) 446.8 (10.)  
 Trefferlage 1.28 mm rechts, 0.91 mm tief  
 Streuwert 6.65, horizontal: 7.71, vertikal: 5.39



Serie 2:  
 10.4 \*                      8.7 ↙                      10.0 ↘                      9.6 →                      10.4 \*  
 9.5 →                      9.6 ↓                      10.2 →                      9.0 ↘                      9.2 ↙  
 beste Teiler 448.3 (15.) 468.8 (11.) 564.3 (18.)  
 Trefferlage 2.93 mm rechts, 6.08 mm tief  
 Streuwert 6.63, horizontal: 8.25, vertikal: 4.44



Serie 3:  
 9.9 ↓                      8.8 ←                      10.1 →                      9.2 ↖                      10.3 ↓  
 10.8 \*                      10.0 ↘                      10.2 ←                      9.4 ↖                      9.9 ←  
 beste Teiler 138.3 (26.) 534.3 (25.) 598.9 (28.)  
 Trefferlage 4.02 mm links, 1.11 mm tief  
 Streuwert 6.62, horizontal: 8.18, vertikal: 4.53





Serie 4:  
 10.2 ↘                      10.2 ↘                      10.0 ↘                      7.9 ↘                      9.9 ↓  
 10.7 \*                      9.4 →                      9.9 →                      9.8 ←                      10.4 \*  
 beste Teiler 161.0 (36.) 424.9 (40.) 580.0 (32.)  
 Trefferlage 4.48 mm rechts, 3.77 mm tief  
 Streuwert 6.60, horizontal: 7.65, vertikal: 5.36

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **389** (407.8)  
 Serien: 96 96 99 98  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 1442 (19), 1326 (20), 1325 (23)  
 beste Teiler 124.4 (22.) 169.8 (35.) 204.6 (32.)  
 Trefferlage 1.37 mm rechts, 1.31 mm hoch  
 Streuwert 4.75, horizontal: 5.86, vertikal: 3.29




Serie 1:  
 10.4 \*                      10.4 \*                      10.1 ↗                      10.0 ↗                      9.8 ↗  
 9.9 →                      10.4 \*                      9.7 ←                      9.7 ↑                      10.6 \*  
 beste Teiler 243.4 (10.) 439.9 (1.) 449.6 (7.)  
 Trefferlage 1.03 mm rechts, 2.32 mm hoch  
 Streuwert 5.09, horizontal: 5.79, vertikal: 4.28



Serie 2:  
 10.5 \*                      9.8 ↙                      9.9 ↖                      10.1 ↗                      10.2 ↘  
 10.2 ↑                      10.6 \*                      10.0 ←                      9.1 →                      9.3 →  
 beste Teiler 259.6 (17.) 387.0 (11.) 623.3 (16.)  
 Trefferlage 1.83 mm rechts, 0.77 mm hoch  
 Streuwert 6.24, horizontal: 8.11, vertikal: 3.50



Serie 3:  
 10.6 \*                      10.8 \*                      9.3 →                      10.4 \*                      10.0 ↖  
 10.2 ↗                      10.5 \*                      10.4 \*                      10.7 \*                      10.6 \*  
 beste Teiler 124.4 (22.) 211.2 (29.) 299.1 (21.)  
 Trefferlage 1.60 mm rechts, 1.43 mm hoch  
 Streuwert 4.10, horizontal: 5.31, vertikal: 2.33





Serie 4:  
 10.1 ↖                      10.7 \*                      9.8 →                      9.9 ↗                      10.7 \*  
 10.5 \*                      10.5 \*                      10.5 \*                      10.5 \*                      10.4 \*  
 beste Teiler 169.8 (35.) 204.6 (32.) 355.1 (36.)  
 Trefferlage 1.02 mm rechts, 0.72 mm hoch  
 Streuwert 3.87, horizontal: 4.58, vertikal: 3.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (395.7)  
 Serien: 96 96 94 94  
 Zähler: 21 18 1 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1728 (24), 1420 (6), 1343 (13)  
 beste Teiler 181.7 (18.) 292.5 (33.) 307.1 (20.)  
 Trefferlage 0.57 mm rechts, 0.09 mm hoch  
 Streuwert 6.52, horizontal: 6.69, vertikal: 6.35




Serie 1:  
 9.6 ↘ 10.2 ↗ 10.3 ↓ 9.4 ↗ 10.1 →  
 9.2 ↗ 10.1 ↗ 10.0 ↓ 9.4 ← 10.4 \*  
 beste Teiler 406.7 (10.) 559.5 (3.) 568.8 (2.)  
 Trefferlage 1.11 mm links, 0.71 mm hoch  
 Streuwert 6.89, horizontal: 5.41, vertikal: 8.10



Serie 2:  
 9.6 ↘ 9.7 ↘ 9.3 ↑ 10.0 ↖ 9.6 →  
 10.0 ↘ 10.1 → 10.7 \* 10.1 ↗ 10.6 \*  
 beste Teiler 181.7 (18.) 307.1 (20.) 678.1 (17.)  
 Trefferlage 1.02 mm links, 1.28 mm hoch  
 Streuwert 6.28, horizontal: 6.56, vertikal: 5.98



Serie 3:  
 10.1 ↑ 9.9 → 9.4 ↘ 8.8 ↘ 9.8 ↓  
 10.1 ↘ 10.2 ↗ 10.0 ↖ 9.7 ← 10.5 \*  
 beste Teiler 325.0 (30.) 592.3 (27.) 651.4 (26.)  
 Trefferlage 2.42 mm rechts, 1.45 mm tief  
 Streuwert 6.71, horizontal: 7.56, vertikal: 5.73



Serie 4:  
 9.4 → 10.1 ↘ 10.6 \* 10.2 ↘ 9.5 ↖  
 9.7 ↑ 9.7 ↓ 9.9 → 10.3 \* 9.4 →  
 beste Teiler 292.5 (33.) 518.8 (39.) 633.6 (34.)  
 Trefferlage 2.03 mm rechts, 0.17 mm tief  
 Streuwert 6.63, horizontal: 7.24, vertikal: 5.95

Unterschrift des Schützen

Meyton Elektronik