





Ergebnis: **377** (392.6)
 Serien: 95 95 95 92
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1812 (14), 1678 (34), 1628 (15)
 beste Teiler 270.8 (28.) 275.2 (37.) 285.5 (32.)
 Trefferlage 0.29 mm rechts, 0.76 mm hoch
 Streuwert 7.18, horizontal: 7.66, vertikal: 6.67




Serie 1:
 10.3 * 10.1 ↗ 9.2 → 9.4 ↑ 9.7 ↗
 9.8 ↓ 10.5 * 10.0 → 10.2 → 9.1 ←
 beste Teiler 357.5 (7.) 519.9 (1.) 635.7 (9.)
 Trefferlage 3.00 mm rechts, 2.39 mm hoch
 Streuwert 6.60, horizontal: 7.47, vertikal: 5.60



Serie 2:
 10.4 * 10.0 ← 10.3 * 8.7 ← 8.9 →
 10.0 ↙ 10.2 ← 9.2 ↗ 10.5 * 10.0 ↖
 beste Teiler 380.6 (19.) 450.7 (11.) 521.4 (13.)
 Trefferlage 1.85 mm links, 0.44 mm hoch
 Streuwert 7.51, horizontal: 9.46, vertikal: 4.82



Serie 3:
 9.7 ↘ 10.5 * 10.2 ↑ 9.6 ↗ 10.2 ↓
 9.7 ↑ 9.4 ↓ 10.6 * 10.0 ↖ 9.5 ↗
 beste Teiler 270.8 (28.) 362.6 (22.) 633.7 (25.)
 Trefferlage 2.09 mm rechts, 2.02 mm hoch
 Streuwert 6.17, horizontal: 4.74, vertikal: 7.33





Serie 4:
 9.0 ← 10.6 * 9.8 ↖ 8.9 ↓ 9.1 ↓
 9.5 ← 10.6 * 9.6 ↘ 10.0 ↘ 9.6 ↖
 beste Teiler 275.2 (37.) 285.5 (32.) 732.7 (39.)
 Trefferlage 2.06 mm links, 1.80 mm tief
 Streuwert 8.23, horizontal: 7.97, vertikal: 8.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.1)
 Serien: 90 94 93 94
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1817 (25), 1758 (6), 1650 (2)
 beste Teiler 101.8 (5.) 288.8 (28.) 296.9 (11.)
 Trefferlage 0.64 mm rechts, 0.91 mm tief
 Streuwert 7.30, horizontal: 7.88, vertikal: 6.66




Serie 1:
 10.0 ↘ 8.9 ↘ 9.5 ↓ 9.4 ↘ 10.8 *
 8.8 → 9.8 ← 10.2 ↘ 8.9 ↑ 9.4 ↑
 beste Teiler 101.8 (5.) 598.2 (8.) 793.7 (1.)
 Trefferlage 2.48 mm rechts, 0.40 mm tief
 Streuwert 8.82, horizontal: 8.20, vertikal: 9.41



Serie 2:
 10.6 * 10.1 ↖ 10.6 * 10.2 ↖ 9.1 ↓
 9.7 ↓ 9.7 ↗ 9.7 ← 9.4 ← 9.8 →
 beste Teiler 296.9 (11.) 301.4 (13.) 610.0 (14.)
 Trefferlage 0.91 mm links, 2.21 mm tief
 Streuwert 6.66, horizontal: 7.44, vertikal: 5.77



Serie 3:
 9.9 → 10.1 ↗ 10.0 ← 10.1 ← 8.7 ↖
 9.7 → 9.6 → 10.6 * 9.9 ↗ 9.9 ↗
 beste Teiler 288.8 (28.) 666.3 (22.) 691.6 (24.)
 Trefferlage 1.15 mm rechts, 1.27 mm hoch
 Streuwert 7.02, horizontal: 8.79, vertikal: 4.62





Serie 4:
 9.6 ↘ 9.5 ← 10.5 * 10.2 ↓ 9.8 ↓
 9.2 ↓ 9.6 → 10.0 ← 10.4 * 9.2 →
 beste Teiler 385.2 (33.) 477.3 (39.) 603.3 (34.)
 Trefferlage 0.17 mm links, 2.30 mm tief
 Streuwert 7.12, horizontal: 7.86, vertikal: 6.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(383.3)
Serien:	92 89 89 96	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2803 (15), 1992 (23), 1884 (10)	
beste Teiler	199.0 (37.) 247.8 (33.) 377.1 (38.)	
Trefferlage	2.95 mm links, 0.41 mm tief	
Streuwert	8.40, horizontal: 8.24, vertikal: 8.56	




Serie 1:	10.3 ↘	8.9 ↖	9.6 ↖	9.4 ↗	10.0 →
	10.0 ↓	10.1 ↑	9.6 ↖	9.9 ↖	8.6 ↓
beste Teiler	558.0 (1.) 710.9 (7.) 763.9 (5.)				
Trefferlage	0.62 mm links, 1.23 mm hoch				
Streuwert	8.35, horizontal: 7.82, vertikal: 8.84				



Serie 2:	9.8 →	9.7 →	8.9 ↙	9.3 →	7.4 ↑
	9.6 ↙	9.2 ↘	9.7 ↖	10.0 →	10.3 *
beste Teiler	492.8 (20.) 741.9 (19.) 899.0 (11.)				
Trefferlage	2.15 mm rechts, 0.32 mm tief				
Streuwert	10.15, horizontal: 8.64, vertikal: 11.46				



Serie 3:	9.0 ↙	8.7 ←	8.5 ↙	9.8 ↑	9.8 ↓
	9.0 ↙	9.1 ↙	9.7 ↓	9.6 ↖	10.1 ↑
beste Teiler	704.0 (30.) 885.5 (25.) 931.7 (24.)				
Trefferlage	8.59 mm links, 2.96 mm tief				
Streuwert	7.55, horizontal: 6.79, vertikal: 8.24				





Serie 4:	9.9 ↙	10.2 →	10.6 *	9.0 ↖	9.1 ←
	9.3 ↖	10.7 *	10.5 *	10.2 ←	10.2 ↙
beste Teiler	199.0 (37.) 247.8 (33.) 377.1 (38.)				
Trefferlage	4.76 mm links, 0.40 mm hoch				
Streuwert	5.82, horizontal: 6.19, vertikal: 5.43				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (398.8)
 Serien: 94 97 96 93
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2285 (40), 1787 (37), 1554 (7)
 beste Teiler 69.3 (29.) 179.8 (14.) 209.0 (8.)
 Trefferlage 0.13 mm links, 1.18 mm hoch
 Streuwert 6.43, horizontal: 5.98, vertikal: 6.85




Serie 1:
 9.9 ↗ 10.3 * 10.2 ↘ 10.4 * 9.9 ↑
 9.8 ↘ 9.0 ↗ 10.7 * 9.8 ↘ 9.9 ↘
 beste Teiler 209.0 (8.) 456.0 (4.) 522.7 (2.)
 Trefferlage 1.01 mm rechts, 2.55 mm hoch
 Streuwert 5.98, horizontal: 5.12, vertikal: 6.74



Serie 2:
 9.1 ↘ 10.3 * 9.7 ↓ 10.7 * 9.2 ↑
 10.2 ↘ 10.0 ↑ 10.3 * 10.3 ✓ 10.1 ↓
 beste Teiler 179.8 (14.) 503.5 (18.) 513.4 (12.)
 Trefferlage 0.25 mm rechts, 0.82 mm tief
 Streuwert 6.34, horizontal: 4.48, vertikal: 7.77



Serie 3:
 10.4 * 10.6 * 10.1 ↘ 10.2 ✓ 9.7 →
 9.8 ↑ 9.8 ↗ 10.4 * 10.9 * 9.9 ←
 beste Teiler 69.3 (29.) 315.8 (22.) 429.9 (28.)
 Trefferlage 0.67 mm rechts, 1.21 mm hoch
 Streuwert 5.09, horizontal: 5.68, vertikal: 4.42





Serie 4:
 10.1 → 10.5 * 9.6 ← 9.9 ↓ 10.0 ✓
 10.4 * 8.7 ↘ 10.6 * 9.3 → 8.1 ↘
 beste Teiler 254.5 (38.) 344.5 (32.) 437.4 (36.)
 Trefferlage 2.49 mm links, 1.80 mm hoch
 Streuwert 8.34, horizontal: 8.25, vertikal: 8.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	382	(404.2)
Serien:	95	97 98 92
Zähler:	22	18 0 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	1408	(24), 1274 (35), 1265 (11)
beste Teiler	89.0	(10.) 128.0 (23.) 258.4 (28.)
Trefferlage	1.20 mm	rechts, 0.94 mm tief
Streuwert	5.31,	horizontal: 5.18, vertikal: 5.43




Serie 1:	10.6 *	9.8 ↘	10.1 ↗	9.7 ↘	10.4 *
	9.9 →	10.2 ↖	9.8 ↗	9.8 ↗	10.8 *
beste Teiler	89.0	(10.) 283.6 (1.) 410.1 (5.)			
Trefferlage	4.03 mm	rechts, 2.46 mm tief			
Streuwert	4.17,	horizontal: 4.72, vertikal: 3.53			



Serie 2:	9.4 ↓	10.3 ←	10.6 *	9.8 ↖	10.0 ↖
	10.5 *	10.3 ←	10.4 *	10.3 ↘	9.8 ↓
beste Teiler	277.4	(13.) 343.4 (16.) 406.9 (18.)			
Trefferlage	1.55 mm	links, 1.04 mm tief			
Streuwert	5.19,	horizontal: 3.54, vertikal: 6.43			



Serie 3:	10.6 *	10.2 ↓	10.8 *	9.2 ↗	10.3 *
	10.2 ↖	10.5 *	10.6 *	9.6 ↖	10.6 *
beste Teiler	128.0	(23.) 258.4 (28.) 278.9 (30.)			
Trefferlage	0.88 mm	rechts, 1.10 mm hoch			
Streuwert	4.89,	horizontal: 5.55, vertikal: 4.13			





Serie 4:	9.9 ↖	9.8 ↖	9.9 ↗	9.5 ↘	9.4 ↓
	9.9 ↗	9.6 ↘	10.6 *	10.6 *	9.9 ↓
beste Teiler	274.9	(39.) 309.3 (38.) 808.3 (31.)			
Trefferlage	1.44 mm	rechts, 1.36 mm tief			
Streuwert	6.44,	horizontal: 5.76, vertikal: 7.05			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(401.8)
Serien:	96 97 98 95	
Zähler:	27 12 1 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1898 (33), 1496 (32), 1286 (10)	
beste Teiler	232.6 (35.) 248.2 (40.) 352.6 (4.)	
Trefferlage	1.63 mm links, 0.66 mm hoch	
Streuwert	5.59, horizontal: 6.14, vertikal: 4.98	




Serie 1:	9.7 ↙	10.3 *	10.4 *	10.5 *	10.2 ↖
	9.4 ←	9.9 →	10.2 ↓	10.1 ↖	9.3 ↘
beste Teiler	352.6 (4.) 468.2 (3.) 481.3 (2.)				
Trefferlage	2.16 mm links, 1.33 mm tief				
Streuwert	5.75, horizontal: 6.95, vertikal: 4.22				



Serie 2:	10.2 ↖	10.4 *	9.9 ↓	9.5 ↗	10.4 *
	10.2 ↘	10.2 →	9.9 ↖	10.0 ↓	10.4 *
beste Teiler	421.5 (15.) 455.4 (20.) 471.6 (12.)				
Trefferlage	1.87 mm links, 1.56 mm tief				
Streuwert	5.02, horizontal: 5.13, vertikal: 4.91				



Serie 3:	10.0 ↗	10.2 ↘	10.0 ↑	10.0 ↑	9.8 ↖
	10.3 *	10.4 *	10.1 ↑	9.8 ↗	10.5 *
beste Teiler	388.9 (30.) 423.1 (27.) 488.5 (26.)				
Trefferlage	1.09 mm rechts, 2.62 mm hoch				
Streuwert	4.68, horizontal: 5.04, vertikal: 4.29				





Serie 4:	10.4 *	9.1 ↘	8.6 ↖	10.4 *	10.7 *
	9.6 ↘	9.6 ↑	10.1 ↓	10.5 *	10.6 *
beste Teiler	232.6 (35.) 248.2 (40.) 357.7 (39.)				
Trefferlage	3.59 mm links, 2.91 mm hoch				
Streuwert	6.24, horizontal: 7.11, vertikal: 5.22				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(403.2)
Serien:	96	98 93 96
Zähler:	24	15 1 0 0 0 0 0 0 0
Innenzehner:	16	
weiteste:	1628	(23), 1334 (22), 1261 (25)
beste Teiler	131.8	(3.) 164.8 (12.) 188.2 (7.)
Trefferlage	0.46 mm	rechts, 1.26 mm tief
Streuwert	5.57,	horizontal: 6.52, vertikal: 4.42




Serie 1:	9.9 ↑	9.9 →	10.8 *	10.3 *	10.6 *
	10.4 *	10.7 *	9.7 ↓	10.4 *	9.5 →
beste Teiler	131.8	(3.) 188.2 (7.)	258.1 (5.)		
Trefferlage	0.86 mm	rechts, 1.16 mm tief			
Streuwert	4.88,	horizontal: 5.20, vertikal: 4.55			



Serie 2:	10.3 →	10.7 *	9.4 ↓	9.8 ↑	10.6 *
	10.2 ↙	10.2 ↓	10.7 *	10.2 →	10.5 *
beste Teiler	164.8	(12.) 234.1 (18.)	277.5 (15.)		
Trefferlage	1.18 mm	rechts, 1.61 mm tief			
Streuwert	4.51,	horizontal: 3.73, vertikal: 5.17			





Serie 3:	10.5 *	9.3 ↘	8.9 →	10.7 *	9.4 ↙
	9.9 ←	9.7 ←	9.5 ←	10.3 *	10.3 →
beste Teiler	228.9	(24.) 353.5 (21.)	505.0 (29.)		
Trefferlage	1.65 mm	links, 0.10 mm hoch			
Streuwert	7.29,	horizontal: 9.81, vertikal: 3.15			




Serie 4:	10.1 ↗	10.1 ←	10.3 *	9.7 ↓	10.3 ↖
	10.5 *	10.3 *	9.5 ↘	9.6 ↘	9.5 →
beste Teiler	365.5	(36.) 502.8 (33.)	514.4 (37.)		
Trefferlage	1.46 mm	rechts, 2.37 mm tief			
Streuwert	5.64,	horizontal: 6.34, vertikal: 4.85			

Unterschrift des Schützen


Ergebnis:	368	(385.8)
Serien:	90 89 95 94	
Zähler:	17 14 9 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2001 (19), 1999 (15), 1870 (9)	
beste Teiler	199.7 (17.) 275.9 (26.) 286.5 (39.)	
Trefferlage	5.06 mm rechts, 0.02 mm hoch	
Streuwert	7.56, horizontal: 8.42, vertikal: 6.59	




Serie 1:				
9.6 ↖	8.8 ↘	8.7 ↗	8.8 ↓	10.3 *
10.3 ↙	10.1 ↘	9.3 →	8.6 →	10.3 ↗
beste Teiler	484.3 (5.)	536.1 (10.)	549.1 (6.)	
Trefferlage	5.95 mm rechts, 2.37 mm tief			
Streuwert	8.44, horizontal: 8.84, vertikal: 8.02			



Serie 2:				
10.4 *	8.8 ↑	8.9 ↘	9.1 ↘	8.5 →
9.0 →	10.7 *	10.2 ↘	8.4 →	9.1 ↘
beste Teiler	199.7 (17.)	407.9 (11.)	622.9 (18.)	
Trefferlage	10.30 mm rechts, 0.87 mm tief			
Streuwert	7.56, horizontal: 7.44, vertikal: 7.67			



Serie 3:				
9.8 ↙	10.2 ↑	10.2 →	10.2 ↘	9.5 ↘
10.6 *	9.8 ↗	10.2 ↙	8.9 ↖	10.1 ↑
beste Teiler	275.9 (26.)	588.7 (23.)	600.0 (28.)	
Trefferlage	0.35 mm rechts, 0.19 mm hoch			
Streuwert	6.54, horizontal: 7.57, vertikal: 5.30			





Serie 4:				
9.3 ↗	9.7 ↑	9.7 ↑	10.0 ↖	9.0 →
9.9 ↗	9.9 ←	10.1 →	10.6 *	10.2 →
beste Teiler	286.5 (39.)	638.8 (40.)	663.2 (38.)	
Trefferlage	3.66 mm rechts, 3.15 mm hoch			
Streuwert	6.20, horizontal: 7.65, vertikal: 4.30			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(398.6)			
Serien:	97	89	96	98	
Zähler:	24	13	2	1	0 0 0 0 0 0
Innenzehner:	16				
weiteste:	2740 (14), 2004 (13), 1665 (17)				
beste Teiler	102.0 (3.) 153.5 (32.) 176.0 (26.)				
Trefferlage	2.89 mm rechts, 0.37 mm tief				
Streuwert	6.60, horizontal: 8.05, vertikal: 4.72				




Serie 1:					
	9.7 ←	10.4 *	10.8 *	9.7 ←	10.4 *
	10.2 ↖	10.0 ↖	10.0 ↖	9.7 ↗	10.4 *
beste Teiler	102.0 (3.) 402.8 (5.) 446.6 (10.)				
Trefferlage	1.89 mm links, 2.07 mm hoch				
Streuwert	4.90, horizontal: 5.89, vertikal: 3.65				



Serie 2:					
	10.4 *	10.0 ↘	8.4 →	7.5 →	9.7 ↓
	9.0 →	8.9 ↘	10.2 →	9.9 ↘	9.0 →
beste Teiler	458.3 (11.) 637.8 (18.) 774.2 (12.)				
Trefferlage	11.21 mm rechts, 2.59 mm tief				
Streuwert	7.03, horizontal: 8.74, vertikal: 4.73				



Serie 3:					
	9.1 ↘	9.9 ↘	10.5 *	9.9 ↖	10.6 *
	10.7 *	10.0 ↓	9.7 →	10.6 *	10.6 *
beste Teiler	176.0 (26.) 290.2 (30.) 299.6 (29.)				
Trefferlage	2.79 mm rechts, 1.77 mm tief				
Streuwert	5.01, horizontal: 4.66, vertikal: 5.34				





Serie 4:					
	10.7 *	10.8 *	9.1 ←	10.4 *	10.4 *
	10.2 ↗	10.2 ↓	10.4 *	10.6 *	9.9 ↗
beste Teiler	153.5 (32.) 220.6 (31.) 264.8 (39.)				
Trefferlage	0.54 mm links, 0.79 mm hoch				
Streuwert	4.96, horizontal: 5.72, vertikal: 4.04				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	395	(413.4)
Serien:	99 99 99 98	
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	1395 (11), 962 (39), 880 (7)	
beste Teiler	92.6 (32.) 115.3 (21.) 146.4 (40.)	
Trefferlage	0.71 mm rechts, 0.72 mm tief	
Streuwert	3.95, horizontal: 4.22, vertikal: 3.66	




Serie 1:	10.1 ←	10.2 ↗	10.3 →	10.4 *	10.5 *
	10.5 *	9.9 ←	10.5 *	10.4 *	10.2 ↗
beste Teiler	334.0 (6.) 370.0 (5.) 387.8 (8.)				
Trefferlage	0.20 mm rechts, 0.88 mm hoch				
Streuwert	4.13, horizontal: 4.92, vertikal: 3.13				



Serie 2:	9.2 ↘	10.3 *	10.6 *	10.4 *	10.4 *
	10.4 *	10.6 *	10.7 *	10.8 *	10.2 →
beste Teiler	149.3 (19.) 207.6 (18.) 288.6 (17.)				
Trefferlage	1.34 mm rechts, 1.65 mm tief				
Streuwert	4.04, horizontal: 3.65, vertikal: 4.39				



Serie 3:	10.8 *	10.1 ←	10.5 *	10.7 *	10.6 *
	10.8 *	10.3 *	9.9 ←	10.6 *	10.3 *
beste Teiler	115.3 (21.) 149.6 (26.) 232.6 (24.)				
Trefferlage	1.43 mm links, 0.96 mm tief				
Streuwert	3.11, horizontal: 3.74, vertikal: 2.31				





Serie 4:	9.9 →	10.8 *	10.0 ↘	10.5 *	10.0 →
	10.2 ↘	10.3 *	10.0 ↘	9.7 ↘	10.8 *
beste Teiler	92.6 (32.) 146.4 (40.) 335.5 (34.)				
Trefferlage	2.76 mm rechts, 1.17 mm tief				
Streuwert	4.17, horizontal: 3.89, vertikal: 4.43				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.3)
 Serien: 96 92 97 93
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2086 (35), 1790 (19), 1676 (16)
 beste Teiler 91.9 (7.) 100.4 (37.) 232.6 (25.)
 Trefferlage 1.15 mm rechts, 2.60 mm tief
 Streuwert 6.27, horizontal: 7.05, vertikal: 5.37




Serie 1:
 9.8 ↘ 10.3 * 10.2 ↘ 9.4 ↓ 10.2 ↗
 9.9 ↙ 10.8 * 9.7 ← 10.5 * 10.6 *
 beste Teiler 91.9 (7.) 301.4 (10.) 354.4 (9.)
 Trefferlage 0.10 mm links, 1.92 mm tief
 Streuwert 5.23, horizontal: 4.80, vertikal: 5.63



Serie 2:
 9.1 ↘ 10.4 * 9.8 ↘ 9.8 ↙ 10.0 →
 8.9 ↘ 10.2 ↘ 9.9 ← 8.7 ↘ 10.6 *
 beste Teiler 252.7 (20.) 455.2 (12.) 574.2 (17.)
 Trefferlage 3.14 mm rechts, 5.82 mm tief
 Streuwert 6.51, horizontal: 7.53, vertikal: 5.30



Serie 3:
 9.5 ↘ 10.2 ↗ 10.3 * 10.1 ← 10.7 *
 9.8 ↗ 10.1 ↘ 10.0 ↘ 10.4 * 9.5 →
 beste Teiler 232.6 (25.) 478.3 (29.) 481.1 (23.)
 Trefferlage 3.06 mm rechts, 1.01 mm tief
 Streuwert 5.16, horizontal: 5.24, vertikal: 5.08





Serie 4:
 10.3 * 10.0 ← 10.1 ↘ 9.6 ↘ 8.3 →
 9.8 ↙ 10.8 * 9.6 ↙ 9.6 ↖ 9.8 ↘
 beste Teiler 100.4 (37.) 528.7 (31.) 655.0 (33.)
 Trefferlage 1.46 mm links, 1.66 mm tief
 Streuwert 7.56, horizontal: 9.52, vertikal: 4.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (404.3)
 Serien: 98 96 96 96
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1781 (31), 1438 (12), 1305 (23)
 beste Teiler 86.5 (16.) 156.2 (18.) 168.6 (28.)
 Trefferlage 1.06 mm rechts, 1.35 mm tief
 Streuwert 5.41, horizontal: 6.20, vertikal: 4.50




Serie 1:
 10.4 * 9.7 ↘ 9.7 ↘ 10.2 ↘ 10.2 ↙
 10.4 * 10.1 ↙ 10.4 * 10.7 * 10.5 *
 beste Teiler 198.7 (9.) 366.9 (10.) 411.2 (1.)
 Trefferlage 0.20 mm rechts, 2.94 mm tief
 Streuwert 3.95, horizontal: 3.97, vertikal: 3.93



Serie 2:
 10.4 * 9.2 ↘ 9.6 ↘ 10.2 ↑ 9.4 ↘
 10.8 * 10.2 ↓ 10.8 * 9.8 ↙ 10.0 ↓
 beste Teiler 86.5 (16.) 156.2 (18.) 442.5 (11.)
 Trefferlage 3.20 mm rechts, 1.90 mm tief
 Streuwert 5.73, horizontal: 6.01, vertikal: 5.44



Serie 3:
 10.0 ↘ 9.6 ↘ 9.3 → 10.1 ← 9.9 ↓
 9.5 ↘ 10.5 * 10.7 * 10.5 * 10.2 ↓
 beste Teiler 168.6 (28.) 349.5 (29.) 372.2 (27.)
 Trefferlage 1.99 mm rechts, 1.20 mm tief
 Streuwert 5.76, horizontal: 6.33, vertikal: 5.14



Serie 4:
 8.7 ← 10.6 * 10.6 * 9.9 ↙ 10.5 *
 10.3 * 10.3 * 10.4 * 10.6 * 9.4 →
 beste Teiler 243.3 (33.) 282.3 (39.) 293.8 (32.)
 Trefferlage 1.13 mm links, 0.64 mm hoch
 Streuwert 5.95, horizontal: 7.89, vertikal: 2.95

Unterschrift des Schützen

Meyton Elektronik