





Ergebnis: **395** (410.5)  
 Serien: 98 100 98 99  
 Zähler: 35 5 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 1428 (28), 1316 (34), 1067 (25)  
 beste Teiler 125.3 (30.) 165.9 (16.) 202.2 (39.)  
 Trefferlage 0.85 mm rechts, 0.37 mm hoch  
 Streuwert 4.43, horizontal: 5.01, vertikal: 3.75




Serie 1:  
 9.6 ↑                      10.6 \*                      10.0 ←                      10.5 \*                      10.0 ↘  
 9.9 ↑                      10.4 \*                      10.4 \*                      10.1 ←                      10.1 ←  
 beste Teiler 282.3 (2.) 377.9 (4.) 470.3 (7.)  
 Trefferlage 2.61 mm links, 0.77 mm hoch  
 Streuwert 4.63, horizontal: 4.25, vertikal: 4.98



Serie 2:  
 10.5 \*                      10.6 \*                      10.6 \*                      10.5 \*                      10.3 \*  
 10.7 \*                      10.5 \*                      10.2 ↑                      10.1 ↘                      10.1 ↑  
 beste Teiler 165.9 (16.) 300.8 (13.) 303.7 (12.)  
 Trefferlage 1.64 mm rechts, 0.33 mm hoch  
 Streuwert 3.14, horizontal: 2.31, vertikal: 3.80



Serie 3:  
 10.5 \*                      10.0 →                      10.4 \*                      10.3 \*                      9.6 ↗  
 10.6 \*                      10.6 \*                      9.2 →                      10.2 ↓                      10.8 \*  
 beste Teiler 125.3 (30.) 273.5 (26.) 293.9 (27.)  
 Trefferlage 3.28 mm rechts, 0.05 mm hoch  
 Streuwert 4.59, horizontal: 5.32, vertikal: 3.71





Serie 4:  
 10.6 \*                      10.6 \*                      10.2 ↗                      9.3 →                      10.6 \*  
 10.0 ↗                      10.2 ←                      10.1 ←                      10.7 \*                      10.3 ←  
 beste Teiler 202.2 (39.) 242.1 (35.) 308.2 (31.)  
 Trefferlage 1.10 mm rechts, 0.32 mm hoch  
 Streuwert 4.70, horizontal: 6.03, vertikal: 2.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (405.5)  
 Serien: 97 96 98 96  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1324 (18), 1181 (40), 1117 (27)  
 beste Teiler 69.0 (28.) 134.2 (38.) 140.7 (22.)  
 Trefferlage 2.03 mm links, 1.14 mm hoch  
 Streuwert 4.89, horizontal: 5.10, vertikal: 4.68




Serie 1:  
 9.9 ↓ 9.6 ↗ 10.4 \* 9.9 ↗ 10.7 \*  
 10.2 ↘ 10.3 \* 10.1 ↖ 10.1 ↖ 10.0 ←  
 beste Teiler 187.8 (5.) 450.5 (3.) 494.1 (7.)  
 Trefferlage 1.83 mm links, 0.21 mm hoch  
 Streuwert 5.03, horizontal: 3.80, vertikal: 6.01



Serie 2:  
 10.1 → 9.8 ↖ 10.1 ↗ 9.6 ↖ 10.2 ↖  
 10.3 ↘ 10.6 \* 9.3 → 10.1 ↗ 9.8 ↘  
 beste Teiler 245.0 (17.) 548.4 (16.) 624.2 (15.)  
 Trefferlage 0.24 mm rechts, 2.88 mm hoch  
 Streuwert 5.71, horizontal: 7.11, vertikal: 3.81



Serie 3:  
 10.3 \* 10.8 \* 10.0 ↓ 10.7 \* 9.8 ←  
 10.0 ↖ 9.6 ↖ 10.9 \* 10.2 ↖ 10.4 \*  
 beste Teiler 69.0 (28.) 140.7 (22.) 171.9 (24.)  
 Trefferlage 3.10 mm links, 0.02 mm hoch  
 Streuwert 4.17, horizontal: 4.49, vertikal: 3.83





Serie 4:  
 10.2 ↘ 9.8 ↖ 9.8 ← 9.8 ↗ 10.7 \*  
 10.7 \* 10.0 ↓ 10.8 \* 10.4 \* 9.5 ←  
 beste Teiler 134.2 (38.) 174.9 (36.) 194.7 (35.)  
 Trefferlage 3.45 mm links, 1.44 mm hoch  
 Streuwert 4.58, horizontal: 4.27, vertikal: 4.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.5)  
 Serien: 90 92 93 90  
 Zähler: 13 21 4 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2637 (11), 2556 (32), 2205 (3)  
 beste Teiler 30.6 (33.) 324.6 (21.) 340.5 (28.)  
 Trefferlage 2.62 mm links, 1.07 mm hoch  
 Streuwert 8.57, horizontal: 10.61, vertikal: 5.85




Serie 1:  
 8.6 ←                      10.0 ↙                      8.2 ↘                      9.5 ↗                      9.9 ↖  
 9.9 →                      9.9 ↘                      10.2 ↗                      9.8 ↖                      9.0 ↖  
 beste Teiler 619.8 (8.) 800.9 (2.) 806.2 (6.)  
 Trefferlage 4.33 mm links, 2.48 mm hoch  
 Streuwert 8.71, horizontal: 11.17, vertikal: 5.18



Serie 2:  
 7.7 ↘                      9.9 ↖                      9.8 ↖                      9.2 →                      10.5 \*  
 9.7 ↗                      10.1 ↖                      9.4 ↗                      10.2 ↘                      10.0 ↖  
 beste Teiler 387.6 (15.) 622.8 (19.) 657.5 (17.)  
 Trefferlage 0.87 mm links, 6.66 mm hoch  
 Streuwert 7.48, horizontal: 9.01, vertikal: 5.54



Serie 3:  
 10.5 \*                      10.1 ↙                      10.5 \*                      8.2 ↘                      10.4 \*  
 9.9 →                      8.7 ←                      10.5 \*                      9.1 ←                      9.2 ←  
 beste Teiler 324.6 (21.) 340.5 (28.) 363.2 (23.)  
 Trefferlage 2.65 mm links, 3.21 mm tief  
 Streuwert 8.17, horizontal: 10.86, vertikal: 3.96





Serie 4:  
 9.7 ←                      7.8 ←                      10.9 \*                      9.9 →                      9.9 ↘  
 9.3 ←                      9.4 ↘                      9.3 →                      10.5 \*                      9.2 ←  
 beste Teiler 30.6 (33.) 398.1 (39.) 808.5 (34.)  
 Trefferlage 2.63 mm links, 1.61 mm tief  
 Streuwert 9.14, horizontal: 12.55, vertikal: 3.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (379.3)  
 Serien: 92 89 93 90  
 Zähler: 14 16 10 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2339 (6), 2277 (18), 2234 (8)  
 beste Teiler 464.8 (13.) 478.3 (39.) 511.0 (23.)  
 Trefferlage 4.38 mm rechts, 3.02 mm tief  
 Streuwert 8.53, horizontal: 9.86, vertikal: 6.96




Serie 1:  
 9.8 ↓                      10.1 ↙                      10.2 →                      10.1 ←                      10.3 \*  
 8.0 ↙                      9.8 ↘                      8.2 →                      9.2 ↘                      9.9 ↑  
 beste Teiler 516.6 (5.) 597.4 (3.) 679.3 (4.)  
 Trefferlage 0.22 mm links, 1.03 mm tief  
 Streuwert 9.48, horizontal: 11.42, vertikal: 7.01



Serie 2:  
 10.2 ↘                      9.7 ↓                      10.4 \*                      9.5 ↘                      8.8 ↓  
 9.6 →                      9.0 ↘                      8.1 →                      9.6 →                      8.8 →  
 beste Teiler 464.8 (13.) 615.5 (11.) 1004.6 (12.)  
 Trefferlage 7.53 mm rechts, 2.38 mm tief  
 Streuwert 8.31, horizontal: 9.12, vertikal: 7.43



Serie 3:  
 9.0 ↑                      8.3 →                      10.3 \*                      9.3 ↘                      8.8 ↘  
 9.6 ↓                      10.1 ↘                      10.3 \*                      10.0 →                      10.1 ↓  
 beste Teiler 511.0 (23.) 513.9 (28.) 654.2 (27.)  
 Trefferlage 3.88 mm rechts, 2.22 mm tief  
 Streuwert 8.39, horizontal: 8.93, vertikal: 7.81





Serie 4:  
 9.9 ↓                      10.1 ↓                      8.4 →                      9.2 →                      10.1 ↘  
 9.7 →                      9.7 ↓                      8.4 ↘                      10.4 \*                      8.3 ↘  
 beste Teiler 478.3 (39.) 646.2 (35.) 704.2 (32.)  
 Trefferlage 6.34 mm rechts, 6.46 mm tief  
 Streuwert 7.57, horizontal: 9.41, vertikal: 5.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.0)  
 Serien: 93 91 87 89  
 Zähler: 15 16 6 2 0 0 1 0 0 0  
 Innenzehner: 6  
 weiteste: 4974 (23), 2807 (25), 2719 (39)  
 beste Teiler 305.5 (27.) 447.0 (30.) 476.1 (22.)  
 Trefferlage 1.33 mm links, 1.10 mm hoch  
 Streuwert 10.46, horizontal: 11.18, vertikal: 9.69




Serie 1:  
 10.2 ↘ 8.7 → 9.9 ← 10.0 ↗ 9.2 ←  
 8.7 ↖ 10.3 \* 10.1 ↓ 9.7 ↙ 10.1 ↓  
 beste Teiler 527.7 (7.) 587.5 (1.) 675.4 (10.)  
 Trefferlage 2.32 mm links, 0.63 mm tief  
 Streuwert 8.13, horizontal: 9.81, vertikal: 6.01



Serie 2:  
 9.7 ↗ 8.6 → 9.6 ↗ 10.3 ↖ 9.1 ↘  
 10.0 ↘ 9.8 ↑ 8.5 ↗ 9.9 ← 10.1 →  
 beste Teiler 533.1 (14.) 716.4 (20.) 770.6 (16.)  
 Trefferlage 5.48 mm rechts, 3.71 mm hoch  
 Streuwert 7.49, horizontal: 8.32, vertikal: 6.57



Serie 3:  
 8.5 ↖ 10.4 \* 4.7 ↘ 9.6 ← 7.4 ↘  
 9.2 ↙ 10.6 \* 10.3 \* 10.2 ↗ 10.4 \*  
 beste Teiler 305.5 (27.) 447.0 (30.) 476.1 (22.)  
 Trefferlage 4.06 mm links, 2.63 mm tief  
 Streuwert 14.61, horizontal: 12.66, vertikal: 16.33





Serie 4:  
 10.3 \* 10.1 ↗ 9.9 ↙ 9.4 ← 8.7 ←  
 9.9 ↗ 9.4 ↘ 9.2 → 7.6 ↖ 9.7 ↘  
 beste Teiler 519.8 (31.) 663.8 (32.) 823.5 (33.)  
 Trefferlage 4.43 mm links, 3.95 mm hoch  
 Streuwert 9.20, horizontal: 12.00, vertikal: 5.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.1)  
 Serien: 94 93 92 91  
 Zähler: 14 22 4 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2263 (33), 1819 (4), 1695 (13)  
 beste Teiler 111.0 (22.) 245.7 (25.) 480.2 (20.)  
 Trefferlage 1.22 mm rechts, 0.87 mm tief  
 Streuwert 7.63, horizontal: 8.33, vertikal: 6.86




Serie 1:  
 9.7 ←                      10.3 \*                      10.1 ↓                      8.7 ↓                      9.1 ↖  
 9.8 ↙                      10.2 ↗                      9.8 ↑                      10.3 \*                      10.3 \*  
 beste Teiler 489.1 (2.) 493.4 (10.) 502.6 (9.)  
 Trefferlage 1.04 mm links, 0.83 mm tief  
 Streuwert 7.30, horizontal: 6.68, vertikal: 7.88



Serie 2:  
 9.2 ↖                      10.1 →                      8.8 ←                      9.3 ↙                      9.7 →  
 10.3 →                      10.3 \*                      9.4 ↘                      9.7 ←                      10.4 \*  
 beste Teiler 480.2 (20.) 515.3 (17.) 534.2 (16.)  
 Trefferlage 0.84 mm links, 1.38 mm tief  
 Streuwert 7.93, horizontal: 9.24, vertikal: 6.36



Serie 3:  
 9.6 →                      10.8 \*                      9.5 ←                      9.8 ↗                      10.6 \*  
 9.7 ↓                      9.6 ↘                      9.7 ↓                      9.6 ↑                      9.2 ↘  
 beste Teiler 111.0 (22.) 245.7 (25.) 923.0 (24.)  
 Trefferlage 4.07 mm rechts, 2.14 mm tief  
 Streuwert 6.58, horizontal: 6.72, vertikal: 6.43





Serie 4:  
 9.6 ↑                      9.9 ↓                      8.1 →                      9.9 ↗                      10.0 ↓  
 9.2 ↖                      10.1 ←                      10.2 →                      9.6 ←                      8.9 ↘  
 beste Teiler 622.6 (38.) 663.3 (37.) 753.7 (35.)  
 Trefferlage 2.72 mm rechts, 0.85 mm hoch  
 Streuwert 8.89, horizontal: 10.17, vertikal: 7.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.8)  
 Serien: 88 91 92 92  
 Zähler: 11 23 5 0 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3440 (6), 2213 (14), 2113 (36)  
 beste Teiler 136.8 (18.) 244.9 (27.) 264.8 (5.)  
 Trefferlage 2.06 mm rechts, 2.27 mm tief  
 Streuwert 8.91, horizontal: 8.64, vertikal: 9.17




Serie 1:  
 9.6 ↙                      9.9 ←                      10.0 ↘                      8.7 ↘                      10.6 \*  
 6.7 ↘                      9.0 ↑                      9.6 ↘                      9.9 ↓                      9.0 ↓  
 beste Teiler 264.8 (5.) 781.8 (3.) 849.4 (2.)  
 Trefferlage 2.63 mm rechts, 6.60 mm tief  
 Streuwert 10.38, horizontal: 10.10, vertikal: 10.65



Serie 2:  
 9.8 ↙                      8.7 ↘                      9.1 ↓                      8.2 ↘                      10.1 →  
 9.7 ↓                      9.6 ↓                      10.8 \*                      9.9 ↖                      10.1 ↖  
 beste Teiler 136.8 (18.) 691.0 (15.) 709.3 (20.)  
 Trefferlage 2.26 mm rechts, 6.23 mm tief  
 Streuwert 7.72, horizontal: 6.62, vertikal: 8.69



Serie 3:  
 10.3 \*                      9.6 →                      9.1 ↗                      9.3 ↖                      10.3 \*  
 9.2 →                      10.6 \*                      9.3 ←                      8.8 ↘                      9.4 →  
 beste Teiler 244.9 (27.) 483.5 (21.) 485.0 (25.)  
 Trefferlage 3.11 mm rechts, 1.90 mm hoch  
 Streuwert 8.37, horizontal: 8.82, vertikal: 7.89





Serie 4:  
 10.1 ↖                      10.4 \*                      9.6 ↖                      9.5 ↖                      9.7 ↖  
 8.3 →                      9.6 →                      9.7 →                      9.8 ↖                      10.2 ↓  
 beste Teiler 455.2 (32.) 627.3 (40.) 705.1 (31.)  
 Trefferlage 0.26 mm rechts, 1.82 mm hoch  
 Streuwert 8.11, horizontal: 9.75, vertikal: 6.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (382.1)  
 Serien: 93 85 92 93  
 Zähler: 14 18 5 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3166 (13), 2756 (15), 2642 (16)  
 beste Teiler 61.6 (28.) 65.2 (32.) 130.0 (29.)  
 Trefferlage 3.06 mm rechts, 2.37 mm tief  
 Streuwert 9.08, horizontal: 10.94, vertikal: 6.73




Serie 1:  
 9.7 ↙ 9.1 ↓ 10.0 ↘ 9.6 ↘ 10.5 \*  
 9.4 → 10.3 ↙ 10.0 → 8.8 ↘ 9.0 →  
 beste Teiler 322.8 (5.) 534.5 (7.) 732.8 (8.)  
 Trefferlage 2.90 mm rechts, 3.24 mm tief  
 Streuwert 7.68, horizontal: 8.39, vertikal: 6.89



Serie 2:  
 9.9 ↘ 9.2 → 7.0 → 9.6 → 7.5 →  
 7.6 → 10.5 \* 9.4 ↘ 9.5 ↓ 9.9 →  
 beste Teiler 387.5 (17.) 821.9 (11.) 850.0 (20.)  
 Trefferlage 13.72 mm rechts, 3.67 mm tief  
 Streuwert 8.15, horizontal: 10.18, vertikal: 5.39



Serie 3:  
 9.4 ↓ 9.5 → 8.7 ← 10.5 \* 9.6 ↖  
 9.1 ↖ 10.4 \* 10.9 \* 10.8 \* 8.8 ↘  
 beste Teiler 61.6 (28.) 130.0 (29.) 398.0 (24.)  
 Trefferlage 1.14 mm links, 1.48 mm tief  
 Streuwert 8.39, horizontal: 10.14, vertikal: 6.16





Serie 4:  
 9.8 ↘ 10.9 \* 10.5 \* 9.8 ↘ 10.2 ↙  
 8.1 ↙ 10.2 ↓ 10.1 ↗ 9.5 ↘ 8.8 ↓  
 beste Teiler 65.2 (32.) 349.0 (33.) 586.3 (35.)  
 Trefferlage 3.22 mm links, 1.11 mm tief  
 Streuwert 8.00, horizontal: 7.18, vertikal: 8.75

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **377** (393.8)  
 Serien: 96 95 92 94  
 Zähler: 19 20 0 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2444 (32), 1545 (29), 1413 (28)  
 beste Teiler 53.9 (5.) 261.0 (17.) 283.8 (4.)  
 Trefferlage 1.37 mm links, 0.15 mm hoch  
 Streuwert 6.97, horizontal: 7.40, vertikal: 6.52




Serie 1:  
 9.6 ↘                      9.8 ←                      10.2 ↘                      10.6 \*                      10.9 \*  
 9.7 ↙                      10.1 ↗                      9.5 ↑                      10.5 \*                      10.1 ↖  
 beste Teiler 53.9 (5.) 283.8 (4.) 321.6 (9.)  
 Trefferlage 1.07 mm links, 2.13 mm hoch  
 Streuwert 5.41, horizontal: 4.55, vertikal: 6.15



Serie 2:  
 9.9 ↗                      10.1 ←                      9.7 →                      10.1 →                      9.5 →  
 9.3 ↙                      10.6 \*                      9.8 ↗                      10.1 ↖                      10.1 ↗  
 beste Teiler 261.0 (17.) 667.0 (20.) 674.5 (12.)  
 Trefferlage 1.02 mm rechts, 1.16 mm tief  
 Streuwert 6.33, horizontal: 7.19, vertikal: 5.33



Serie 3:  
 10.1 ↘                      9.9 ↑                      9.3 ↖                      9.4 ↓                      9.9 ↘  
 9.6 ↘                      9.6 ↗                      9.2 ↖                      9.0 ←                      10.4 \*  
 beste Teiler 462.5 (30.) 704.2 (21.) 849.1 (22.)  
 Trefferlage 0.50 mm links, 1.01 mm hoch  
 Streuwert 8.23, horizontal: 7.65, vertikal: 8.77





Serie 4:  
 10.1 ↓                      7.9 ←                      9.2 ←                      10.2 ↘                      9.3 ↙  
 10.5 \*                      10.0 ←                      10.1 ↖                      10.1 →                      9.8 ←  
 beste Teiler 331.8 (36.) 604.3 (34.) 683.2 (38.)  
 Trefferlage 4.92 mm links, 1.36 mm tief  
 Streuwert 7.63, horizontal: 9.23, vertikal: 5.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (402.4)  
 Serien: 94 98 96 97  
 Zähler: 26 13 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1699 (5), 1437 (8), 1308 (9)  
 beste Teiler 93.5 (38.) 105.9 (33.) 236.2 (14.)  
 Trefferlage 0.00 mm , 2.20 mm tief  
 Streuwert 5.51, horizontal: 5.07, vertikal: 5.91




Serie 1:  
 10.3 \* 10.1 ↘ 10.3 \* 9.9 ↘ 8.8 ↑  
 9.4 ← 10.1 ↖ 9.2 ↓ 9.3 ← 10.0 ↑  
 beste Teiler 507.6 (3.) 519.1 (1.) 663.7 (7.)  
 Trefferlage 2.28 mm links, 1.10 mm tief  
 Streuwert 7.58, horizontal: 5.64, vertikal: 9.11



Serie 2:  
 10.5 \* 9.7 ↘ 9.5 ↓ 10.7 \* 10.3 \*  
 10.1 ↓ 10.3 ↙ 10.6 \* 10.0 ↘ 10.2 →  
 beste Teiler 236.2 (14.) 278.4 (18.) 393.0 (11.)  
 Trefferlage 1.22 mm rechts, 4.60 mm tief  
 Streuwert 3.53, horizontal: 3.46, vertikal: 3.60





Serie 3:  
 10.4 \* 9.7 ↘ 9.9 ↙ 10.6 \* 9.8 ↖  
 9.6 → 10.5 \* 10.1 ↗ 10.2 ↙ 10.2 ←  
 beste Teiler 286.8 (24.) 377.1 (27.) 447.8 (21.)  
 Trefferlage 0.79 mm links, 1.83 mm tief  
 Streuwert 5.20, horizontal: 6.06, vertikal: 4.18




Serie 4:  
 10.2 ↘ 9.8 ↘ 10.8 \* 10.5 \* 9.4 ↑  
 9.8 ↘ 10.6 \* 10.8 \* 10.1 → 10.1 ↙  
 beste Teiler 93.5 (38.) 105.9 (33.) 301.0 (37.)  
 Trefferlage 1.84 mm rechts, 1.29 mm tief  
 Streuwert 4.92, horizontal: 4.37, vertikal: 5.41

Unterschrift des Schützen


Ergebnis: **375** (392.3)  
 Serien: 92 95 93 95  
 Zähler: 17 22 0 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2594 (10), 1551 (16), 1516 (31)  
 beste Teiler 92.6 (13.) 275.1 (38.) 320.4 (36.)  
 Trefferlage 2.96 mm links, 1.19 mm hoch  
 Streuwert 6.86, horizontal: 7.09, vertikal: 6.62




Serie 1:  
 9.8 ←                      9.2 →                      10.0 ↘                      10.1 →                      10.1 ←  
 10.0 ↓                      9.8 ↙                      9.3 ←                      9.7 ↓                      7.7 ↘  
 beste Teiler 662.9 (4.) 665.4 (5.) 735.2 (6.)  
 Trefferlage 3.51 mm links, 1.28 mm tief  
 Streuwert 8.71, horizontal: 10.31, vertikal: 6.75



Serie 2:  
 9.9 ↘                      9.1 ↘                      10.8 \*                      10.1 ↓                      9.1 ←  
 9.0 ↑                      10.2 ←                      9.9 ←                      10.1 ↓                      10.0 ←  
 beste Teiler 92.6 (13.) 639.8 (17.) 678.3 (14.)  
 Trefferlage 5.62 mm links, 2.14 mm hoch  
 Streuwert 5.94, horizontal: 4.69, vertikal: 6.97



Serie 3:  
 9.9 →                      9.8 ↑                      9.2 ↑                      10.3 ↑                      10.4 \*  
 9.9 ←                      9.9 ↘                      9.7 ↗                      9.9 →                      10.4 \*  
 beste Teiler 420.2 (25.) 470.4 (30.) 546.5 (24.)  
 Trefferlage 0.77 mm rechts, 4.48 mm hoch  
 Streuwert 5.31, horizontal: 5.54, vertikal: 5.07





Serie 4:  
 9.1 ←                      10.2 ↑                      9.2 ↓                      10.1 ↘                      9.6 ↘  
 10.6 \*                      10.2 ↑                      10.6 \*                      9.6 ←                      9.8 ↑  
 beste Teiler 275.1 (38.) 320.4 (36.) 563.2 (37.)  
 Trefferlage 3.50 mm links, 0.58 mm tief  
 Streuwert 6.37, horizontal: 5.88, vertikal: 6.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.6)  
 Serien: 95 79 85 93  
 Zähler: 11 14 12 2 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3644 (16), 2944 (15), 2792 (14)  
 beste Teiler 362.7 (32.) 421.0 (6.) 489.0 (1.)  
 Trefferlage 5.75 mm rechts, 2.80 mm hoch  
 Streuwert 10.14, horizontal: 12.25, vertikal: 7.46




Serie 1:  
 10.3 \*                      9.5 ←                      10.3 \*                      10.2 ↑                      10.0 →  
 10.4 \*                      9.9 ↗                      8.9 ↗                      9.4 ↘                      10.2 →  
 beste Teiler 421.0 (6.) 489.0 (1.) 499.7 (3.)  
 Trefferlage 1.11 mm links, 2.09 mm hoch  
 Streuwert 6.49, horizontal: 5.99, vertikal: 6.96



Serie 2:  
 9.1 ↘                      9.9 →                      8.1 ↘                      7.5 →                      7.3 →  
 6.4 →                      8.5 ↗                      9.1 ↗                      8.9 →                      8.6 →  
 beste Teiler 812.2 (12.) 1452.7 (18.) 1491.8 (11.)  
 Trefferlage 18.16 mm rechts, 2.33 mm tief  
 Streuwert 9.60, horizontal: 8.86, vertikal: 10.28





Serie 3:  
 9.3 →                      8.7 →                      10.0 ↗                      8.7 ↗                      8.1 →  
 8.4 ←                      8.7 ←                      8.7 →                      9.7 ↗                      9.2 ←  
 beste Teiler 786.7 (23.) 985.2 (29.) 1291.7 (21.)  
 Trefferlage 4.65 mm rechts, 5.34 mm hoch  
 Streuwert 11.11, horizontal: 15.33, vertikal: 3.47




Serie 4:  
 8.9 ↗                      10.5 \*                      9.5 ↑                      9.9 ↗                      9.3 ↗  
 9.0 ↘                      10.3 \*                      10.3 ↗                      10.3 \*                      9.6 →  
 beste Teiler 362.7 (32.) 517.5 (39.) 527.2 (37.)  
 Trefferlage 1.33 mm rechts, 6.13 mm hoch  
 Streuwert 6.33, horizontal: 7.38, vertikal: 5.07

Unterschrift des Schützen


Ergebnis: **366** (384.3)  
 Serien: 94 94 83 95  
 Zähler: 16 19 4 0 0 0 0 1 0 0  
 Innenzehner: 7  
 weiteste: 6260 (22), 1895 (28), 1882 (24)  
 beste Teiler 146.3 (6.) 264.9 (16.) 307.7 (40.)  
 Trefferlage 0.58 mm rechts, 1.44 mm tief  
 Streuwert 10.15, horizontal: 7.62, vertikal: 12.17




Serie 1:  
 8.6 ↘                      9.9 ↓                      10.1 ↗                      9.5 →                      10.4 \*  
 10.8 \*                      10.5 \*                      9.9 ↓                      9.3 ↓                      10.0 ↙  
 beste Teiler 146.3 (6.) 334.1 (7.) 447.2 (5.)  
 Trefferlage 3.19 mm rechts, 3.07 mm tief  
 Streuwert 6.44, horizontal: 6.77, vertikal: 6.10



Serie 2:  
 10.3 \*                      9.7 ↗                      9.4 ↘                      9.7 ↓                      9.7 ↓  
 10.6 \*                      10.1 ↓                      9.9 ←                      9.4 ↗                      10.0 ↘  
 beste Teiler 264.9 (16.) 518.7 (11.) 697.4 (17.)  
 Trefferlage 3.92 mm rechts, 2.39 mm tief  
 Streuwert 5.75, horizontal: 4.92, vertikal: 6.48



Serie 3:  
 10.0 →                      3.1 ↓                      9.2 ↑                      8.6 ↑                      9.4 ↙  
 10.0 ↗                      8.7 ↑                      8.6 ↑                      9.9 ↓                      9.9 →  
 beste Teiler 724.2 (21.) 748.8 (26.) 868.0 (29.)  
 Trefferlage 0.09 mm links, 0.05 mm tief  
 Streuwert 17.55, horizontal: 9.77, vertikal: 22.82





Serie 4:  
 9.4 ↙                      10.3 ↗                      10.3 \*                      9.0 ←                      9.9 ↑  
 9.6 ↖                      9.8 ↖                      10.1 ↓                      10.1 ↓                      10.6 \*  
 beste Teiler 307.7 (40.) 518.1 (33.) 542.6 (32.)  
 Trefferlage 4.65 mm links, 0.26 mm tief  
 Streuwert 5.89, horizontal: 5.94, vertikal: 5.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.3)  
 Serien: 91 88 89 83  
 Zähler: 11 16 9 2 1 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4109 (33), 3231 (22), 2876 (17)  
 beste Teiler 322.0 (6.) 341.7 (30.) 354.3 (21.)  
 Trefferlage 7.64 mm links, 0.59 mm hoch  
 Streuwert 10.10, horizontal: 10.51, vertikal: 9.66




Serie 1:  
 10.1 ↙ 9.6 → 9.9 ← 8.9 ← 9.8 ↘  
 10.5 \* 9.2 ← 10.0 ↘ 9.4 ↘ 8.5 ↘  
 beste Teiler 322.0 (6.) 664.3 (1.) 761.6 (8.)  
 Trefferlage 4.21 mm links, 0.07 mm tief  
 Streuwert 8.21, horizontal: 10.11, vertikal: 5.71



Serie 2:  
 10.3 ↗ 8.1 ↓ 8.4 ↙ 9.3 ↗ 9.4 ←  
 9.0 ← 7.4 ← 9.1 ↓ 10.2 ↑ 9.9 ↑  
 beste Teiler 533.2 (11.) 592.7 (19.) 821.5 (20.)  
 Trefferlage 7.17 mm links, 4.55 mm tief  
 Streuwert 10.42, horizontal: 10.92, vertikal: 9.89





Serie 3:  
 10.5 \* 6.9 ↘ 9.7 ← 9.5 ↘ 10.1 ↓  
 8.8 ← 9.6 ↓ 9.6 ← 9.2 ↗ 10.5 \*  
 beste Teiler 341.7 (30.) 354.3 (21.) 680.5 (25.)  
 Trefferlage 7.57 mm links, 1.89 mm tief  
 Streuwert 9.11, horizontal: 10.79, vertikal: 7.04




Serie 4:  
 7.7 ↘ 8.7 ↘ 5.8 ↘ 10.5 \* 8.5 ↘  
 8.0 ↘ 8.6 ← 10.0 ← 10.2 ↘ 9.9 ↘  
 beste Teiler 360.4 (34.) 634.4 (39.) 793.8 (38.)  
 Trefferlage 11.61 mm links, 8.88 mm hoch  
 Streuwert 10.52, horizontal: 10.48, vertikal: 10.55

Unterschrift des Schützen


Ergebnis: **382** (398.8)  
 Serien: 94 95 97 96  
 Zähler: 22 18 0 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1424 (13), 1381 (14), 1339 (34)  
 beste Teiler 94.8 (12.) 279.0 (22.) 286.5 (7.)  
 Trefferlage 1.19 mm links, 2.33 mm tief  
 Streuwert 5.88, horizontal: 6.97, vertikal: 4.55




Serie 1:  
 9.7 ↘                      10.0 ↘                      9.9 ←                      9.4 ↘                      10.4 \*  
 9.6 ↘                      10.6 \*                      9.9 ←                      10.6 \*                      9.7 ↘  
 beste Teiler 286.5 (7.) 294.7 (9.) 468.2 (5.)  
 Trefferlage 2.01 mm rechts, 3.30 mm tief  
 Streuwert 5.62, horizontal: 6.55, vertikal: 4.51



Serie 2:  
 9.9 ←                      10.8 \*                      9.2 ←                      9.2 ✓                      9.7 ←  
 10.5 \*                      10.3 ✓                      10.0 ↑                      9.8 ←                      10.2 ↘  
 beste Teiler 94.8 (12.) 381.7 (16.) 539.4 (17.)  
 Trefferlage 4.81 mm links, 0.80 mm tief  
 Streuwert 5.53, horizontal: 6.14, vertikal: 4.84



Serie 3:  
 9.8 →                      10.6 \*                      10.1 ↘                      10.0 ✓                      9.3 ↓  
 10.2 ↘                      10.4 \*                      10.1 ←                      10.3 \*                      9.8 ↘  
 beste Teiler 279.0 (22.) 432.6 (27.) 484.4 (29.)  
 Trefferlage 0.21 mm links, 3.90 mm tief  
 Streuwert 4.97, horizontal: 5.11, vertikal: 4.82





Serie 4:  
 10.0 ←                      10.2 →                      9.3 ←                      9.3 ←                      10.2 ↘  
 9.5 →                      10.4 \*                      10.4 \*                      10.1 ↘                      9.4 ↘  
 beste Teiler 406.2 (37.) 468.5 (38.) 605.1 (35.)  
 Trefferlage 1.74 mm links, 1.32 mm tief  
 Streuwert 6.76, horizontal: 8.73, vertikal: 3.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.8)  
 Serien: 92 93 93 95  
 Zähler: 20 13 7 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2064 (21), 1950 (17), 1711 (23)  
 beste Teiler 304.5 (20.) 314.3 (34.) 320.6 (14.)  
 Trefferlage 0.03 mm links, 0.33 mm tief  
 Streuwert 7.76, horizontal: 8.04, vertikal: 7.47




Serie 1:  
 10.3 \*                      8.9 ↑                      10.5 \*                      9.1 ←                      9.8 ↘  
 10.1 ←                      9.5 ←                      9.2 ↑                      9.8 →                      9.2 ↗  
 beste Teiler 374.0 (3.) 483.8 (1.) 702.9 (6.)  
 Trefferlage 3.37 mm links, 3.55 mm hoch  
 Streuwert 7.71, horizontal: 7.82, vertikal: 7.61



Serie 2:  
 10.3 ↘                      10.3 \*                      10.2 →                      10.6 \*                      9.8 ↘  
 10.2 ↘                      8.5 ↘                      8.9 ←                      8.8 ↓                      10.6 \*  
 beste Teiler 304.5 (20.) 320.6 (14.) 488.2 (12.)  
 Trefferlage 1.64 mm rechts, 4.07 mm tief  
 Streuwert 7.31, horizontal: 8.31, vertikal: 6.16



Serie 3:  
 8.4 →                      9.7 ↙                      8.8 ↘                      9.1 →                      9.2 ↘  
 10.2 ↗                      10.2 ↑                      10.1 ↑                      10.0 ←                      10.1 ↖  
 beste Teiler 569.3 (26.) 605.7 (27.) 643.6 (30.)  
 Trefferlage 3.69 mm rechts, 1.23 mm tief  
 Streuwert 8.46, horizontal: 9.24, vertikal: 7.60





Serie 4:  
 9.9 ↓                      9.6 ↑                      10.3 \*                      10.6 \*                      10.0 ↙  
 8.9 ←                      9.5 ↑                      10.0 ↓                      10.5 \*                      10.1 ↖  
 beste Teiler 314.3 (34.) 357.9 (39.) 495.4 (33.)  
 Trefferlage 2.10 mm links, 0.39 mm hoch  
 Streuwert 6.45, horizontal: 5.37, vertikal: 7.37

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **376** (395.5)  
 Serien: 89 95 94 98  
 Zähler: 18 20 2 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 1735 (9), 1608 (8), 1590 (7)  
 beste Teiler 97.1 (34.) 281.8 (15.) 287.4 (19.)  
 Trefferlage 0.29 mm links, 0.18 mm tief  
 Streuwert 6.83, horizontal: 7.52, vertikal: 6.07




Serie 1:  
 9.2 ↘                      9.8 ↘                      9.7 →                      10.5 \*                      9.7 ↘  
 9.9 ↘                      9.0 ↖                      8.9 ↖                      8.8 ↖                      9.7 ↑  
 beste Teiler 382.8 (4.) 812.3 (6.) 928.1 (2.)  
 Trefferlage 1.64 mm links, 1.76 mm hoch  
 Streuwert 8.85, horizontal: 10.44, vertikal: 6.91



Serie 2:  
 10.4 \*                      10.4 \*                      9.1 ↘                      9.4 →                      10.6 \*  
 9.9 →                      9.8 ↘                      9.3 →                      10.6 \*                      10.4 \*  
 beste Teiler 281.8 (15.) 287.4 (19.) 432.0 (12.)  
 Trefferlage 5.87 mm rechts, 2.42 mm tief  
 Streuwert 4.64, horizontal: 5.42, vertikal: 3.70



Serie 3:  
 10.0 ↙                      9.9 ↖                      10.5 \*                      10.2 ←                      9.2 ↘  
 9.6 ↑                      10.3 ↑                      9.9 ↑                      9.1 ↓                      9.3 ←  
 beste Teiler 395.5 (23.) 544.6 (27.) 586.2 (24.)  
 Trefferlage 4.03 mm links, 1.41 mm hoch  
 Streuwert 6.74, horizontal: 4.87, vertikal: 8.20





Serie 4:  
 9.6 ↖                      10.3 \*                      10.3 \*                      10.8 \*                      10.0 ↘  
 10.3 ←                      10.4 \*                      10.6 \*                      10.2 ←                      9.9 ↓  
 beste Teiler 97.1 (34.) 295.0 (38.) 402.4 (37.)  
 Trefferlage 1.39 mm links, 1.47 mm tief  
 Streuwert 4.38, horizontal: 4.70, vertikal: 4.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (402.6)  
 Serien: 99 94 95 98  
 Zähler: 27 12 1 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1629 (15), 1595 (28), 1458 (37)  
 beste Teiler 170.4 (31.) 222.1 (4.) 231.9 (1.)  
 Trefferlage 0.71 mm links, 0.00 mm  
 Streuwert 5.64, horizontal: 5.59, vertikal: 5.69




Serie 1:  
 10.7 \*                      9.7 →                      10.1 ↓                      10.7 \*                      10.4 \*  
 10.0 ↙                      10.3 \*                      10.0 ↕                      10.2 →                      10.4 \*  
 beste Teiler 222.1 (4.) 231.9 (1.) 452.4 (5.)  
 Trefferlage 0.28 mm rechts, 1.15 mm tief  
 Streuwert 4.55, horizontal: 4.87, vertikal: 4.20



Serie 2:  
 9.7 ↗                      9.9 ↘                      10.0 ↘                      10.4 \*                      8.9 ↖  
 10.4 \*                      9.9 ↘                      10.3 ↓                      9.5 ↖                      10.6 \*  
 beste Teiler 317.2 (20.) 416.4 (14.) 422.0 (16.)  
 Trefferlage 0.71 mm rechts, 0.33 mm tief  
 Streuwert 6.56, horizontal: 6.28, vertikal: 6.83



Serie 3:  
 10.4 \*                      10.5 \*                      10.6 \*                      9.7 ←                      9.7 ↖  
 10.4 \*                      9.8 ↖                      9.0 ↖                      10.2 ↑                      9.5 ↓  
 beste Teiler 264.3 (23.) 352.3 (22.) 429.3 (21.)  
 Trefferlage 4.23 mm links, 1.44 mm hoch  
 Streuwert 5.55, horizontal: 5.72, vertikal: 5.38



Serie 4:  
 10.7 \*                      10.3 \*                      10.2 ↘                      10.0 ↗                      10.2 ↗  
 9.8 ↓                      9.1 ↖                      10.0 ↘                      10.3 \*                      10.1 ↓  
 beste Teiler 170.4 (31.) 489.2 (32.) 514.3 (39.)  
 Trefferlage 0.39 mm rechts, 0.03 mm hoch  
 Streuwert 5.66, horizontal: 4.59, vertikal: 6.56

Unterschrift des Schützen

Meyton Elektronik