





| | | |
|--------------|--|---------|
| Ergebnis: | 383 | (402.2) |
| Serien: | 92 98 97 96 | |
| Zähler: | 25 13 2 0 0 0 0 0 0 0 | |
| Innenzehner: | 17 | |
| weiteste: | 2171 (1), 1816 (2), 1253 (23) | |
| beste Teiler | 133.0 (7.) 162.6 (39.) 192.0 (33.) | |
| Trefferlage | 2.14 mm links, 0.63 mm hoch | |
| Streuwert | 5.73, horizontal: 6.04, vertikal: 5.41 | |




| | | | | | |
|--------------|--|------------|------------|--------|-------|
| Serie 1: | 8.2 ↗ | 8.7 ↗ | 10.3 * | 9.4 ← | 9.5 ← |
| | 9.7 ↑ | 10.8 * | 10.1 ← | 10.5 * | 9.9 ← |
| beste Teiler | 133.0 (7.) | 367.7 (9.) | 486.2 (3.) | | |
| Trefferlage | 1.20 mm links, 3.84 mm hoch | | | | |
| Streuwert | 8.04, horizontal: 8.92, vertikal: 7.04 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 10.6 * | 10.4 * | 10.6 * | 10.3 * | 10.5 * |
| | 10.1 ← | 10.2 ← | 9.4 ↑ | 9.8 ↙ | 10.6 * |
| beste Teiler | 277.6 (13.) | 292.0 (11.) | 314.7 (20.) | | |
| Trefferlage | 2.32 mm links, 0.35 mm tief | | | | |
| Streuwert | 4.33, horizontal: 3.33, vertikal: 5.13 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | 10.1 ↑ | 10.3 * | 9.4 ← | 10.6 * | 9.5 ← |
| | 9.9 ↙ | 10.0 ↗ | 10.0 ↓ | 10.2 ← | 10.6 * |
| beste Teiler | 246.4 (30.) | 289.8 (24.) | 501.4 (22.) | | |
| Trefferlage | 3.23 mm links, 0.75 mm tief | | | | |
| Streuwert | 5.15, horizontal: 5.32, vertikal: 4.97 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 10.2 → | 10.5 * | 10.7 * | 10.4 * | 10.4 * |
| | 9.9 ← | 9.8 ← | 9.6 ↙ | 10.7 * | 9.8 ← |
| beste Teiler | 162.6 (39.) | 192.0 (33.) | 348.2 (32.) | | |
| Trefferlage | 1.83 mm links, 0.20 mm tief | | | | |
| Streuwert | 4.87, horizontal: 6.06, vertikal: 3.26 | | | | |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.1)
 Serien: 93 91 94 93
 Zähler: 18 17 3 2 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2405 (37), 2403 (32), 2162 (6)
 beste Teiler 227.0 (27.) 237.9 (8.) 254.1 (35.)
 Trefferlage 0.03 mm rechts, 2.14 mm hoch
 Streuwert 8.23, horizontal: 8.32, vertikal: 8.14




Serie 1:
 9.9 ↘ 10.5 * 9.7 ↘ 10.0 ↙ 10.4 *
 8.2 ↘ 9.0 ↘ 10.7 * 9.5 → 9.5 ↗
 beste Teiler 237.9 (8.) 400.8 (2.) 416.5 (5.)
 Trefferlage 3.42 mm rechts, 0.93 mm hoch
 Streuwert 7.91, horizontal: 7.31, vertikal: 8.47



Serie 2:
 10.6 * 10.2 ↓ 8.8 ↑ 9.2 ↖ 9.2 ↑
 8.3 ↑ 9.3 ↗ 9.8 ↖ 9.0 ↑ 10.3 *
 beste Teiler 293.0 (11.) 482.0 (20.) 612.1 (12.)
 Trefferlage 0.88 mm links, 8.63 mm hoch
 Streuwert 7.34, horizontal: 6.44, vertikal: 8.13



Serie 3:
 9.3 ← 10.5 * 10.5 * 9.5 ↗ 10.0 ↙
 9.9 ↓ 10.7 * 9.7 ↙ 9.1 ↓ 9.0 ↖
 beste Teiler 227.0 (27.) 323.7 (23.) 368.4 (22.)
 Trefferlage 3.80 mm links, 1.09 mm tief
 Streuwert 6.95, horizontal: 5.96, vertikal: 7.82





Serie 4:
 10.4 * 7.9 ↖ 10.3 ↗ 10.6 * 10.6 *
 10.3 * 7.9 → 10.1 ↘ 10.0 ↓ 9.7 →
 beste Teiler 254.1 (35.) 273.4 (34.) 473.4 (31.)
 Trefferlage 1.39 mm rechts, 0.08 mm hoch
 Streuwert 8.96, horizontal: 11.73, vertikal: 4.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (409.8)
 Serien: 97 99 99 98
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 1357 (3), 1294 (40), 1148 (39)
 beste Teiler 78.0 (25.) 169.5 (32.) 251.0 (31.)
 Trefferlage 1.01 mm links, 0.47 mm hoch
 Streuwert 4.51, horizontal: 4.74, vertikal: 4.26




Serie 1:
 10.6 * 10.5 * 9.3 ↖ 9.7 ↗ 10.6 *
 10.2 ↑ 10.3 * 10.3 * 9.9 ← 10.4 *
 beste Teiler 287.9 (1.) 288.1 (5.) 325.1 (2.)
 Trefferlage 0.69 mm rechts, 2.64 mm hoch
 Streuwert 4.79, horizontal: 5.01, vertikal: 4.56



Serie 2:
 10.5 * 10.0 ← 9.9 ↓ 10.5 * 10.0 ↗
 10.3 * 10.1 → 10.4 * 10.6 * 10.2 ↓
 beste Teiler 300.8 (19.) 397.5 (11.) 400.7 (14.)
 Trefferlage 0.23 mm rechts, 0.20 mm tief
 Streuwert 4.38, horizontal: 4.50, vertikal: 4.26





Serie 3:
 10.0 ↙ 10.2 ↓ 10.0 ↓ 10.6 * 10.9 *
 10.4 * 10.1 ↗ 10.4 * 9.6 ← 10.4 *
 beste Teiler 78.0 (25.) 306.1 (24.) 405.3 (26.)
 Trefferlage 1.05 mm links, 1.80 mm tief
 Streuwert 4.40, horizontal: 4.76, vertikal: 4.00




Serie 4:
 10.6 * 10.7 * 10.4 * 10.4 * 10.5 *
 10.4 * 10.5 * 10.6 * 9.5 ↖ 9.3 ←
 beste Teiler 169.5 (32.) 251.0 (31.) 271.8 (38.)
 Trefferlage 3.94 mm links, 1.26 mm hoch
 Streuwert 3.62, horizontal: 3.85, vertikal: 3.37

Unterschrift des Schützen


| | | |
|--------------|--|---------|
| Ergebnis: | 387 | (406.9) |
| Serien: | 94 97 98 98 | |
| Zähler: | 28 11 1 0 0 0 0 0 0 0 | |
| Innenzehner: | 17 | |
| weiteste: | 1687 (3), 1289 (8), 1245 (14) | |
| beste Teiler | 93.0 (33.) 106.0 (36.) 141.7 (27.) | |
| Trefferlage | 1.78 mm rechts, 0.68 mm tief | |
| Streuwert | 4.92, horizontal: 5.16, vertikal: 4.67 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | 10.2 ↗ | 10.6 * | 8.8 ↙ | 10.3 * | 10.2 ↘ |
| | 10.6 * | 9.9 ↑ | 9.3 ↘ | 9.8 → | 9.9 ↓ |
| beste Teiler | 249.4 (2.) | 301.8 (6.) | 516.8 (4.) | | |
| Trefferlage | 1.46 mm rechts, 0.70 mm tief | | | | |
| Streuwert | 6.57, horizontal: 7.15, vertikal: 5.93 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.8 ↙ | 10.2 ↓ | 10.8 * | 9.4 ↘ | 10.2 ↓ |
| | 9.9 ↘ | 10.1 ↘ | 10.0 ↘ | 10.6 * | 10.1 → |
| beste Teiler | 153.5 (13.) | 289.3 (19.) | 579.4 (15.) | | |
| Trefferlage | 1.06 mm rechts, 1.83 mm tief | | | | |
| Streuwert | 5.23, horizontal: 5.87, vertikal: 4.50 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | 10.7 * | 9.9 ↗ | 10.3 * | 10.5 * | 10.4 * |
| | 9.9 ↗ | 10.8 * | 10.4 * | 10.0 ↘ | 10.3 * |
| beste Teiler | 141.7 (27.) | 221.3 (21.) | 390.8 (24.) | | |
| Trefferlage | 2.88 mm rechts, 0.68 mm hoch | | | | |
| Streuwert | 3.45, horizontal: 3.03, vertikal: 3.83 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 10.5 * | 10.2 → | 10.8 * | 9.8 ↘ | 10.1 ↓ |
| | 10.8 * | 10.6 * | 10.6 * | 10.2 ↘ | 9.4 ↘ |
| beste Teiler | 93.0 (33.) | 106.0 (36.) | 264.2 (38.) | | |
| Trefferlage | 1.72 mm rechts, 0.89 mm tief | | | | |
| Streuwert | 4.45, horizontal: 4.32, vertikal: 4.58 | | | | |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (399.2)
 Serien: 96 98 98 94
 Zähler: 27 12 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2010 (35), 1449 (40), 1409 (26)
 beste Teiler 158.2 (6.) 236.4 (32.) 335.3 (14.)
 Trefferlage 0.26 mm rechts, 2.06 mm hoch
 Streuwert 5.98, horizontal: 6.90, vertikal: 4.88




Serie 1:
 9.3 ↑ 10.1 ↗ 9.2 ↘ 9.8 ↑ 9.8 ↗
 10.8 * 10.1 ↑ 10.0 ↑ 10.0 ↘ 10.0 ↗
 beste Teiler 158.2 (6.) 665.3 (7.) 698.1 (2.)
 Trefferlage 0.44 mm rechts, 6.77 mm hoch
 Streuwert 4.42, horizontal: 5.27, vertikal: 3.36



Serie 2:
 9.9 ↖ 10.2 ↓ 10.0 → 10.5 * 10.0 ↓
 10.5 * 10.2 → 10.5 * 9.6 → 10.4 *
 beste Teiler 335.3 (14.) 368.5 (16.) 386.9 (18.)
 Trefferlage 0.68 mm rechts, 1.72 mm tief
 Streuwert 4.77, horizontal: 5.77, vertikal: 3.49



Serie 3:
 9.9 ↖ 10.2 ↘ 10.1 → 10.0 ↑ 10.5 *
 9.2 → 10.1 ↗ 10.2 ↑ 10.0 → 10.2 ↑
 beste Teiler 380.9 (25.) 597.1 (22.) 609.8 (30.)
 Trefferlage 1.56 mm rechts, 2.67 mm hoch
 Streuwert 5.27, horizontal: 6.43, vertikal: 3.77





Serie 4:
 10.2 ↘ 10.7 * 10.1 ↑ 9.3 ↘ 8.4 ↖
 10.5 * 9.7 ← 10.0 → 9.9 → 9.1 ↖
 beste Teiler 236.4 (32.) 383.2 (36.) 628.0 (31.)
 Trefferlage 1.64 mm links, 0.54 mm hoch
 Streuwert 7.75, horizontal: 9.90, vertikal: 4.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (397.4)
 Serien: 93 93 98 92
 Zähler: 21 14 5 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1901 (7), 1795 (37), 1777 (36)
 beste Teiler 93.0 (2.) 95.1 (5.) 171.4 (38.)
 Trefferlage 1.10 mm links, 0.06 mm tief
 Streuwert 6.76, horizontal: 7.37, vertikal: 6.08




Serie 1:
 9.5 ↗ 10.8 * 9.7 ↘ 10.1 ↘ 10.8 *
 9.0 ↙ 8.6 ↙ 10.6 * 9.8 ↑ 9.1 ←
 beste Teiler 93.0 (2.) 95.1 (5.) 274.4 (8.)
 Trefferlage 4.79 mm links, 1.23 mm hoch
 Streuwert 7.28, horizontal: 8.16, vertikal: 6.28



Serie 2:
 9.9 ↑ 8.9 ↓ 10.5 * 10.7 * 9.9 ↘
 9.9 ← 10.2 ↘ 10.6 * 9.9 ↗ 9.5 ↙
 beste Teiler 231.7 (14.) 315.0 (18.) 335.0 (13.)
 Trefferlage 1.70 mm links, 1.64 mm tief
 Streuwert 6.17, horizontal: 5.66, vertikal: 6.65



Serie 3:
 10.6 * 10.4 * 10.2 ↙ 10.6 * 10.3 *
 10.4 * 9.7 ↙ 10.2 ↘ 10.1 → 9.6 ↘
 beste Teiler 286.9 (24.) 297.4 (21.) 439.1 (22.)
 Trefferlage 1.07 mm links, 2.26 mm tief
 Streuwert 4.48, horizontal: 5.42, vertikal: 3.30





Serie 4:
 10.5 * 10.1 → 9.6 ↑ 10.1 ↗ 9.9 ↘
 8.7 → 8.7 ← 10.7 * 8.8 ↑ 10.2 →
 beste Teiler 171.4 (38.) 340.8 (31.) 580.7 (40.)
 Trefferlage 3.17 mm rechts, 2.41 mm hoch
 Streuwert 7.77, horizontal: 8.48, vertikal: 7.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.8)
 Serien: 89 96 93 96
 Zähler: 19 17 3 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2564 (3), 2255 (5), 1772 (28)
 beste Teiler 211.5 (38.) 245.2 (40.) 248.4 (32.)
 Trefferlage 0.74 mm links, 0.10 mm tief
 Streuwert 7.52, horizontal: 9.01, vertikal: 5.66




Serie 1:
 9.8 ↘ 9.8 ← 7.7 → 9.1 → 8.1 ↖
 10.1 ↑ 9.2 ↑ 9.5 ← 9.9 → 10.0 ↑
 beste Teiler 644.4 (6.) 772.4 (10.) 817.2 (9.)
 Trefferlage 1.19 mm rechts, 3.70 mm hoch
 Streuwert 10.28, horizontal: 13.19, vertikal: 6.14



Serie 2:
 10.4 * 10.1 ← 10.5 * 9.8 ↙ 8.8 ↘
 10.4 * 10.4 * 10.6 * 9.8 ↗ 10.4 *
 beste Teiler 260.2 (18.) 359.4 (13.) 405.6 (20.)
 Trefferlage 0.18 mm rechts, 1.71 mm tief
 Streuwert 5.69, horizontal: 5.91, vertikal: 5.46



Serie 3:
 10.1 ↘ 10.4 * 10.3 * 9.7 ↙ 9.8 ↘
 9.3 ↙ 9.3 ↖ 8.7 ← 10.3 ↑ 9.8 ↖
 beste Teiler 428.7 (22.) 492.1 (23.) 553.1 (29.)
 Trefferlage 4.19 mm links, 1.29 mm tief
 Streuwert 6.97, horizontal: 8.13, vertikal: 5.57





Serie 4:
 9.6 ← 10.6 * 10.0 ↘ 10.6 * 9.2 ↖
 10.5 * 9.5 ↘ 10.7 * 9.4 → 10.6 *
 beste Teiler 211.5 (38.) 245.2 (40.) 248.4 (32.)
 Trefferlage 0.14 mm links, 1.10 mm tief
 Streuwert 6.19, horizontal: 7.60, vertikal: 4.35


Unterschrift des Schützen

Meyton Elektronik


| | | | | | |
|--------------|--|---------|----|----|-------------|
| Ergebnis: | 376 | (393.6) | | | |
| Serien: | 96 | 92 | 93 | 95 | |
| Zähler: | 20 | 16 | 4 | 0 | 0 0 0 0 0 0 |
| Innenzehner: | 10 | | | | |
| weiteste: | 2273 (20), 2221 (25), 1782 (34) | | | | |
| beste Teiler | 168.5 (11.) 168.5 (33.) 230.4 (26.) | | | | |
| Trefferlage | 0.64 mm links, 0.18 mm tief | | | | |
| Streuwert | 7.29, horizontal: 7.58, vertikal: 6.98 | | | | |




| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 1: | 9.7 ↓ | 9.3 → | 10.5 * | 10.2 ↖ | 10.6 * |
| | 10.3 ↘ | 10.1 ↓ | 9.7 ↘ | 9.5 ↘ | 10.2 → |
| beste Teiler | 245.7 (5.) 356.2 (3.) 538.5 (6.) | | | | |
| Trefferlage | 2.66 mm rechts, 3.69 mm tief | | | | |
| Streuwert | 5.07, horizontal: 5.00, vertikal: 5.14 | | | | |



| | | | | | |
|--------------|--|--------|-------|-------|--------|
| Serie 2: | 10.7 * | 9.6 ↙ | 9.2 ↖ | 9.8 ↖ | 10.2 ↓ |
| | 10.0 ← | 10.3 ↑ | 9.9 → | 8.9 ↑ | 8.1 ↘ |
| beste Teiler | 168.5 (11.) 540.5 (17.) 619.1 (15.) | | | | |
| Trefferlage | 3.02 mm links, 4.00 mm hoch | | | | |
| Streuwert | 7.81, horizontal: 6.87, vertikal: 8.64 | | | | |





| | | | | | |
|--------------|--|--------|--------|--------|-------|
| Serie 3: | 9.8 ↗ | 9.8 ← | 10.3 * | 9.2 ↘ | 8.2 ↘ |
| | 10.7 * | 10.3 * | 9.2 ↙ | 10.4 * | 9.8 ← |
| beste Teiler | 230.4 (26.) 472.0 (29.) 526.9 (27.) | | | | |
| Trefferlage | 0.14 mm rechts, 1.80 mm tief | | | | |
| Streuwert | 8.17, horizontal: 9.50, vertikal: 6.57 | | | | |




| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 4: | 10.1 ↖ | 9.2 ↘ | 10.7 * | 8.7 ↖ | 9.6 ↖ |
| | 9.7 ↖ | 10.4 * | 10.6 * | 10.1 → | 10.0 ↙ |
| beste Teiler | 168.5 (33.) 304.5 (38.) 402.7 (37.) | | | | |
| Trefferlage | 2.35 mm links, 0.77 mm hoch | | | | |
| Streuwert | 6.86, horizontal: 8.01, vertikal: 5.46 | | | | |

Unterschrift des Schützen


| | | |
|--------------|--|---------|
| Ergebnis: | 380 | (397.6) |
| Serien: | 96 95 93 96 | |
| Zähler: | 21 18 1 0 0 0 0 0 0 0 | |
| Innenzehner: | 13 | |
| weiteste: | 1721 (27), 1449 (39), 1420 (31) | |
| beste Teiler | 140.4 (40.) 183.3 (32.) 194.9 (30.) | |
| Trefferlage | 0.70 mm rechts, 1.38 mm hoch | |
| Streuwert | 6.39, horizontal: 6.76, vertikal: 5.99 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | | | | | |
| | 10.0 ↘ | 9.2 ↑ | 10.3 → | 9.4 → | 10.1 ↗ |
| | 9.9 ↘ | 9.9 → | 10.3 * | 10.3 * | 10.5 * |
| beste Teiler | 392.4 (10.) | 496.6 (8.) | 521.9 (9.) | | |
| Trefferlage | 1.75 mm rechts, 3.92 mm hoch | | | | |
| Streuwert | 5.23, horizontal: 5.68, vertikal: 4.73 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | | | | | |
| | 10.3 * | 9.5 ↘ | 9.6 ↙ | 10.5 * | 9.9 ↖ |
| | 9.4 ← | 9.9 ↘ | 10.5 * | 10.2 ← | 10.1 ↗ |
| beste Teiler | 371.0 (18.) | 393.5 (14.) | 506.8 (11.) | | |
| Trefferlage | 2.05 mm links, 1.10 mm tief | | | | |
| Streuwert | 5.94, horizontal: 6.82, vertikal: 4.91 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | | | | | |
| | 9.3 ↗ | 10.5 * | 9.9 → | 9.2 ↖ | 10.4 * |
| | 9.3 ↗ | 8.8 ↘ | 9.5 ↘ | 10.2 ← | 10.7 * |
| beste Teiler | 194.9 (30.) | 343.6 (22.) | 452.8 (25.) | | |
| Trefferlage | 2.45 mm rechts, 2.06 mm hoch | | | | |
| Streuwert | 7.45, horizontal: 6.80, vertikal: 8.05 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 4: | | | | | |
| | 9.2 → | 10.7 * | 10.6 * | 9.6 ↘ | 10.2 ↗ |
| | 10.0 ↗ | 10.5 * | 9.3 ← | 9.1 ↘ | 10.8 * |
| beste Teiler | 140.4 (40.) | 183.3 (32.) | 272.9 (33.) | | |
| Trefferlage | 0.67 mm rechts, 0.66 mm hoch | | | | |
| Streuwert | 6.68, horizontal: 7.76, vertikal: 5.39 | | | | |


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|---------|
| Ergebnis: | 379 | (394.6) |
| Serien: | 95 93 95 96 | |
| Zähler: | 22 15 3 0 0 0 0 0 0 0 | |
| Innenzehner: | 10 | |
| weiteste: | 1849 (13), 1791 (16), 1721 (9) | |
| beste Teiler | 211.2 (15.) 295.7 (4.) 298.2 (17.) | |
| Trefferlage | 1.01 mm rechts, 1.55 mm tief | |
| Streuwert | 6.81, horizontal: 6.48, vertikal: 7.12 | |




| | | | | | |
|--------------|--|-------------|------------|--------|--------|
| Serie 1: | 9.9 ↘ | 9.9 ↗ | 10.3 * | 10.6 * | 10.1 ↖ |
| | 10.0 ↑ | 9.8 ↘ | 10.2 ↓ | 8.8 ↓ | 10.5 * |
| beste Teiler | 295.7 (4.) | 326.8 (10.) | 502.8 (3.) | | |
| Trefferlage | 2.13 mm rechts, 1.52 mm tief | | | | |
| Streuwert | 6.02, horizontal: 4.82, vertikal: 7.02 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.4 → | 10.2 ↙ | 8.6 ↘ | 10.3 * | 10.7 * |
| | 8.7 ↓ | 10.6 * | 10.0 ↓ | 9.1 ↓ | 9.8 → |
| beste Teiler | 211.2 (15.) | 298.2 (17.) | 530.4 (14.) | | |
| Trefferlage | 4.07 mm rechts, 6.31 mm tief | | | | |
| Streuwert | 6.13, horizontal: 5.05, vertikal: 7.06 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|-------|
| Serie 3: | 9.0 ↖ | 10.1 ↓ | 10.2 ↓ | 10.0 ↓ | 9.8 ↙ |
| | 9.3 ↘ | 10.5 * | 9.4 → | 10.1 ↓ | 9.4 → |
| beste Teiler | 399.0 (27.) | 633.2 (23.) | 657.1 (29.) | | |
| Trefferlage | 2.14 mm rechts, 1.82 mm tief | | | | |
| Streuwert | 7.19, horizontal: 7.49, vertikal: 6.88 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 10.0 ↖ | 9.6 ↖ | 10.3 * | 9.4 ← | 10.1 ↖ |
| | 10.4 * | 9.9 ← | 10.1 ↗ | 10.5 * | 9.0 ↖ |
| beste Teiler | 363.8 (39.) | 402.4 (36.) | 511.7 (33.) | | |
| Trefferlage | 4.30 mm links, 3.44 mm hoch | | | | |
| Streuwert | 5.14, horizontal: 5.70, vertikal: 4.51 | | | | |


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|---------|
| Ergebnis: | 379 | (398.4) |
| Serien: | 97 95 93 94 | |
| Zähler: | 21 17 2 0 0 0 0 0 0 0 | |
| Innenzehner: | 11 | |
| weiteste: | 2042 (40), 1811 (24), 1552 (33) | |
| beste Teiler | 111.8 (9.) 169.0 (17.) 170.8 (16.) | |
| Trefferlage | 0.30 mm rechts, 0.34 mm hoch | |
| Streuwert | 6.50, horizontal: 6.54, vertikal: 6.47 | |




| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 1: | 10.3 ↓ | 10.7 * | 10.2 ↓ | 10.6 * | 9.9 → |
| | 10.6 * | 9.8 ↓ | 9.8 ↗ | 10.8 * | 10.2 ↑ |
| beste Teiler | 111.8 (9.) 211.4 (2.) 258.0 (4.) | | | | |
| Trefferlage | 0.04 mm rechts, 2.07 mm tief | | | | |
| Streuwert | 4.18, horizontal: 3.84, vertikal: 4.50 | | | | |



| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 2: | 9.3 ↗ | 9.4 ↗ | 9.8 ↘ | 9.3 ↘ | 9.8 ↘ |
| | 10.7 * | 10.7 * | 10.6 * | 10.3 * | 10.2 ↙ |
| beste Teiler | 169.0 (17.) 170.8 (16.) 281.7 (18.) | | | | |
| Trefferlage | 0.90 mm rechts, 0.83 mm hoch | | | | |
| Streuwert | 6.46, horizontal: 7.67, vertikal: 4.97 | | | | |





| | | | | | |
|--------------|--|--------|--------|-------|--------|
| Serie 3: | 9.8 ↘ | 9.9 ↓ | 9.8 ↙ | 8.7 ↑ | 10.6 * |
| | 10.1 ↓ | 10.0 ↘ | 10.0 ↖ | 9.5 ↙ | 9.9 ← |
| beste Teiler | 271.0 (25.) 649.0 (26.) 771.9 (27.) | | | | |
| Trefferlage | 3.14 mm links, 0.66 mm hoch | | | | |
| Streuwert | 6.83, horizontal: 4.84, vertikal: 8.36 | | | | |




| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 4: | 10.5 * | 10.3 * | 9.0 ↗ | 9.3 ↓ | 10.1 ↗ |
| | 9.3 ↖ | 9.9 ↗ | 10.2 ↓ | 10.1 ← | 8.4 → |
| beste Teiler | 357.3 (31.) 521.2 (32.) 626.4 (38.) | | | | |
| Trefferlage | 3.39 mm rechts, 1.97 mm hoch | | | | |
| Streuwert | 7.76, horizontal: 7.99, vertikal: 7.52 | | | | |

Unterschrift des Schützen


Ergebnis: **378** (396.4)
 Serien: 95 94 95 94
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2085 (24), 2080 (36), 1830 (34)
 beste Teiler 130.3 (12.) 203.3 (2.) 253.7 (39.)
 Trefferlage 1.25 mm links, 0.04 mm tief
 Streuwert 6.85, horizontal: 8.19, vertikal: 5.18




Serie 1:
 9.4 ← 10.7 * 9.4 ↓ 9.3 ← 10.4 *
 10.5 * 9.4 ↘ 10.2 ↘ 10.4 * 9.5 →
 beste Teiler 203.3 (2.) 393.4 (6.) 407.3 (9.)
 Trefferlage 0.24 mm links, 3.69 mm tief
 Streuwert 6.38, horizontal: 7.76, vertikal: 4.58



Serie 2:
 9.9 → 10.8 * 9.9 → 10.0 → 9.9 ←
 9.9 ↗ 10.3 * 9.7 → 9.3 ← 10.0 →
 beste Teiler 130.3 (12.) 505.0 (17.) 781.1 (14.)
 Trefferlage 2.67 mm rechts, 1.21 mm hoch
 Streuwert 5.87, horizontal: 7.84, vertikal: 2.73



Serie 3:
 10.5 * 10.0 ← 10.5 * 8.3 ↖ 9.1 ↓
 10.0 ↘ 10.6 * 9.4 → 9.8 ↘ 10.4 *
 beste Teiler 279.6 (27.) 365.5 (23.) 392.4 (21.)
 Trefferlage 1.59 mm links, 0.12 mm hoch
 Streuwert 7.61, horizontal: 8.58, vertikal: 6.50





Serie 4:
 10.2 ↘ 10.4 * 9.8 ↖ 8.7 ↖ 9.8 ↖
 8.4 ↖ 10.1 ← 10.6 * 10.6 * 10.3 *
 beste Teiler 253.7 (39.) 280.3 (38.) 471.0 (32.)
 Trefferlage 5.84 mm links, 2.15 mm hoch
 Streuwert 6.21, horizontal: 7.31, vertikal: 4.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (400.5)
 Serien: 93 93 96 97
 Zähler: 20 19 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1623 (15), 1505 (16), 1394 (26)
 beste Teiler 88.8 (30.) 140.8 (24.) 174.9 (19.)
 Trefferlage 3.56 mm links, 3.94 mm tief
 Streuwert 4.82, horizontal: 4.92, vertikal: 4.72




Serie 1:
 9.9 ← 9.8 ← 10.4 * 9.2 ↓ 9.9 ↓
 10.5 * 9.6 ↙ 9.3 ↘ 10.6 * 9.2 ↓
 beste Teiler 319.9 (9.) 329.8 (6.) 452.8 (3.)
 Trefferlage 4.42 mm links, 6.19 mm tief
 Streuwert 4.35, horizontal: 3.51, vertikal: 5.05



Serie 2:
 9.5 ↙ 10.5 * 10.2 ↙ 9.5 ↙ 8.9 ↓
 9.1 ↙ 9.6 ↘ 9.6 ← 10.7 * 10.4 *
 beste Teiler 174.9 (19.) 340.0 (12.) 462.8 (20.)
 Trefferlage 5.40 mm links, 3.29 mm tief
 Streuwert 6.04, horizontal: 6.42, vertikal: 5.62



Serie 3:
 9.7 ↘ 10.2 ↘ 9.3 ↘ 10.8 * 10.7 *
 9.2 ← 10.5 * 9.9 ↓ 10.3 * 10.8 *
 beste Teiler 88.8 (30.) 140.8 (24.) 228.1 (25.)
 Trefferlage 3.73 mm links, 3.91 mm tief
 Streuwert 4.27, horizontal: 4.24, vertikal: 4.30





Serie 4:
 9.9 ← 9.9 ↓ 10.2 ↓ 10.4 * 10.3 ↓
 10.3 * 10.6 * 9.9 → 10.7 * 10.5 *
 beste Teiler 175.1 (39.) 265.6 (37.) 379.2 (40.)
 Trefferlage 0.68 mm links, 2.37 mm tief
 Streuwert 3.97, horizontal: 4.42, vertikal: 3.45


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|---------|
| Ergebnis: | 365 | (383.2) |
| Serien: | 92 90 90 93 | |
| Zähler: | 15 17 6 2 0 0 0 0 0 0 | |
| Innenzehner: | 7 | |
| weiteste: | 3122 (14), 2734 (37), 2289 (25) | |
| beste Teiler | 218.4 (15.) 265.7 (7.) 280.6 (40.) | |
| Trefferlage | 2.58 mm links, 3.58 mm hoch | |
| Streuwert | 8.57, horizontal: 9.99, vertikal: 6.85 | |




| | | | | | |
|--------------|--|--------|-------|--------|--------|
| Serie 1: | 9.8 ↘ | 10.2 → | 9.8 ↘ | 8.6 ↘ | 8.8 → |
| | 9.7 ↘ | 10.6 * | 9.7 ↗ | 10.1 ↗ | 10.0 ← |
| beste Teiler | 265.7 (7.) 592.8 (2.) 698.7 (9.) | | | | |
| Trefferlage | 0.71 mm links, 4.20 mm hoch | | | | |
| Streuwert | 7.33, horizontal: 9.26, vertikal: 4.66 | | | | |



| | | | | | |
|--------------|---|-------|--------|--------|--------|
| Serie 2: | 9.5 → | 8.7 ↘ | 8.8 ← | 7.0 ↘ | 10.7 * |
| | 10.4 * | 9.7 ↘ | 10.4 * | 10.1 ↘ | 9.7 ↘ |
| beste Teiler | 218.4 (15.) 427.7 (16.) 450.5 (18.) | | | | |
| Trefferlage | 6.05 mm links, 5.06 mm hoch | | | | |
| Streuwert | 8.85, horizontal: 10.53, vertikal: 6.75 | | | | |



| | | | | | |
|--------------|---|-------|-------|--------|--------|
| Serie 3: | 9.5 ↗ | 8.6 ↘ | 9.0 → | 10.2 ↗ | 8.1 ↘ |
| | 9.5 ↑ | 9.2 ← | 9.9 ← | 9.2 → | 10.6 * |
| beste Teiler | 295.8 (30.) 566.5 (24.) 822.1 (28.) | | | | |
| Trefferlage | 2.00 mm links, 4.25 mm hoch | | | | |
| Streuwert | 9.67, horizontal: 11.28, vertikal: 7.74 | | | | |





| | | | | | |
|--------------|--|-------|--------|--------|--------|
| Serie 4: | 10.0 ↑ | 9.6 ↑ | 9.5 ↓ | 9.7 ↓ | 9.4 ↘ |
| | 10.3 ↓ | 7.5 ↘ | 10.1 → | 10.4 * | 10.6 * |
| beste Teiler | 280.6 (40.) 451.7 (39.) 540.4 (36.) | | | | |
| Trefferlage | 1.56 mm links, 0.80 mm hoch | | | | |
| Streuwert | 8.78, horizontal: 9.49, vertikal: 8.02 | | | | |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.2)
 Serien: 94 93 95 92
 Zähler: 16 22 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1863 (33), 1842 (5), 1509 (14)
 beste Teiler 236.9 (26.) 301.2 (10.) 400.5 (38.)
 Trefferlage 2.16 mm rechts, 2.26 mm tief
 Streuwert 6.75, horizontal: 6.58, vertikal: 6.91




Serie 1:
 10.1 ↘ 10.1 → 9.3 ↓ 10.0 ↘ 8.6 ↘
 9.9 ↗ 9.4 ↘ 10.3 * 9.5 ↓ 10.6 *
 beste Teiler 301.2 (10.) 507.5 (8.) 652.7 (1.)
 Trefferlage 3.41 mm rechts, 5.15 mm tief
 Streuwert 6.04, horizontal: 6.21, vertikal: 5.87



Serie 2:
 10.4 * 9.9 ↓ 10.2 ↑ 9.1 → 10.0 ↓
 9.6 ↓ 9.3 ↘ 9.9 ↙ 9.9 ↗ 9.9 ↗
 beste Teiler 476.2 (11.) 613.0 (13.) 793.7 (15.)
 Trefferlage 4.37 mm rechts, 2.83 mm tief
 Streuwert 6.01, horizontal: 5.54, vertikal: 6.45



Serie 3:
 10.1 ↘ 10.4 * 9.8 ↑ 9.1 ← 10.2 ↗
 10.7 * 10.0 ↘ 9.5 → 9.9 ↑ 9.5 ↗
 beste Teiler 236.9 (26.) 421.4 (22.) 605.1 (25.)
 Trefferlage 1.81 mm rechts, 2.61 mm hoch
 Streuwert 6.21, horizontal: 6.63, vertikal: 5.76





Serie 4:
 10.0 ↙ 9.8 → 8.6 ↓ 9.1 ↓ 9.4 ←
 10.4 * 9.7 → 10.5 * 9.9 ↘ 9.6 ↘
 beste Teiler 400.5 (38.) 471.6 (36.) 730.0 (31.)
 Trefferlage 0.95 mm links, 3.67 mm tief
 Streuwert 7.61, horizontal: 7.52, vertikal: 7.71


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|---|---------|
| Ergebnis: | 365 | (384.2) |
| Serien: | 88 91 96 90 | |
| Zähler: | 15 18 4 3 0 0 0 0 0 0 | |
| Innenzehner: | 8 | |
| weiteste: | 2585 (9), 2572 (7), 2403 (31) | |
| beste Teiler | 73.1 (12.) 190.8 (22.) 221.8 (24.) | |
| Trefferlage | 4.77 mm links, 2.77 mm tief | |
| Streuwert | 8.03, horizontal: 10.05, vertikal: 5.28 | |




| | | | | | |
|--------------|---|------------|------------|-------|-------|
| Serie 1: | 9.4 ↗ | 10.1 ↘ | 9.7 ← | 8.6 ← | 9.1 ↖ |
| | 10.5 * | 7.7 ← | 10.2 ↑ | 7.7 ← | 9.5 ↙ |
| beste Teiler | 376.4 (6.) | 621.7 (8.) | 695.8 (2.) | | |
| Trefferlage | 7.67 mm links, 1.38 mm tief | | | | |
| Streuwert | 9.99, horizontal: 12.98, vertikal: 5.58 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 2: | 9.6 ↘ | 10.9 * | 8.9 ↘ | 9.7 ↘ | 10.5 * |
| | 9.9 ↘ | 9.0 ↘ | 9.8 ↙ | 9.4 ↘ | 9.6 ← |
| beste Teiler | 73.1 (12.) | 373.3 (15.) | 833.9 (16.) | | |
| Trefferlage | 1.71 mm rechts, 3.45 mm tief | | | | |
| Streuwert | 7.51, horizontal: 8.28, vertikal: 6.65 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | 10.1 → | 10.7 * | 10.2 ↑ | 10.7 * | 10.6 * |
| | 9.7 ↓ | 9.7 ↖ | 10.5 * | 8.3 ← | 10.0 ↙ |
| beste Teiler | 190.8 (22.) | 221.8 (24.) | 312.6 (25.) | | |
| Trefferlage | 3.30 mm links, 1.72 mm tief | | | | |
| Streuwert | 6.16, horizontal: 7.39, vertikal: 4.60 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 7.9 ← | 10.0 ↓ | 9.7 ↖ | 8.6 ↙ | 10.0 ↓ |
| | 9.5 ← | 9.0 ← | 9.4 ↖ | 10.4 * | 9.4 ← |
| beste Teiler | 407.2 (39.) | 723.8 (32.) | 759.9 (35.) | | |
| Trefferlage | 9.83 mm links, 4.52 mm tief | | | | |
| Streuwert | 6.17, horizontal: 7.69, vertikal: 4.13 | | | | |

Unterschrift des Schützen


| | | |
|--------------|--|---------|
| Ergebnis: | 386 | (407.3) |
| Serien: | 96 96 99 95 | |
| Zähler: | 27 12 1 0 0 0 0 0 0 0 | |
| Innenzehner: | 21 | |
| weiteste: | 1695 (17), 1493 (18), 1138 (39) | |
| beste Teiler | 71.3 (36.) 95.0 (7.) 117.5 (19.) | |
| Trefferlage | 1.79 mm links, 0.17 mm tief | |
| Streuwert | 5.04, horizontal: 5.31, vertikal: 4.76 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | 10.6 * | 9.6 ↓ | 9.9 ← | 10.1 ↓ | 10.0 ↓ |
| | 9.6 ↖ | 10.8 * | 10.3 * | 10.4 * | 9.9 ↖ |
| beste Teiler | 95.0 (7.) | 310.8 (1.) | 462.9 (9.) | | |
| Trefferlage | 2.43 mm links, 1.64 mm tief | | | | |
| Streuwert | 4.96, horizontal: 4.68, vertikal: 5.22 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 10.8 * | 10.0 ↖ | 10.6 * | 9.9 ↓ | 10.5 * |
| | 10.4 * | 8.8 ↘ | 9.1 ↗ | 10.8 * | 10.4 * |
| beste Teiler | 117.5 (19.) | 146.2 (11.) | 251.1 (13.) | | |
| Trefferlage | 0.57 mm rechts, 1.77 mm tief | | | | |
| Streuwert | 6.11, horizontal: 6.25, vertikal: 5.97 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | 10.5 * | 10.3 * | 10.0 ↙ | 10.4 * | 10.5 * |
| | 10.5 * | 10.4 * | 10.2 → | 9.6 ↖ | 10.7 * |
| beste Teiler | 226.7 (30.) | 342.7 (26.) | 382.3 (21.) | | |
| Trefferlage | 1.37 mm links, 0.23 mm tief | | | | |
| Streuwert | 4.12, horizontal: 4.96, vertikal: 3.06 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 4: | 9.6 ↖ | 9.9 ← | 9.6 ← | 9.9 ↖ | 10.5 * |
| | 10.9 * | 10.8 * | 10.8 * | 9.5 ↖ | 10.2 ↗ |
| beste Teiler | 71.3 (36.) | 129.7 (38.) | 159.4 (37.) | | |
| Trefferlage | 3.94 mm links, 2.96 mm hoch | | | | |
| Streuwert | 4.13, horizontal: 4.97, vertikal: 3.07 | | | | |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.0)
 Serien: 96 94 94 94
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1710 (4), 1601 (14), 1555 (34)
 beste Teiler 65.5 (13.) 161.0 (30.) 262.4 (6.)
 Trefferlage 2.24 mm links, 1.46 mm hoch
 Streuwert 6.31, horizontal: 7.23, vertikal: 5.24




Serie 1:
 10.2 ↙ 10.2 → 9.9 ← 8.8 ↗ 10.0 ←
 10.6 * 10.1 ↘ 10.4 * 9.6 ↗ 10.3 *
 beste Teiler 262.4 (6.) 461.2 (8.) 503.2 (10.)
 Trefferlage 0.05 mm rechts, 1.10 mm hoch
 Streuwert 6.21, horizontal: 7.01, vertikal: 5.30



Serie 2:
 9.6 ← 9.9 → 10.9 * 8.9 ← 10.0 ←
 9.5 ← 10.6 * 10.0 ↘ 9.9 ↓ 10.3 *
 beste Teiler 65.5 (13.) 309.4 (17.) 530.9 (20.)
 Trefferlage 4.67 mm links, 0.09 mm tief
 Streuwert 5.65, horizontal: 6.91, vertikal: 4.02



Serie 3:
 9.8 ← 10.0 ← 9.3 ← 10.1 ↘ 9.4 ↗
 10.6 * 9.3 → 9.9 ← 9.4 ↘ 10.7 *
 beste Teiler 161.0 (30.) 271.8 (26.) 705.3 (24.)
 Trefferlage 1.85 mm links, 1.63 mm hoch
 Streuwert 6.92, horizontal: 8.43, vertikal: 4.96



Serie 4:
 9.8 ↙ 10.4 * 9.8 ↑ 9.0 ↘ 10.2 ↘
 10.2 ← 10.1 ↘ 9.2 ↑ 9.4 ↗ 9.7 ↘
 beste Teiler 422.0 (32.) 580.5 (35.) 586.3 (36.)
 Trefferlage 2.52 mm links, 3.21 mm hoch
 Streuwert 6.70, horizontal: 6.76, vertikal: 6.63

Unterschrift des Schützen

Meyton Elektronik