





Ergebnis: **370** (388.5)  
 Serien: 90 90 95 95  
 Zähler: 16 19 4 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2426 (15), 2086 (6), 1930 (31)  
 beste Teiler 163.6 (9.) 310.4 (7.) 376.4 (25.)  
 Trefferlage 0.64 mm links, 0.38 mm tief  
 Streuwert 7.95, horizontal: 9.09, vertikal: 6.62




Serie 1:  
 9.4 →                      9.9 ←                      9.6 ↘                      9.7 ↙                      8.7 ←  
 8.3 ←                      10.6 \*                      9.4 ↖                      10.7 \*                      9.2 ↗  
 beste Teiler 163.6 (9.) 310.4 (7.) 853.5 (2.)  
 Trefferlage 2.50 mm links, 0.90 mm tief  
 Streuwert 9.05, horizontal: 11.18, vertikal: 6.23



Serie 2:  
 10.2 ↗                      9.8 ←                      8.7 ↖                      10.2 →                      7.9 →  
 9.8 ←                      9.4 →                      9.8 ↗                      9.8 →                      10.3 \*  
 beste Teiler 486.0 (20.) 569.2 (14.) 607.6 (11.)  
 Trefferlage 3.48 mm rechts, 1.99 mm hoch  
 Streuwert 8.63, horizontal: 10.13, vertikal: 6.80



Serie 3:  
 10.3 \*                      10.1 ↖                      9.7 ←                      9.8 ←                      10.5 \*  
 9.5 ←                      10.3 \*                      9.9 ←                      10.3 ↘                      9.2 →  
 beste Teiler 376.4 (25.) 487.8 (21.) 499.0 (27.)  
 Trefferlage 2.71 mm links, 0.86 mm tief  
 Streuwert 6.05, horizontal: 7.60, vertikal: 3.95





Serie 4:  
 8.5 ↘                      10.4 \*                      10.4 \*                      9.4 ←                      9.0 ↖  
 10.0 ←                      10.3 \*                      10.3 \*                      9.1 ↘                      10.1 ↗  
 beste Teiler 417.1 (33.) 420.5 (32.) 494.3 (37.)  
 Trefferlage 0.82 mm links, 1.78 mm tief  
 Streuwert 7.91, horizontal: 6.70, vertikal: 8.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.7)  
 Serien: 95 95 95 94  
 Zähler: 20 19 1 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2005 (40), 1485 (17), 1478 (29)  
 beste Teiler 70.7 (9.) 123.2 (23.) 169.0 (13.)  
 Trefferlage 1.84 mm rechts, 0.60 mm tief  
 Streuwert 6.52, horizontal: 8.34, vertikal: 3.95




Serie 1:  
 9.4 ↙                      9.9 ↙                      9.9 ↙                      9.6 ←                      10.2 ←  
 10.4 \*                      10.0 ↙                      9.5 →                      10.9 \*                      10.3 \*  
 beste Teiler 70.7 (9.) 401.2 (6.) 526.3 (10.)  
 Trefferlage 3.95 mm links, 2.10 mm tief  
 Streuwert 5.27, horizontal: 6.97, vertikal: 2.64



Serie 2:  
 10.3 \*                      9.4 →                      10.7 \*                      9.3 →                      10.0 →  
 10.2 ↗                      9.1 →                      10.4 \*                      9.7 ↘                      9.7 ↘  
 beste Teiler 169.0 (13.) 475.6 (18.) 483.9 (11.)  
 Trefferlage 6.01 mm rechts, 1.66 mm hoch  
 Streuwert 5.25, horizontal: 6.31, vertikal: 3.90



Serie 3:  
 9.5 ↘                      10.4 \*                      10.8 \*                      9.6 ↘                      9.2 →  
 9.6 ↘                      10.2 ↘                      10.5 \*                      9.1 ←                      10.7 \*  
 beste Teiler 123.2 (23.) 174.9 (30.) 397.1 (28.)  
 Trefferlage 2.55 mm rechts, 2.30 mm tief  
 Streuwert 6.40, horizontal: 8.16, vertikal: 3.92





Serie 4:  
 10.4 \*                      9.2 ←                      10.4 \*                      9.7 →                      10.1 →  
 9.6 ↘                      9.7 →                      10.2 ↑                      10.5 \*                      8.4 →  
 beste Teiler 353.3 (39.) 401.2 (31.) 440.7 (33.)  
 Trefferlage 2.77 mm rechts, 0.32 mm hoch  
 Streuwert 7.27, horizontal: 9.38, vertikal: 4.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (362.2)  
 Serien: 87 82 94 82  
 Zähler: 12 14 6 4 3 1 0 0 0 0  
 Innenzehner: 7  
 weiteste: 4626 (16), 3552 (35), 3398 (19)  
 beste Teiler 240.6 (1.) 339.3 (27.) 367.0 (26.)  
 Trefferlage 6.56 mm links, 0.94 mm hoch  
 Streuwert 12.19, horizontal: 16.09, vertikal: 6.19




Serie 1:  
 10.7 \*                      10.3 \*                      7.7 ←                      9.4 ↖                      8.4 ↖  
 10.1 ←                      9.9 ↓                      8.9 →                      9.6 ↑                      7.7 ←  
 beste Teiler 240.6 (1.) 524.0 (2.) 705.5 (6.)  
 Trefferlage 7.30 mm links, 0.69 mm tief  
 Streuwert 10.37, horizontal: 13.40, vertikal: 5.95



Serie 2:  
 7.2 →                      10.1 ↙                      10.3 \*                      9.2 ↖                      8.3 ↖  
 5.2 ↖                      9.7 ↘                      9.6 ↙                      6.7 ←                      9.7 ↓  
 beste Teiler 511.1 (13.) 678.4 (12.) 976.9 (20.)  
 Trefferlage 9.03 mm links, 1.93 mm tief  
 Streuwert 15.59, horizontal: 20.94, vertikal: 6.91





Serie 3:  
 9.5 ↘                      10.4 \*                      8.7 ↖                      9.0 ↖                      10.1 →  
 10.5 \*                      10.5 \*                      10.0 ↖                      8.1 ↖                      10.1 ↖  
 beste Teiler 339.3 (27.) 367.0 (26.) 414.0 (22.)  
 Trefferlage 5.10 mm links, 1.64 mm hoch  
 Streuwert 7.90, horizontal: 9.51, vertikal: 5.86




Serie 4:  
 9.2 ←                      10.3 \*                      9.6 ↙                      6.9 ←                      6.5 ←  
 7.8 →                      9.9 ↑                      9.0 ↗                      9.0 ↖                      8.4 →  
 beste Teiler 495.1 (32.) 843.1 (37.) 1085.0 (33.)  
 Trefferlage 4.81 mm links, 4.77 mm hoch  
 Streuwert 14.49, horizontal: 20.01, vertikal: 4.44

Unterschrift des Schützen


Ergebnis: **369** (391.8)  
 Serien: 91 94 88 96  
 Zähler: 13 23 4 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2089 (22), 1956 (3), 1748 (27)  
 beste Teiler 109.0 (20.) 148.7 (36.) 152.2 (2.)  
 Trefferlage 0.01 mm links, 1.43 mm hoch  
 Streuwert 7.37, horizontal: 7.83, vertikal: 6.87




Serie 1:  
 9.8 → 10.8 \* 8.5 → 9.5 ↑ 9.6 ↖  
 9.9 ← 10.4 \* 9.5 ← 9.5 ↘ 9.8 →  
 beste Teiler 152.2 (2.) 408.1 (7.) 816.6 (6.)  
 Trefferlage 0.86 mm rechts, 3.25 mm hoch  
 Streuwert 7.59, horizontal: 9.45, vertikal: 5.11



Serie 2:  
 9.4 ↘ 9.6 ← 9.9 ↘ 9.9 ↘ 10.4 \*  
 10.6 \* 9.6 ↘ 9.4 ↓ 10.2 ↑ 10.8 \*  
 beste Teiler 109.0 (20.) 284.8 (16.) 447.9 (15.)  
 Trefferlage 0.40 mm links, 1.58 mm tief  
 Streuwert 6.41, horizontal: 6.20, vertikal: 6.62



Serie 3:  
 8.8 ↖ 8.3 ↖ 9.9 → 9.9 ↑ 9.7 →  
 10.5 \* 8.8 ↑ 9.5 ↑ 9.2 ← 9.5 ↖  
 beste Teiler 361.6 (26.) 825.1 (23.) 837.3 (24.)  
 Trefferlage 2.58 mm links, 6.99 mm hoch  
 Streuwert 8.10, horizontal: 9.61, vertikal: 6.24





Serie 4:  
 10.0 ↘ 9.1 ↘ 9.9 ↓ 10.4 \* 10.4 \*  
 10.8 \* 10.6 \* 9.7 ↘ 9.7 ↘ 10.0 ↘  
 beste Teiler 148.7 (36.) 303.2 (37.) 410.2 (34.)  
 Trefferlage 2.05 mm rechts, 2.92 mm tief  
 Streuwert 5.43, horizontal: 5.69, vertikal: 5.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (402.4)  
 Serien: 94 96 94 97  
 Zähler: 21 19 0 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1225 (18), 1163 (21), 1144 (33)  
 beste Teiler 96.2 (34.) 165.1 (32.) 201.2 (35.)  
 Trefferlage 2.90 mm links, 1.69 mm tief  
 Streuwert 5.00, horizontal: 6.19, vertikal: 3.42




Serie 1:  
 9.8 ← 10.6 \* 9.9 ← 9.9 → 10.6 \*  
 9.6 ← 9.9 ↘ 10.2 ↖ 10.6 \* 9.7 ←  
 beste Teiler 241.2 (9.) 260.5 (5.) 262.8 (2.)  
 Trefferlage 2.64 mm links, 0.83 mm tief  
 Streuwert 5.10, horizontal: 6.33, vertikal: 3.48



Serie 2:  
 9.8 ↖ 10.2 ↗ 10.5 \* 9.6 ↖ 10.5 \*  
 9.9 ↘ 10.4 \* 9.4 ← 10.3 \* 10.1 ↘  
 beste Teiler 361.1 (13.) 376.1 (15.) 459.8 (17.)  
 Trefferlage 3.74 mm links, 1.45 mm tief  
 Streuwert 4.84, horizontal: 5.79, vertikal: 3.64



Serie 3:  
 9.5 ← 9.7 ↖ 10.3 \* 9.5 ← 10.5 \*  
 9.6 ← 9.9 ↓ 10.0 → 10.3 \* 9.6 ↘  
 beste Teiler 339.0 (25.) 505.2 (29.) 509.6 (23.)  
 Trefferlage 3.90 mm links, 2.03 mm tief  
 Streuwert 5.75, horizontal: 7.18, vertikal: 3.82





Serie 4:  
 10.6 \* 10.7 \* 9.5 ← 10.8 \* 10.7 \*  
 9.6 ← 10.0 ↘ 10.0 ← 9.8 ↘ 10.3 \*  
 beste Teiler 96.2 (34.) 165.1 (32.) 201.2 (35.)  
 Trefferlage 1.30 mm links, 2.46 mm tief  
 Streuwert 4.77, horizontal: 6.02, vertikal: 3.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.6)  
 Serien: 94 92 97 87  
 Zähler: 18 15 6 1 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2526 (36), 2070 (34), 2058 (18)  
 beste Teiler 86.0 (31.) 237.6 (24.) 275.3 (21.)  
 Trefferlage 1.69 mm links, 3.55 mm tief  
 Streuwert 7.70, horizontal: 9.30, vertikal: 5.66




Serie 1:  
 10.4 \*                      9.7 ↘                      10.3 \*                      10.2 ←                      9.3 ←  
 8.7 ↘                      10.5 \*                      9.9 ↘                      9.3 ←                      10.2 ↗  
 beste Teiler 360.6 (7.) 430.1 (1.) 529.1 (3.)  
 Trefferlage 2.58 mm links, 0.00 mm  
 Streuwert 7.07, horizontal: 8.54, vertikal: 5.20



Serie 2:  
 9.3 ↘                      10.4 \*                      10.1 ↙                      10.3 ↙                      9.1 ↘  
 9.7 ←                      8.4 ←                      8.4 ↘                      9.7 ↙                      10.0 ←  
 beste Teiler 416.0 (12.) 533.3 (14.) 683.8 (13.)  
 Trefferlage 1.40 mm links, 6.65 mm tief  
 Streuwert 7.85, horizontal: 10.44, vertikal: 3.77



Serie 3:  
 10.6 \*                      9.9 ↘                      10.3 \*                      10.7 \*                      10.2 ↘  
 9.5 ↘                      9.7 ↙                      10.3 \*                      10.1 ↙                      10.1 ↘  
 beste Teiler 237.6 (24.) 275.3 (21.) 491.4 (23.)  
 Trefferlage 1.48 mm links, 1.52 mm tief  
 Streuwert 5.02, horizontal: 4.75, vertikal: 5.28





Serie 4:  
 10.8 \*                      9.8 ↘                      9.1 ←                      8.4 ←                      9.6 ↓  
 7.8 ↘                      8.6 ↘                      8.9 ↙                      10.5 \*                      9.8 ←  
 beste Teiler 86.0 (31.) 380.4 (39.) 896.9 (32.)  
 Trefferlage 1.31 mm links, 6.05 mm tief  
 Streuwert 10.07, horizontal: 13.01, vertikal: 5.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>384</b>	(400.8)
Serien:	94 94 97 99	
Zähler:	26 12 2 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	2184 (13), 1731 (6), 1516 (36)	
beste Teiler	171.9 (39.) 198.1 (31.) 226.2 (9.)	
Trefferlage	1.26 mm links, 0.13 mm hoch	
Streuwert	6.13, horizontal: 7.49, vertikal: 4.37	




Serie 1:	9.2 ↘	10.0 ↘	9.7 ←	10.5 *	9.5 ←
	8.8 ↘	10.3 *	9.7 ↗	10.7 *	10.4 *
beste Teiler	226.2 (9.) 399.5 (4.) 450.8 (10.)				
Trefferlage	4.00 mm links, 1.50 mm hoch				
Streuwert	6.58, horizontal: 7.84, vertikal: 5.00				



Serie 2:	10.6 *	10.1 ↓	8.2 ↘	10.5 *	10.6 *
	9.5 ←	10.0 →	9.8 ↘	9.8 ←	9.6 →
beste Teiler	260.5 (11.) 298.2 (15.) 381.1 (14.)				
Trefferlage	1.98 mm links, 0.63 mm tief				
Streuwert	7.40, horizontal: 9.52, vertikal: 4.35				



Serie 3:	10.2 ↓	9.6 ←	10.1 →	10.4 *	10.1 ↓
	10.0 ↗	10.5 *	9.9 ↑	10.4 *	9.6 ↗
beste Teiler	398.0 (27.) 458.0 (29.) 462.6 (24.)				
Trefferlage	1.34 mm rechts, 0.81 mm hoch				
Streuwert	5.35, horizontal: 5.50, vertikal: 5.20				





Serie 4:	10.7 *	10.6 *	10.2 →	10.4 *	10.6 *
	9.1 ←	10.0 →	10.1 ↓	10.7 *	10.1 ←
beste Teiler	171.9 (39.) 198.1 (31.) 262.2 (35.)				
Trefferlage	0.39 mm links, 1.13 mm tief				
Streuwert	4.99, horizontal: 6.57, vertikal: 2.59				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (395.8)  
 Serien: 93 97 92 95  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 2064 (30), 1854 (7), 1625 (26)  
 beste Teiler 27.7 (6.) 132.1 (3.) 198.6 (39.)  
 Trefferlage 0.00 mm , 0.32 mm tief  
 Streuwert 7.08, horizontal: 7.70, vertikal: 6.39




Serie 1:  
 9.3 → 10.1 ↓ 10.8 \* 10.7 \* 9.9 ←  
 10.9 \* 8.6 ← 9.0 ↓ 9.0 ↘ 9.9 ↑  
 beste Teiler 27.7 (6.) 132.1 (3.) 238.5 (4.)  
 Trefferlage 0.12 mm rechts, 1.85 mm tief  
 Streuwert 8.08, horizontal: 9.18, vertikal: 6.81



Serie 2:  
 10.1 ↑ 10.3 \* 10.5 \* 10.4 \* 9.8 ↓  
 9.9 → 10.4 \* 10.4 \* 10.6 \* 9.4 →  
 beste Teiler 293.4 (19.) 375.5 (13.) 445.2 (18.)  
 Trefferlage 2.78 mm rechts, 0.33 mm tief  
 Streuwert 4.73, horizontal: 4.51, vertikal: 4.94



Serie 3:  
 10.0 ↑ 9.3 ← 9.8 ← 10.3 \* 10.0 ←  
 8.9 ↙ 10.3 ← 9.6 → 9.6 ↖ 8.4 →  
 beste Teiler 481.2 (24.) 554.8 (27.) 721.8 (25.)  
 Trefferlage 1.81 mm links, 1.11 mm tief  
 Streuwert 8.53, horizontal: 10.27, vertikal: 6.33





Serie 4:  
 9.1 ↙ 9.4 ↘ 10.6 \* 9.5 ↑ 10.6 \*  
 10.5 \* 9.3 ↘ 10.4 \* 10.7 \* 9.5 ↑  
 beste Teiler 198.6 (39.) 275.9 (35.) 283.3 (33.)  
 Trefferlage 1.10 mm links, 1.99 mm hoch  
 Streuwert 6.71, horizontal: 5.77, vertikal: 7.54

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **371** (389.3)  
 Serien: 92 90 92 97  
 Zähler: 15 21 4 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2325 (4), 1928 (13), 1771 (14)  
 beste Teiler 302.8 (39.) 320.1 (34.) 361.5 (31.)  
 Trefferlage 4.27 mm links, 1.08 mm tief  
 Streuwert 7.09, horizontal: 8.38, vertikal: 5.50




Serie 1:  
 9.8 ↘ 10.3 ↙ 10.2 ↘ 8.0 ← 9.9 ↘  
 9.1 ← 9.3 ← 10.1 ↘ 9.0 ← 9.2 ←  
 beste Teiler 551.7 (2.) 611.0 (3.) 674.0 (8.)  
 Trefferlage 8.72 mm links, 0.82 mm hoch  
 Streuwert 6.97, horizontal: 8.78, vertikal: 4.49



Serie 2:  
 10.4 \* 9.8 ↘ 8.5 ↘ 8.7 ↘ 9.8 ↙  
 9.6 ← 10.4 \* 9.4 ↓ 10.0 ← 8.8 ←  
 beste Teiler 415.0 (11.) 457.0 (17.) 752.8 (19.)  
 Trefferlage 8.03 mm links, 0.22 mm hoch  
 Streuwert 6.87, horizontal: 7.05, vertikal: 6.68



Serie 3:  
 9.3 → 10.2 ↙ 9.9 ↓ 9.9 ↘ 9.4 ←  
 9.1 → 9.4 ← 9.5 ↓ 9.9 ↑ 10.2 ↘  
 beste Teiler 597.7 (30.) 638.9 (22.) 825.4 (23.)  
 Trefferlage 1.36 mm rechts, 4.02 mm tief  
 Streuwert 7.27, horizontal: 8.72, vertikal: 5.45





Serie 4:  
 10.5 \* 9.7 ↘ 9.9 ↓ 10.6 \* 10.4 \*  
 10.2 ← 10.5 \* 9.7 ← 10.6 \* 10.1 ↓  
 beste Teiler 302.8 (39.) 320.1 (34.) 361.5 (31.)  
 Trefferlage 1.69 mm links, 1.37 mm tief  
 Streuwert 4.60, horizontal: 4.61, vertikal: 4.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.7)  
 Serien: 94 96 93 95  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2069 (21), 1885 (5), 1509 (35)  
 beste Teiler 71.5 (15.) 275.8 (26.) 290.8 (31.)  
 Trefferlage 1.89 mm rechts, 0.21 mm tief  
 Streuwert 6.67, horizontal: 7.22, vertikal: 6.07




Serie 1:  
 10.2 ↓                      9.2 →                      9.2 ↘                      10.1 ↙                      8.6 →  
 10.3 ↑                      10.5 \*                      9.6 ←                      9.7 ↖                      10.4 \*  
 beste Teiler 379.9 (7.) 446.2 (10.) 552.7 (6.)  
 Trefferlage 2.52 mm rechts, 1.90 mm tief  
 Streuwert 7.52, horizontal: 9.39, vertikal: 5.01



Serie 2:  
 10.3 \*                      9.6 ↙                      9.7 →                      10.1 ↘                      10.9 \*  
 10.0 ↙                      10.3 \*                      9.3 ↓                      9.9 ↖                      10.1 ↘  
 beste Teiler 71.5 (15.) 524.8 (11.) 530.2 (17.)  
 Trefferlage 0.25 mm rechts, 2.81 mm tief  
 Streuwert 5.73, horizontal: 5.80, vertikal: 5.66



Serie 3:  
 8.4 ↘                      10.0 ↖                      10.2 →                      9.7 →                      9.4 ↖  
 10.6 \*                      9.6 ↖                      9.5 →                      9.9 ↑                      10.5 \*  
 beste Teiler 275.8 (26.) 382.8 (30.) 632.4 (23.)  
 Trefferlage 1.91 mm rechts, 1.61 mm hoch  
 Streuwert 7.58, horizontal: 7.87, vertikal: 7.27





Serie 4:  
 10.6 \*                      9.8 ↘                      9.7 ↑                      9.5 →                      9.1 ↗  
 9.9 ↑                      10.3 ↑                      10.4 \*                      10.1 ↖                      10.5 \*  
 beste Teiler 290.8 (31.) 382.5 (40.) 433.9 (38.)  
 Trefferlage 2.89 mm rechts, 2.23 mm hoch  
 Streuwert 5.77, horizontal: 6.13, vertikal: 5.38


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **385** (400.6)  
 Serien: 95 96 95 99  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1687 (29), 1529 (16), 1524 (8)  
 beste Teiler 248.2 (38.) 269.4 (15.) 270.0 (14.)  
 Trefferlage 2.23 mm rechts, 1.72 mm tief  
 Streuwert 5.60, horizontal: 6.84, vertikal: 4.00




Serie 1:  
 9.0 ↘                      10.3 \*                      10.1 ↓                      10.6 \*                      9.7 →  
 9.4 ↗                      10.2 ↗                      9.0 →                      10.4 \*                      9.6 ←  
 beste Teiler 319.2 (4.) 451.1 (9.) 490.0 (2.)  
 Trefferlage 4.86 mm rechts, 0.13 mm tief  
 Streuwert 6.34, horizontal: 7.85, vertikal: 4.34



Serie 2:  
 9.9 ↑                      9.7 ↓                      10.4 \*                      10.6 \*                      10.6 \*  
 9.0 →                      9.5 ↙                      10.2 →                      10.6 \*                      10.2 ↓  
 beste Teiler 269.4 (15.) 270.0 (14.) 273.6 (19.)  
 Trefferlage 1.62 mm rechts, 1.99 mm tief  
 Streuwert 5.70, horizontal: 6.29, vertikal: 5.04



Serie 3:  
 9.8 ←                      10.4 \*                      10.3 ←                      10.0 →                      10.1 ←  
 9.8 ↙                      9.5 →                      10.1 ↓                      8.8 ↘                      10.0 →  
 beste Teiler 416.3 (22.) 559.8 (23.) 702.9 (25.)  
 Trefferlage 1.16 mm rechts, 2.72 mm tief  
 Streuwert 6.47, horizontal: 8.43, vertikal: 3.54





Serie 4:  
 10.4 \*                      10.5 \*                      10.4 \*                      9.8 ↙                      10.1 ↓  
 10.2 ↓                      10.2 ↘                      10.6 \*                      10.5 \*                      10.1 →  
 beste Teiler 248.2 (38.) 345.2 (39.) 353.1 (32.)  
 Trefferlage 1.27 mm rechts, 2.02 mm tief  
 Streuwert 3.80, horizontal: 4.51, vertikal: 2.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.2)  
 Serien: 94 95 91 91  
 Zähler: 17 19 2 2 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2944 (37), 2490 (22), 2177 (4)  
 beste Teiler 160.2 (14.) 194.2 (19.) 240.6 (12.)  
 Trefferlage 3.98 mm links, 1.17 mm hoch  
 Streuwert 7.54, horizontal: 9.28, vertikal: 5.26




Serie 1:  
 10.6 \*                      9.5 ↖                      9.6 ↑                      8.2 ←                      10.4 \*  
 10.6 \*                      10.6 \*                      10.2 ←                      9.5 ↖                      9.7 ↖  
 beste Teiler 273.7 (1.) 277.9 (7.) 294.0 (6.)  
 Trefferlage 6.24 mm links, 3.20 mm hoch  
 Streuwert 5.45, horizontal: 6.38, vertikal: 4.33



Serie 2:  
 9.0 ↗                      10.7 \*                      9.5 ↖                      10.8 \*                      10.4 \*  
 9.6 ↘                      9.8 →                      10.5 \*                      10.7 \*                      9.3 ↓  
 beste Teiler 160.2 (14.) 194.2 (19.) 240.6 (12.)  
 Trefferlage 0.22 mm links, 1.28 mm hoch  
 Streuwert 6.66, horizontal: 6.53, vertikal: 6.80



Serie 3:  
 10.0 ←                      7.8 ↖                      9.8 ←                      9.0 ↖                      10.6 \*  
 10.0 →                      9.2 →                      9.9 ←                      9.6 →                      9.3 →  
 beste Teiler 297.0 (25.) 736.1 (21.) 772.0 (26.)  
 Trefferlage 1.33 mm links, 1.77 mm hoch  
 Streuwert 9.32, horizontal: 12.67, vertikal: 3.65





Serie 4:  
 10.1 ←                      10.6 \*                      9.7 ↙                      10.6 \*                      9.9 ←  
 8.7 ↖                      7.3 ←                      9.8 ←                      10.6 \*                      9.5 ↓  
 beste Teiler 263.1 (34.) 278.6 (39.) 294.5 (32.)  
 Trefferlage 8.12 mm links, 1.56 mm tief  
 Streuwert 7.40, horizontal: 9.00, vertikal: 5.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (392.4)  
 Serien: 92 93 97 94  
 Zähler: 19 18 3 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2219 (27), 1893 (2), 1687 (1)  
 beste Teiler 92.6 (26.) 215.3 (3.) 313.3 (39.)  
 Trefferlage 4.44 mm rechts, 0.85 mm tief  
 Streuwert 6.58, horizontal: 7.34, vertikal: 5.72




Serie 1:  
 8.8 ↘                      8.6 ↘                      10.7 \*                      10.0 ↘                      9.5 ↗  
 10.0 →                      9.7 ↘                      9.6 →                      10.2 ↑                      9.8 →  
 beste Teiler 215.3 (3.) 594.3 (9.) 735.8 (6.)  
 Trefferlage 8.44 mm rechts, 1.34 mm tief  
 Streuwert 5.32, horizontal: 5.12, vertikal: 5.52



Serie 2:  
 10.0 ↘                      9.1 ↘                      10.0 ↙                      9.7 →                      9.9 ↗  
 9.6 ↙                      9.2 ↘                      9.1 →                      10.3 \*                      9.3 ↗  
 beste Teiler 510.5 (19.) 724.5 (13.) 756.7 (11.)  
 Trefferlage 5.28 mm rechts, 0.14 mm tief  
 Streuwert 7.34, horizontal: 7.49, vertikal: 7.19



Serie 3:  
 10.0 →                      10.4 \*                      10.0 ↙                      10.0 ↘                      10.3 ↗  
 10.8 \*                      8.2 ↘                      9.9 →                      10.3 \*                      10.3 \*  
 beste Teiler 92.6 (26.) 463.6 (22.) 520.2 (29.)  
 Trefferlage 3.44 mm rechts, 1.46 mm tief  
 Streuwert 6.25, horizontal: 7.44, vertikal: 4.78





Serie 4:  
 9.4 →                      9.4 ↘                      9.8 ↘                      9.5 ↘                      9.7 ↗  
 10.4 \*                      10.5 \*                      9.4 ↙                      10.6 \*                      10.4 \*  
 beste Teiler 313.3 (39.) 359.9 (37.) 404.2 (40.)  
 Trefferlage 0.59 mm rechts, 0.48 mm tief  
 Streuwert 6.90, horizontal: 7.72, vertikal: 5.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.7)  
 Serien: 88 88 91 83  
 Zähler: 14 12 7 5 1 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 4589 (15), 3998 (38), 3151 (34)  
 beste Teiler 224.1 (29.) 224.3 (13.) 232.2 (22.)  
 Trefferlage 3.67 mm links, 0.27 mm hoch  
 Streuwert 12.13, horizontal: 15.73, vertikal: 6.86




Serie 1:  
 8.9 ←                      9.7 ↑                      9.4 ←                      9.8 ↓                      8.7 ←  
 9.7 ↓                      9.9 ↗                      10.2 ←                      9.4 ←                      8.7 ↘  
 beste Teiler 601.3 (8.) 831.9 (7.) 889.7 (4.)  
 Trefferlage 4.14 mm links, 1.16 mm tief  
 Streuwert 8.93, horizontal: 10.73, vertikal: 6.66



Serie 2:  
 9.5 ↗                      10.5 \*                      10.7 \*                      10.2 ↑                      5.2 ←  
 9.6 →                      7.8 ←                      10.6 \*                      10.0 →                      8.3 ←  
 beste Teiler 224.3 (13.) 276.4 (18.) 374.7 (12.)  
 Trefferlage 7.54 mm links, 0.44 mm hoch  
 Streuwert 12.93, horizontal: 17.47, vertikal: 5.40



Serie 3:  
 10.0 ↘                      10.7 \*                      10.0 ↘                      9.0 ↘                      8.4 ↗  
 8.5 →                      10.1 ↗                      7.8 ↘                      10.7 \*                      9.1 ↘  
 beste Teiler 224.1 (29.) 232.2 (22.) 659.2 (27.)  
 Trefferlage 1.22 mm links, 4.21 mm hoch  
 Streuwert 10.16, horizontal: 12.98, vertikal: 6.14





Serie 4:  
 8.8 ↖                      9.6 ↘                      10.2 ↘                      7.0 ←                      10.3 \*  
 9.5 ←                      10.2 ↖                      6.0 ↘                      7.2 ←                      7.8 ↘  
 beste Teiler 507.2 (35.) 568.1 (37.) 639.2 (33.)  
 Trefferlage 1.77 mm links, 2.39 mm tief  
 Streuwert 16.13, horizontal: 21.34, vertikal: 8.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (380.6)  
 Serien: 89 92 88 96  
 Zähler: 16 14 9 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2710 (10), 2325 (24), 2161 (28)  
 beste Teiler 236.6 (5.) 295.8 (35.) 302.8 (33.)  
 Trefferlage 2.34 mm rechts, 1.68 mm tief  
 Streuwert 9.22, horizontal: 10.26, vertikal: 8.05




Serie 1:  
 9.4 →                      8.9 ←                      10.3 ↘                      9.6 ✓                      10.7 \*  
 8.4 ↘                      9.7 ↘                      10.1 ↙                      9.3 ✓                      7.6 →  
 beste Teiler 236.6 (5.) 532.2 (3.) 710.8 (8.)  
 Trefferlage 3.11 mm rechts, 4.83 mm tief  
 Streuwert 9.81, horizontal: 13.20, vertikal: 4.28



Serie 2:  
 9.9 ↖                      8.5 ↓                      10.1 →                      10.1 ↑                      9.6 ←  
 9.3 ↗                      9.5 ↓                      10.0 ↓                      8.7 ↘                      10.4 \*  
 beste Teiler 466.7 (20.) 649.4 (14.) 713.6 (13.)  
 Trefferlage 2.23 mm rechts, 3.81 mm tief  
 Streuwert 8.13, horizontal: 6.77, vertikal: 9.29



Serie 3:  
 10.1 ↖                      9.1 ↗                      8.6 ↑                      8.0 →                      8.6 ↓  
 9.3 →                      9.4 →                      8.2 ←                      10.5 \*                      9.3 ✓  
 beste Teiler 374.9 (29.) 672.1 (21.) 1204.5 (27.)  
 Trefferlage 2.48 mm rechts, 1.49 mm hoch  
 Streuwert 11.58, horizontal: 12.13, vertikal: 11.01





Serie 4:  
 10.1 ↘                      10.2 ↓                      10.6 \*                      9.1 ↖                      10.6 \*  
 10.5 \*                      10.6 \*                      8.5 ↗                      9.0 →                      10.2 ↖  
 beste Teiler 295.8 (35.) 302.8 (33.) 310.1 (37.)  
 Trefferlage 1.55 mm rechts, 0.40 mm hoch  
 Streuwert 7.44, horizontal: 9.34, vertikal: 4.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.6)  
 Serien: 91 93 91 96  
 Zähler: 15 21 4 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2235 (23), 1900 (25), 1726 (8)  
 beste Teiler 159.3 (38.) 266.2 (10.) 274.4 (1.)  
 Trefferlage 0.43 mm rechts, 1.53 mm tief  
 Streuwert 7.38, horizontal: 8.56, vertikal: 5.97




Serie 1:  
 10.6 \*                      8.9 ↑                      9.8 ↗                      9.4 ↙                      10.2 ↘  
    9.7 ↓                      9.9 →                      8.8 ←                      9.5 ↑                      10.6 \*  
 beste Teiler 266.2 (10.) 274.4 (1.) 562.3 (5.)  
 Trefferlage 0.60 mm links, 1.18 mm hoch  
 Streuwert 7.95, horizontal: 7.55, vertikal: 8.33



Serie 2:  
    9.7 ←                      9.6 ↓                      10.6 \*                      9.6 →                      10.1 ↘  
    10.0 ←                      9.9 ←                      9.3 ↙                      9.5 ↙                      9.3 ←  
 beste Teiler 304.3 (13.) 648.8 (15.) 747.1 (16.)  
 Trefferlage 4.06 mm links, 3.30 mm tief  
 Streuwert 6.32, horizontal: 8.01, vertikal: 3.97



Serie 3:  
    10.1 ↓                      9.3 →                      8.2 →                      9.5 ←                      8.6 →  
    9.2 ↗                      9.7 ↓                      10.5 \*                      10.5 \*                      9.8 ↙  
 beste Teiler 375.1 (29.) 389.0 (28.) 714.3 (21.)  
 Trefferlage 4.62 mm rechts, 1.99 mm tief  
 Streuwert 8.74, horizontal: 10.79, vertikal: 6.04





Serie 4:  
    10.4 \*                      10.4 \*                      9.8 →                      9.8 ↓                      10.3 →  
    10.6 \*                      9.5 ←                      10.8 \*                      9.5 ↓                      10.1 →  
 beste Teiler 159.3 (38.) 282.1 (36.) 426.7 (31.)  
 Trefferlage 1.79 mm rechts, 2.02 mm tief  
 Streuwert 5.27, horizontal: 5.89, vertikal: 4.57

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **359** (380.0)  
 Serien: 88 89 91 91  
 Zähler: 13 16 8 3 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 3137 (8), 2733 (30), 2492 (18)  
 beste Teiler 159.5 (34.) 259.1 (39.) 260.1 (9.)  
 Trefferlage 3.97 mm rechts, 1.96 mm tief  
 Streuwert 9.22, horizontal: 11.59, vertikal: 5.97




Serie 1:  
 9.8 ↘                      8.9 →                      9.7 ↗                      10.3 \*                      9.6 ↘  
 9.1 ←                      9.2 ↙                      7.0 ←                      10.6 \*                      8.7 ↘  
 beste Teiler 260.1 (9.) 497.2 (4.) 907.6 (1.)  
 Trefferlage 0.11 mm rechts, 1.75 mm tief  
 Streuwert 11.30, horizontal: 14.51, vertikal: 6.70



Serie 2:  
 10.1 ↓                      10.3 ↘                      9.8 ↑                      9.8 →                      8.0 →  
 8.5 →                      10.6 \*                      7.8 ↘                      8.9 ↘                      10.5 \*  
 beste Teiler 284.9 (17.) 387.4 (20.) 538.6 (12.)  
 Trefferlage 8.11 mm rechts, 3.01 mm tief  
 Streuwert 8.59, horizontal: 9.86, vertikal: 7.10





Serie 3:  
 9.4 ↘                      9.9 ←                      10.6 \*                      10.5 \*                      10.2 ↓  
 9.9 ←                      10.1 ↘                      9.3 ↘                      8.7 →                      7.5 →  
 beste Teiler 297.9 (23.) 399.9 (24.) 610.1 (25.)  
 Trefferlage 4.21 mm rechts, 3.72 mm tief  
 Streuwert 8.66, horizontal: 11.24, vertikal: 4.87




Serie 4:  
 9.8 ↘                      9.3 ↙                      9.4 ↘                      10.8 \*                      8.7 →  
 9.5 →                      8.5 →                      9.8 ↙                      10.6 \*                      10.3 \*  
 beste Teiler 159.5 (34.) 259.1 (39.) 524.9 (40.)  
 Trefferlage 3.44 mm rechts, 0.62 mm hoch  
 Streuwert 8.24, horizontal: 10.61, vertikal: 4.83

Unterschrift des Schützen


Ergebnis: **355** (371.0)  
 Serien: 91 89 83 92  
 Zähler: 13 15 8 2 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3561 (29), 3352 (28), 2976 (19)  
 beste Teiler 121.4 (21.) 295.1 (1.) 440.5 (39.)  
 Trefferlage 2.04 mm rechts, 0.01 mm hoch  
 Streuwert 11.02, horizontal: 13.67, vertikal: 7.48




Serie 1:  
 10.6 \*                      9.5 ←                      8.3 ↖                      10.0 ↘                      8.6 →  
 9.0 →                      9.1 →                      10.3 \*                      9.7 ↓                      9.4 ↓  
 beste Teiler 295.1 (1.) 492.4 (8.) 741.8 (4.)  
 Trefferlage 1.78 mm rechts, 1.39 mm tief  
 Streuwert 9.62, horizontal: 12.25, vertikal: 5.91



Serie 2:  
 9.8 ↖                      7.8 ↖                      9.5 ←                      10.1 ↘                      10.1 →  
 8.8 ↘                      9.4 ←                      10.0 ←                      7.2 ←                      10.0 →  
 beste Teiler 645.7 (15.) 685.1 (14.) 726.0 (20.)  
 Trefferlage 7.31 mm links, 0.29 mm tief  
 Streuwert 10.24, horizontal: 13.67, vertikal: 4.75



Serie 3:  
 10.8 \*                      8.7 →                      8.3 →                      10.0 ↘                      10.0 ↗  
 8.4 →                      9.5 ←                      6.8 ↑                      6.5 →                      8.5 ↖  
 beste Teiler 121.4 (21.) 728.3 (25.) 794.2 (24.)  
 Trefferlage 7.08 mm rechts, 2.90 mm hoch  
 Streuwert 14.21, horizontal: 16.12, vertikal: 12.01



Serie 4:  
 9.5 ↙                      9.5 →                      10.0 →                      8.5 →                      9.1 ↘  
 9.9 ↑                      9.4 →                      9.9 →                      10.4 \*                      10.1 →  
 beste Teiler 440.5 (39.) 693.4 (40.) 797.9 (33.)  
 Trefferlage 6.63 mm rechts, 1.17 mm tief  
 Streuwert 6.79, horizontal: 8.03, vertikal: 5.27

Unterschrift des Schützen

Meyton Elektronik