





Ergebnis:	384	(402.9)
Serien:	97 97 94 96	
Zähler:	25 14 1 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1846 (26), 1573 (13), 1390 (31)	
beste Teiler	166.0 (3.) 208.5 (19.) 211.0 (39.)	
Trefferlage	0.27 mm links, 0.50 mm hoch	
Streuwert	5.72, horizontal: 6.98, vertikal: 4.09	




Serie 1:	10.1 ↓	10.4 *	10.7 *	10.0 ↘	9.3 ↖
	10.4 *	10.6 *	10.6 *	9.8 ←	9.9 →
beste Teiler	166.0 (3.)	303.6 (7.)	313.3 (8.)		
Trefferlage	2.20 mm links, 0.65 mm tief				
Streuwert	4.95, horizontal: 5.72, vertikal: 4.05				



Serie 2:	10.3 *	9.5 ↙	9.0 ↘	9.9 ←	10.0 →
	10.6 *	10.6 *	10.7 *	10.7 *	10.4 *
beste Teiler	208.5 (19.)	216.9 (18.)	291.6 (17.)		
Trefferlage	2.83 mm links, 0.32 mm tief				
Streuwert	5.32, horizontal: 6.42, vertikal: 3.93				



Serie 3:	9.9 ←	10.0 ↑	10.0 →	10.1 →	10.5 *
	8.6 ↘	9.8 ↙	9.6 →	9.9 →	10.2 ↗
beste Teiler	333.9 (25.)	626.3 (30.)	699.1 (24.)		
Trefferlage	0.26 mm rechts, 1.29 mm hoch				
Streuwert	6.99, horizontal: 8.51, vertikal: 5.04				





Serie 4:	9.2 →	10.5 *	10.0 →	9.8 ↘	9.9 →
	10.2 ↘	10.0 →	9.9 ↑	10.7 *	10.6 *
beste Teiler	211.0 (39.)	273.2 (40.)	321.2 (32.)		
Trefferlage	3.67 mm rechts, 1.69 mm hoch				
Streuwert	4.82, horizontal: 5.96, vertikal: 3.31				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (390.1)
 Serien: 91 93 96 95
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2240 (8), 1850 (22), 1647 (9)
 beste Teiler 199.0 (23.) 327.8 (26.) 335.5 (30.)
 Trefferlage 0.11 mm links, 1.59 mm hoch
 Streuwert 7.42, horizontal: 7.43, vertikal: 7.41




Serie 1:
 9.6 ↘ 9.8 ↙ 9.2 → 10.0 ← 9.5 ↖
 9.7 ↙ 10.4 * 8.2 ↗ 8.9 ↖ 10.2 ↘
 beste Teiler 473.3 (7.) 621.7 (10.) 750.0 (4.)
 Trefferlage 0.95 mm links, 1.23 mm hoch
 Streuwert 9.15, horizontal: 10.50, vertikal: 7.55



Serie 2:
 10.0 ↖ 10.0 ↘ 9.4 ↗ 9.4 ← 10.1 ↑
 9.5 ↑ 9.7 ↘ 9.3 ↑ 9.5 → 9.4 ↖
 beste Teiler 645.2 (15.) 748.3 (11.) 795.0 (12.)
 Trefferlage 0.30 mm rechts, 3.41 mm hoch
 Streuwert 7.60, horizontal: 7.50, vertikal: 7.70



Serie 3:
 10.4 * 8.6 ↑ 10.7 * 9.7 ↘ 9.7 ↑
 10.5 * 10.2 ↙ 10.4 * 10.1 ↗ 10.5 *
 beste Teiler 199.0 (23.) 327.8 (26.) 335.5 (30.)
 Trefferlage 0.07 mm links, 1.99 mm hoch
 Streuwert 5.90, horizontal: 4.39, vertikal: 7.10





Serie 4:
 9.1 ↖ 9.6 ↙ 10.3 ↑ 10.1 ↘ 9.1 →
 10.2 ↗ 10.1 ↖ 9.5 ↘ 9.4 ↓ 10.1 ↘
 beste Teiler 537.5 (33.) 603.8 (36.) 663.8 (34.)
 Trefferlage 0.24 mm rechts, 0.28 mm tief
 Streuwert 7.60, horizontal: 7.24, vertikal: 7.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.7)
 Serien: 92 92 94 94
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2110 (38), 1924 (24), 1822 (14)
 beste Teiler 276.2 (32.) 345.6 (40.) 375.2 (31.)
 Trefferlage 2.67 mm rechts, 2.59 mm hoch
 Streuwert 7.12, horizontal: 8.28, vertikal: 5.72




Serie 1:
 9.6 → 10.1 ↘ 10.0 ↗ 9.0 ↘ 9.9 →
 9.7 ← 9.7 ↙ 10.1 ↘ 8.9 ↑ 9.9 →
 beste Teiler 697.1 (8.) 719.6 (2.) 782.9 (3.)
 Trefferlage 4.11 mm rechts, 0.41 mm hoch
 Streuwert 7.33, horizontal: 7.65, vertikal: 7.01



Serie 2:
 10.5 * 10.1 ← 9.9 ← 8.7 → 10.3 →
 9.3 ↗ 9.7 ↘ 9.2 ← 9.7 → 9.9 ↗
 beste Teiler 394.9 (11.) 553.5 (15.) 669.6 (12.)
 Trefferlage 3.26 mm rechts, 1.51 mm hoch
 Streuwert 7.44, horizontal: 9.47, vertikal: 4.59



Serie 3:
 10.2 ↖ 9.4 ← 9.0 ↑ 8.5 ↖ 10.2 ↖
 10.5 * 9.7 → 10.4 * 9.5 ↑ 10.5 *
 beste Teiler 386.8 (30.) 390.5 (26.) 466.1 (28.)
 Trefferlage 2.29 mm links, 6.36 mm hoch
 Streuwert 6.15, horizontal: 6.92, vertikal: 5.26





Serie 4:
 10.5 * 10.6 * 9.5 ↗ 10.5 * 9.7 ↖
 10.4 * 9.4 ↗ 8.3 → 9.2 ↘ 10.5 *
 beste Teiler 276.2 (32.) 345.6 (40.) 375.2 (31.)
 Trefferlage 5.60 mm rechts, 2.07 mm hoch
 Streuwert 6.44, horizontal: 7.85, vertikal: 4.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390	(407.5)
Serien:	96 98 100 96	
Zähler:	31 8 1 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1626 (34), 1154 (18), 956 (19)	
beste Teiler	86.6 (12.) 129.8 (3.) 213.7 (27.)	
Trefferlage	0.33 mm links, 0.66 mm hoch	
Streuwert	4.84, horizontal: 4.44, vertikal: 5.21	




Serie 1:	9.8 ↓	10.4 *	10.8 *	9.8 ↑	10.2 ↘
	10.4 *	9.9 ↘	10.0 ↖	9.8 →	10.0 ↑
beste Teiler	129.8 (3.)	437.7 (6.)	462.3 (2.)		
Trefferlage	2.48 mm rechts, 0.27 mm tief				
Streuwert	5.02, horizontal: 3.84, vertikal: 5.98				



Serie 2:	10.0 ↖	10.8 *	10.1 ←	10.3 ↙	10.6 *
	10.0 ↑	10.3 *	9.5 ↘	9.8 ↘	10.1 ↓
beste Teiler	86.6 (12.)	270.7 (15.)	513.9 (17.)		
Trefferlage	3.07 mm links, 2.40 mm hoch				
Streuwert	4.36, horizontal: 3.67, vertikal: 4.96				



Serie 3:	10.3 *	10.6 *	10.3 ←	10.1 →	10.4 *
	10.3 ↖	10.7 *	10.5 *	10.4 *	10.3 *
beste Teiler	213.7 (27.)	300.4 (22.)	399.6 (28.)		
Trefferlage	0.65 mm links, 0.95 mm tief				
Streuwert	3.42, horizontal: 3.57, vertikal: 3.26				





Serie 4:	10.1 →	10.5 *	9.8 ↓	8.9 ↘	10.0 ↗
	10.2 ←	9.9 ↑	10.4 *	10.5 *	10.7 *
beste Teiler	230.8 (40.)	344.3 (39.)	349.1 (32.)		
Trefferlage	0.09 mm links, 1.48 mm hoch				
Streuwert	5.75, horizontal: 5.21, vertikal: 6.24				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	376	(391.9)
Serien:	94 94 93 95	
Zähler:	20 16 4 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	2288 (20), 1987 (40), 1774 (15)	
beste Teiler	98.3 (2.) 166.6 (32.) 189.6 (36.)	
Trefferlage	1.74 mm links, 1.16 mm tief	
Streuwert	7.50, horizontal: 8.57, vertikal: 6.25	




Serie 1:					
	9.1 →	10.8 *	10.1 ↑	10.0 →	9.5 ↓
	9.1 ↓	10.2 ↗	9.3 ↘	9.0 →	9.5 →
beste Teiler	98.3 (2.)	614.5 (7.)	644.0 (3.)		
Trefferlage	5.33 mm rechts, 2.98 mm tief				
Streuwert	6.95, horizontal: 6.87, vertikal: 7.03				



Serie 2:					
	10.1 ↘	10.3 *	9.8 →	10.3 *	8.7 ↓
	9.5 ↙	10.1 ↑	10.4 *	10.4 *	8.1 ↘
beste Teiler	451.5 (19.)	465.0 (18.)	496.8 (14.)		
Trefferlage	0.88 mm links, 1.03 mm tief				
Streuwert	8.25, horizontal: 8.70, vertikal: 7.78				



Serie 3:					
	10.6 *	9.3 ←	10.5 *	10.5 *	9.4 ↙
	10.4 *	9.4 ↓	9.5 ↖	8.9 ↖	9.5 ↖
beste Teiler	268.7 (21.)	327.5 (24.)	344.7 (23.)		
Trefferlage	5.97 mm links, 0.15 mm hoch				
Streuwert	6.43, horizontal: 6.56, vertikal: 6.29				





Serie 4:					
	10.6 *	10.7 *	10.3 ↙	9.1 ↙	10.2 ↓
	10.7 *	9.7 ↖	9.4 ←	10.4 *	8.5 ←
beste Teiler	166.6 (32.)	189.6 (36.)	293.2 (31.)		
Trefferlage	5.45 mm links, 0.80 mm tief				
Streuwert	6.11, horizontal: 7.79, vertikal: 3.74				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	389	(409.2)
Serien:	97 96 98 98	
Zähler:	29 11 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1539 (11), 1473 (29), 1251 (28)	
beste Teiler	111.5 (17.) 117.7 (24.) 149.5 (18.)	
Trefferlage	1.16 mm rechts, 0.68 mm hoch	
Streuwert	4.79, horizontal: 5.69, vertikal: 3.67	




Serie 1:	10.4 *	10.6 *	10.4 *	10.2 ↘	9.9 ↙
	9.8 ↙	10.3 ↖	9.7 →	10.1 →	10.3 *
beste Teiler	283.8 (2.)	418.3 (3.)	419.3 (1.)		
Trefferlage	1.31 mm links, 0.42 mm tief				
Streuwert	4.80, horizontal: 6.03, vertikal: 3.13				



Serie 2:	9.0 →	10.7 *	10.5 *	9.6 →	10.5 *
	9.9 →	10.8 *	10.8 *	10.4 *	9.9 ↗
beste Teiler	111.5 (17.)	149.5 (18.)	175.4 (12.)		
Trefferlage	3.19 mm rechts, 1.27 mm hoch				
Streuwert	4.90, horizontal: 6.32, vertikal: 2.83				



Serie 3:	10.2 ↗	10.1 ↓	10.2 ←	10.8 *	10.2 ↑
	10.6 *	10.6 *	9.4 ↗	9.1 →	10.6 *
beste Teiler	117.7 (24.)	252.3 (26.)	293.0 (30.)		
Trefferlage	2.55 mm rechts, 1.05 mm hoch				
Streuwert	5.19, horizontal: 6.18, vertikal: 3.95				





Serie 4:	10.5 *	10.1 ↑	10.7 *	10.7 *	10.6 *
	9.7 ↘	9.9 →	10.6 *	10.2 ↓	10.6 *
beste Teiler	219.2 (34.)	227.7 (33.)	270.4 (38.)		
Trefferlage	0.22 mm rechts, 0.81 mm hoch				
Streuwert	4.14, horizontal: 3.36, vertikal: 4.79				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	378	(394.5)
Serien:	94 95 95 94	
Zähler:	18 22 0 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	1546 (11), 1451 (16), 1393 (25)	
beste Teiler	33.6 (17.) 294.4 (22.) 319.7 (3.)	
Trefferlage	1.27 mm links, 2.18 mm hoch	
Streuwert	6.48, horizontal: 7.71, vertikal: 4.97	




Serie 1:	10.2 ←	9.5 ↗	10.6 *	9.4 ↘	9.9 ↖
	9.7 →	9.3 ←	10.3 *	9.5 →	10.0 ↘
beste Teiler	319.7 (3.)	491.3 (8.)	638.9 (1.)		
Trefferlage	1.36 mm rechts, 1.70 mm hoch				
Streuwert	6.81, horizontal: 8.01, vertikal: 5.35				



Serie 2:	9.0 ↘	10.2 ↘	10.4 *	10.1 ←	10.2 ←
	9.1 ←	10.9 *	9.8 ↘	9.4 ↘	9.4 ←
beste Teiler	33.6 (17.)	454.8 (13.)	602.3 (12.)		
Trefferlage	7.19 mm links, 2.19 mm hoch				
Streuwert	4.84, horizontal: 5.80, vertikal: 3.63				





Serie 3:	9.9 ←	10.6 *	9.6 ↘	10.0 ↘	9.2 ↗
	10.4 *	9.6 →	9.8 ↘	10.0 ↓	10.0 ↘
beste Teiler	294.4 (22.)	478.1 (26.)	722.4 (30.)		
Trefferlage	0.33 mm rechts, 0.95 mm hoch				
Streuwert	6.58, horizontal: 7.62, vertikal: 5.33				




Serie 4:	10.2 ↗	9.7 ↗	10.5 *	9.4 ↘	9.3 ↘
	10.2 ↘	9.3 →	9.9 ↘	9.9 ↘	10.1 →
beste Teiler	356.1 (33.)	590.4 (31.)	623.0 (36.)		
Trefferlage	0.36 mm rechts, 3.87 mm hoch				
Streuwert	6.35, horizontal: 7.00, vertikal: 5.64				

Unterschrift des Schützen


Ergebnis:	369	(392.1)
Serien:	91 94 92 92	
Zähler:	13 23 4 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	1809 (32), 1760 (25), 1634 (16)	
beste Teiler	94.1 (17.) 236.0 (19.) 268.2 (34.)	
Trefferlage	0.61 mm rechts, 2.53 mm tief	
Streuwert	7.00, horizontal: 8.39, vertikal: 5.25	




Serie 1:	9.5 ↓	9.8 ↗	9.4 →	10.1 ↓	10.2 ↘
	9.7 ↗	9.8 ↘	9.8 ↖	9.8 ←	8.9 →
beste Teiler	577.2 (5.) 662.6 (4.) 889.5 (9.)				
Trefferlage	3.58 mm rechts, 1.62 mm tief				
Streuwert	7.06, horizontal: 8.33, vertikal: 5.52				



Serie 2:	9.6 ←	10.3 ←	9.6 ↓	10.5 *	10.0 →
	8.9 →	10.8 *	9.3 →	10.7 *	9.3 ↙
beste Teiler	94.1 (17.) 236.0 (19.) 367.4 (14.)				
Trefferlage	0.77 mm rechts, 2.77 mm tief				
Streuwert	6.98, horizontal: 9.15, vertikal: 3.70				



Serie 3:	10.4 *	10.6 *	9.6 →	9.8 ↖	8.8 ↖
	9.5 ↙	9.3 ↓	10.3 *	9.7 ←	9.9 →
beste Teiler	299.0 (22.) 440.9 (21.) 498.2 (28.)				
Trefferlage	2.53 mm links, 1.08 mm tief				
Streuwert	7.35, horizontal: 8.55, vertikal: 5.92				





Serie 4:	9.5 →	8.7 ↓	9.7 ↙	10.6 *	10.5 *
	9.8 ↙	9.6 →	9.5 ←	10.6 *	9.7 ↓
beste Teiler	268.2 (34.) 313.3 (39.) 385.3 (35.)				
Trefferlage	0.62 mm rechts, 4.63 mm tief				
Streuwert	6.72, horizontal: 7.64, vertikal: 5.65				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (401.2)
 Serien: 94 91 97 98
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1697 (19), 1634 (14), 1623 (2)
 beste Teiler 62.4 (32.) 95.3 (30.) 107.3 (25.)
 Trefferlage 0.35 mm rechts, 1.90 mm hoch
 Streuwert 5.96, horizontal: 5.77, vertikal: 6.13




Serie 1:
 10.5 * 8.9 ↗ 10.0 → 9.8 ← 10.7 *
 9.4 ← 10.3 * 9.6 ↖ 9.9 ↗ 10.5 *
 beste Teiler 206.5 (5.) 384.7 (1.) 395.8 (10.)
 Trefferlage 0.22 mm rechts, 2.49 mm hoch
 Streuwert 6.42, horizontal: 7.74, vertikal: 4.76



Serie 2:
 9.8 ↑ 9.7 → 9.7 ↘ 8.9 ↙ 9.3 ↖
 10.4 * 10.0 ↑ 10.4 * 8.8 ↑ 9.9 ↖
 beste Teiler 410.1 (16.) 438.5 (18.) 729.4 (17.)
 Trefferlage 0.06 mm links, 2.81 mm hoch
 Streuwert 7.85, horizontal: 6.52, vertikal: 8.98



Serie 3:
 10.0 ↑ 10.1 → 10.0 ↖ 9.8 ↘ 10.8 *
 9.9 ↑ 10.3 ↑ 9.1 ↖ 10.2 ↘ 10.8 *
 beste Teiler 95.3 (30.) 107.3 (25.) 550.7 (27.)
 Trefferlage 0.14 mm rechts, 2.83 mm hoch
 Streuwert 5.44, horizontal: 4.53, vertikal: 6.23



Serie 4:
 10.0 ↖ 10.9 * 10.4 * 10.8 * 10.3 *
 9.9 → 10.1 ↓ 10.8 * 10.7 * 9.8 ↗
 beste Teiler 62.4 (32.) 126.1 (38.) 137.3 (34.)
 Trefferlage 1.12 mm rechts, 0.51 mm tief
 Streuwert 4.05, horizontal: 4.54, vertikal: 3.49

Unterschrift des Schützen

Meyton Elektronik