





Ergebnis: **369** (387.6)
 Serien: 88 93 95 93
 Zähler: 18 15 5 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2935 (14), 2438 (6), 2207 (13)
 beste Teiler 13.9 (28.) 88.6 (17.) 169.9 (23.)
 Trefferlage 5.36 mm rechts, 2.43 mm tief
 Streuwert 7.51, horizontal: 9.38, vertikal: 4.98




Serie 1:
 10.4 * 9.9 ↖ 9.8 → 10.0 ↘ 8.7 →
 7.9 → 9.5 ↘ 8.4 → 9.1 ↗ 9.4 →
 beste Teiler 471.8 (1.) 788.6 (4.) 850.8 (2.)
 Trefferlage 7.43 mm rechts, 2.47 mm tief
 Streuwert 9.05, horizontal: 10.18, vertikal: 7.76



Serie 2:
 9.7 ← 9.7 ↓ 8.2 → 7.3 → 10.7 *
 10.1 → 10.8 * 10.1 ↘ 10.1 ↘ 10.5 *
 beste Teiler 88.6 (17.) 209.4 (15.) 352.2 (20.)
 Trefferlage 6.06 mm rechts, 3.07 mm tief
 Streuwert 8.28, horizontal: 11.16, vertikal: 3.52



Serie 3:
 10.4 * 9.5 ↙ 10.7 * 10.2 ← 9.7 ↘
 10.6 * 9.3 → 10.9 * 8.8 → 10.2 →
 beste Teiler 13.9 (28.) 169.9 (23.) 319.0 (26.)
 Trefferlage 2.38 mm rechts, 3.32 mm tief
 Streuwert 6.00, horizontal: 7.74, vertikal: 3.47





Serie 4:
 9.0 → 10.3 * 10.3 ↓ 9.2 → 8.7 →
 9.6 ← 10.3 * 10.3 * 9.7 → 9.6 →
 beste Teiler 485.4 (37.) 489.3 (32.) 523.1 (38.)
 Trefferlage 5.57 mm rechts, 0.87 mm tief
 Streuwert 6.95, horizontal: 8.83, vertikal: 4.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.8)
 Serien: 93 94 94 95
 Zähler: 23 12 3 2 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2560 (30), 2449 (16), 1764 (3)
 beste Teiler 195.9 (9.) 259.5 (29.) 308.2 (11.)
 Trefferlage 0.76 mm rechts, 0.05 mm hoch
 Streuwert 7.43, horizontal: 8.16, vertikal: 6.62




Serie 1:
 9.7 → 10.4 * 8.7 → 9.3 ↑ 9.6 ↖
 10.0 ↓ 9.5 ← 10.4 * 10.7 * 9.9 ↘
 beste Teiler 195.9 (9.) 406.4 (8.) 421.6 (2.)
 Trefferlage 1.91 mm rechts, 0.36 mm hoch
 Streuwert 7.26, horizontal: 8.12, vertikal: 6.29



Serie 2:
 10.6 * 10.4 * 10.0 ↘ 10.0 ← 9.6 ↑
 7.9 ↘ 10.1 ↖ 9.4 ↗ 10.5 * 9.1 ↘
 beste Teiler 308.2 (11.) 394.0 (19.) 438.7 (12.)
 Trefferlage 2.93 mm rechts, 1.08 mm tief
 Streuwert 8.17, horizontal: 8.04, vertikal: 8.29



Serie 3:
 9.8 → 10.4 * 9.6 ↙ 10.3 * 10.3 *
 10.0 ↓ 10.5 * 9.7 ↘ 10.6 * 7.8 ↖
 beste Teiler 259.5 (29.) 339.0 (27.) 420.8 (22.)
 Trefferlage 2.11 mm links, 1.33 mm tief
 Streuwert 7.70, horizontal: 8.89, vertikal: 6.28





Serie 4:
 10.1 ↓ 10.0 ↗ 10.5 * 8.9 ↖ 10.4 *
 9.6 ↗ 10.5 * 10.2 ↖ 8.8 → 10.0 ↖
 beste Teiler 326.4 (37.) 342.9 (33.) 410.8 (35.)
 Trefferlage 0.33 mm rechts, 2.28 mm hoch
 Streuwert 6.92, horizontal: 7.92, vertikal: 5.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.8)
 Serien: 93 95 96 98
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1659 (1), 1653 (29), 1532 (16)
 beste Teiler 91.4 (8.) 102.7 (11.) 193.4 (20.)
 Trefferlage 0.69 mm rechts, 0.15 mm tief
 Streuwert 5.92, horizontal: 5.74, vertikal: 6.09




Serie 1:
 8.9 ↘ 9.9 ↑ 9.4 ← 10.3 ← 10.2 →
 9.6 ↘ 10.6 * 10.8 * 9.7 ↑ 9.3 ↘
 beste Teiler 91.4 (8.) 307.3 (7.) 542.9 (4.)
 Trefferlage 0.10 mm links, 0.31 mm tief
 Streuwert 7.25, horizontal: 6.32, vertikal: 8.07



Serie 2:
 10.8 * 9.5 → 10.1 → 9.7 → 10.0 →
 9.0 ↘ 9.6 ← 9.6 ↘ 10.2 ↙ 10.7 *
 beste Teiler 102.7 (11.) 193.4 (20.) 576.8 (19.)
 Trefferlage 0.71 mm rechts, 3.06 mm hoch
 Streuwert 6.32, horizontal: 7.23, vertikal: 5.25



Serie 3:
 10.6 * 10.1 ↙ 9.8 ↘ 10.5 * 10.3 *
 10.6 * 10.5 * 10.6 * 8.9 → 9.6 ↘
 beste Teiler 255.1 (28.) 257.7 (21.) 306.5 (26.)
 Trefferlage 2.90 mm rechts, 2.64 mm tief
 Streuwert 5.00, horizontal: 5.81, vertikal: 4.04





Serie 4:
 10.1 ↙ 10.1 ↘ 10.7 * 10.6 * 10.1 ↙
 10.5 * 9.8 ↓ 10.3 * 10.3 * 9.9 ↑
 beste Teiler 230.9 (33.) 291.3 (34.) 374.3 (36.)
 Trefferlage 0.75 mm links, 0.71 mm tief
 Streuwert 4.57, horizontal: 2.93, vertikal: 5.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.9)
 Serien: 92 91 95 91
 Zähler: 17 16 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2481 (8), 2218 (11), 1880 (2)
 beste Teiler 129.4 (27.) 132.0 (17.) 204.4 (6.)
 Trefferlage 5.12 mm rechts, 1.49 mm hoch
 Streuwert 7.52, horizontal: 8.84, vertikal: 5.93




Serie 1:
 8.8 → 8.6 → 9.7 ↗ 10.0 ← 10.0 ↘
 10.7 * 10.3 * 7.8 → 10.6 * 10.0 ↓
 beste Teiler 204.4 (6.) 291.3 (9.) 521.4 (7.)
 Trefferlage 6.50 mm rechts, 0.26 mm tief
 Streuwert 8.00, horizontal: 10.64, vertikal: 3.85



Serie 2:
 8.2 → 9.9 ↓ 9.4 ↗ 10.2 ↖ 8.9 →
 10.3 * 10.8 * 10.0 → 9.3 ↙ 8.9 →
 beste Teiler 132.0 (17.) 493.8 (16.) 575.1 (14.)
 Trefferlage 5.50 mm rechts, 0.09 mm tief
 Streuwert 8.36, horizontal: 10.22, vertikal: 5.93



Serie 3:
 9.3 → 9.1 ↖ 9.8 ↖ 10.0 ↑ 9.1 ↑
 10.2 → 10.8 * 10.0 ↑ 10.1 ↑ 9.6 →
 beste Teiler 129.4 (27.) 634.5 (26.) 669.4 (29.)
 Trefferlage 1.36 mm rechts, 5.02 mm hoch
 Streuwert 6.47, horizontal: 6.65, vertikal: 6.29





Serie 4:
 10.0 ↘ 9.8 ↗ 8.8 → 9.0 ↗ 10.4 *
 9.7 ↖ 9.7 ↗ 9.2 → 9.5 → 9.4 ↘
 beste Teiler 433.5 (35.) 800.0 (31.) 954.3 (32.)
 Trefferlage 7.15 mm rechts, 1.31 mm hoch
 Streuwert 6.95, horizontal: 7.36, vertikal: 6.52

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **360** (378.3)
 Serien: 89 93 93 85
 Zähler: 14 16 7 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3221 (4), 2553 (40), 2505 (39)
 beste Teiler 96.5 (11.) 275.0 (24.) 379.7 (30.)
 Trefferlage 0.52 mm rechts, 1.55 mm tief
 Streuwert 9.83, horizontal: 11.80, vertikal: 7.36




Serie 1:
 8.6 ← 10.1 → 8.9 ← 6.9 ↘ 9.1 →
 10.1 → 10.3 ← 9.0 ↑ 10.0 ↗ 9.7 ↖

beste Teiler 548.0 (7.) 641.3 (6.) 693.6 (2.)
 Trefferlage 0.78 mm rechts, 1.54 mm hoch
 Streuwert 11.54, horizontal: 13.86, vertikal: 8.61




Serie 2:
 10.8 * 9.4 → 8.6 ← 8.8 ↘ 10.4 *
 9.5 → 10.3 * 10.3 ← 9.7 ↓ 10.3 ↙

beste Teiler 96.5 (11.) 415.2 (15.) 487.5 (17.)
 Trefferlage 0.31 mm rechts, 2.81 mm tief
 Streuwert 7.75, horizontal: 9.36, vertikal: 5.71



Serie 3:
 10.1 ↖ 9.2 → 9.8 ↗ 10.6 * 9.0 ←
 9.2 ↓ 9.1 ← 9.8 ← 9.5 → 10.5 *

beste Teiler 275.0 (24.) 379.7 (30.) 666.8 (21.)
 Trefferlage 0.80 mm links, 2.09 mm tief
 Streuwert 8.09, horizontal: 9.71, vertikal: 6.06





Serie 4:
 10.4 * 8.9 ↖ 9.9 ← 9.9 ↗ 8.5 →
 9.0 ↖ 10.4 * 8.1 ↓ 7.8 ↘ 7.8 →

beste Teiler 415.6 (37.) 454.0 (31.) 838.6 (34.)
 Trefferlage 1.79 mm rechts, 2.84 mm tief
 Streuwert 12.29, horizontal: 15.01, vertikal: 8.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.4)
 Serien: 88 90 92 90
 Zähler: 10 22 6 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2494 (20), 2423 (2), 2226 (26)
 beste Teiler 130.0 (22.) 194.5 (31.) 273.5 (6.)
 Trefferlage 2.66 mm links, 5.84 mm tief
 Streuwert 8.62, horizontal: 10.80, vertikal: 5.63




Serie 1:
 8.6 ↖ 7.9 ↘ 9.3 ↓ 9.2 ↖ 9.6 ↓
 10.6 * 8.7 ↖ 9.2 ↖ 10.3 * 9.5 ↖
 beste Teiler 273.5 (6.) 499.8 (9.) 1079.0 (5.)
 Trefferlage 5.60 mm links, 6.71 mm tief
 Streuwert 8.74, horizontal: 10.63, vertikal: 6.31



Serie 2:
 9.0 ↓ 9.4 → 8.5 ↖ 9.4 ↓ 10.0 ↓
 9.5 ↘ 9.3 ↙ 10.0 ← 10.2 ↓ 7.8 ↖
 beste Teiler 592.6 (19.) 750.1 (15.) 780.9 (18.)
 Trefferlage 4.16 mm links, 6.64 mm tief
 Streuwert 8.83, horizontal: 10.75, vertikal: 6.36



Serie 3:
 10.2 ↘ 10.8 * 10.4 * 9.3 ↖ 8.6 ↓
 8.2 ← 9.6 → 10.3 * 9.7 → 9.3 ↖
 beste Teiler 130.0 (22.) 472.1 (23.) 516.0 (28.)
 Trefferlage 2.38 mm links, 4.66 mm tief
 Streuwert 8.33, horizontal: 10.51, vertikal: 5.32





Serie 4:
 10.7 * 9.2 ↓ 9.2 ↘ 8.2 → 9.3 ↖
 9.5 ↖ 9.7 ↖ 9.1 → 9.6 ↖ 9.5 ↘
 beste Teiler 194.5 (31.) 998.6 (37.) 1053.6 (39.)
 Trefferlage 1.50 mm rechts, 5.37 mm tief
 Streuwert 8.97, horizontal: 11.63, vertikal: 5.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (404.0)
 Serien: 96 98 95 97
 Zähler: 29 8 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1745 (33), 1662 (7), 1619 (27)
 beste Teiler 112.6 (18.) 127.6 (4.) 229.4 (38.)
 Trefferlage 0.58 mm links, 0.10 mm hoch
 Streuwert 5.64, horizontal: 5.96, vertikal: 5.30




Serie 1:
 10.5 * 10.2 ↘ 10.4 * 10.8 * 10.3 *
 10.3 ↖ 8.9 ← 10.4 * 9.8 ↑ 9.7 ↓
 beste Teiler 127.6 (4.) 381.8 (1.) 415.2 (8.)
 Trefferlage 1.49 mm links, 1.11 mm tief
 Streuwert 5.61, horizontal: 6.13, vertikal: 5.04



Serie 2:
 9.7 ↖ 10.2 ↘ 10.6 * 10.6 * 10.2 →
 10.1 ↘ 10.0 ← 10.8 * 9.7 ↖ 10.1 ↑
 beste Teiler 112.6 (18.) 283.8 (14.) 284.1 (13.)
 Trefferlage 2.52 mm links, 1.46 mm hoch
 Streuwert 4.43, horizontal: 5.04, vertikal: 3.73



Serie 3:
 10.6 * 9.7 ↑ 9.7 ↖ 10.0 ↘ 10.4 *
 10.5 * 8.9 → 10.0 ↑ 10.1 ↖ 9.2 ↓
 beste Teiler 313.0 (21.) 387.0 (26.) 444.0 (25.)
 Trefferlage 1.94 mm rechts, 0.07 mm tief
 Streuwert 6.75, horizontal: 6.40, vertikal: 7.09





Serie 4:
 10.6 * 10.3 ↖ 8.8 ↘ 10.0 ↖ 10.2 ↗
 10.5 * 9.9 ↑ 10.7 * 10.6 * 10.0 ←
 beste Teiler 229.4 (38.) 283.2 (39.) 286.1 (31.)
 Trefferlage 0.26 mm links, 0.16 mm hoch
 Streuwert 5.75, horizontal: 6.15, vertikal: 5.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (403.6)
 Serien: 99 96 95 95
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1762 (32), 1589 (37), 1424 (21)
 beste Teiler 54.2 (5.) 139.6 (33.) 153.8 (29.)
 Trefferlage 0.76 mm links, 0.84 mm tief
 Streuwert 5.66, horizontal: 7.10, vertikal: 3.71




Serie 1:
 10.4 * 10.0 ↓ 10.3 ↗ 10.1 ↘ 10.9 *
 10.3 * 10.2 ↙ 9.5 ↘ 10.1 ↖ 10.6 *
 beste Teiler 54.2 (5.) 287.9 (10.) 456.2 (1.)
 Trefferlage 1.27 mm rechts, 1.05 mm tief
 Streuwert 4.61, horizontal: 5.03, vertikal: 4.14



Serie 2:
 9.3 ← 10.0 ↖ 10.7 * 9.6 ↖ 10.5 *
 9.6 ↘ 10.0 ↘ 10.4 * 10.4 * 9.9 ↘
 beste Teiler 221.2 (13.) 332.4 (15.) 438.9 (18.)
 Trefferlage 1.17 mm links, 1.72 mm tief
 Streuwert 5.96, horizontal: 7.38, vertikal: 4.06



Serie 3:
 9.2 ↖ 10.4 * 9.9 ↖ 9.9 ← 9.8 ↘
 10.7 * 10.4 * 9.8 ↘ 10.8 * 10.2 ↖
 beste Teiler 153.8 (29.) 193.6 (26.) 446.3 (27.)
 Trefferlage 2.62 mm links, 0.47 mm hoch
 Streuwert 5.41, horizontal: 6.95, vertikal: 3.20





Serie 4:
 10.3 ↑ 8.7 → 10.8 * 9.9 ← 10.3 *
 9.8 ← 9.0 ← 10.3 * 10.6 * 10.0 ↓
 beste Teiler 139.6 (33.) 310.7 (39.) 505.0 (35.)
 Trefferlage 0.54 mm links, 1.06 mm tief
 Streuwert 6.87, horizontal: 9.04, vertikal: 3.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (376.1)
 Serien: 91 89 88 88
 Zähler: 12 15 10 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3105 (36), 2674 (15), 2508 (27)
 beste Teiler 105.6 (13.) 138.0 (24.) 162.0 (19.)
 Trefferlage 5.40 mm links, 2.14 mm tief
 Streuwert 9.42, horizontal: 12.48, vertikal: 4.66




Serie 1:
 9.4 ↘ 9.8 ↗ 10.3 ↘ 9.2 ↘ 9.5 ←
 10.6 * 8.4 → 9.1 ← 8.5 ↖ 10.3 ↘
 beste Teiler 248.8 (6.) 535.6 (3.) 538.2 (10.)
 Trefferlage 1.49 mm rechts, 1.60 mm tief
 Streuwert 9.51, horizontal: 12.46, vertikal: 5.06



Serie 2:
 8.9 ← 8.9 ↖ 10.8 * 9.6 ← 7.6 ←
 8.5 ← 10.2 ← 10.4 * 10.7 * 9.7 ↖
 beste Teiler 105.6 (13.) 162.0 (19.) 463.9 (18.)
 Trefferlage 10.42 mm links, 1.60 mm tief
 Streuwert 6.75, horizontal: 8.00, vertikal: 5.22



Serie 3:
 9.6 → 8.6 ← 10.6 * 10.8 * 8.4 →
 9.1 ← 7.8 ← 9.8 ↓ 9.6 ↘ 9.9 →
 beste Teiler 138.0 (24.) 277.5 (23.) 827.2 (30.)
 Trefferlage 1.35 mm links, 3.47 mm tief
 Streuwert 10.16, horizontal: 13.51, vertikal: 4.86





Serie 4:
 8.7 ← 10.3 * 8.8 ← 10.0 ↓ 9.6 ←
 7.1 ← 9.0 ← 9.5 ← 10.4 * 8.1 ←
 beste Teiler 452.7 (39.) 490.2 (32.) 753.6 (34.)
 Trefferlage 11.32 mm links, 1.90 mm tief
 Streuwert 8.66, horizontal: 11.61, vertikal: 3.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.4)
 Serien: 88 88 96 89
 Zähler: 13 17 8 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2955 (20), 2716 (6), 2155 (40)
 beste Teiler 221.0 (22.) 274.3 (23.) 322.1 (26.)
 Trefferlage 0.73 mm rechts, 0.85 mm tief
 Streuwert 9.80, horizontal: 11.26, vertikal: 8.08




Serie 1:
 10.5 * 9.1 ↘ 10.5 * 9.4 ↘ 9.4 ↓
 7.6 ↘ 8.5 ↙ 9.7 → 8.5 → 9.3 ↘
 beste Teiler 330.5 (3.) 370.6 (1.) 1023.3 (8.)
 Trefferlage 5.62 mm rechts, 5.54 mm tief
 Streuwert 9.83, horizontal: 11.83, vertikal: 7.30



Serie 2:
 8.7 ↘ 9.9 → 10.5 * 9.8 ↘ 10.2 ↖
 10.3 → 8.3 → 9.2 ↙ 8.8 ↓ 7.3 ←
 beste Teiler 323.3 (13.) 539.4 (16.) 601.5 (15.)
 Trefferlage 3.00 mm links, 1.98 mm tief
 Streuwert 11.19, horizontal: 13.88, vertikal: 7.59



Serie 3:
 10.0 ↗ 10.7 * 10.6 * 9.5 → 9.5 ↙
 10.5 * 10.1 → 9.4 → 10.0 → 9.0 ↖
 beste Teiler 221.0 (22.) 274.3 (23.) 322.1 (26.)
 Trefferlage 2.17 mm rechts, 0.86 mm hoch
 Streuwert 6.70, horizontal: 7.83, vertikal: 5.33





Serie 4:
 10.0 ← 9.7 ↗ 9.5 ↘ 9.9 ↖ 9.6 ↖
 8.3 ↘ 8.7 ↘ 9.1 ↓ 10.5 * 8.3 ↘
 beste Teiler 366.7 (39.) 777.9 (31.) 807.7 (34.)
 Trefferlage 1.87 mm links, 3.23 mm hoch
 Streuwert 9.99, horizontal: 10.19, vertikal: 9.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.4)
 Serien: 94 90 91 96
 Zähler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2265 (27), 2035 (19), 1975 (24)
 beste Teiler 83.7 (26.) 139.2 (21.) 255.2 (1.)
 Trefferlage 0.97 mm rechts, 1.89 mm hoch
 Streuwert 7.82, horizontal: 9.52, vertikal: 5.63




Serie 1:
 10.6 * 9.5 → 9.5 ↘ 10.4 * 9.2 ↖
 10.6 * 10.2 ↑ 9.9 ← 9.2 ← 9.3 ←
 beste Teiler 255.2 (1.) 272.9 (6.) 414.0 (4.)
 Trefferlage 3.02 mm links, 1.59 mm hoch
 Streuwert 7.05, horizontal: 8.93, vertikal: 4.43



Serie 2:
 8.6 ↖ 9.0 ↘ 9.9 ↗ 9.9 → 9.6 →
 8.7 → 10.0 ↗ 10.3 * 8.4 ↘ 10.0 ↑
 beste Teiler 525.4 (18.) 727.5 (20.) 762.5 (17.)
 Trefferlage 6.69 mm rechts, 1.64 mm hoch
 Streuwert 8.42, horizontal: 9.02, vertikal: 7.77



Serie 3:
 10.8 * 9.8 → 9.9 → 8.5 ← 8.9 ↖
 10.8 * 8.1 → 9.9 ↘ 10.0 ↗ 10.4 *
 beste Teiler 83.7 (26.) 139.2 (21.) 450.8 (30.)
 Trefferlage 1.79 mm rechts, 2.07 mm hoch
 Streuwert 8.75, horizontal: 11.15, vertikal: 5.37





Serie 4:
 10.0 ↘ 9.6 ← 10.2 ↑ 10.5 * 10.0 ↘
 9.3 ↖ 10.6 * 10.1 ← 9.6 ← 9.6 ↑
 beste Teiler 291.1 (37.) 359.7 (34.) 578.7 (33.)
 Trefferlage 1.58 mm links, 2.25 mm hoch
 Streuwert 6.03, horizontal: 6.69, vertikal: 5.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (369.1)
 Serien: 87 90 87 84
 Zähler: 9 15 11 5 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2916 (2), 2755 (29), 2744 (34)
 beste Teiler 106.4 (21.) 266.7 (26.) 346.1 (16.)
 Trefferlage 2.13 mm links, 0.27 mm hoch
 Streuwert 11.06, horizontal: 10.51, vertikal: 11.59




Serie 1:
 8.7 ↓ 7.3 ↑ 9.3 ↖ 9.2 ↗ 9.7 ↖
 10.1 ↓ 9.6 ↗ 8.0 ← 8.6 ↗ 10.2 ↖
 beste Teiler 623.6 (10.) 681.3 (6.) 962.0 (5.)
 Trefferlage 3.15 mm links, 5.06 mm hoch
 Streuwert 11.61, horizontal: 11.04, vertikal: 12.14



Serie 2:
 8.9 → 9.8 ↖ 8.8 ↑ 10.5 * 9.8 ↑
 10.5 * 8.9 ↗ 9.4 ↓ 9.7 ← 10.4 *
 beste Teiler 346.1 (16.) 388.1 (14.) 457.1 (20.)
 Trefferlage 1.29 mm links, 1.37 mm hoch
 Streuwert 8.32, horizontal: 7.91, vertikal: 8.71



Serie 3:
 10.8 * 9.8 ↖ 10.0 → 7.9 ↗ 8.2 ↘
 10.6 * 9.6 ↗ 8.8 ↓ 7.5 ↖ 9.1 ←
 beste Teiler 106.4 (21.) 266.7 (26.) 739.7 (23.)
 Trefferlage 3.43 mm links, 2.22 mm tief
 Streuwert 11.70, horizontal: 12.26, vertikal: 11.11





Serie 4:
 8.4 ↓ 8.8 ↘ 9.6 ↘ 7.5 ↓ 9.1 ↑
 8.5 ← 9.9 → 7.7 ↖ 9.9 → 10.0 ←
 beste Teiler 769.1 (40.) 802.2 (37.) 821.1 (39.)
 Trefferlage 0.66 mm links, 3.10 mm tief
 Streuwert 12.77, horizontal: 11.74, vertikal: 13.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (377.9)
 Serien: 86 88 89 92
 Zähler: 12 17 5 6 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2986 (17), 2867 (9), 2787 (12)
 beste Teiler 44.0 (25.) 101.1 (13.) 160.0 (39.)
 Trefferlage 2.51 mm links, 2.88 mm hoch
 Streuwert 9.97, horizontal: 11.54, vertikal: 8.10




Serie 1:
 7.9 ↘ 8.2 ↘ 9.4 ↓ 9.8 ↓ 9.3 ↘
 9.9 → 9.1 ↑ 10.7 * 7.4 ← 9.7 ↗
 beste Teiler 182.1 (8.) 865.3 (6.) 928.2 (4.)
 Trefferlage 0.42 mm rechts, 0.00 mm
 Streuwert 12.29, horizontal: 13.97, vertikal: 10.34



Serie 2:
 9.2 ← 7.5 ← 10.8 * 9.6 ← 9.9 ↖
 9.8 ↗ 7.2 ↘ 8.7 ↘ 10.0 ↗ 10.8 *
 beste Teiler 101.1 (13.) 160.9 (20.) 760.8 (19.)
 Trefferlage 8.14 mm links, 5.01 mm hoch
 Streuwert 9.49, horizontal: 11.03, vertikal: 7.65



Serie 3:
 9.6 → 7.9 ← 9.8 ↖ 8.9 ↘ 10.9 *
 10.1 → 10.6 * 9.6 → 10.4 * 7.8 ↗
 beste Teiler 44.0 (25.) 263.8 (27.) 420.9 (29.)
 Trefferlage 0.85 mm links, 4.29 mm hoch
 Streuwert 9.72, horizontal: 11.09, vertikal: 8.11





Serie 4:
 8.7 ↗ 9.9 ↓ 9.8 ↘ 9.8 ↖ 10.1 ↗
 9.2 ↘ 8.8 ← 10.1 ↑ 10.8 * 10.2 ↑
 beste Teiler 160.0 (39.) 597.1 (40.) 669.0 (35.)
 Trefferlage 1.50 mm links, 2.25 mm hoch
 Streuwert 7.88, horizontal: 9.40, vertikal: 5.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.7)
 Serien: 83 90 86 91
 Zähler: 9 19 7 4 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4318 (2), 2946 (11), 2775 (3)
 beste Teiler 91.6 (37.) 209.8 (21.) 296.1 (24.)
 Trefferlage 4.00 mm rechts, 1.63 mm hoch
 Streuwert 11.04, horizontal: 13.83, vertikal: 7.24




Serie 1:
 8.9 ↑ 5.6 ↘ 7.5 ← 9.4 ↙ 8.4 →
 10.1 ↗ 9.5 ↗ 8.7 → 10.4 * 9.9 ←
 beste Teiler 444.1 (9.) 658.8 (6.) 834.4 (10.)
 Trefferlage 4.60 mm rechts, 1.69 mm hoch
 Streuwert 14.60, horizontal: 18.51, vertikal: 9.15



Serie 2:
 7.3 → 9.5 ↘ 9.2 ↗ 9.1 ↙ 9.3 ↗
 9.8 → 9.5 ↘ 10.1 ↙ 10.0 ↓ 9.0 →
 beste Teiler 643.5 (18.) 794.4 (19.) 902.5 (16.)
 Trefferlage 8.05 mm rechts, 0.44 mm hoch
 Streuwert 9.11, horizontal: 10.99, vertikal: 6.72



Serie 3:
 10.7 * 9.9 ↘ 7.8 ← 10.6 * 9.2 ↙
 9.9 ← 9.9 → 7.9 → 8.6 → 8.7 ↙
 beste Teiler 209.8 (21.) 296.1 (24.) 807.4 (27.)
 Trefferlage 0.20 mm rechts, 2.23 mm hoch
 Streuwert 11.24, horizontal: 15.06, vertikal: 5.09





Serie 4:
 9.5 ↗ 8.2 ↗ 9.1 → 10.4 * 8.4 ↙
 9.8 ↑ 10.8 * 9.4 ↘ 9.5 ↓ 10.2 ↙
 beste Teiler 91.6 (37.) 455.2 (34.) 611.2 (40.)
 Trefferlage 3.13 mm rechts, 2.13 mm hoch
 Streuwert 9.30, horizontal: 10.15, vertikal: 8.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.4)
 Serien: 93 96 96 92
 Zähler: 17 23 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1546 (16), 1531 (37), 1419 (6)
 beste Teiler 178.0 (12.) 205.5 (2.) 216.6 (33.)
 Trefferlage 1.00 mm rechts, 2.40 mm tief
 Streuwert 6.39, horizontal: 7.32, vertikal: 5.29




Serie 1:
 10.4 * 10.7 * 9.3 ↘ 9.4 ↘ 9.6 →
 9.2 ↘ 10.6 * 9.6 ↓ 9.4 → 9.9 ←
 beste Teiler 205.5 (2.) 242.9 (7.) 435.3 (1.)
 Trefferlage 4.94 mm rechts, 3.98 mm tief
 Streuwert 5.95, horizontal: 6.84, vertikal: 4.92



Serie 2:
 10.4 * 10.7 * 10.6 * 9.3 ✓ 10.2 ↓
 9.0 ✓ 9.7 ✓ 10.2 ↗ 10.1 ↓ 9.3 →
 beste Teiler 178.0 (12.) 281.6 (13.) 460.4 (11.)
 Trefferlage 1.67 mm links, 3.87 mm tief
 Streuwert 6.09, horizontal: 6.74, vertikal: 5.37



Serie 3:
 9.9 → 10.4 * 10.4 * 10.0 ← 9.8 ←
 10.4 * 10.0 ↗ 9.7 ↗ 9.5 ↖ 10.5 *
 beste Teiler 375.4 (30.) 406.7 (23.) 453.9 (26.)
 Trefferlage 0.03 mm rechts, 1.85 mm hoch
 Streuwert 5.44, horizontal: 7.21, vertikal: 2.69





Serie 4:
 9.4 ← 10.6 * 10.7 * 9.8 ↘ 9.5 ↓
 9.8 ↗ 9.0 → 9.9 ← 9.6 ↓ 9.9 ↘
 beste Teiler 216.6 (33.) 314.7 (32.) 876.3 (38.)
 Trefferlage 0.72 mm rechts, 3.59 mm tief
 Streuwert 6.93, horizontal: 7.87, vertikal: 5.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (400.0)
 Serien: 97 97 94 95
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1880 (1), 1567 (26), 1543 (11)
 beste Teiler 109.7 (37.) 134.5 (2.) 243.0 (32.)
 Trefferlage 4.07 mm links, 0.96 mm hoch
 Streuwert 5.54, horizontal: 6.82, vertikal: 3.88




Serie 1:
 8.6 ← 10.8 * 10.3 * 10.0 ↘ 10.4 *
 9.9 ↑ 10.0 ← 10.6 * 10.3 ← 10.6 *
 beste Teiler 134.5 (2.) 279.5 (10.) 302.5 (8.)
 Trefferlage 4.33 mm links, 1.86 mm hoch
 Streuwert 4.77, horizontal: 5.95, vertikal: 3.17



Serie 2:
 9.0 ← 10.0 → 10.2 ↘ 10.2 ↙ 10.5 *
 10.5 * 10.1 → 9.9 ↓ 10.3 * 9.7 ↘
 beste Teiler 322.4 (15.) 357.3 (16.) 512.9 (19.)
 Trefferlage 2.36 mm links, 0.21 mm tief
 Streuwert 5.69, horizontal: 6.89, vertikal: 4.15



Serie 3:
 10.6 * 10.1 → 10.1 ↘ 10.5 * 9.2 ←
 9.0 ↘ 9.5 ← 9.3 ← 9.4 ↘ 9.4 ←
 beste Teiler 318.0 (21.) 323.3 (24.) 668.1 (23.)
 Trefferlage 7.50 mm links, 1.63 mm hoch
 Streuwert 5.76, horizontal: 6.80, vertikal: 4.49





Serie 4:
 10.6 * 10.6 * 9.5 ← 9.9 → 9.2 ←
 10.5 * 10.8 * 10.2 ↑ 9.9 ← 9.8 ↗
 beste Teiler 109.7 (37.) 243.0 (32.) 252.6 (31.)
 Trefferlage 2.10 mm links, 0.59 mm hoch
 Streuwert 5.75, horizontal: 7.17, vertikal: 3.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.7)
 Serien: 90 88 91 86
 Zähler: 10 17 11 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3147 (19), 2419 (31), 2333 (32)
 beste Teiler 215.0 (30.) 225.3 (37.) 343.7 (35.)
 Trefferlage 1.02 mm rechts, 6.72 mm tief
 Streuwert 9.10, horizontal: 10.82, vertikal: 6.98




Serie 1:
 9.1 ↘ 9.0 ↘ 9.1 ↖ 9.3 ↘ 9.9 →
 9.7 ↘ 8.4 ↓ 9.8 ↘ 10.5 * 9.0 ↘
 beste Teiler 357.1 (9.) 844.0 (5.) 919.9 (8.)
 Trefferlage 4.11 mm rechts, 7.42 mm tief
 Streuwert 7.61, horizontal: 7.78, vertikal: 7.43



Serie 2:
 10.5 * 9.8 ↓ 9.5 ↓ 9.8 ↑ 8.8 ←
 10.0 ↗ 10.4 * 8.8 → 7.0 ↘ 8.6 ↓
 beste Teiler 373.9 (11.) 461.8 (17.) 745.7 (16.)
 Trefferlage 3.37 mm rechts, 6.44 mm tief
 Streuwert 9.96, horizontal: 11.94, vertikal: 7.46





Serie 3:
 9.8 ← 8.2 ← 9.2 ← 9.2 ← 10.0 ↘
 8.8 ↗ 9.6 ↘ 9.9 ↓ 10.1 ↖ 10.7 *
 beste Teiler 215.0 (30.) 664.7 (29.) 756.7 (25.)
 Trefferlage 6.11 mm links, 4.57 mm tief
 Streuwert 7.22, horizontal: 8.86, vertikal: 5.09




Serie 4:
 7.9 ↗ 8.0 ↘ 8.9 ↓ 8.8 ↘ 10.5 *
 9.1 ↓ 10.7 * 8.9 ↗ 8.4 ↘ 10.0 ↖
 beste Teiler 225.3 (37.) 343.7 (35.) 770.6 (40.)
 Trefferlage 2.71 mm rechts, 8.44 mm tief
 Streuwert 10.35, horizontal: 12.22, vertikal: 8.07

Unterschrift des Schützen


Ergebnis: **368** (386.3)
 Serien: 95 88 94 91
 Zähler: 15 20 3 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3023 (12), 2717 (14), 2298 (24)
 beste Teiler 116.6 (27.) 174.9 (11.) 198.1 (40.)
 Trefferlage 0.89 mm links, 1.06 mm tief
 Streuwert 8.70, horizontal: 11.10, vertikal: 5.32




Serie 1:
 9.9 ↘ 10.0 ↘ 10.5 * 8.8 ← 9.3 ↘
 10.5 * 10.5 * 9.0 ← 10.0 ↗ 10.3 *
 beste Teiler 351.4 (7.) 358.9 (3.) 387.7 (6.)
 Trefferlage 5.85 mm links, 0.60 mm hoch
 Streuwert 5.82, horizontal: 6.57, vertikal: 4.96



Serie 2:
 10.7 * 7.2 ↘ 10.3 * 7.6 ← 9.6 ↘
 9.2 ↗ 9.6 ↘ 9.5 → 9.9 → 9.4 ↘
 beste Teiler 174.9 (11.) 515.1 (13.) 820.9 (19.)
 Trefferlage 2.45 mm rechts, 0.25 mm hoch
 Streuwert 11.57, horizontal: 14.96, vertikal: 6.61



Serie 3:
 10.2 ↘ 9.0 ↘ 10.4 * 8.1 ↘ 10.1 ↘
 9.8 ↘ 10.8 * 10.5 * 9.6 ← 9.5 →
 beste Teiler 116.6 (27.) 393.5 (28.) 459.5 (23.)
 Trefferlage 3.62 mm rechts, 3.29 mm tief
 Streuwert 7.45, horizontal: 9.35, vertikal: 4.86



Serie 4:
 9.8 → 9.7 ↓ 9.5 ← 9.4 ↗ 8.4 ←
 9.7 ← 9.7 ← 9.5 ↘ 10.1 ↘ 10.7 *
 beste Teiler 198.1 (40.) 712.0 (39.) 921.3 (31.)
 Trefferlage 3.81 mm links, 1.82 mm tief
 Streuwert 7.96, horizontal: 10.36, vertikal: 4.41

Unterschrift des Schützen

Meyton Elektronik