





Ergebnis: **399** (419.5)
 Serien: 100 99 100 100
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 251 (15), 228 (9), 226 (35)
 beste Teiler 5.8 (12.) 13.0 (18.) 17.0 (29.)
 Trefferlage 0.16 mm rechts, 0.27 mm hoch
 Streuwert 0.91, horizontal: 0.96, vertikal: 0.87




Serie 1:
 10.3 * 10.2 * 10.6 * 10.8 * 10.3 *
 10.7 * 10.6 * 10.7 * 10.0 ↑ 10.3 *
 beste Teiler 46.8 (4.) 51.9 (8.) 62.0 (6.)
 Trefferlage 0.06 mm links, 0.37 mm hoch
 Streuwert 0.98, horizontal: 0.73, vertikal: 1.18



Serie 2:
 10.6 * 10.9 * 10.7 * 10.3 * 9.9 →
 10.4 * 10.8 * 10.9 * 10.2 * 10.3 *
 beste Teiler 5.8 (12.) 13.0 (18.) 45.6 (17.)
 Trefferlage 0.39 mm rechts, 0.39 mm hoch
 Streuwert 0.95, horizontal: 1.26, vertikal: 0.46



Serie 3:
 10.7 * 10.5 * 10.7 * 10.5 * 10.9 *
 10.7 * 10.6 * 10.3 * 10.9 * 10.3 *
 beste Teiler 17.0 (29.) 22.2 (25.) 53.2 (23.)
 Trefferlage 0.10 mm rechts, 0.59 mm hoch
 Streuwert 0.56, horizontal: 0.54, vertikal: 0.57





Serie 4:
 10.5 * 10.5 * 10.8 * 10.5 * 10.0 ↘
 10.3 * 10.3 * 10.1 ↘ 10.3 * 10.6 *
 beste Teiler 35.6 (33.) 83.0 (40.) 105.9 (32.)
 Trefferlage 0.23 mm rechts, 0.26 mm tief
 Streuwert 1.07, horizontal: 1.21, vertikal: 0.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.3)
 Serien: 93 90 92 93
 Zähler: 11 26 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 597 (23), 559 (38), 553 (18)
 beste Teiler 53.9 (3.) 81.0 (34.) 154.3 (35.)
 Trefferlage 0.28 mm rechts, 1.04 mm hoch
 Streuwert 2.31, horizontal: 2.38, vertikal: 2.24




Serie 1:
 9.9 ↙ 10.3 * 10.7 * 9.6 ↑ 9.7 ↘
 9.5 ← 10.0 ↘ 9.3 ↘ 9.4 ← 9.6 ↑
 beste Teiler 53.9 (3.) 175.9 (2.) 245.4 (7.)
 Trefferlage 1.16 mm links, 0.73 mm hoch
 Streuwert 2.04, horizontal: 1.88, vertikal: 2.19



Serie 2:
 9.5 ← 9.6 ↗ 9.4 ↑ 10.2 * 9.9 ↘
 9.1 ↘ 9.2 ↘ 8.7 ↘ 9.7 ↑ 9.5 ↘
 beste Teiler 192.3 (14.) 259.4 (15.) 324.8 (19.)
 Trefferlage 0.38 mm links, 1.10 mm hoch
 Streuwert 2.72, horizontal: 2.38, vertikal: 3.02



Serie 3:
 9.0 ↗ 9.9 ↖ 8.6 ↗ 9.6 ↗ 10.0 ↘
 9.5 ↘ 9.3 ↑ 9.6 → 10.2 * 10.3 *
 beste Teiler 169.3 (30.) 181.0 (29.) 232.9 (25.)
 Trefferlage 1.44 mm rechts, 1.65 mm hoch
 Streuwert 2.18, horizontal: 2.56, vertikal: 1.71





Serie 4:
 9.8 ↘ 9.4 ↑ 10.3 * 10.6 * 10.3 *
 9.8 ↘ 10.2 * 8.7 ↗ 9.7 ↑ 9.7 →
 beste Teiler 81.0 (34.) 154.3 (35.) 156.1 (33.)
 Trefferlage 1.23 mm rechts, 0.69 mm hoch
 Streuwert 1.98, horizontal: 1.88, vertikal: 2.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (411.1)
 Serien: 97 98 99 99
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 396 (38), 345 (16), 325 (14)
 beste Teiler 27.6 (19.) 28.6 (23.) 37.4 (32.)
 Trefferlage 0.13 mm links, 0.17 mm hoch
 Streuwert 1.38, horizontal: 1.53, vertikal: 1.21




Serie 1:
 10.1 ↑ 9.8 → 10.3 * 10.6 * 10.2 *
 9.8 ↓ 10.3 * 10.2 * 9.9 ← 10.6 *
 beste Teiler 76.5 (10.) 81.1 (4.) 151.5 (7.)
 Trefferlage 0.03 mm links, 0.04 mm hoch
 Streuwert 1.51, horizontal: 1.61, vertikal: 1.39



Serie 2:
 10.2 * 10.6 * 10.0 ↖ 9.7 ↖ 10.5 *
 9.6 ↗ 10.1 → 10.4 * 10.8 * 10.0 ↘
 beste Teiler 27.6 (19.) 91.0 (12.) 112.9 (15.)
 Trefferlage 0.37 mm links, 0.28 mm hoch
 Streuwert 1.60, horizontal: 1.80, vertikal: 1.36



Serie 3:
 10.3 * 9.9 ↗ 10.8 * 10.2 * 10.2 *
 10.3 * 10.1 ↗ 10.7 * 10.8 * 10.0 ↗
 beste Teiler 28.6 (23.) 40.8 (29.) 58.5 (28.)
 Trefferlage 0.49 mm rechts, 0.46 mm hoch
 Streuwert 1.20, horizontal: 1.19, vertikal: 1.22





Serie 4:
 10.8 * 10.8 * 10.5 * 10.8 * 10.1 ↓
 10.3 * 10.1 ← 9.4 ← 10.8 * 10.5 *
 beste Teiler 37.4 (32.) 40.2 (39.) 41.2 (31.)
 Trefferlage 0.62 mm links, 0.09 mm tief
 Streuwert 1.23, horizontal: 1.46, vertikal: 0.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.6)
 Serien: 95 94 94 95
 Zähler: 22 14 4 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 600 (19), 600 (30), 595 (18)
 beste Teiler 67.0 (14.) 73.0 (31.) 94.3 (12.)
 Trefferlage 0.28 mm rechts, 0.18 mm tief
 Streuwert 2.11, horizontal: 2.25, vertikal: 1.95




Serie 1:
 10.2 * 10.0 ← 10.2 * 9.8 ↘ 9.7 ↗
 9.5 ↓ 10.0 ↗ 10.0 ↑ 9.8 ↗ 9.9 ↘
 beste Teiler 190.0 (3.) 194.0 (1.) 229.1 (7.)
 Trefferlage 0.35 mm links, 0.49 mm hoch
 Streuwert 1.93, horizontal: 1.79, vertikal: 2.05



Serie 2:
 9.7 ↖ 10.6 * 9.5 ↗ 10.7 * 10.2 *
 10.5 * 10.2 * 8.6 ↘ 8.6 ↓ 10.0 ↗
 beste Teiler 67.0 (14.) 94.3 (12.) 117.7 (16.)
 Trefferlage 0.43 mm rechts, 0.78 mm tief
 Streuwert 2.39, horizontal: 2.39, vertikal: 2.40



Serie 3:
 10.5 * 9.8 ← 10.5 * 9.5 ↘ 10.0 ↖
 9.8 ↗ 9.7 ↘ 10.0 ↓ 10.1 ↑ 8.6 ↘
 beste Teiler 123.7 (21.) 125.0 (23.) 212.3 (29.)
 Trefferlage 0.78 mm rechts, 0.59 mm tief
 Streuwert 2.16, horizontal: 2.54, vertikal: 1.70





Serie 4:
 10.7 * 10.4 * 10.4 * 9.8 ↗ 9.8 ↗
 9.1 ← 10.3 * 10.5 * 8.9 ↘ 10.5 *
 beste Teiler 73.0 (31.) 119.2 (40.) 121.4 (38.)
 Trefferlage 0.28 mm rechts, 0.16 mm hoch
 Streuwert 2.02, horizontal: 2.41, vertikal: 1.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (408.9)
 Serien: 97 98 97 98
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 380 (38), 359 (1), 338 (2)
 beste Teiler 66.7 (16.) 73.5 (17.) 86.7 (20.)
 Trefferlage 0.00 mm , 0.19 mm hoch
 Streuwert 1.44, horizontal: 1.60, vertikal: 1.24




Serie 1:
 9.5 → 9.6 → 10.4 * 10.5 * 10.5 *
 9.9 ↖ 10.5 * 10.2 * 10.6 * 10.4 *
 beste Teiler 100.6 (9.) 109.5 (7.) 124.4 (5.)
 Trefferlage 0.22 mm rechts, 0.33 mm hoch
 Streuwert 1.54, horizontal: 1.85, vertikal: 1.14



Serie 2:
 10.5 * 9.9 ← 10.6 * 10.2 * 10.0 ←
 10.7 * 10.7 * 9.8 ↓ 10.5 * 10.6 *
 beste Teiler 66.7 (16.) 73.5 (17.) 86.7 (20.)
 Trefferlage 0.39 mm links, 0.21 mm tief
 Streuwert 1.27, horizontal: 1.37, vertikal: 1.16



Serie 3:
 10.5 * 9.8 ← 9.9 → 10.3 * 10.0 →
 10.2 * 9.9 ↖ 10.2 * 10.0 ↘ 10.5 *
 beste Teiler 105.0 (21.) 125.7 (30.) 153.4 (24.)
 Trefferlage 0.15 mm rechts, 0.03 mm hoch
 Streuwert 1.61, horizontal: 2.05, vertikal: 0.97





Serie 4:
 10.2 * 10.5 * 10.4 * 10.3 * 10.5 *
 10.3 * 10.4 * 9.4 ↑ 10.1 ↘ 9.9 ←
 beste Teiler 108.0 (32.) 124.9 (35.) 127.3 (33.)
 Trefferlage 0.02 mm rechts, 0.63 mm hoch
 Streuwert 1.42, horizontal: 1.17, vertikal: 1.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (388.6)
 Serien: 92 93 93 94
 Zähler: 19 14 7 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 719 (2), 672 (1), 619 (13)
 beste Teiler 43.0 (16.) 47.2 (37.) 70.0 (35.)
 Trefferlage 0.14 mm links, 0.10 mm hoch
 Streuwert 2.55, horizontal: 3.23, vertikal: 1.61




Serie 1:
 8.3 ← 8.1 → 10.5 * 10.0 → 10.3 *
 8.7 ↘ 9.2 ← 10.3 * 10.1 ↘ 9.5 ←
 beste Teiler 116.0 (3.) 157.2 (5.) 171.3 (8.)
 Trefferlage 0.00 mm , 0.65 mm tief
 Streuwert 3.11, horizontal: 4.04, vertikal: 1.74



Serie 2:
 9.6 → 9.4 ↓ 8.5 ← 9.5 ← 10.1 ↓
 10.8 * 9.2 ← 9.7 → 10.4 * 10.1 →
 beste Teiler 43.0 (16.) 134.1 (19.) 217.9 (15.)
 Trefferlage 0.62 mm links, 0.23 mm tief
 Streuwert 2.52, horizontal: 3.17, vertikal: 1.63



Serie 3:
 10.6 * 10.1 ↘ 10.1 ↗ 8.8 ↗ 9.8 ←
 9.4 → 9.2 → 10.3 * 10.4 * 8.7 ←
 beste Teiler 91.5 (21.) 130.2 (29.) 155.3 (28.)
 Trefferlage 0.73 mm rechts, 0.22 mm hoch
 Streuwert 2.49, horizontal: 3.22, vertikal: 1.42





Serie 4:
 10.0 → 9.9 ← 10.1 ← 9.9 ↗ 10.7 *
 8.6 ↖ 10.8 * 9.3 ↗ 10.2 * 9.4 ↖
 beste Teiler 47.2 (37.) 70.0 (35.) 194.3 (39.)
 Trefferlage 0.67 mm links, 1.07 mm hoch
 Streuwert 2.09, horizontal: 2.65, vertikal: 1.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (399.5)
 Serien: 92 96 96 97
 Zähler: 24 14 1 1 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 776 (3), 546 (30), 449 (25)
 beste Teiler 57.8 (27.) 67.6 (22.) 86.0 (26.)
 Trefferlage 0.98 mm links, 0.37 mm hoch
 Streuwert 1.89, horizontal: 2.18, vertikal: 1.56




Serie 1:
 9.2 ← 9.8 → 7.8 ↘ 9.3 ↘ 10.2 *
 10.5 * 9.7 ← 10.3 * 9.3 ↗ 10.3 *
 beste Teiler 115.7 (6.) 161.2 (8.) 167.0 (10.)
 Trefferlage 0.97 mm links, 1.13 mm hoch
 Streuwert 2.59, horizontal: 3.07, vertikal: 1.99



Serie 2:
 10.5 * 9.7 ← 10.5 * 9.9 ← 10.1 ↖
 10.2 * 10.2 * 9.5 ← 10.1 ↓ 9.6 ↗
 beste Teiler 107.7 (11.) 123.0 (13.) 192.0 (16.)
 Trefferlage 0.94 mm links, 0.27 mm hoch
 Streuwert 1.69, horizontal: 1.89, vertikal: 1.46



Serie 3:
 10.5 * 10.7 * 10.5 * 10.6 * 9.2 ↖
 10.6 * 10.7 * 9.9 ↑ 10.2 * 8.8 ←
 beste Teiler 57.8 (27.) 67.6 (22.) 86.0 (26.)
 Trefferlage 1.18 mm links, 0.10 mm tief
 Streuwert 1.69, horizontal: 1.91, vertikal: 1.45





Serie 4:
 9.8 ↗ 10.2 * 9.8 ← 10.2 * 10.5 *
 10.4 * 9.4 ← 10.0 ← 10.6 * 10.2 *
 beste Teiler 94.2 (39.) 109.1 (35.) 145.9 (36.)
 Trefferlage 0.81 mm links, 0.17 mm hoch
 Streuwert 1.62, horizontal: 1.97, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.4)
 Serien: 90 92 87 93
 Zähler: 13 17 9 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 793 (22), 669 (32), 634 (33)
 beste Teiler 34.0 (3.) 98.2 (24.) 111.0 (37.)
 Trefferlage 0.73 mm rechts, 0.13 mm hoch
 Streuwert 2.86, horizontal: 3.27, vertikal: 2.39




Serie 1:
 8.7 ↗ 9.3 ↖ 10.8 * 9.0 ↘ 9.9 ↘
 9.2 ↖ 9.7 ↘ 9.4 ↗ 9.5 ↖ 9.7 ↖
 beste Teiler 34.0 (3.) 273.4 (5.) 304.8 (7.)
 Trefferlage 0.22 mm rechts, 0.20 mm hoch
 Streuwert 2.87, horizontal: 3.47, vertikal: 2.10



Serie 2:
 9.4 ↖ 8.8 ↖ 9.2 → 10.1 ← 8.8 ↖
 10.3 * 10.0 ← 9.0 → 10.3 * 9.2 ↘
 beste Teiler 152.8 (19.) 172.0 (16.) 205.5 (14.)
 Trefferlage 0.18 mm links, 0.50 mm hoch
 Streuwert 2.87, horizontal: 3.31, vertikal: 2.33



Serie 3:
 8.9 ↘ 7.8 ↘ 10.3 * 10.6 * 9.6 →
 8.9 ↘ 9.3 ↘ 8.7 ↘ 9.5 ↖ 9.6 ↖
 beste Teiler 98.2 (24.) 171.2 (23.) 338.8 (30.)
 Trefferlage 2.47 mm rechts, 0.62 mm tief
 Streuwert 2.78, horizontal: 2.94, vertikal: 2.60



Serie 4:
 10.2 * 8.3 → 8.4 ↖ 10.2 * 9.3 ↖
 10.3 * 10.5 * 8.6 ↘ 10.0 ↓ 10.1 ←
 beste Teiler 111.0 (37.) 171.4 (36.) 189.6 (34.)
 Trefferlage 0.44 mm rechts, 0.46 mm hoch
 Streuwert 2.93, horizontal: 3.15, vertikal: 2.69

Unterschrift des Schützen

Meyton Elektronik