





Ergebnis: **398** (415.6)
 Serien: 99 100 100 99
 Zähler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 333 (40), 266 (5), 245 (18)
 beste Teiler 53.7 (35.) 56.4 (29.) 61.8 (11.)
 Trefferlage 0.03 mm rechts, 0.02 mm hoch
 Streuwert 1.10, horizontal: 1.16, vertikal: 1.03




Serie 1:
 10.4 * 10.3 * 10.2 * 10.4 * 9.9 ↖
 10.6 * 10.3 * 10.7 * 10.4 * 10.3 *
 beste Teiler 67.1 (8.) 88.5 (6.) 141.1 (4.)
 Trefferlage 0.57 mm links, 0.25 mm hoch
 Streuwert 1.13, horizontal: 1.28, vertikal: 0.96



Serie 2:
 10.7 * 10.4 * 10.6 * 10.3 * 10.7 *
 10.5 * 10.6 * 10.0 → 10.6 * 10.1 ↓
 beste Teiler 61.8 (11.) 66.4 (15.) 77.9 (17.)
 Trefferlage 0.24 mm rechts, 0.13 mm tief
 Streuwert 1.01, horizontal: 1.14, vertikal: 0.86





Serie 3:
 10.3 * 10.2 * 10.3 * 10.6 * 10.7 *
 10.4 * 10.3 * 10.4 * 10.7 * 10.7 *
 beste Teiler 56.4 (29.) 74.8 (25.) 75.2 (30.)
 Trefferlage 0.08 mm links, 0.00 mm
 Streuwert 0.96, horizontal: 1.03, vertikal: 0.88




Serie 4:
 10.4 * 10.4 * 10.3 * 10.3 * 10.7 *
 10.2 * 10.1 ↘ 10.5 * 10.5 * 9.6 ↑
 beste Teiler 53.7 (35.) 106.2 (39.) 115.5 (38.)
 Trefferlage 0.56 mm rechts, 0.02 mm tief
 Streuwert 1.25, horizontal: 1.04, vertikal: 1.43

Unterschrift des Schützen


Ergebnis:	394	(411.2)
Serien:	97 99 100 98	
Zähler:	34 6 0 0 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	446 (4), 362 (40), 339 (7)	
beste Teiler	38.6 (26.) 45.2 (15.) 48.2 (12.)	
Trefferlage	0.20 mm rechts, 0.20 mm hoch	
Streuwert	1.36, horizontal: 1.60, vertikal: 1.07	




Serie 1:				
10.6 *	10.1 →	10.3 *	9.2 ←	10.0 ↑
10.4 *	9.6 →	10.3 *	9.9 →	10.5 *
beste Teiler	98.0 (1.)	106.2 (10.)	136.5 (6.)	
Trefferlage	0.12 mm rechts, 0.15 mm hoch			
Streuwert	1.79, horizontal: 2.24, vertikal: 1.19			



Serie 2:				
10.1 ↗	10.8 *	10.5 *	10.6 *	10.8 *
10.2 *	10.4 *	10.7 *	9.9 →	10.3 *
beste Teiler	45.2 (15.)	48.2 (12.)	69.9 (18.)	
Trefferlage	0.53 mm rechts, 0.34 mm hoch			
Streuwert	1.01, horizontal: 0.88, vertikal: 1.13			



Serie 3:				
10.0 →	10.3 *	10.2 *	10.7 *	10.2 *
10.8 *	10.1 ↘	10.7 *	10.3 *	10.1 ←
beste Teiler	38.6 (26.)	60.8 (24.)	71.5 (28.)	
Trefferlage	0.61 mm links, 0.67 mm hoch			
Streuwert	1.05, horizontal: 1.25, vertikal: 0.81			





Serie 4:				
10.4 *	10.2 *	10.6 *	9.9 →	10.1 ↘
10.1 ↗	10.5 *	10.7 *	10.6 *	9.5 →
beste Teiler	63.8 (38.)	83.8 (33.)	96.6 (39.)	
Trefferlage	0.78 mm rechts, 0.34 mm tief			
Streuwert	1.33, horizontal: 1.59, vertikal: 1.00			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (409.8)
 Serien: 96 99 97 97
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 349 (37), 299 (36), 290 (2)
 beste Teiler 23.7 (29.) 34.8 (13.) 67.4 (34.)
 Trefferlage 0.30 mm rechts, 0.07 mm hoch
 Streuwert 1.37, horizontal: 1.37, vertikal: 1.38




Serie 1:
 9.9 → 9.8 ↙ 10.5 * 10.5 * 9.8 ↗
 10.3 * 10.6 * 10.0 ↗ 9.9 ↗ 10.6 *
 beste Teiler 84.4 (7.) 96.0 (10.) 104.7 (3.)
 Trefferlage 0.45 mm rechts, 0.23 mm hoch
 Streuwert 1.49, horizontal: 1.57, vertikal: 1.41



Serie 2:
 10.4 * 10.4 * 10.8 * 10.5 * 10.3 *
 10.0 ↑ 10.0 ↘ 10.0 ← 9.9 ↗ 10.6 *
 beste Teiler 34.8 (13.) 76.1 (20.) 115.3 (14.)
 Trefferlage 0.04 mm links, 1.02 mm hoch
 Streuwert 1.09, horizontal: 1.15, vertikal: 1.03



Serie 3:
 9.9 ↗ 9.8 → 10.5 * 10.6 * 10.3 *
 10.3 * 10.3 * 10.1 ↓ 10.9 * 9.9 ↘
 beste Teiler 23.7 (29.) 78.9 (24.) 112.5 (23.)
 Trefferlage 0.94 mm rechts, 0.28 mm tief
 Streuwert 1.21, horizontal: 1.03, vertikal: 1.36





Serie 4:
 10.3 * 10.5 * 10.6 * 10.7 * 10.1 ↙
 9.8 ↓ 9.6 ↙ 9.9 → 10.3 * 10.6 *
 beste Teiler 67.4 (34.) 77.6 (33.) 89.0 (40.)
 Trefferlage 0.13 mm links, 0.68 mm tief
 Streuwert 1.41, horizontal: 1.56, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396** (412.7)
 Serien: 100 100 99 97
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 348 (40), 325 (32), 278 (38)
 beste Teiler 11.1 (11.) 31.1 (7.) 38.0 (12.)
 Trefferlage 0.28 mm links, 0.12 mm tief
 Streuwert 1.25, horizontal: 1.40, vertikal: 1.06




Serie 1:
 10.2 * 10.3 * 10.2 * 10.5 * 10.8 *
 10.2 * 10.8 * 10.4 * 10.4 * 10.2 *
 beste Teiler 31.1 (7.) 40.1 (5.) 106.7 (4.)
 Trefferlage 0.16 mm links, 0.35 mm hoch
 Streuwert 1.07, horizontal: 1.28, vertikal: 0.80



Serie 2:
 10.9 * 10.8 * 10.4 * 10.4 * 10.1 ↖
 10.0 ↘ 10.8 * 10.1 ↗ 10.3 * 10.4 *
 beste Teiler 11.1 (11.) 38.0 (12.) 43.8 (17.)
 Trefferlage 0.10 mm rechts, 0.01 mm tief
 Streuwert 1.12, horizontal: 1.05, vertikal: 1.19



Serie 3:
 10.5 * 10.7 * 10.1 ↗ 10.3 * 10.2 *
 10.2 * 10.4 * 10.6 * 9.9 ↙ 10.5 *
 beste Teiler 71.1 (22.) 86.3 (28.) 101.8 (21.)
 Trefferlage 0.52 mm rechts, 0.16 mm tief
 Streuwert 1.16, horizontal: 1.04, vertikal: 1.27





Serie 4:
 10.1 ↙ 9.7 ← 10.0 ← 10.5 * 10.0 ←
 10.6 * 10.1 ↓ 9.8 ↙ 10.7 * 9.6 ←
 beste Teiler 56.2 (39.) 94.5 (36.) 123.7 (34.)
 Trefferlage 1.61 mm links, 0.67 mm tief
 Streuwert 1.11, horizontal: 1.35, vertikal: 0.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(406.8)
Serien:	95 98 97 97	
Zähler:	28 11 1 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	513 (5), 405 (21), 398 (4)	
beste Teiler	18.7 (33.) 30.2 (38.) 47.0 (30.)	
Trefferlage	0.39 mm rechts, 0.41 mm hoch	
Streuwert	1.59, horizontal: 1.43, vertikal: 1.74	




Serie 1:				
	10.2 *	9.6 ↓	9.6 ↑	9.4 →
	10.0 ↙	10.4 *	10.2 *	10.2 *
beste Teiler	70.5 (10.)	140.4 (7.)	191.4 (9.)	8.9 ↑
Trefferlage	0.27 mm rechts, 0.99 mm hoch			
Streuwert	2.04, horizontal: 1.67, vertikal: 2.35			



Serie 2:				
	10.4 *	10.4 *	9.5 ↓	10.6 *
	10.2 *	10.4 *	10.1 ↑	10.7 *
beste Teiler	63.8 (19.)	76.5 (14.)	131.2 (11.)	10.4 *
Trefferlage	0.46 mm rechts, 0.13 mm hoch			
Streuwert	1.44, horizontal: 1.21, vertikal: 1.63			





Serie 3:				
	9.3 →	9.7 →	10.7 *	9.7 ↘
	10.4 *	10.6 *	10.6 *	10.3 *
beste Teiler	47.0 (30.)	56.7 (23.)	84.9 (27.)	10.8 *
Trefferlage	0.92 mm rechts, 0.52 mm tief			
Streuwert	1.37, horizontal: 1.55, vertikal: 1.15			



Serie 4:				
	9.5 ↘	10.5 *	10.9 *	10.4 *
	10.6 *	10.1 →	10.8 *	10.4 *
beste Teiler	18.7 (33.)	30.2 (38.)	96.0 (36.)	9.8 ↑
Trefferlage	0.07 mm links, 1.05 mm hoch			
Streuwert	1.30, horizontal: 1.28, vertikal: 1.33			


Unterschrift des Schützen

Ergebnis:	387	(405.5)
Serien:	95 96 98 98	
Zähler:	28 11 1 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	512 (1), 453 (30), 452 (13)	
beste Teiler	19.4 (29.) 19.6 (24.) 41.0 (17.)	
Trefferlage	0.05 mm links, 0.43 mm hoch	
Streuwert	1.67, horizontal: 1.87, vertikal: 1.44	




Serie 1:

8.9 ↘	9.4 ↘	10.7 *	10.7 *	9.7 ↗
10.5 *	10.1 ↗	10.1 ↘	9.7 ↑	10.0 ↘
beste Teiler	59.4 (3.)	62.9 (4.)	124.2 (6.)	
Trefferlage	0.18 mm links, 1.07 mm hoch			
Streuwert	1.92, horizontal: 2.23, vertikal: 1.56			




Serie 2:

10.4 *	10.4 *	9.1 ↘	9.5 ↑	9.9 ↑
10.5 *	10.8 *	9.6 →	10.3 *	10.3 *
beste Teiler	41.0 (17.)	122.7 (16.)	126.8 (12.)	
Trefferlage	0.63 mm rechts, 0.52 mm hoch			
Streuwert	1.75, horizontal: 1.79, vertikal: 1.70			



Serie 3:

10.4 *	10.2 *	10.0 →	10.9 *	10.2 *
9.9 ↘	10.2 *	10.6 *	10.9 *	9.1 ↖
beste Teiler	19.4 (29.)	19.6 (24.)	98.7 (28.)	
Trefferlage	0.60 mm links, 0.26 mm hoch			
Streuwert	1.53, horizontal: 1.91, vertikal: 1.01			





Serie 4:

10.6 *	10.3 *	10.2 *	10.3 *	10.5 *
10.7 *	10.1 ↑	9.6 ↗	10.3 *	9.9 ↘
beste Teiler	61.8 (36.)	77.6 (31.)	119.1 (35.)	
Trefferlage	0.05 mm links, 0.13 mm tief			
Streuwert	1.46, horizontal: 1.56, vertikal: 1.35			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (406.0)
 Serien: 97 97 98 97
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 474 (18), 446 (11), 434 (39)
 beste Teiler 7.2 (7.) 16.2 (21.) 16.5 (5.)
 Trefferlage 0.27 mm links, 0.05 mm tief
 Streuwert 1.70, horizontal: 2.01, vertikal: 1.31




Serie 1:
 9.8 → 9.9 → 9.4 ↖ 10.6 * 10.9 *
 10.6 * 10.9 * 10.0 ↑ 10.1 ← 10.6 *
 beste Teiler 7.2 (7.) 16.5 (5.) 88.6 (4.)
 Trefferlage 0.13 mm links, 0.43 mm hoch
 Streuwert 1.48, horizontal: 1.86, vertikal: 0.97



Serie 2:
 9.2 ← 10.5 * 10.8 * 10.3 * 10.7 *
 10.4 * 9.7 ← 9.1 ← 10.1 ↖ 10.1 ↖
 beste Teiler 41.1 (13.) 73.7 (15.) 105.6 (12.)
 Trefferlage 1.57 mm links, 0.28 mm hoch
 Streuwert 1.54, horizontal: 2.00, vertikal: 0.87



Serie 3:
 10.9 * 9.4 ↗ 10.6 * 10.0 → 9.3 ↙
 10.6 * 10.1 ← 10.5 * 10.6 * 10.3 *
 beste Teiler 16.2 (21.) 89.4 (26.) 91.4 (23.)
 Trefferlage 0.24 mm rechts, 0.11 mm hoch
 Streuwert 1.65, horizontal: 1.87, vertikal: 1.39



Serie 4:
 10.7 * 10.2 * 10.1 ↘ 10.1 ↓ 10.3 *
 9.3 → 10.1 → 10.3 * 9.2 ↓ 9.7 ↘
 beste Teiler 55.9 (31.) 154.3 (35.) 170.5 (38.)
 Trefferlage 0.36 mm rechts, 1.06 mm tief
 Streuwert 1.76, horizontal: 1.97, vertikal: 1.51

Unterschrift des Schützen

Meyton Elektronik