





Ergebnis: **393** (413.2)  
 Serien: 96 97 100 100  
 Zähler: 35 4 0 1 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 788 (7), 356 (14), 341 (2)  
 beste Teiler 23.3 (28.) 24.8 (18.) 31.2 (13.)  
 Trefferlage 0.40 mm links, 0.09 mm tief  
 Streuwert 1.44, horizontal: 1.70, vertikal: 1.11




Serie 1:  
 10.4 \* 9.6 ← 10.6 \* 10.5 \* 10.2 \*  
 10.3 \* 7.8 ← 10.8 \* 10.4 \* 10.7 \*  
 beste Teiler 37.1 (8.) 58.4 (10.) 98.2 (3.)  
 Trefferlage 1.29 mm links, 0.09 mm tief  
 Streuwert 1.97, horizontal: 2.36, vertikal: 1.47



Serie 2:  
 10.3 \* 9.8 ← 10.8 \* 9.5 → 10.2 \*  
 10.5 \* 10.4 \* 10.9 \* 9.7 ↘ 10.8 \*  
 beste Teiler 24.8 (18.) 31.2 (13.) 35.0 (20.)  
 Trefferlage 0.09 mm rechts, 0.17 mm tief  
 Streuwert 1.51, horizontal: 1.99, vertikal: 0.76



Serie 3:  
 10.4 \* 10.0 ↓ 10.6 \* 10.5 \* 10.6 \*  
 10.4 \* 10.7 \* 10.9 \* 10.0 ↖ 10.8 \*  
 beste Teiler 23.3 (28.) 32.0 (30.) 60.8 (27.)  
 Trefferlage 0.17 mm links, 0.21 mm tief  
 Streuwert 0.99, horizontal: 0.92, vertikal: 1.07





Serie 4:  
 10.6 \* 10.6 \* 10.0 ↗ 10.5 \* 10.8 \*  
 10.4 \* 10.4 \* 10.4 \* 10.3 \* 10.1 ↘  
 beste Teiler 33.1 (35.) 83.6 (31.) 87.0 (32.)  
 Trefferlage 0.23 mm links, 0.09 mm hoch  
 Streuwert 1.07, horizontal: 0.97, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396** (421.3)  
 Serien: 98 100 98 100  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 36  
 weiteste: 330 (4), 282 (30), 270 (21)  
 beste Teiler 9.2 (34.) 10.0 (31.) 13.0 (29.)  
 Trefferlage 0.16 mm rechts, 0.07 mm hoch  
 Streuwert 0.95, horizontal: 1.09, vertikal: 0.79




Serie 1:  
 10.2 \* 10.5 \* 10.9 \* 9.6 ↗ 9.9 ↖  
 10.4 \* 10.6 \* 10.7 \* 10.4 \* 10.2 \*  
 beste Teiler 25.2 (3.) 52.8 (8.) 99.3 (7.)  
 Trefferlage 0.24 mm rechts, 0.18 mm hoch  
 Streuwert 1.31, horizontal: 1.24, vertikal: 1.37



Serie 2:  
 10.9 \* 10.7 \* 10.3 \* 10.8 \* 10.6 \*  
 10.8 \* 10.4 \* 10.7 \* 10.3 \* 10.2 \*  
 beste Teiler 18.0 (11.) 32.8 (14.) 44.2 (16.)  
 Trefferlage 0.02 mm rechts, 0.00 mm  
 Streuwert 0.85, horizontal: 1.05, vertikal: 0.57





Serie 3:  
 9.9 ↘ 10.3 \* 10.8 \* 10.9 \* 10.4 \*  
 10.3 \* 10.4 \* 10.9 \* 10.9 \* 9.8 →  
 beste Teiler 13.0 (29.) 14.0 (28.) 17.4 (24.)  
 Trefferlage 0.58 mm rechts, 0.10 mm tief  
 Streuwert 1.09, horizontal: 1.42, vertikal: 0.60




Serie 4:  
 10.9 \* 10.7 \* 10.8 \* 10.9 \* 10.7 \*  
 10.9 \* 10.6 \* 10.7 \* 10.7 \* 10.7 \*  
 beste Teiler 9.2 (34.) 10.0 (31.) 14.8 (36.)  
 Trefferlage 0.19 mm links, 0.22 mm hoch  
 Streuwert 0.29, horizontal: 0.36, vertikal: 0.20

Unterschrift des Schützen


Ergebnis: **393** (410.5)  
 Serien: 98 99 98 98  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 496 (6), 374 (32), 339 (5)  
 beste Teiler 17.0 (20.) 23.7 (7.) 33.3 (37.)  
 Trefferlage 0.39 mm rechts, 0.10 mm hoch  
 Streuwert 1.41, horizontal: 1.62, vertikal: 1.15




Serie 1:  
 10.0 ↗ 10.2 \* 10.2 \* 10.3 \* 9.6 ↘  
 9.0 → 10.9 \* 10.7 \* 10.7 \* 10.1 ↙  
 beste Teiler 23.7 (7.) 71.1 (9.) 71.3 (8.)  
 Trefferlage 1.03 mm rechts, 0.14 mm hoch  
 Streuwert 1.61, horizontal: 1.85, vertikal: 1.35



Serie 2:  
 9.8 → 10.0 ↗ 10.1 → 10.3 \* 10.5 \*  
 10.6 \* 10.4 \* 10.2 \* 10.2 \* 10.9 \*  
 beste Teiler 17.0 (20.) 89.3 (16.) 116.4 (15.)  
 Trefferlage 1.17 mm rechts, 0.22 mm hoch  
 Streuwert 1.02, horizontal: 1.06, vertikal: 0.96



Serie 3:  
 10.8 \* 10.1 ← 10.3 \* 9.8 ← 10.4 \*  
 10.3 \* 10.3 \* 10.3 \* 9.9 → 10.3 \*  
 beste Teiler 38.0 (21.) 146.4 (25.) 151.5 (30.)  
 Trefferlage 0.24 mm links, 0.07 mm hoch  
 Streuwert 1.39, horizontal: 1.69, vertikal: 0.99





Serie 4:  
 10.0 ↖ 9.5 ↘ 10.3 \* 10.7 \* 9.8 ↘  
 10.8 \* 10.8 \* 10.6 \* 10.5 \* 10.3 \*  
 beste Teiler 33.3 (37.) 34.1 (36.) 51.5 (34.)  
 Trefferlage 0.35 mm links, 0.02 mm tief  
 Streuwert 1.38, horizontal: 1.35, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (403.3)  
 Serien: 96 97 97 94  
 Zähler: 26 12 2 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 647 (40), 509 (38), 438 (32)  
 beste Teiler 46.6 (34.) 49.3 (36.) 51.0 (33.)  
 Trefferlage 0.07 mm rechts, 0.10 mm tief  
 Streuwert 1.87, horizontal: 1.98, vertikal: 1.75




Serie 1:  
 10.6 \* 9.5 ← 9.6 ↙ 10.3 \* 10.6 \*  
 10.4 \* 10.3 \* 10.0 ↙ 9.5 ↙ 9.4 →  
 beste Teiler 88.0 (1.) 89.2 (5.) 134.2 (6.)  
 Trefferlage 0.92 mm links, 1.17 mm tief  
 Streuwert 1.58, horizontal: 2.07, vertikal: 0.86



Serie 2:  
 9.4 ↙ 10.7 \* 10.0 ← 9.5 → 10.6 \*  
 10.2 \* 10.3 \* 10.1 ↑ 10.6 \* 9.7 ↑  
 beste Teiler 68.0 (12.) 86.3 (15.) 98.8 (19.)  
 Trefferlage 0.01 mm rechts, 0.67 mm hoch  
 Streuwert 1.70, horizontal: 1.83, vertikal: 1.56



Serie 3:  
 9.6 ↖ 10.6 \* 10.4 \* 10.7 \* 10.2 \*  
 10.7 \* 9.8 ↖ 10.0 → 9.8 ↓ 10.0 ↘  
 beste Teiler 52.2 (26.) 67.9 (24.) 100.0 (22.)  
 Trefferlage 0.04 mm rechts, 0.27 mm tief  
 Streuwert 1.62, horizontal: 1.68, vertikal: 1.55





Serie 4:  
 9.7 → 9.2 → 10.7 \* 10.8 \* 10.7 \*  
 10.8 \* 10.3 \* 8.9 ↓ 10.7 \* 8.4 ↗  
 beste Teiler 46.6 (34.) 49.3 (36.) 51.0 (33.)  
 Trefferlage 1.16 mm rechts, 0.34 mm hoch  
 Streuwert 2.20, horizontal: 2.05, vertikal: 2.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (410.9)  
 Serien: 98 97 99 99  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 432 (4), 374 (1), 346 (35)  
 beste Teiler 5.0 (9.) 15.0 (19.) 43.2 (7.)  
 Trefferlage 0.21 mm rechts, 0.57 mm hoch  
 Streuwert 1.33, horizontal: 1.60, vertikal: 0.99




Serie 1:  
 9.5 ↖ 10.6 \* 10.2 \* 9.2 → 10.6 \*  
 10.2 \* 10.8 \* 10.6 \* 10.9 \* 10.2 \*  
 beste Teiler 5.0 (9.) 43.2 (7.) 83.6 (2.)  
 Trefferlage 0.33 mm links, 0.28 mm hoch  
 Streuwert 1.56, horizontal: 2.03, vertikal: 0.86



Serie 2:  
 10.5 \* 9.9 → 9.6 → 10.2 \* 10.7 \*  
 9.7 → 10.0 ↘ 10.6 \* 10.9 \* 10.4 \*  
 beste Teiler 15.0 (19.) 64.6 (15.) 98.3 (18.)  
 Trefferlage 0.63 mm rechts, 0.57 mm hoch  
 Streuwert 1.36, horizontal: 1.71, vertikal: 0.89





Serie 3:  
 10.7 \* 10.2 \* 10.4 \* 10.7 \* 10.2 \*  
 10.4 \* 9.7 ↗ 10.6 \* 10.2 \* 10.3 \*  
 beste Teiler 60.4 (24.) 74.9 (21.) 100.4 (28.)  
 Trefferlage 0.11 mm rechts, 0.71 mm hoch  
 Streuwert 1.13, horizontal: 1.04, vertikal: 1.21




Serie 4:  
 10.1 ↗ 10.4 \* 10.5 \* 10.4 \* 9.6 ↗  
 10.2 \* 10.0 → 10.2 \* 10.4 \* 10.4 \*  
 beste Teiler 110.3 (33.) 134.4 (40.) 134.6 (32.)  
 Trefferlage 0.44 mm rechts, 0.73 mm hoch  
 Streuwert 1.30, horizontal: 1.53, vertikal: 1.03

Unterschrift des Schützen


Ergebnis: **387** (406.2)  
 Serien: 98 94 97 98  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 434 (17), 417 (32), 378 (16)  
 beste Teiler 12.0 (33.) 33.1 (29.) 42.5 (4.)  
 Trefferlage 0.52 mm rechts, 0.40 mm hoch  
 Streuwert 1.54, horizontal: 1.71, vertikal: 1.35




Serie 1:  
 10.4 \*                      9.8 ↙                      10.3 \*                      10.8 \*                      10.7 \*  
 10.1 ↗                      10.2 \*                      9.6 ←                      10.0 →                      10.5 \*  
 beste Teiler 42.5 (4.) 72.8 (5.) 115.1 (10.)  
 Trefferlage 0.26 mm links, 0.28 mm tief  
 Streuwert 1.45, horizontal: 1.68, vertikal: 1.17



Serie 2:  
 9.9 →                      9.8 ↙                      9.7 →                      9.9 ↘                      10.7 \*  
 9.4 ↗                      9.2 ↗                      10.6 \*                      10.4 \*                      10.0 ↑  
 beste Teiler 55.0 (15.) 92.7 (18.) 142.6 (19.)  
 Trefferlage 0.99 mm rechts, 0.73 mm hoch  
 Streuwert 1.80, horizontal: 1.82, vertikal: 1.78





Serie 3:  
 10.6 \*                      9.8 ↗                      10.0 ←                      9.9 →                      9.8 ↗  
 10.3 \*                      10.5 \*                      10.1 ↑                      10.8 \*                      10.1 →  
 beste Teiler 33.1 (29.) 99.3 (21.) 124.3 (27.)  
 Trefferlage 0.79 mm rechts, 0.64 mm hoch  
 Streuwert 1.38, horizontal: 1.55, vertikal: 1.20




Serie 4:  
 10.0 ↗                      9.3 →                      10.9 \*                      10.1 ↑                      10.5 \*  
 10.5 \*                      10.5 \*                      10.1 ↘                      10.5 \*                      9.9 →  
 beste Teiler 12.0 (33.) 101.5 (39.) 116.8 (37.)  
 Trefferlage 0.58 mm rechts, 0.53 mm hoch  
 Streuwert 1.48, horizontal: 1.78, vertikal: 1.10

Unterschrift des Schützen


Ergebnis: **396** (412.7)  
 Serien: 96 100 100 100  
 Zähler: 37 2 1 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 609 (1), 431 (9), 338 (7)  
 beste Teiler 9.4 (3.) 30.8 (31.) 37.3 (10.)  
 Trefferlage 0.17 mm links, 0.00 mm  
 Streuwert 1.39, horizontal: 1.57, vertikal: 1.19




Serie 1:  
 8.5 ↘ 10.3 \* 10.9 \* 10.4 \* 10.3 \*  
 10.8 \* 9.6 ↘ 10.4 \* 9.2 ↙ 10.8 \*  
 beste Teiler 9.4 (3.) 37.3 (10.) 45.6 (6.)  
 Trefferlage 1.40 mm links, 0.90 mm hoch  
 Streuwert 1.65, horizontal: 1.88, vertikal: 1.38



Serie 2:  
 10.0 ↗ 10.7 \* 10.7 \* 10.3 \* 10.1 ↘  
 10.1 ← 10.2 \* 10.2 \* 10.6 \* 10.2 \*  
 beste Teiler 55.1 (12.) 60.2 (13.) 95.0 (19.)  
 Trefferlage 0.29 mm rechts, 0.26 mm tief  
 Streuwert 1.27, horizontal: 1.45, vertikal: 1.06





Serie 3:  
 10.5 \* 10.1 ↓ 10.8 \* 10.7 \* 10.2 \*  
 10.3 \* 10.6 \* 10.6 \* 10.5 \* 10.2 \*  
 beste Teiler 50.2 (23.) 75.8 (24.) 87.3 (28.)  
 Trefferlage 0.18 mm rechts, 0.38 mm tief  
 Streuwert 1.00, horizontal: 0.90, vertikal: 1.09




Serie 4:  
 10.8 \* 10.3 \* 10.7 \* 10.1 ↙ 10.4 \*  
 10.2 \* 10.1 ↘ 10.7 \* 10.2 \* 10.4 \*  
 beste Teiler 30.8 (31.) 57.0 (38.) 58.8 (33.)  
 Trefferlage 0.22 mm rechts, 0.29 mm tief  
 Streuwert 1.15, horizontal: 1.40, vertikal: 0.83

Unterschrift des Schützen


Ergebnis:	<b>366</b>	(383.2)
Serien:	90 92 93 91	
Zähler:	16 16 7 0 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1013 (40), 665 (9), 629 (8)	
beste Teiler	31.3 (35.) 31.7 (26.) 101.4 (33.)	
Trefferlage	0.28 mm rechts, 0.72 mm tief	
Streuwert	2.77, horizontal: 2.67, vertikal: 2.87	




Serie 1:	10.5 *	9.2 ↙	9.5 ←	9.7 ←	9.6 ↘
	10.0 ↘	9.9 ↘	8.4 ↙	8.3 →	9.4 ↘
beste Teiler	111.2 (1.)	250.5 (6.)	262.7 (7.)		
Trefferlage	0.16 mm links, 1.30 mm tief				
Streuwert	2.87, horizontal: 3.56, vertikal: 1.97				



Serie 2:	8.9 ↘	9.6 ↓	9.3 ↘	10.0 ↑	9.2 ↖
	9.0 ↘	10.5 *	10.5 *	9.2 ↘	9.3 →
beste Teiler	103.4 (18.)	117.0 (17.)	232.1 (14.)		
Trefferlage	0.59 mm links, 0.76 mm hoch				
Streuwert	2.74, horizontal: 3.11, vertikal: 2.30				



Serie 3:	10.0 ↘	10.2 *	9.9 ↙	8.9 ↘	8.9 ↑
	10.8 *	10.3 *	10.3 *	10.3 *	8.6 ↓
beste Teiler	31.7 (26.)	156.8 (29.)	165.1 (27.)		
Trefferlage	0.82 mm rechts, 0.39 mm tief				
Streuwert	2.40, horizontal: 1.75, vertikal: 2.90				



Serie 4:	10.0 ↘	9.5 ↘	10.5 *	9.1 ↑	10.8 *
	8.5 ↓	10.1 ↙	9.6 ↙	10.0 →	6.9 ↓
beste Teiler	31.3 (35.)	101.4 (33.)	225.2 (37.)		
Trefferlage	1.08 mm rechts, 1.99 mm tief				
Streuwert	2.88, horizontal: 1.82, vertikal: 3.64				

Unterschrift des Schützen

Meyton Elektronik