





Ergebnis: **386** (406.4)
 Serien: 96 94 98 98
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 419 (9), 366 (20), 344 (22)
 beste Teiler 24.7 (21.) 45.2 (19.) 52.8 (33.)
 Trefferlage 0.26 mm rechts, 0.35 mm hoch
 Streuwert 1.55, horizontal: 1.69, vertikal: 1.39




Serie 1:
 9.6 ↖ 10.1 ↘ 10.5 * 10.4 * 10.1 ↑
 10.5 * 9.6 ↗ 10.4 * 9.3 → 9.8 ↑
 beste Teiler 109.3 (3.) 118.9 (6.) 126.0 (8.)
 Trefferlage 0.00 mm , 1.45 mm hoch
 Streuwert 1.53, horizontal: 1.92, vertikal: 1.00



Serie 2:
 9.9 ↙ 10.0 → 9.7 ↖ 10.5 * 9.9 →
 10.1 ↘ 9.6 ↘ 9.9 ↗ 10.8 * 9.5 ↘
 beste Teiler 45.2 (19.) 107.3 (14.) 204.4 (16.)
 Trefferlage 0.02 mm rechts, 0.18 mm hoch
 Streuwert 1.90, horizontal: 2.03, vertikal: 1.77



Serie 3:
 10.9 * 9.6 → 10.7 * 9.9 ↗ 10.5 *
 10.2 * 10.4 * 10.4 * 10.5 * 10.2 *
 beste Teiler 24.7 (21.) 63.9 (23.) 105.1 (29.)
 Trefferlage 0.56 mm rechts, 0.01 mm hoch
 Streuwert 1.29, horizontal: 1.48, vertikal: 1.05





Serie 4:
 10.4 * 10.3 * 10.7 * 9.7 ↘ 10.4 *
 9.9 ↘ 10.6 * 10.3 * 10.1 → 10.5 *
 beste Teiler 52.8 (33.) 99.6 (37.) 120.4 (40.)
 Trefferlage 0.46 mm rechts, 0.22 mm tief
 Streuwert 1.29, horizontal: 1.43, vertikal: 1.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397** (418.4)
 Serien: 98 99 100 100
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 302 (5), 282 (4), 255 (20)
 beste Teiler 8.5 (31.) 11.7 (38.) 23.3 (9.)
 Trefferlage 0.11 mm links, 0.28 mm tief
 Streuwert 1.01, horizontal: 1.20, vertikal: 0.78




Serie 1:
 10.6 * 10.1 ← 10.5 * 9.8 ← 9.7 ←
 10.0 ↗ 10.5 * 10.2 * 10.9 * 10.8 *
 beste Teiler 23.3 (9.) 40.7 (10.) 100.1 (1.)
 Trefferlage 0.39 mm links, 0.26 mm tief
 Streuwert 1.35, horizontal: 1.72, vertikal: 0.82



Serie 2:
 10.6 * 10.7 * 10.7 * 10.8 * 10.2 *
 10.6 * 10.8 * 10.4 * 10.4 * 9.9 ↘
 beste Teiler 40.7 (17.) 44.0 (14.) 65.1 (13.)
 Trefferlage 0.04 mm links, 0.59 mm tief
 Streuwert 0.86, horizontal: 1.00, vertikal: 0.70



Serie 3:
 10.6 * 10.3 * 10.3 * 10.1 ↘ 10.5 *
 10.3 * 10.7 * 10.5 * 10.7 * 10.4 *
 beste Teiler 68.9 (27.) 75.1 (29.) 90.8 (21.)
 Trefferlage 0.16 mm rechts, 0.40 mm tief
 Streuwert 0.97, horizontal: 1.20, vertikal: 0.65





Serie 4:
 10.9 * 10.6 * 10.3 * 10.7 * 10.2 *
 10.7 * 10.3 * 10.9 * 10.7 * 10.5 *
 beste Teiler 8.5 (31.) 11.7 (38.) 55.0 (39.)
 Trefferlage 0.19 mm links, 0.11 mm hoch
 Streuwert 0.84, horizontal: 0.80, vertikal: 0.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.4)
 Serien: 91 92 94 96
 Zähler: 18 18 3 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 884 (17), 587 (26), 568 (14)
 beste Teiler 53.8 (10.) 65.9 (22.) 89.2 (18.)
 Trefferlage 0.37 mm rechts, 0.89 mm hoch
 Streuwert 2.21, horizontal: 2.57, vertikal: 1.79




Serie 1:
 10.2 * 8.8 ↘ 9.8 → 9.8 ← 9.3 ↖
 9.5 → 9.8 ← 9.7 → 9.8 ↗ 10.7 *
 beste Teiler 53.8 (10.) 194.4 (1.) 276.0 (4.)
 Trefferlage 0.51 mm links, 0.69 mm hoch
 Streuwert 2.35, horizontal: 3.07, vertikal: 1.28



Serie 2:
 10.2 * 10.4 * 10.2 * 8.7 ↗ 9.6 ↗
 10.0 ↗ 7.4 ↗ 10.6 * 9.8 ↓ 9.8 ↖
 beste Teiler 89.2 (18.) 142.0 (12.) 176.0 (13.)
 Trefferlage 1.21 mm rechts, 1.51 mm hoch
 Streuwert 2.52, horizontal: 2.78, vertikal: 2.24



Serie 3:
 10.1 ↘ 10.7 * 9.5 → 9.5 → 10.1 ←
 8.6 ↑ 10.4 * 10.2 * 9.6 ↖ 9.7 →
 beste Teiler 65.9 (22.) 150.4 (27.) 182.2 (28.)
 Trefferlage 0.36 mm rechts, 0.81 mm hoch
 Streuwert 2.23, horizontal: 2.36, vertikal: 2.10





Serie 4:
 10.1 ↖ 9.9 ↘ 9.7 ↑ 10.1 ↗ 9.9 ↗
 10.3 * 10.2 * 10.1 ← 10.3 * 9.3 →
 beste Teiler 161.1 (36.) 168.5 (39.) 195.9 (37.)
 Trefferlage 0.43 mm rechts, 0.57 mm hoch
 Streuwert 1.80, horizontal: 2.04, vertikal: 1.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (408.2)
 Serien: 98 94 98 99
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 343 (25), 340 (9), 326 (12)
 beste Teiler 21.0 (32.) 48.7 (22.) 60.0 (18.)
 Trefferlage 0.12 mm rechts, 0.48 mm hoch
 Streuwert 1.43, horizontal: 1.46, vertikal: 1.39




Serie 1:
 10.0 → 10.1 ← 10.2 * 10.2 * 10.2 *
 10.3 * 9.8 ↖ 10.3 * 9.6 ↓ 10.1 ↗
 beste Teiler 158.6 (8.) 163.0 (6.) 192.0 (5.)
 Trefferlage 0.07 mm links, 0.62 mm hoch
 Streuwert 1.62, horizontal: 1.56, vertikal: 1.67



Serie 2:
 9.9 ↙ 9.6 ↗ 10.2 * 9.9 ↖ 9.9 ↗
 10.6 * 9.8 ↗ 10.7 * 9.9 ↗ 10.1 ↘
 beste Teiler 60.0 (18.) 88.4 (16.) 180.9 (13.)
 Trefferlage 0.84 mm rechts, 0.43 mm hoch
 Streuwert 1.65, horizontal: 1.52, vertikal: 1.78



Serie 3:
 10.4 * 10.8 * 10.2 * 9.8 ← 9.6 ↗
 10.5 * 10.6 * 10.5 * 10.2 * 10.2 *
 beste Teiler 48.7 (22.) 95.0 (27.) 106.2 (26.)
 Trefferlage 0.17 mm links, 0.29 mm hoch
 Streuwert 1.38, horizontal: 1.54, vertikal: 1.19





Serie 4:
 10.2 * 10.9 * 10.6 * 10.7 * 9.9 ↖
 10.1 → 10.5 * 10.1 ↖ 10.4 * 10.6 *
 beste Teiler 21.0 (32.) 69.0 (34.) 82.1 (40.)
 Trefferlage 0.09 mm links, 0.58 mm hoch
 Streuwert 1.07, horizontal: 1.18, vertikal: 0.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.5)
 Serien: 94 93 96 93
 Zähler: 20 17 2 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 529 (36), 501 (34), 500 (38)
 beste Teiler 18.3 (19.) 74.0 (10.) 83.0 (5.)
 Trefferlage 0.07 mm links, 0.82 mm hoch
 Streuwert 2.02, horizontal: 2.28, vertikal: 1.73




Serie 1:
 9.8 ← 9.3 ↑ 9.3 ↘ 9.0 ↗ 10.6 *
 10.2 * 9.6 → 9.7 ↑ 10.3 * 10.7 *
 beste Teiler 74.0 (10.) 83.0 (5.) 168.1 (9.)
 Trefferlage 0.35 mm links, 1.42 mm hoch
 Streuwert 2.00, horizontal: 2.12, vertikal: 1.87



Serie 2:
 10.4 * 10.3 * 10.2 * 10.1 ↖ 9.3 →
 9.9 ↙ 9.7 → 9.7 ← 10.9 * 7.9 ↑
DSB 0.11.4.1
 beste Teiler 18.3 (19.) 126.8 (11.) 160.0 (12.)
 Trefferlage 0.00 mm , 0.83 mm hoch
 Streuwert 1.76, horizontal: 2.25, vertikal: 1.05



Serie 3:
 10.1 ↖ 10.0 ← 9.8 ↑ 9.2 → 10.1 ↗
 10.3 * 9.7 ↘ 10.4 * 9.0 ← 10.1 ↘
 beste Teiler 132.0 (28.) 152.3 (26.) 201.9 (25.)
 Trefferlage 0.36 mm links, 1.06 mm hoch
 Streuwert 1.97, horizontal: 2.49, vertikal: 1.24





Serie 4:
 10.6 * 10.4 * 9.8 → 8.9 ← 10.1 ↘
 8.8 ↑ 10.2 * 9.0 ↘ 9.9 ↗ 10.2 *
 beste Teiler 97.7 (31.) 139.0 (32.) 183.8 (37.)
 Trefferlage 0.44 mm rechts, 0.04 mm tief
 Streuwert 2.42, horizontal: 2.48, vertikal: 2.36

DSB 0.11.4.1 – zu viele Schüsse im Wettkampf (-2)


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (409.9)
 Serien: 98 97 98 99
 Zähler: 33 6 1 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 618 (15), 339 (26), 337 (1)
 beste Teiler 34.8 (20.) 75.5 (36.) 77.1 (12.)
 Trefferlage 0.05 mm links, 0.21 mm hoch
 Streuwert 1.46, horizontal: 1.73, vertikal: 1.12




Serie 1:
 9.6 ↘ 10.5 * 9.7 → 10.2 * 10.0 ↑
 10.3 * 10.6 * 10.6 * 10.1 → 10.0 ↖
 beste Teiler 87.0 (8.) 99.3 (7.) 124.5 (2.)
 Trefferlage 0.12 mm rechts, 0.44 mm hoch
 Streuwert 1.57, horizontal: 1.81, vertikal: 1.29



Serie 2:
 10.6 * 10.6 * 10.4 * 9.9 ↘ 8.5 ↖
 10.1 ↖ 10.2 * 10.6 * 10.5 * 10.8 *
 beste Teiler 34.8 (20.) 77.1 (12.) 79.1 (11.)
 Trefferlage 1.07 mm links, 0.63 mm hoch
 Streuwert 1.55, horizontal: 1.83, vertikal: 1.20



Serie 3:
 10.6 * 9.9 ↘ 10.6 * 10.3 * 10.4 *
 9.6 ← 10.4 * 10.1 ← 10.2 * 10.3 *
 beste Teiler 77.8 (21.) 87.6 (23.) 127.6 (27.)
 Trefferlage 0.43 mm links, 0.01 mm tief
 Streuwert 1.39, horizontal: 1.63, vertikal: 1.11





Serie 4:
 10.4 * 10.4 * 10.6 * 10.6 * 10.5 *
 10.7 * 10.2 * 10.3 * 10.4 * 9.6 →
 beste Teiler 75.5 (36.) 85.2 (34.) 92.1 (33.)
 Trefferlage 1.14 mm rechts, 0.20 mm tief
 Streuwert 0.84, horizontal: 0.89, vertikal: 0.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.8)
 Serien: 91 98 95 94
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 548 (22), 538 (6), 506 (21)
 beste Teiler 21.4 (28.) 37.3 (31.) 72.3 (25.)
 Trefferlage 0.16 mm rechts, 0.21 mm tief
 Streuwert 2.09, horizontal: 2.37, vertikal: 1.78




Serie 1:
 9.1 ↗ 10.0 ↘ 9.1 ↗ 9.6 ← 10.6 *
 8.8 ← 9.4 → 9.7 ↘ 9.7 ↓ 9.9 ↙
 beste Teiler 78.9 (5.) 232.8 (2.) 256.6 (10.)
 Trefferlage 0.34 mm links, 0.20 mm hoch
 Streuwert 2.70, horizontal: 3.19, vertikal: 2.09



Serie 2:
 10.2 * 10.2 * 10.3 * 10.3 * 10.6 *
 9.5 → 10.4 * 10.0 → 10.1 ↓ 9.8 →
 beste Teiler 97.4 (15.) 136.7 (17.) 157.2 (13.)
 Trefferlage 0.86 mm rechts, 0.18 mm tief
 Streuwert 1.48, horizontal: 1.78, vertikal: 1.10





Serie 3:
 8.9 ↓ 8.8 ← 9.6 ↗ 10.4 * 10.7 *
 10.1 ↓ 10.0 ↓ 10.9 * 10.5 * 10.5 *
 beste Teiler 21.4 (28.) 72.3 (25.) 107.2 (29.)
 Trefferlage 0.45 mm links, 0.44 mm tief
 Streuwert 2.10, horizontal: 1.98, vertikal: 2.22




Serie 4:
 10.8 * 10.5 * 9.4 ↙ 9.7 → 9.7 →
 10.2 * 9.6 ↘ 10.1 ↓ 9.8 ← 9.3 ↗
 beste Teiler 37.3 (31.) 114.7 (32.) 196.0 (36.)
 Trefferlage 0.59 mm rechts, 0.42 mm tief
 Streuwert 2.07, horizontal: 2.38, vertikal: 1.70

Unterschrift des Schützen


Ergebnis: **372** (391.3)
 Serien: 95 96 87 94
 Zähler: 19 18 1 0 2 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1093 (22), 1027 (21), 574 (34)
 beste Teiler 64.9 (3.) 64.9 (32.) 71.8 (16.)
 Trefferlage 0.47 mm links, 1.07 mm tief
 Streuwert 2.45, horizontal: 2.09, vertikal: 2.77




Serie 1:
 9.8 ↓ 10.1 ↘ 10.7 * 10.2 * 9.3 ↙
 10.2 * 9.7 ↓ 10.3 * 9.5 ↖ 9.5 ↘
 beste Teiler 64.9 (3.) 172.8 (8.) 176.2 (4.)
 Trefferlage 0.44 mm links, 2.06 mm tief
 Streuwert 1.33, horizontal: 1.57, vertikal: 1.02



Serie 2:
 9.8 ↖ 9.2 ↖ 9.4 → 10.5 * 10.1 →
 10.7 * 10.6 * 10.2 * 9.7 ↗ 10.4 *
 beste Teiler 71.8 (16.) 89.2 (17.) 113.2 (14.)
 Trefferlage 0.53 mm links, 0.58 mm tief
 Streuwert 1.84, horizontal: 2.25, vertikal: 1.32



Serie 3:
 6.8 ↗ 6.6 ↓ 10.4 * 9.4 ↖ 9.2 ↖
 9.6 ↑ 10.0 ↑ 9.7 ↗ 9.6 ↖ 10.4 *
 beste Teiler 126.8 (23.) 136.9 (30.) 238.3 (27.)
 Trefferlage 1.28 mm links, 0.07 mm tief
 Streuwert 3.97, horizontal: 2.56, vertikal: 5.00



Serie 4:
 9.8 ↘ 10.7 * 10.0 ↖ 8.7 ↓ 9.7 ↓
 9.8 → 9.9 ↖ 10.1 ↘ 10.6 * 10.4 *
 beste Teiler 64.9 (32.) 94.0 (39.) 148.6 (40.)
 Trefferlage 0.33 mm rechts, 1.58 mm tief
 Streuwert 1.74, horizontal: 1.82, vertikal: 1.65

Unterschrift des Schützen

Meyton Elektronik