





Ergebnis: **388** (405.7)
 Serien: 96 97 99 96
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1678 (15), 1459 (27), 1419 (36)
 beste Teiler 66.6 (39.) 142.7 (2.) 155.0 (14.)
 Trefferlage 0.86 mm links, 1.46 mm hoch
 Streuwert 5.28, horizontal: 4.74, vertikal: 5.78




Serie 1:
 10.0 ↘ 10.8 * 9.9 ↖ 10.5 * 10.1 ↗
 10.4 * 9.9 ← 10.7 * 9.4 ↓ 9.8 ←
 beste Teiler 142.7 (2.) 169.1 (8.) 321.6 (4.)
 Trefferlage 1.59 mm links, 0.24 mm tief
 Streuwert 5.25, horizontal: 4.95, vertikal: 5.53



Serie 2:
 10.3 * 9.4 ↗ 10.5 * 10.8 * 8.9 ↑
 10.0 ↓ 10.3 → 10.5 * 10.5 * 10.3 *
 beste Teiler 155.0 (14.) 328.5 (19.) 340.8 (18.)
 Trefferlage 0.95 mm rechts, 2.54 mm hoch
 Streuwert 5.42, horizontal: 3.38, vertikal: 6.87



Serie 3:
 10.0 ↖ 10.1 ↘ 10.4 * 10.5 * 10.5 *
 10.5 * 9.1 ↖ 10.0 ↑ 10.5 * 10.6 *
 beste Teiler 320.6 (30.) 335.2 (29.) 367.8 (25.)
 Trefferlage 1.10 mm links, 1.98 mm hoch
 Streuwert 4.75, horizontal: 5.19, vertikal: 4.27





Serie 4:
 10.1 ↖ 10.0 ↓ 9.9 ← 9.9 ↑ 10.3 ↑
 9.2 ← 10.7 * 10.2 ↓ 10.9 * 9.3 ↑
 beste Teiler 66.6 (39.) 213.5 (37.) 553.0 (35.)
 Trefferlage 1.70 mm links, 1.58 mm hoch
 Streuwert 6.05, horizontal: 5.42, vertikal: 6.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.7)
 Serien: 95 89 87 77
 Zähler: 8 17 11 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3283 (40), 3049 (31), 2898 (36)
 beste Teiler 227.1 (16.) 512.5 (11.) 523.8 (1.)
 Trefferlage 7.19 mm rechts, 1.37 mm hoch
 Streuwert 10.75, horizontal: 11.78, vertikal: 9.61




Serie 1:
 10.3 * 9.8 ↙ 10.1 ↓ 9.8 ↗ 10.2 ↓
 9.9 ↗ 10.2 ↖ 9.8 ← 10.0 ↓ 9.1 ←
 beste Teiler 523.8 (1.) 578.4 (5.) 588.0 (7.)
 Trefferlage 2.69 mm links, 2.73 mm tief
 Streuwert 5.81, horizontal: 6.73, vertikal: 4.72



Serie 2:
 10.3 * 9.5 ↙ 9.5 ↗ 8.6 ↑ 9.0 ↘
 10.7 * 8.7 ↑ 9.4 ↑ 8.8 ↘ 9.0 →
 beste Teiler 227.1 (16.) 512.5 (11.) 1139.2 (12.)
 Trefferlage 2.27 mm rechts, 1.32 mm hoch
 Streuwert 10.15, horizontal: 7.83, vertikal: 12.04



Serie 3:
 8.7 → 10.0 ↑ 9.6 ↘ 9.7 ↖ 8.5 ↓
 9.4 ↗ 9.9 ↑ 9.6 ↗ 8.0 → 8.0 →
 beste Teiler 730.4 (22.) 834.9 (27.) 1038.6 (24.)
 Trefferlage 8.34 mm rechts, 1.94 mm hoch
 Streuwert 9.74, horizontal: 10.06, vertikal: 9.40





Serie 4:
 7.1 → 9.1 ↗ 9.1 ↗ 8.0 ↘ 8.0 →
 7.3 ↘ 7.5 → 8.2 → 8.5 ↗ 6.8 ↗
 beste Teiler 1471.4 (33.) 1495.1 (32.) 1998.0 (39.)
 Trefferlage 20.85 mm rechts, 4.95 mm hoch
 Streuwert 8.94, horizontal: 6.99, vertikal: 10.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (398.2)
 Serien: 99 92 93 95
 Zähler: 23 13 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2343 (25), 1868 (33), 1667 (17)
 beste Teiler 100.2 (3.) 118.9 (8.) 160.0 (35.)
 Trefferlage 1.65 mm rechts, 0.80 mm hoch
 Streuwert 6.66, horizontal: 8.31, vertikal: 4.44




Serie 1:
 10.4 * 10.5 * 10.8 * 10.7 * 10.2 ↑
 10.1 ↗ 9.9 ↘ 10.8 * 10.0 ↘ 10.4 *
 beste Teiler 100.2 (3.) 118.9 (8.) 199.0 (4.)
 Trefferlage 1.28 mm rechts, 0.19 mm tief
 Streuwert 3.72, horizontal: 3.62, vertikal: 3.81



Serie 2:
 9.3 ↘ 9.6 ↘ 9.8 ↖ 10.6 * 9.4 ↘
 9.9 ↑ 8.9 ← 10.1 → 9.8 ↖ 10.6 *
 beste Teiler 265.0 (20.) 268.7 (14.) 648.9 (18.)
 Trefferlage 0.17 mm links, 0.55 mm tief
 Streuwert 7.46, horizontal: 8.96, vertikal: 5.57



Serie 3:
 8.9 ↘ 10.7 * 9.5 → 10.4 * 8.0 →
 10.7 * 10.4 * 9.7 → 9.6 ← 10.1 ↗
 beste Teiler 194.5 (26.) 211.3 (22.) 445.7 (24.)
 Trefferlage 2.69 mm rechts, 2.49 mm hoch
 Streuwert 7.86, horizontal: 10.13, vertikal: 4.59





Serie 4:
 10.3 ↗ 10.1 ← 8.6 ← 9.1 → 10.8 *
 10.4 * 10.2 ↗ 9.7 → 9.1 → 10.1 ↗
 beste Teiler 160.0 (35.) 411.0 (36.) 557.2 (31.)
 Trefferlage 2.81 mm rechts, 1.48 mm hoch
 Streuwert 7.37, horizontal: 9.83, vertikal: 3.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (398.5)
 Serien: 95 97 95 91
 Zähler: 19 20 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1791 (36), 1553 (3), 1547 (33)
 beste Teiler 53.4 (26.) 80.8 (2.) 87.2 (19.)
 Trefferlage 1.30 mm rechts, 2.11 mm tief
 Streuwert 6.15, horizontal: 6.17, vertikal: 6.14




Serie 1:
 9.4 ↘ 10.9 * 9.0 ↘ 10.5 * 9.8 ↓
 9.6 ← 10.0 ↓ 10.4 * 10.5 * 9.6 ↓
 beste Teiler 80.8 (2.) 338.2 (9.) 352.5 (4.)
 Trefferlage 1.38 mm links, 3.36 mm tief
 Streuwert 6.09, horizontal: 6.48, vertikal: 5.68



Serie 2:
 9.9 → 10.1 ↗ 10.1 → 10.1 → 10.0 →
 9.6 ↘ 9.9 ← 10.4 * 10.8 * 10.5 *
 beste Teiler 87.2 (19.) 392.1 (20.) 480.2 (18.)
 Trefferlage 1.59 mm rechts, 1.69 mm hoch
 Streuwert 4.91, horizontal: 6.28, vertikal: 2.96



Serie 3:
 10.4 * 10.6 * 9.4 ← 10.6 * 9.9 ↓
 10.9 * 9.9 ↘ 10.0 ↘ 9.9 ↘ 9.9 ↘
 beste Teiler 53.4 (26.) 271.3 (22.) 315.1 (24.)
 Trefferlage 0.72 mm rechts, 4.24 mm tief
 Streuwert 4.34, horizontal: 5.23, vertikal: 3.20





Serie 4:
 9.5 ↓ 10.7 * 9.0 ↓ 9.1 → 9.9 ↑
 8.7 ↓ 9.1 → 9.9 ↑ 9.8 ↘ 10.2 ↑
 beste Teiler 184.6 (32.) 569.5 (40.) 810.1 (38.)
 Trefferlage 4.26 mm rechts, 2.53 mm tief
 Streuwert 7.96, horizontal: 6.15, vertikal: 9.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(398.8)
Serien:	94 96 96 94	
Zähler:	22 16 2 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1700 (4), 1627 (33), 1510 (25)	
beste Teiler	232.1 (13.) 265.1 (14.) 285.9 (12.)	
Trefferlage	2.61 mm rechts, 1.97 mm hoch	
Streuwert	5.77, horizontal: 5.12, vertikal: 6.36	




Serie 1:				
	9.7 ↘	9.8 ↗	10.3 *	8.8 ↗
	10.3 ↗	10.2 ↗	9.6 ↗	10.4 *
beste Teiler	413.3 (9.)	522.4 (3.)	558.6 (6.)	
Trefferlage	2.16 mm rechts, 5.86 mm hoch			
Streuwert	5.09, horizontal: 4.25, vertikal: 5.80			



Serie 2:				
	9.4 ↗	10.6 *	10.7 *	10.6 *
	9.7 →	10.3 ←	10.2 ↗	9.3 ↘
beste Teiler	232.1 (13.)	265.1 (14.)	285.9 (12.)	
Trefferlage	1.99 mm rechts, 3.38 mm hoch			
Streuwert	5.16, horizontal: 5.66, vertikal: 4.62			



Serie 3:				
	10.5 *	10.3 *	9.9 ↗	10.5 *
	10.4 *	9.9 ↗	10.4 *	9.9 →
beste Teiler	330.1 (24.)	353.5 (21.)	403.0 (28.)	
Trefferlage	1.70 mm rechts, 0.43 mm tief			
Streuwert	5.36, horizontal: 5.23, vertikal: 5.48			





Serie 4:				
	9.6 →	10.3 *	8.9 ↗	10.0 ↘
	9.3 ↘	10.4 *	9.2 ↘	9.8 ↘
beste Teiler	442.5 (37.)	490.5 (35.)	524.2 (32.)	
Trefferlage	4.59 mm rechts, 0.91 mm tief			
Streuwert	6.54, horizontal: 5.49, vertikal: 7.44			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.5)
 Serien: 96 95 93 93
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1721 (15), 1621 (26), 1590 (11)
 beste Teiler 70.3 (4.) 84.0 (23.) 96.2 (19.)
 Trefferlage 1.94 mm rechts, 0.54 mm tief
 Streuwert 6.54, horizontal: 6.67, vertikal: 6.41




Serie 1:
 10.0 ↘ 9.9 ↘ 9.8 → 10.9 * 10.4 *
 10.0 ↗ 9.8 ↖ 10.2 ↖ 10.4 * 9.4 ↙
 beste Teiler 70.3 (4.) 405.0 (9.) 413.0 (5.)
 Trefferlage 0.52 mm rechts, 0.06 mm tief
 Streuwert 5.64, horizontal: 5.19, vertikal: 6.05



Serie 2:
 9.0 ↗ 9.6 ↖ 10.1 ↘ 9.8 ↗ 8.8 →
 10.3 * 10.4 * 10.7 * 10.8 * 10.4 *
 beste Teiler 96.2 (19.) 223.3 (18.) 443.7 (20.)
 Trefferlage 1.34 mm rechts, 1.94 mm tief
 Streuwert 6.74, horizontal: 7.31, vertikal: 6.11



Serie 3:
 10.0 ↗ 10.8 * 10.8 * 9.8 ↗ 9.8 ↖
 8.9 → 10.2 → 9.3 ↑ 9.2 → 9.2 ↘
 beste Teiler 84.0 (23.) 145.2 (22.) 622.3 (27.)
 Trefferlage 5.17 mm rechts, 1.64 mm hoch
 Streuwert 6.66, horizontal: 6.65, vertikal: 6.67



Serie 4:
 9.1 ← 9.4 ↖ 10.2 ← 9.8 ↘ 10.2 ↘
 9.6 → 10.5 * 9.3 ↑ 9.8 ↗ 9.9 ↘
 beste Teiler 343.4 (37.) 573.1 (33.) 606.0 (35.)
 Trefferlage 0.73 mm rechts, 1.83 mm tief
 Streuwert 7.13, horizontal: 7.21, vertikal: 7.05

Unterschrift des Schützen

Meyton Elektronik