





Ergebnis: **413.5** (393)  
 Serien: 104.0 103.1 102.2 104.2  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 387 (29), 353 (13), 345 (38)  
 beste Teiler 10.8 (24.) 36.0 (36.) 40.3 (32.)  
 Trefferlage 0.53 mm links, 0.15 mm hoch  
 Streuwert 1.23, horizontal: 1.50, vertikal: 0.88




Serie 1:  
 10.2 \*                      10.7 \*                      10.7 \*                      9.8 ↖                      10.7 \*  
 10.3 \*                      10.4 \*                      10.2 \*                      10.6 \*                      10.4 \*  
 beste Teiler 60.8 (3.) 66.0 (5.) 73.8 (2.)  
 Trefferlage 0.89 mm links, 0.18 mm hoch  
 Streuwert 0.91, horizontal: 1.15, vertikal: 0.60



Serie 2:  
 10.4 \*                      10.4 \*                      9.5 ↖                      10.7 \*                      10.5 \*  
 10.4 \*                      10.5 \*                      10.3 \*                      9.8 ↑                      10.6 \*  
 beste Teiler 53.4 (14.) 87.2 (20.) 105.8 (17.)  
 Trefferlage 0.17 mm links, 0.79 mm hoch  
 Streuwert 1.20, horizontal: 1.44, vertikal: 0.91



Serie 3:  
 10.2 \*                      10.5 \*                      9.7 ←                      10.9 \*                      9.7 ←  
 10.1 ←                      10.4 \*                      10.7 \*                      9.4 ↖                      10.6 \*  
 beste Teiler 10.8 (24.) 59.6 (28.) 88.2 (30.)  
 Trefferlage 1.34 mm links, 0.23 mm tief  
 Streuwert 1.27, horizontal: 1.63, vertikal: 0.76





Serie 4:  
 10.7 \*                      10.8 \*                      10.1 ↘                      10.7 \*                      10.2 \*  
 10.8 \*                      10.2 \*                      9.6 ↖                      10.7 \*                      10.4 \*  
 beste Teiler 36.0 (36.) 40.3 (32.) 52.0 (34.)  
 Trefferlage 0.26 mm rechts, 0.13 mm tief  
 Streuwert 1.20, horizontal: 1.41, vertikal: 0.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **417.6** (398)  
 Serien: 102.7 103.8 105.1 106.0  
 Zähler: 38 2 0 0 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 318 (6), 276 (10), 242 (4)  
 beste Teiler 14.1 (38.) 16.4 (30.) 25.8 (3.)  
 Trefferlage 0.32 mm rechts, 0.00 mm  
 Streuwert 1.03, horizontal: 1.06, vertikal: 1.01




Serie 1:  
 10.1 ←                      10.2 \*                      10.9 \*                      10.0 →                      10.5 \*  
 9.7 →                      10.7 \*                      10.6 \*                      10.2 \*                      9.8 →  
 beste Teiler 25.8 (3.) 66.8 (7.) 83.7 (8.)  
 Trefferlage 0.98 mm rechts, 0.27 mm tief  
 Streuwert 1.24, horizontal: 1.62, vertikal: 0.67



Serie 2:  
 10.4 \*                      10.6 \*                      10.4 \*                      10.6 \*                      10.1 ←  
 10.6 \*                      10.3 \*                      10.5 \*                      10.2 \*                      10.1 ↘  
 beste Teiler 79.6 (16.) 94.2 (14.) 100.2 (12.)  
 Trefferlage 0.07 mm rechts, 0.51 mm hoch  
 Streuwert 1.05, horizontal: 1.07, vertikal: 1.04



Serie 3:  
 10.6 \*                      10.8 \*                      10.2 \*                      10.7 \*                      10.2 \*  
 10.6 \*                      10.3 \*                      10.3 \*                      10.5 \*                      10.9 \*  
 beste Teiler 16.4 (30.) 29.4 (22.) 75.0 (24.)  
 Trefferlage 0.11 mm rechts, 0.11 mm tief  
 Streuwert 0.92, horizontal: 0.51, vertikal: 1.20





Serie 4:  
 10.2 \*                      10.7 \*                      10.8 \*                      10.5 \*                      10.8 \*  
 10.3 \*                      10.8 \*                      10.9 \*                      10.4 \*                      10.6 \*  
 beste Teiler 14.1 (38.) 35.6 (37.) 46.6 (33.)  
 Trefferlage 0.12 mm rechts, 0.10 mm tief  
 Streuwert 0.78, horizontal: 0.43, vertikal: 1.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **416.8** (397)  
 Serien: 104.2 104.6 105.1 102.9  
 Zähler: 37 3 0 0 0 0 0 0 0 0  
 Innenzehner: 36  
 weiteste: 434 (39), 262 (1), 251 (5)  
 beste Teiler 12.0 (35.) 34.1 (4.) 47.0 (11.)  
 Trefferlage 0.53 mm links, 0.02 mm hoch  
 Streuwert 1.04, horizontal: 1.15, vertikal: 0.92




Serie 1:  
 9.9 ↓                      10.4 \*                      10.3 \*                      10.8 \*                      9.9 ↑  
 10.7 \*                      10.4 \*                      10.6 \*                      10.7 \*                      10.5 \*  
 beste Teiler 34.1 (4.) 56.3 (6.) 68.8 (9.)  
 Trefferlage 0.41 mm links, 0.17 mm hoch  
 Streuwert 1.09, horizontal: 0.83, vertikal: 1.29



Serie 2:  
 10.8 \*                      10.5 \*                      10.6 \*                      10.0 ↖                      10.3 \*  
 10.2 \*                      10.6 \*                      10.8 \*                      10.6 \*                      10.2 \*  
 beste Teiler 47.0 (11.) 49.5 (18.) 96.1 (13.)  
 Trefferlage 0.53 mm links, 0.04 mm hoch  
 Streuwert 0.99, horizontal: 1.28, vertikal: 0.57



Serie 3:  
 10.5 \*                      10.4 \*                      10.7 \*                      10.3 \*                      10.6 \*  
 10.5 \*                      10.3 \*                      10.7 \*                      10.6 \*                      10.5 \*  
 beste Teiler 63.3 (28.) 65.0 (23.) 90.6 (29.)  
 Trefferlage 0.25 mm links, 0.34 mm hoch  
 Streuwert 0.82, horizontal: 0.93, vertikal: 0.69





Serie 4:  
 10.4 \*                      10.3 \*                      10.2 \*                      10.5 \*                      10.9 \*  
 10.4 \*                      10.4 \*                      10.2 \*                      9.2 ↖                      10.4 \*  
 beste Teiler 12.0 (35.) 104.8 (34.) 135.7 (31.)  
 Trefferlage 0.92 mm links, 0.48 mm tief  
 Streuwert 1.21, horizontal: 1.49, vertikal: 0.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **423.2** (400)  
 Serien: 106.7 105.2 106.3 105.0  
 Zähler: 40 0 0 0 0 0 0 0 0 0  
 Innenzehner: 40  
 weiteste: 181 (12), 173 (40), 171 (11)  
 beste Teiler 11.1 (9.) 14.8 (10.) 20.8 (7.)  
 Trefferlage 0.00 mm , 0.42 mm hoch  
 Streuwert 0.70, horizontal: 0.69, vertikal: 0.71




Serie 1:  
 10.5 \*                      10.6 \*                      10.8 \*                      10.6 \*                      10.4 \*  
 10.6 \*                      10.9 \*                      10.5 \*                      10.9 \*                      10.9 \*  
 beste Teiler 11.1 (9.) 14.8 (10.) 20.8 (7.)  
 Trefferlage 0.22 mm links, 0.13 mm tief  
 Streuwert 0.61, horizontal: 0.60, vertikal: 0.61



Serie 2:  
 10.3 \*                      10.2 \*                      10.7 \*                      10.9 \*                      10.7 \*  
 10.5 \*                      10.5 \*                      10.8 \*                      10.3 \*                      10.3 \*  
 beste Teiler 21.6 (14.) 33.6 (18.) 68.0 (13.)  
 Trefferlage 0.09 mm rechts, 0.74 mm hoch  
 Streuwert 0.70, horizontal: 0.86, vertikal: 0.49



Serie 3:  
 10.7 \*                      10.7 \*                      10.7 \*                      10.8 \*                      10.8 \*  
 10.6 \*                      10.8 \*                      10.3 \*                      10.5 \*                      10.4 \*  
 beste Teiler 34.4 (27.) 45.8 (24.) 46.0 (25.)  
 Trefferlage 0.03 mm links, 0.19 mm hoch  
 Streuwert 0.66, horizontal: 0.65, vertikal: 0.66





Serie 4:  
 10.5 \*                      10.9 \*                      10.9 \*                      10.6 \*                      10.4 \*  
 10.5 \*                      10.3 \*                      10.3 \*                      10.3 \*                      10.3 \*  
 beste Teiler 21.9 (33.) 25.6 (32.) 79.1 (34.)  
 Trefferlage 0.14 mm rechts, 0.89 mm hoch  
 Streuwert 0.64, horizontal: 0.69, vertikal: 0.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.0** (395)  
 Serien: 104.9 103.0 102.7 103.4  
 Zähler: 35 5 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 384 (11), 338 (16), 338 (31)  
 beste Teiler 24.0 (4.) 27.0 (17.) 28.0 (39.)  
 Trefferlage 0.33 mm links, 0.19 mm tief  
 Streuwert 1.22, horizontal: 1.29, vertikal: 1.16




Serie 1:  
 10.3 \*                      10.0 ↘                      10.2 \*                      10.9 \*                      10.7 \*  
 10.4 \*                      10.6 \*                      10.8 \*                      10.5 \*                      10.5 \*  
 beste Teiler 24.0 (4.) 35.5 (8.) 68.2 (5.)  
 Trefferlage 0.34 mm links, 0.51 mm hoch  
 Streuwert 0.90, horizontal: 0.73, vertikal: 1.05



Serie 2:  
 9.4 ↙                      10.6 \*                      10.0 ←                      10.6 \*                      10.4 \*  
 9.6 ↘                      10.8 \*                      10.8 \*                      10.3 \*                      10.5 \*  
 beste Teiler 27.0 (17.) 35.1 (18.) 82.4 (14.)  
 Trefferlage 0.23 mm links, 0.54 mm tief  
 Streuwert 1.43, horizontal: 1.68, vertikal: 1.12





Serie 3:  
 10.7 \*                      10.5 \*                      10.4 \*                      9.9 →                      10.5 \*  
 10.3 \*                      9.9 ↘                      10.0 ←                      10.5 \*                      10.0 ←  
 beste Teiler 53.0 (21.) 106.3 (25.) 107.9 (29.)  
 Trefferlage 0.50 mm links, 0.08 mm hoch  
 Streuwert 1.32, horizontal: 1.56, vertikal: 1.02




Serie 4:  
 9.6 ↘                      10.2 \*                      10.4 \*                      10.1 ↖                      10.4 \*  
 10.3 \*                      10.5 \*                      10.4 \*                      10.8 \*                      10.7 \*  
 beste Teiler 28.0 (39.) 75.4 (40.) 104.8 (37.)  
 Trefferlage 0.26 mm links, 0.82 mm tief  
 Streuwert 1.13, horizontal: 1.16, vertikal: 1.09

Unterschrift des Schützen


Ergebnis: **413.4** (395)  
 Serien: 102.1 102.3 104.4 104.6  
 Zähler: 35 5 0 0 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 408 (2), 358 (1), 339 (26)  
 beste Teiler 21.9 (30.) 55.0 (9.) 55.4 (7.)  
 Trefferlage 0.41 mm rechts, 0.21 mm hoch  
 Streuwert 1.21, horizontal: 1.38, vertikal: 1.01




Serie 1:  
 9.5 ↗ 9.3 ↘ 10.4 \* 10.4 \* 9.8 →  
 10.5 \* 10.7 \* 10.5 \* 10.7 \* 10.3 \*  
 beste Teiler 55.0 (9.) 55.4 (7.) 106.5 (6.)  
 Trefferlage 0.41 mm rechts, 0.30 mm hoch  
 Streuwert 1.57, horizontal: 1.72, vertikal: 1.40



Serie 2:  
 10.0 ↗ 10.3 \* 10.4 \* 10.5 \* 9.8 ↘  
 10.0 → 10.5 \* 10.2 \* 10.4 \* 10.2 \*  
 beste Teiler 106.4 (17.) 106.7 (14.) 130.9 (19.)  
 Trefferlage 0.39 mm rechts, 0.59 mm hoch  
 Streuwert 1.27, horizontal: 1.49, vertikal: 1.02



Serie 3:  
 10.4 \* 10.2 \* 10.6 \* 10.2 \* 10.7 \*  
 9.6 → 10.7 \* 10.4 \* 10.7 \* 10.9 \*  
 beste Teiler 21.9 (30.) 56.1 (27.) 64.8 (29.)  
 Trefferlage 0.27 mm rechts, 0.22 mm hoch  
 Streuwert 1.13, horizontal: 1.43, vertikal: 0.72





Serie 4:  
 10.3 \* 10.6 \* 10.6 \* 10.7 \* 10.3 \*  
 10.6 \* 10.3 \* 10.5 \* 10.7 \* 10.0 →  
 beste Teiler 65.5 (34.) 65.9 (39.) 84.1 (36.)  
 Trefferlage 0.56 mm rechts, 0.26 mm tief  
 Streuwert 0.87, horizontal: 1.00, vertikal: 0.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **423.7** (400)  
 Serien: 105.5 106.0 105.9 106.3  
 Zähler: 40 0 0 0 0 0 0 0 0 0  
 Innenzehner: 39  
 weiteste: 208 (11), 176 (7), 157 (27)  
 beste Teiler 6.0 (40.) 12.6 (10.) 17.0 (38.)  
 Trefferlage 0.17 mm links, 0.06 mm tief  
 Streuwert 0.71, horizontal: 0.76, vertikal: 0.67




Serie 1:  
 10.4 \*                      10.5 \*                      10.5 \*                      10.4 \*                      10.5 \*  
 10.6 \*                      10.2 \*                      10.7 \*                      10.8 \*                      10.9 \*  
 beste Teiler 12.6 (10.) 46.0 (9.) 52.9 (8.)  
 Trefferlage 0.08 mm rechts, 0.29 mm tief  
 Streuwert 0.79, horizontal: 0.78, vertikal: 0.80



Serie 2:  
 10.1 \*                      10.4 \*                      10.7 \*                      10.7 \*                      10.8 \*  
 10.7 \*                      10.7 \*                      10.4 \*                      10.8 \*                      10.7 \*  
 beste Teiler 35.7 (15.) 41.7 (19.) 52.9 (16.)  
 Trefferlage 0.52 mm links, 0.14 mm hoch  
 Streuwert 0.64, horizontal: 0.64, vertikal: 0.63



Serie 3:  
 10.5 \*                      10.7 \*                      10.5 \*                      10.5 \*                      10.6 \*  
 10.5 \*                      10.3 \*                      10.7 \*                      10.8 \*                      10.8 \*  
 beste Teiler 41.4 (30.) 44.5 (29.) 65.5 (22.)  
 Trefferlage 0.12 mm links, 0.07 mm hoch  
 Streuwert 0.74, horizontal: 0.75, vertikal: 0.73



Serie 4:  
 10.5 \*                      10.6 \*                      10.4 \*                      10.4 \*                      10.6 \*  
 10.8 \*                      10.4 \*                      10.9 \*                      10.8 \*                      10.9 \*  
 beste Teiler 6.0 (40.) 17.0 (38.) 28.6 (36.)  
 Trefferlage 0.12 mm links, 0.20 mm tief  
 Streuwert 0.67, horizontal: 0.83, vertikal: 0.46

Unterschrift des Schützen

Meyton Elektronik