





Ergebnis: **412.6** (393)
 Serien: 102.9 104.2 103.5 102.0
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 494 (5), 413 (35), 350 (33)
 beste Teiler 16.1 (18.) 20.6 (39.) 51.0 (15.)
 Trefferlage 0.20 mm links, 0.18 mm hoch
 Streuwert 1.36, horizontal: 1.68, vertikal: 0.95




Serie 1:
 10.2 * 10.3 * 10.6 * 10.7 * 9.0 ←
 10.2 * 10.4 * 10.7 * 10.3 * 10.5 *
 beste Teiler 54.4 (4.) 74.8 (8.) 86.4 (3.)
 Trefferlage 0.44 mm links, 0.11 mm tief
 Streuwert 1.48, horizontal: 1.84, vertikal: 1.01



Serie 2:
 10.5 * 10.3 * 9.8 ↖ 10.0 → 10.7 *
 10.4 * 10.7 * 10.9 * 10.3 * 10.6 *
 beste Teiler 16.1 (18.) 51.0 (15.) 69.4 (17.)
 Trefferlage 0.19 mm rechts, 0.19 mm hoch
 Streuwert 1.16, horizontal: 1.32, vertikal: 0.97



Serie 3:
 10.4 * 9.7 → 10.4 * 10.2 * 10.1 →
 10.6 * 10.7 * 10.2 * 10.6 * 10.6 *
 beste Teiler 57.3 (27.) 88.6 (26.) 91.4 (30.)
 Trefferlage 0.35 mm rechts, 0.50 mm hoch
 Streuwert 1.17, horizontal: 1.58, vertikal: 0.47





Serie 4:
 10.4 * 10.4 * 9.6 ↖ 9.9 ↑ 9.3 ←
 10.4 * 9.7 ← 10.7 * 10.9 * 10.7 *
 beste Teiler 20.6 (39.) 51.0 (38.) 54.2 (40.)
 Trefferlage 0.91 mm links, 0.14 mm hoch
 Streuwert 1.58, horizontal: 1.87, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.7** (396)
 Serien: 104.2 103.6 102.6 105.3
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 379 (27), 346 (8), 297 (12)
 beste Teiler 11.1 (11.) 14.4 (10.) 19.4 (4.)
 Trefferlage 0.18 mm rechts, 0.23 mm hoch
 Streuwert 1.18, horizontal: 1.34, vertikal: 0.99




Serie 1:
 10.4 * 10.7 * 10.2 * 10.9 * 10.5 *
 10.0 ↑ 10.6 * 9.6 → 10.4 * 10.9 *
 beste Teiler 14.4 (10.) 19.4 (4.) 74.8 (2.)
 Trefferlage 0.45 mm rechts, 0.52 mm hoch
 Streuwert 1.14, horizontal: 1.32, vertikal: 0.93



Serie 2:
 10.9 * 9.8 ↖ 10.5 * 10.6 * 10.3 *
 10.5 * 10.0 ↓ 10.4 * 10.6 * 10.0 →
 beste Teiler 11.1 (11.) 88.0 (19.) 89.1 (14.)
 Trefferlage 0.45 mm rechts, 0.17 mm hoch
 Streuwert 1.21, horizontal: 1.01, vertikal: 1.38



Serie 3:
 9.8 ↖ 10.4 * 10.1 ↘ 10.1 → 10.8 *
 10.7 * 9.4 ↖ 10.2 * 10.5 * 10.6 *
 beste Teiler 30.8 (25.) 62.5 (26.) 97.3 (30.)
 Trefferlage 0.27 mm links, 0.22 mm hoch
 Streuwert 1.48, horizontal: 1.84, vertikal: 0.98





Serie 4:
 10.6 * 10.2 * 10.7 * 10.8 * 10.6 *
 10.7 * 10.6 * 10.6 * 10.1 → 10.4 *
 beste Teiler 38.0 (34.) 56.8 (33.) 57.8 (36.)
 Trefferlage 0.11 mm rechts, 0.00 mm
 Streuwert 0.89, horizontal: 1.09, vertikal: 0.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.7** (380)
 Serien: 99.1 101.1 100.0 98.5
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 561 (32), 529 (34), 496 (38)
 beste Teiler 43.0 (1.) 47.2 (35.) 62.6 (40.)
 Trefferlage 0.62 mm links, 1.32 mm hoch
 Streuwert 1.69, horizontal: 1.80, vertikal: 1.58




Serie 1:
 10.8 * 10.2 * 9.9 → 9.7 ↑ 10.3 *
 9.2 ↑ 9.3 ↑ 10.1 ↑ 10.4 * 9.2 ↘
 beste Teiler 43.0 (1.) 139.1 (9.) 168.8 (5.)
 Trefferlage 0.37 mm links, 1.82 mm hoch
 Streuwert 1.69, horizontal: 1.40, vertikal: 1.94



Serie 2:
 10.3 * 9.9 ↘ 10.0 ↘ 10.2 * 10.2 *
 9.9 ↓ 9.8 ↑ 10.4 * 10.4 * 10.0 ←
 beste Teiler 128.1 (19.) 146.0 (18.) 166.7 (11.)
 Trefferlage 0.72 mm links, 0.84 mm hoch
 Streuwert 1.40, horizontal: 1.10, vertikal: 1.64



Serie 3:
 10.2 * 9.9 ↘ 9.9 ↗ 10.6 * 10.3 *
 9.6 ↘ 9.7 ← 10.4 * 9.9 ↘ 9.5 ←
 beste Teiler 92.1 (24.) 129.1 (28.) 171.0 (25.)
 Trefferlage 1.17 mm links, 1.07 mm hoch
 Streuwert 1.45, horizontal: 1.87, vertikal: 0.85



Serie 4:
 10.2 * 8.7 ↖ 9.4 → 8.8 ↑ 10.8 *
 10.3 * 10.0 ↘ 9.0 ↗ 10.6 * 10.7 *
 beste Teiler 47.2 (35.) 62.6 (40.) 87.8 (39.)
 Trefferlage 0.24 mm links, 1.53 mm hoch
 Streuwert 2.21, horizontal: 2.62, vertikal: 1.71

Unterschrift des Schützen

Meyton Elektronik