





Ergebnis: **374** (391.5)  
 Serien: 95 92 96 91  
 Zähler: 19 16 5 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1700 (15), 1700 (39), 1696 (25)  
 beste Teiler 209.9 (3.) 219.0 (7.) 248.7 (10.)  
 Trefferlage 3.59 mm links, 0.50 mm tief  
 Streuwert 6.89, horizontal: 6.55, vertikal: 7.21




Serie 1:  
 9.8 ↗ 9.1 ↑ 10.7 \* 10.1 ← 9.9 ↘  
 10.5 \* 10.7 \* 9.4 ↖ 9.0 ↙ 10.6 \*  
 beste Teiler 209.9 (3.) 219.0 (7.) 248.7 (10.)  
 Trefferlage 0.43 mm links, 1.43 mm hoch  
 Streuwert 6.76, horizontal: 5.34, vertikal: 7.92



Serie 2:  
 10.1 ↙ 10.0 ↑ 10.5 \* 9.9 ↘ 8.8 ↖  
 9.9 ↖ 8.9 ↓ 9.0 ↓ 10.3 \* 9.6 ↗  
 beste Teiler 337.2 (13.) 503.8 (19.) 668.8 (11.)  
 Trefferlage 0.75 mm links, 1.02 mm tief  
 Streuwert 7.99, horizontal: 7.88, vertikal: 8.09



Serie 3:  
 10.1 ↓ 10.4 \* 9.6 ↓ 10.0 ↑ 8.8 ←  
 10.0 ↙ 10.5 \* 10.1 ← 10.0 ↖ 9.7 ↖  
 beste Teiler 344.3 (27.) 437.0 (22.) 644.0 (28.)  
 Trefferlage 4.77 mm links, 1.03 mm tief  
 Streuwert 5.59, horizontal: 5.55, vertikal: 5.62





Serie 4:  
 8.9 ↓ 10.0 ← 9.3 ↖ 9.4 ↙ 10.4 \*  
 9.5 ↖ 9.7 ← 9.4 ↙ 8.8 ← 10.1 ↖  
 beste Teiler 435.4 (35.) 708.1 (40.) 793.8 (32.)  
 Trefferlage 8.41 mm links, 1.38 mm tief  
 Streuwert 6.19, horizontal: 4.13, vertikal: 7.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.8)  
 Serien: 95 96 94 95  
 Zähler: 21 18 1 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1609 (7), 1434 (15), 1408 (38)  
 beste Teiler 112.7 (37.) 205.2 (39.) 261.2 (24.)  
 Trefferlage 0.51 mm rechts, 0.94 mm hoch  
 Streuwert 6.45, horizontal: 7.15, vertikal: 5.65




Serie 1:  
 9.6 ↗ 10.0 ↘ 10.5 \* 9.7 ↗ 10.2 →  
 10.3 ↗ 8.9 → 10.0 ↓ 10.2 ← 9.3 ↖  
 beste Teiler 323.6 (3.) 558.2 (6.) 612.1 (9.)  
 Trefferlage 3.88 mm rechts, 1.85 mm hoch  
 Streuwert 6.34, horizontal: 6.12, vertikal: 6.55



Serie 2:  
 10.3 ↙ 10.4 \* 9.4 ↖ 9.9 ↖ 9.2 ←  
 10.2 ← 9.9 ↓ 10.2 ↓ 10.0 → 10.0 ↓  
 beste Teiler 420.6 (12.) 531.9 (11.) 605.6 (16.)  
 Trefferlage 4.09 mm links, 2.07 mm tief  
 Streuwert 5.36, horizontal: 6.38, vertikal: 4.10



Serie 3:  
 9.3 ↖ 10.2 → 10.0 ↖ 10.6 \* 10.4 \*  
 9.9 ↘ 9.4 → 9.9 ↑ 9.2 ↑ 9.7 ↑  
 beste Teiler 261.2 (24.) 407.0 (25.) 639.8 (22.)  
 Trefferlage 1.09 mm rechts, 4.81 mm hoch  
 Streuwert 5.93, horizontal: 6.02, vertikal: 5.84





Serie 4:  
 10.2 → 9.6 ← 10.0 ← 9.2 ↘ 10.6 \*  
 9.9 ↗ 10.8 \* 9.2 → 10.7 \* 9.8 ←  
 beste Teiler 112.7 (37.) 205.2 (39.) 316.0 (35.)  
 Trefferlage 1.17 mm rechts, 0.81 mm tief  
 Streuwert 6.48, horizontal: 8.39, vertikal: 3.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.6)  
 Serien: 94 97 93 93  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 2194 (26), 1889 (4), 1649 (35)  
 beste Teiler 126.0 (8.) 147.2 (19.) 232.2 (36.)  
 Trefferlage 0.03 mm links, 1.85 mm hoch  
 Streuwert 6.78, horizontal: 7.43, vertikal: 6.06




Serie 1:  
 9.7 ↑                      9.7 ↓                      9.5 →                      8.6 ←                      10.2 ↖  
 10.1 ↖                      9.2 ↑                      10.8 \*                      10.5 \*                      10.3 \*  
 beste Teiler 126.0 (8.) 337.2 (9.) 522.7 (10.)  
 Trefferlage 1.29 mm links, 1.49 mm hoch  
 Streuwert 7.41, horizontal: 7.72, vertikal: 7.09



Serie 2:  
 10.5 \*                      10.1 ←                      9.1 →                      10.3 \*                      9.7 ↑  
 10.6 \*                      10.6 \*                      10.2 ↖                      10.8 \*                      9.8 ↘  
 beste Teiler 147.2 (19.) 246.2 (17.) 297.9 (16.)  
 Trefferlage 0.07 mm links, 1.32 mm hoch  
 Streuwert 5.50, horizontal: 6.38, vertikal: 4.45



Serie 3:  
 10.1 ↖                      10.4 \*                      10.4 \*                      9.7 ↙                      9.6 ↓  
 8.2 ↖                      9.9 ↓                      9.4 →                      9.8 ↖                      10.4 \*  
 beste Teiler 431.0 (23.) 452.3 (30.) 469.4 (22.)  
 Trefferlage 0.87 mm links, 0.37 mm hoch  
 Streuwert 7.85, horizontal: 7.67, vertikal: 8.04





Serie 4:  
 9.8 ↗                      9.2 →                      9.4 ↖                      10.4 \*                      8.9 →  
 10.7 \*                      10.2 →                      10.5 \*                      9.8 ↖                      9.5 ↖  
 beste Teiler 232.2 (36.) 347.0 (38.) 418.3 (34.)  
 Trefferlage 2.09 mm rechts, 4.21 mm hoch  
 Streuwert 6.63, horizontal: 8.53, vertikal: 3.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (401.3)  
 Serien: 97 97 94 95  
 Zähler: 25 13 2 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1877 (25), 1701 (35), 1569 (19)  
 beste Teiler 85.5 (34.) 103.2 (30.) 211.6 (36.)  
 Trefferlage 1.14 mm links, 0.00 mm  
 Streuwert 5.99, horizontal: 6.99, vertikal: 4.78




Serie 1:  
 10.2 ↗ 10.3 ↗ 10.3 \* 10.1 ↗ 10.5 \*  
 9.5 ↑ 10.4 \* 9.7 ↘ 9.7 → 10.2 ←  
 beste Teiler 335.2 (5.) 465.3 (7.) 506.7 (3.)  
 Trefferlage 1.18 mm rechts, 2.11 mm hoch  
 Streuwert 5.19, horizontal: 5.52, vertikal: 4.83



Serie 2:  
 10.0 ↗ 10.2 ← 10.4 \* 10.3 \* 10.5 \*  
 10.6 \* 9.9 ← 10.0 ← 9.0 ← 9.8 ↗  
 beste Teiler 305.6 (16.) 360.3 (15.) 412.9 (13.)  
 Trefferlage 2.08 mm links, 1.22 mm hoch  
 Streuwert 5.55, horizontal: 6.86, vertikal: 3.82



Serie 3:  
 10.5 \* 10.6 \* 9.8 ↗ 9.5 ← 8.6 ←  
 10.6 \* 10.4 \* 9.9 ← 9.5 ← 10.8 \*  
 beste Teiler 103.2 (30.) 271.9 (26.) 283.5 (22.)  
 Trefferlage 4.78 mm links, 0.79 mm tief  
 Streuwert 5.74, horizontal: 7.32, vertikal: 3.51





Serie 4:  
 10.1 ↓ 10.4 \* 9.4 ↘ 10.8 \* 8.8 ↗  
 10.7 \* 10.0 ↙ 10.2 ↑ 9.6 ↗ 9.5 →  
 beste Teiler 85.5 (34.) 211.6 (36.) 428.3 (32.)  
 Trefferlage 1.11 mm rechts, 2.54 mm tief  
 Streuwert 6.62, horizontal: 7.30, vertikal: 5.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.7)  
 Serien: 90 87 90 91  
 Zähler: 10 19 10 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3010 (17), 2222 (5), 2124 (12)  
 beste Teiler 279.6 (20.) 403.6 (31.) 492.1 (1.)  
 Trefferlage 0.51 mm links, 3.89 mm tief  
 Streuwert 9.08, horizontal: 8.43, vertikal: 9.69




Serie 1:  
 10.3 \*                      8.9 ↖                      9.3 ↗                      10.1 ↘                      8.2 ↓  
 10.2 ↖                      9.6 ↓                      8.7 ↘                      9.7 ↗                      9.6 →  
 beste Teiler 492.1 (1.) 616.8 (6.) 645.4 (4.)  
 Trefferlage 0.30 mm rechts, 2.40 mm tief  
 Streuwert 9.48, horizontal: 8.55, vertikal: 10.33



Serie 2:  
 10.1 ↓                      8.3 ↓                      8.6 ↗                      9.3 →                      8.7 ↖  
 9.3 ↖                      7.2 ↓                      10.3 ←                      8.9 ↗                      10.6 \*  
 beste Teiler 279.6 (20.) 547.7 (18.) 641.5 (11.)  
 Trefferlage 0.34 mm links, 2.93 mm tief  
 Streuwert 12.13, horizontal: 9.88, vertikal: 14.02



Serie 3:  
 9.9 ↗                      8.6 ↓                      8.8 ←                      10.0 ↓                      9.9 ↘  
 10.2 ↓                      9.7 ↗                      9.0 ↓                      9.6 ↗                      9.9 ↖  
 beste Teiler 610.6 (26.) 728.1 (24.) 803.9 (21.)  
 Trefferlage 2.37 mm links, 5.60 mm tief  
 Streuwert 7.48, horizontal: 6.99, vertikal: 7.95





Serie 4:  
 10.4 \*                      9.9 ↖                      9.5 ↓                      10.0 ↘                      9.1 ↗  
 9.3 →                      9.8 ↓                      8.8 ←                      9.6 →                      9.8 ↗  
 beste Teiler 403.6 (31.) 781.6 (34.) 833.7 (32.)  
 Trefferlage 0.35 mm rechts, 4.62 mm tief  
 Streuwert 7.60, horizontal: 9.09, vertikal: 5.74


\_\_\_\_\_  
 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.0)  
 Serien: 87 93 87 90  
 Zähler: 14 16 6 2 1 1 0 0 0 0  
 Innenzehner: 9  
 weiteste: 4331 (31), 3596 (24), 2675 (5)  
 beste Teiler 126.2 (38.) 280.3 (26.) 296.1 (13.)  
 Trefferlage 2.72 mm links, 0.45 mm hoch  
 Streuwert 10.90, horizontal: 12.27, vertikal: 9.32




Serie 1:  
 9.1 ↘                      8.8 →                      9.2 →                      8.9 ↑                      7.6 ←  
 10.0 ↘                      10.4 \*                      9.4 ↑                      10.5 \*                      7.7 →  
 beste Teiler 382.3 (9.) 409.0 (7.) 766.9 (6.)  
 Trefferlage 1.74 mm rechts, 4.77 mm hoch  
 Streuwert 11.42, horizontal: 14.11, vertikal: 7.85



Serie 2:  
 8.1 ↘                      9.9 ↑                      10.6 \*                      9.1 ↘                      9.7 ↘  
 10.4 \*                      10.2 ←                      10.0 ↓                      8.6 ↓                      10.5 \*  
 beste Teiler 296.1 (13.) 336.2 (20.) 412.5 (16.)  
 Trefferlage 2.83 mm links, 1.80 mm hoch  
 Streuwert 8.48, horizontal: 4.90, vertikal: 10.94



Serie 3:  
 9.1 ↓                      9.4 ↘                      9.7 ↘                      6.5 ←                      9.5 ←  
 10.6 \*                      9.9 →                      9.1 ↙                      9.9 →                      8.6 ↓  
 beste Teiler 280.3 (26.) 838.3 (27.) 871.2 (29.)  
 Trefferlage 3.59 mm links, 1.73 mm tief  
 Streuwert 11.73, horizontal: 13.53, vertikal: 9.59



Serie 4:  
 5.5 ←                      10.1 ↙                      8.5 ↙                      10.2 ↙                      9.5 →  
 10.5 \*                      10.6 \*                      10.8 \*                      9.3 ↓                      9.0 ←  
 beste Teiler 126.2 (38.) 302.4 (37.) 357.5 (36.)  
 Trefferlage 6.21 mm links, 3.03 mm tief  
 Streuwert 11.65, horizontal: 14.47, vertikal: 7.87

Unterschrift des Schützen

Meyton Elektronik