





Ergebnis: **364** (380.9)  
 Serien: 93 92 92 87  
 Zähler: 13 18 9 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2171 (10), 2154 (28), 2124 (35)  
 beste Teiler 187.0 (8.) 331.9 (14.) 372.1 (24.)  
 Trefferlage 3.99 mm links, 0.26 mm tief  
 Streuwert 8.73, horizontal: 6.98, vertikal: 10.18




Serie 1:  
 9.4 ↘                      9.3 ↘                      9.0 →                      9.0 ↙                      10.3 →  
 9.8 ↑                      10.1 ←                      10.7 \*                      10.4 ↑                      8.2 ↙  
 beste Teiler 187.0 (8.) 479.0 (9.) 542.5 (5.)  
 Trefferlage 3.78 mm links, 0.60 mm hoch  
 Streuwert 8.48, horizontal: 9.33, vertikal: 7.53



Serie 2:  
 10.3 ↓                      9.2 ↓                      9.6 ↖                      10.5 \*                      9.8 ←  
 9.9 ←                      9.2 ↙                      8.5 ↓                      10.3 ↘                      9.3 ↓  
 beste Teiler 331.9 (14.) 499.2 (19.) 520.5 (11.)  
 Trefferlage 4.76 mm links, 5.26 mm tief  
 Streuwert 6.69, horizontal: 3.09, vertikal: 8.94



Serie 3:  
 10.5 \*                      10.0 ↑                      10.0 ↖                      10.5 \*                      9.6 ↖  
 9.0 ↘                      9.5 ↙                      8.3 ↑                      8.7 ↑                      9.9 ↓  
 beste Teiler 372.1 (24.) 398.2 (21.) 745.1 (22.)  
 Trefferlage 2.45 mm links, 5.20 mm hoch  
 Streuwert 8.04, horizontal: 6.08, vertikal: 9.61





Serie 4:  
 10.5 \*                      8.7 ↖                      8.4 ↘                      9.9 ↙                      8.3 ↓  
 8.6 ↙                      8.6 ↑                      10.3 ↘                      9.6 ↙                      9.2 ↘  
 beste Teiler 388.5 (31.) 547.2 (38.) 807.5 (34.)  
 Trefferlage 4.95 mm links, 1.58 mm tief  
 Streuwert 10.70, horizontal: 8.55, vertikal: 12.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>368</b>	(383.5)
Serien:	93 94 91 90	
Zähler:	15 18 7 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2335 (25), 2293 (37), 2212 (12)	
beste Teiler	132.0 (18.) 236.7 (31.) 242.4 (10.)	
Trefferlage	0.98 mm rechts, 1.80 mm tief	
Streuwert	8.67, horizontal: 8.86, vertikal: 8.48	




Serie 1:	10.1 ↑	9.7 ↗	9.6 ↙	9.1 →	9.0 ↗
	10.4 *	8.8 ↗	9.8 ↘	10.0 ↓	10.6 *
beste Teiler	242.4 (10.)	413.2 (6.)	688.7 (1.)		
Trefferlage	2.78 mm rechts, 1.77 mm hoch				
Streuwert	7.78, horizontal: 8.89, vertikal: 6.47				



Serie 2:	9.6 ←	8.2 ↑	10.5 *	10.1 ↓	10.0 ←
	9.3 ↓	10.2 ↓	10.8 *	9.3 ←	9.9 ←
beste Teiler	132.0 (18.)	397.7 (13.)	577.7 (17.)		
Trefferlage	3.36 mm links, 0.61 mm tief				
Streuwert	7.65, horizontal: 6.70, vertikal: 8.50				



Serie 3:	9.7 ↘	10.0 ↘	10.1 ↙	8.7 ←	8.0 →
	9.3 ↗	9.3 ↓	9.7 ↓	9.7 ↘	10.1 →
beste Teiler	668.0 (30.)	708.3 (23.)	795.2 (22.)		
Trefferlage	1.61 mm rechts, 2.21 mm tief				
Streuwert	9.46, horizontal: 11.35, vertikal: 7.08				





Serie 4:	10.7 *	9.4 ↗	9.8 ↙	9.0 ↓	10.1 ↑
	8.4 ↓	8.1 ↓	9.7 ↓	10.0 ↘	8.7 →
beste Teiler	236.7 (31.)	651.3 (35.)	756.1 (39.)		
Trefferlage	2.88 mm rechts, 6.15 mm tief				
Streuwert	9.17, horizontal: 7.64, vertikal: 10.48				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.0)  
 Serien: 82 87 95 90  
 Zähler: 11 17 7 5 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3081 (1), 2749 (3), 2592 (2)  
 beste Teiler 259.0 (30.) 392.1 (22.) 420.4 (24.)  
 Trefferlage 3.92 mm rechts, 5.22 mm hoch  
 Streuwert 9.83, horizontal: 7.59, vertikal: 11.64




Serie 1:  
 7.1 ↑                      7.7 ↑                      7.5 ↗                      10.1 ↑                      8.5 ↘  
 8.0 ↗                      9.2 ↗                      8.9 ↑                      9.8 ↓                      9.0 ↗  
 beste Teiler 671.1 (4.) 894.9 (9.) 1424.1 (7.)  
 Trefferlage 7.11 mm rechts, 14.42 mm hoch  
 Streuwert 9.31, horizontal: 7.17, vertikal: 11.04



Serie 2:  
 9.7 ↓                      9.8 ↖                      10.4 \*                      9.4 ↑                      7.9 ↗  
 9.3 ↗                      9.2 ↑                      9.4 ↖                      7.9 →                      9.0 ↗  
 beste Teiler 447.9 (13.) 914.1 (12.) 1010.9 (11.)  
 Trefferlage 2.52 mm rechts, 5.99 mm hoch  
 Streuwert 10.29, horizontal: 10.43, vertikal: 10.14



Serie 3:  
 9.5 ↓                      10.5 \*                      8.3 ↗                      10.4 \*                      10.1 ↘  
 9.2 ↗                      10.0 →                      9.9 ↓                      10.3 ↓                      10.6 \*  
 beste Teiler 259.0 (30.) 392.1 (22.) 420.4 (24.)  
 Trefferlage 4.22 mm rechts, 0.30 mm tief  
 Streuwert 6.84, horizontal: 6.92, vertikal: 6.77





Serie 4:  
 8.6 ↑                      9.4 ↖                      9.4 ↓                      9.0 ↓                      10.3 ↓  
 10.4 \*                      8.7 ↓                      10.4 \*                      9.7 →                      8.5 ↑  
 beste Teiler 464.7 (36.) 468.4 (38.) 526.1 (35.)  
 Trefferlage 1.84 mm rechts, 0.78 mm hoch  
 Streuwert 9.74, horizontal: 4.83, vertikal: 12.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (382.6)  
 Serien: 92 91 92 88  
 Zähler: 13 20 4 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2853 (37), 2551 (15), 2541 (31)  
 beste Teiler 197.2 (13.) 202.6 (3.) 429.5 (10.)  
 Trefferlage 2.54 mm links, 0.12 mm hoch  
 Streuwert 8.84, horizontal: 8.79, vertikal: 8.89




Serie 1:  
 9.4 ↗ 9.9 ↘ 10.7 \* 9.4 ↑ 10.3 ↙  
 8.6 ↖ 9.3 ↑ 9.2 ↙ 9.5 ↗ 10.4 \*  
 beste Teiler 202.6 (3.) 429.5 (10.) 554.6 (5.)  
 Trefferlage 1.84 mm links, 3.92 mm hoch  
 Streuwert 7.80, horizontal: 7.77, vertikal: 7.82



Serie 2:  
 10.0 ↘ 8.7 ↑ 10.7 \* 10.2 ↗ 7.8 ←  
 10.2 ↑ 8.7 ↖ 9.8 ↘ 9.1 ↓ 10.2 ↘  
 beste Teiler 197.2 (13.) 605.8 (14.) 619.9 (20.)  
 Trefferlage 3.38 mm links, 1.25 mm hoch  
 Streuwert 9.54, horizontal: 10.01, vertikal: 9.04



Serie 3:  
 9.9 → 9.2 ↖ 9.3 → 8.9 ↗ 10.1 ↘  
 10.4 ← 9.4 ↖ 10.0 ↙ 9.8 ← 9.5 ↓  
 beste Teiler 480.3 (26.) 677.4 (25.) 748.4 (28.)  
 Trefferlage 0.14 mm links, 0.07 mm tief  
 Streuwert 8.13, horizontal: 9.35, vertikal: 6.71





Serie 4:  
 7.8 ↙ 10.2 ← 9.9 → 9.8 ↖ 9.9 ↙  
 9.9 ↘ 7.4 ↙ 9.2 ↓ 10.0 ↙ 9.9 ↗  
 beste Teiler 623.2 (32.) 760.8 (39.) 812.6 (36.)  
 Trefferlage 4.81 mm links, 4.60 mm tief  
 Streuwert 9.62, horizontal: 8.54, vertikal: 10.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.6)  
 Serien: 88 93 97 92  
 Zähler: 17 17 5 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2560 (3), 2036 (1), 1868 (11)  
 beste Teiler 97.4 (22.) 182.0 (9.) 256.8 (26.)  
 Trefferlage 0.08 mm links, 1.18 mm tief  
 Streuwert 8.16, horizontal: 8.44, vertikal: 7.87




Serie 1:  
 8.4 ←                      10.1 ←                      7.8 ↗                      9.5 ↘                      9.3 ↘  
 9.9 →                      9.5 →                      8.9 ↗                      10.7 \*                      9.0 →  
 beste Teiler 182.0 (9.) 650.1 (2.) 817.7 (6.)  
 Trefferlage 2.60 mm rechts, 1.01 mm hoch  
 Streuwert 10.68, horizontal: 12.08, vertikal: 9.07



Serie 2:  
 8.6 ↓                      9.6 →                      9.1 ↖                      10.3 ↙                      10.3 ↙  
 10.0 ↖                      8.7 ←                      10.5 \*                      9.5 ↘                      10.3 ↙  
 beste Teiler 348.0 (18.) 506.2 (15.) 531.7 (20.)  
 Trefferlage 4.16 mm links, 2.37 mm tief  
 Streuwert 7.77, horizontal: 8.41, vertikal: 7.08



Serie 3:  
 9.1 ↗                      10.8 \*                      10.3 ↘                      10.5 \*                      10.5 \*  
 10.6 \*                      10.5 \*                      10.5 \*                      9.7 ↗                      9.6 ↘  
 beste Teiler 97.4 (22.) 256.8 (26.) 342.9 (25.)  
 Trefferlage 0.12 mm links, 1.48 mm hoch  
 Streuwert 5.40, horizontal: 3.56, vertikal: 6.75





Serie 4:  
 9.1 ↘                      9.9 ↗                      10.4 \*                      10.6 \*                      9.2 ↘  
 10.1 ↗                      9.5 ↘                      9.6 ←                      8.8 ↘                      9.3 ↘  
 beste Teiler 273.1 (34.) 405.6 (33.) 644.2 (36.)  
 Trefferlage 1.32 mm rechts, 4.85 mm tief  
 Streuwert 7.47, horizontal: 7.14, vertikal: 7.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.0)  
 Serien: 84 87 89 95  
 Zähler: 11 18 8 2 0 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4250 (18), 2661 (3), 2631 (24)  
 beste Teiler 254.1 (35.) 264.7 (1.) 392.7 (31.)  
 Trefferlage 1.21 mm rechts, 1.14 mm hoch  
 Streuwert 10.66, horizontal: 11.20, vertikal: 10.09




Serie 1:  
 10.6 \* 9.8 → 7.6 ↗ 8.9 ↙ 8.4 ↗  
 9.3 ↘ 8.8 ↘ 8.8 ↘ 9.5 ↓ 8.3 →  
 beste Teiler 264.7 (1.) 896.4 (2.) 1130.6 (9.)  
 Trefferlage 7.98 mm rechts, 2.55 mm tief  
 Streuwert 10.81, horizontal: 11.50, vertikal: 10.08



Serie 2:  
 10.0 ← 9.7 ↙ 8.8 ↘ 9.4 ↘ 10.3 ↓  
 9.5 → 8.3 ↙ 5.6 ↗ 10.4 \* 9.3 ↑  
 beste Teiler 464.9 (19.) 518.7 (15.) 723.8 (11.)  
 Trefferlage 1.87 mm links, 4.71 mm hoch  
 Streuwert 12.82, horizontal: 13.41, vertikal: 12.21





Serie 3:  
 9.8 ↓ 10.2 ↓ 9.6 ↘ 7.7 ↗ 9.5 ↘  
 8.8 → 9.7 ↑ 9.2 ↑ 10.2 ↓ 9.8 ↓  
 beste Teiler 577.7 (22.) 635.3 (29.) 883.1 (21.)  
 Trefferlage 1.35 mm rechts, 2.91 mm hoch  
 Streuwert 9.66, horizontal: 9.43, vertikal: 9.89




Serie 4:  
 10.5 \* 10.1 ← 9.5 ↙ 10.0 ↓ 10.6 \*  
 9.2 ↙ 9.1 → 9.0 ↑ 10.2 ↘ 9.0 ←  
 beste Teiler 254.1 (35.) 392.7 (31.) 605.7 (39.)  
 Trefferlage 2.62 mm links, 0.50 mm tief  
 Streuwert 7.81, horizontal: 8.07, vertikal: 7.55

Unterschrift des Schützen


Ergebnis: **364** (380.4)  
 Serien: 91 87 93 93  
 Zähler: 12 20 8 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2397 (32), 2310 (8), 2238 (11)  
 beste Teiler 52.4 (24.) 231.0 (21.) 377.9 (31.)  
 Trefferlage 0.93 mm links, 2.05 mm tief  
 Streuwert 9.07, horizontal: 8.25, vertikal: 9.83




Serie 1:  
 9.8 ↙                      9.8 →                      9.3 ↖                      10.0 ↖                      9.8 ↘  
 9.8 ↗                      9.1 ↙                      8.1 ↘                      10.0 ↘                      9.3 →  
 beste Teiler 741.0 (9.) 781.9 (4.) 892.5 (6.)  
 Trefferlage 1.64 mm links, 4.01 mm tief  
 Streuwert 8.76, horizontal: 7.73, vertikal: 9.69



Serie 2:  
 8.2 ←                      9.6 ↗                      9.8 ↖                      10.0 ↓                      9.7 ↑  
 9.2 ↓                      8.2 ↑                      9.1 ↖                      8.7 →                      8.5 ↘  
 beste Teiler 739.9 (14.) 901.4 (13.) 1006.0 (15.)  
 Trefferlage 3.01 mm links, 0.42 mm hoch  
 Streuwert 11.49, horizontal: 11.66, vertikal: 11.32



Serie 3:  
 10.7 \*                      10.1 ↘                      9.1 ↓                      10.9 \*                      9.4 ↘  
 9.5 ←                      8.3 ↓                      9.8 →                      10.0 ↖                      9.5 ↖  
 beste Teiler 52.4 (24.) 231.0 (21.) 670.4 (22.)  
 Trefferlage 1.01 mm rechts, 3.49 mm tief  
 Streuwert 7.97, horizontal: 6.91, vertikal: 8.91





Serie 4:  
 10.5 \*                      8.0 ↓                      10.3 ↘                      8.8 ↗                      9.8 ↑  
 10.0 ↖                      10.0 ↗                      10.0 ↘                      9.8 ↓                      9.9 ↘  
 beste Teiler 377.9 (31.) 517.6 (33.) 748.2 (37.)  
 Trefferlage 0.11 mm links, 1.12 mm tief  
 Streuwert 8.49, horizontal: 6.44, vertikal: 10.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (361.3)  
 Serien: 85 85 84 89  
 Zähler: 10 12 12 4 1 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4162 (3), 3410 (16), 2932 (10)  
 beste Teiler 230.5 (13.) 234.9 (9.) 244.4 (17.)  
 Trefferlage 1.41 mm links, 1.79 mm hoch  
 Streuwert 12.60, horizontal: 14.27, vertikal: 10.67




Serie 1:  
 8.8 ↗                      8.2 ↓                      5.7 ←                      10.0 ←                      9.1 →  
 9.8 →                      10.5 \*                      9.1 ↓                      10.7 \*                      7.3 ↖  
 beste Teiler 234.9 (9.) 392.0 (7.) 778.1 (4.)  
 Trefferlage 2.17 mm links, 0.47 mm tief  
 Streuwert 14.73, horizontal: 16.23, vertikal: 13.05



Serie 2:  
 10.0 ↖                      8.5 ↖                      10.7 \*                      7.5 ←                      9.3 ↓  
 6.7 →                      10.6 \*                      9.2 ↑                      8.6 ↘                      8.9 ↘  
 beste Teiler 230.5 (13.) 244.4 (17.) 735.5 (11.)  
 Trefferlage 3.93 mm links, 3.73 mm hoch  
 Streuwert 13.11, horizontal: 15.64, vertikal: 9.95



Serie 3:  
 9.6 ↘                      9.0 →                      8.6 ↙                      7.4 ↖                      8.7 ↑  
 7.6 ↘                      10.2 ↘                      8.8 →                      9.4 ↗                      9.8 ↘  
 beste Teiler 627.4 (27.) 954.7 (30.) 1069.1 (21.)  
 Trefferlage 0.75 mm links, 6.04 mm hoch  
 Streuwert 12.32, horizontal: 13.83, vertikal: 10.60



Serie 4:  
 9.9 ←                      10.5 \*                      10.1 ↗                      8.1 →                      8.9 ↘  
 9.5 →                      8.4 ↓                      10.2 ↗                      9.0 →                      8.4 ←  
 beste Teiler 364.8 (32.) 635.7 (38.) 655.2 (33.)  
 Trefferlage 1.20 mm rechts, 2.14 mm tief  
 Streuwert 10.75, horizontal: 12.91, vertikal: 8.03

Unterschrift des Schützen

Meyton Elektronik