





Ergebnis: **613.6** (589)
 Serien: 104.0 102.2 102.3 100.0 102.6 102.5
 Zähler: 49 11 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 1299 (20), 1169 (14), 1069 (38)
 beste Teiler 125.3 (11.) 126.8 (54.) 144.6 (17.)
 Trefferlage 0.92 mm links, 0.16 mm tief
 Streuwert 4.52, horizontal: 4.52, vertikal: 4.53




Serie 1:
 10.4 * 10.1 ↘ 10.7 * 10.4 * 10.5 *
 10.4 * 10.4 * 10.5 * 10.5 * 10.1 ↖
 beste Teiler 182.5 (3.) 327.3 (8.) 384.0 (9.)
 Trefferlage 0.18 mm rechts, 1.14 mm hoch
 Streuwert 3.26, horizontal: 3.42, vertikal: 3.08




Serie 2:
 10.8 * 10.4 * 10.2 ↙ 9.5 ← 10.2 ↘
 9.9 ↓ 10.8 * 10.4 * 10.7 * 9.3 ↘
 beste Teiler 125.3 (11.) 144.6 (17.) 186.2 (19.)
 Trefferlage 2.62 mm links, 0.02 mm tief
 Streuwert 4.80, horizontal: 4.59, vertikal: 5.00




Serie 3:
 10.2 ↘ 10.2 ↗ 10.4 * 10.3 * 10.3 *
 10.2 ↙ 9.7 ↖ 10.7 * 10.1 ← 10.2 ↓
 beste Teiler 166.3 (28.) 474.9 (23.) 521.9 (25.)
 Trefferlage 1.77 mm links, 1.33 mm tief
 Streuwert 4.24, horizontal: 4.08, vertikal: 4.39



Serie 4:
 10.0 ↗ 9.9 ← 10.6 * 10.0 ↘ 10.0 ↙
 9.8 ↓ 10.0 ↓ 9.6 ↙ 10.4 * 9.7 ↗
 beste Teiler 259.8 (33.) 474.0 (39.) 765.9 (34.)
 Trefferlage 0.17 mm links, 3.39 mm tief
 Streuwert 5.46, horizontal: 5.30, vertikal: 5.61



Serie 5:
 10.6 * 10.3 * 10.1 ↘ 10.1 ↘ 10.6 *
 10.0 ↖ 10.7 * 10.2 ↗ 10.0 ↗ 10.0 ←
 beste Teiler 192.5 (47.) 274.9 (45.) 291.5 (41.)
 Trefferlage 0.92 mm rechts, 0.96 mm hoch
 Streuwert 4.30, horizontal: 5.06, vertikal: 3.37



Serie 6:
 10.4 * 9.8 ↑ 10.4 * 10.8 * 10.3 ↘
 10.5 * 9.8 ↘ 10.7 * 9.7 ↖ 10.1 ←
 beste Teiler 126.8 (54.) 224.1 (58.) 383.2 (56.)
 Trefferlage 2.06 mm links, 1.65 mm hoch
 Streuwert 4.31, horizontal: 4.40, vertikal: 4.22

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 7

Rösken, Eva #70817177

StartNr: 28



10. Juni 2017 11:10

GER


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.1	(579)						
Serien:	99.1	99.2	102.1	102.9	103.8	102.0		
Zähler:	39	21	0	0	0	0	0	0
Innenzehner:	27							
weiteste:	1387	(14),	1246	(3),	1183	(6)		
beste Teiler	45.5	(30.)	127.9	(48.)	224.3	(16.)		
Trefferlage	0.79 mm links, 0.93 mm tief							
Streuwert	4.98, horizontal: 4.80, vertikal: 5.16							




Serie 1:	9.9 ↘	9.7 ↓	9.4 ↓	10.3 *	9.9 ↓
	9.5 ↘	9.9 ←	10.1 ↘	10.6 *	9.8 ↘
beste Teiler	301.4 (9.) 524.7 (4.) 660.2 (8.)				
Trefferlage	2.10 mm links, 2.27 mm tief				
Streuwert	6.12, horizontal: 4.73, vertikal: 7.25				




Serie 2:	9.9 ↘	10.3 *	9.6 ↘	9.2 ↘	9.9 ←
	10.7 *	10.1 ←	9.8 ↗	10.1 ↓	9.6 ↓
beste Teiler	224.3 (16.) 518.2 (12.) 674.2 (17.)				
Trefferlage	0.21 mm links, 4.58 mm tief				
Streuwert	5.61, horizontal: 6.85, vertikal: 4.00				




Serie 3:	10.0 ↘	10.6 *	10.4 *	9.9 ↘	9.8 ↗
	9.6 ↑	10.4 *	10.0 ↘	10.5 *	10.9 *
beste Teiler	45.5 (30.) 308.8 (22.) 324.0 (29.)				
Trefferlage	0.40 mm rechts, 2.56 mm hoch				
Streuwert	4.52, horizontal: 3.60, vertikal: 5.28				



Serie 4:	10.4 *	10.4 *	10.1 ↗	10.1 ↘	10.3 *
	10.5 *	10.6 *	9.8 ↓	10.2 ↓	10.5 *
beste Teiler	300.2 (37.) 363.6 (40.) 383.5 (36.)				
Trefferlage	0.13 mm links, 0.19 mm tief				
Streuwert	4.21, horizontal: 3.46, vertikal: 4.84				



Serie 5:	10.4 *	10.0 ↗	10.6 *	10.4 *	10.5 *
	10.0 ↘	10.5 *	10.8 *	10.6 *	10.0 ↗
beste Teiler	127.9 (48.) 267.7 (49.) 320.6 (43.)				
Trefferlage	2.18 mm links, 2.01 mm tief				
Streuwert	3.08, horizontal: 3.40, vertikal: 2.72				



Serie 6:	10.4 *	9.6 ↘	10.5 *	10.3 ↗	10.6 *
	10.6 *	9.8 ↘	9.9 →	9.7 →	10.6 *
beste Teiler	298.8 (60.) 309.7 (56.) 318.8 (55.)				
Trefferlage	0.56 mm links, 0.91 mm hoch				
Streuwert	5.00, horizontal: 6.24, vertikal: 3.34				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 8

Kinateder, Anna-Lena #70817178

StartNr: 29



10. Juni 2017 11:10

BY


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **608.6** (583)
 Serien: 103.0 101.6 100.8 100.7 99.1 103.4
 Zähler: 44 15 1 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1710 (50), 1524 (31), 1288 (22)
 beste Teiler 169.1 (30.) 211.6 (51.) 213.3 (1.)
 Trefferlage 0.03 mm links, 0.63 mm hoch
 Streuwert 5.10, horizontal: 4.36, vertikal: 5.75




Serie 1:
 10.7 * 10.2 ↙ 10.1 ↘ 10.6 * 10.6 *
 10.3 * 10.2 ↑ 9.9 ↘ 10.0 ← 10.4 *
 beste Teiler 213.3 (1.) 270.2 (5.) 286.5 (4.)
 Trefferlage 2.93 mm links, 2.13 mm hoch
 Streuwert 3.21, horizontal: 3.10, vertikal: 3.33




Serie 2:
 10.2 ↘ 10.0 ↗ 10.1 ← 10.6 * 10.4 *
 10.1 ↓ 10.4 * 9.9 → 10.0 ↓ 9.9 ↑
 beste Teiler 243.5 (14.) 435.9 (17.) 462.9 (15.)
 Trefferlage 1.51 mm rechts, 0.25 mm tief
 Streuwert 4.76, horizontal: 4.64, vertikal: 4.87




Serie 3:
 10.4 * 9.3 ↘ 10.2 ↓ 9.9 ← 10.0 ↓
 10.6 * 9.9 ↓ 9.8 ↑ 10.0 ↑ 10.7 *
 beste Teiler 169.1 (30.) 292.3 (26.) 463.9 (21.)
 Trefferlage 0.96 mm links, 0.69 mm hoch
 Streuwert 5.62, horizontal: 3.53, vertikal: 7.13



Serie 4:
 9.0 ↘ 9.9 ↓ 10.5 * 10.2 ↗ 9.8 ↗
 10.5 * 10.3 ↘ 10.3 * 10.0 ↑ 10.2 ↘
 beste Teiler 325.5 (36.) 386.1 (33.) 493.4 (38.)
 Trefferlage 0.11 mm links, 3.07 mm hoch
 Streuwert 5.23, horizontal: 4.06, vertikal: 6.18



Serie 5:
 10.0 ↘ 9.7 ↗ 9.8 ↗ 10.3 ↑ 9.6 ↓
 10.7 * 10.3 ← 10.3 * 9.6 ↘ 8.8 ↓
 beste Teiler 233.2 (46.) 525.9 (48.) 536.5 (44.)
 Trefferlage 1.62 mm rechts, 1.33 mm tief
 Streuwert 6.77, horizontal: 5.80, vertikal: 7.62



Serie 6:
 10.7 * 10.6 * 10.6 * 10.5 * 9.7 ↓
 10.1 ↑ 10.6 * 10.1 ← 10.5 * 10.0 ↘
 beste Teiler 211.6 (51.) 248.8 (53.) 292.9 (57.)
 Trefferlage 0.69 mm rechts, 0.52 mm tief
 Streuwert 4.09, horizontal: 3.75, vertikal: 4.40

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 9

Rachl, Silvia #70817179

StartNr: 30



10. Juni 2017 11:20

GER


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	616.4	(589)							
Serien:	102.9	101.1	103.3	103.7	101.9	103.5			
Zähler:	49	11	0	0	0	0	0	0	0
Innenzehner:	35								
weiteste:	1570 (18), 1310 (14), 1208 (31)								
beste Teiler	85.0 (20.) 103.5 (38.) 147.8 (54.)								
Trefferlage	0.85 mm links, 0.59 mm hoch								
Streuwert	4.29, horizontal: 4.92, vertikal: 3.55								




Serie 1:	9.9 ↓	10.4 *	10.5 *	10.4 *	10.6 *
	10.6 *	10.2 ↑	10.1 ↖	9.8 ↘	10.4 *
beste Teiler	251.1 (5.) 279.9 (6.) 328.6 (3.)				
Trefferlage	0.26 mm rechts, 0.30 mm tief				
Streuwert	4.15, horizontal: 3.62, vertikal: 4.62				




Serie 2:	10.5 *	9.9 ↗	10.5 *	9.3 ↖	10.4 *
	9.7 ←	10.4 *	9.0 ←	10.6 *	10.8 *
beste Teiler	85.0 (20.) 319.5 (19.) 327.4 (11.)				
Trefferlage	3.54 mm links, 1.22 mm hoch				
Streuwert	5.33, horizontal: 6.19, vertikal: 4.30				




Serie 3:	10.5 *	10.4 *	10.2 ↘	10.1 ↗	10.5 *
	10.2 →	10.6 *	10.1 ↘	10.4 *	10.3 *
beste Teiler	254.6 (27.) 350.2 (21.) 362.5 (25.)				
Trefferlage	2.71 mm rechts, 0.53 mm tief				
Streuwert	3.25, horizontal: 3.60, vertikal: 2.86				



Serie 4:	9.4 ↖	10.6 *	10.7 *	10.6 *	10.2 ↘
	10.5 *	10.3 ↓	10.8 *	10.7 *	9.9 ↖
beste Teiler	103.5 (38.) 192.7 (39.) 240.2 (33.)				
Trefferlage	1.58 mm links, 0.07 mm tief				
Streuwert	4.03, horizontal: 4.74, vertikal: 3.18				



Serie 5:	10.3 *	10.3 *	10.6 *	9.8 ↗	9.9 ↖
	10.2 ↖	10.1 ↖	10.7 *	10.4 *	9.6 ←
beste Teiler	171.4 (48.) 287.1 (43.) 407.0 (49.)				
Trefferlage	3.15 mm links, 2.51 mm hoch				
Streuwert	3.83, horizontal: 5.05, vertikal: 1.94				



Serie 6:	10.5 *	10.3 *	10.2 ↗	10.8 *	10.4 *
	10.4 *	10.3 ↖	10.3 ↗	10.3 *	10.0 ↓
beste Teiler	147.8 (54.) 365.5 (51.) 470.1 (56.)				
Trefferlage	0.18 mm rechts, 0.73 mm hoch				
Streuwert	3.76, horizontal: 3.85, vertikal: 3.68				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 10

Füglister, Fabienne #70817180

StartNr: 31



10. Juni 2017 11:09

SUI


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.7	(581)
Serien:	101.3	103.2 101.2 101.9 100.6 101.5
Zähler:	41	19 0 0 0 0 0 0 0 0
Innenzehner:	21	
weiteste:	1587	(43), 1306 (1), 1217 (56)
beste Teiler	4.2	(19.) 143.1 (21.) 162.8 (33.)
Trefferlage	0.66 mm	links, 1.28 mm hoch
Streuwert	4.96,	horizontal: 5.69, vertikal: 4.11




Serie 1:	9.3 ↘	9.7 ↘	10.2 ←	10.2 →	10.3 ↘
	10.5 *	10.7 *	10.7 *	9.6 ↖	10.1 ↗
beste Teiler	197.2	(8.) 216.4 (7.)	364.1 (6.)		
Trefferlage	1.19 mm	links, 2.04 mm hoch			
Streuwert	5.30,	horizontal: 6.53, vertikal: 3.69			




Serie 2:	10.4 *	9.9 →	10.4 *	10.5 *	10.5 *
	10.6 *	9.6 ←	10.2 ←	10.9 *	10.2 ←
beste Teiler	4.2	(19.) 318.0 (16.)	365.0 (14.)		
Trefferlage	0.52 mm	links, 0.08 mm hoch			
Streuwert	4.27,	horizontal: 5.76, vertikal: 1.80			




Serie 3:	10.8 *	9.9 ↘	10.1 ↗	9.8 ↘	10.5 *
	10.2 ←	9.9 ↘	10.4 *	9.9 →	9.7 ↗
beste Teiler	143.1	(21.) 337.3 (25.)	429.1 (28.)		
Trefferlage	1.11 mm	links, 0.84 mm hoch			
Streuwert	5.26,	horizontal: 5.94, vertikal: 4.47			



Serie 4:	10.0 ←	10.1 →	10.7 *	9.6 ↙	10.5 *
	9.9 →	10.2 ↑	10.6 *	9.7 ↘	10.6 *
beste Teiler	162.8	(33.) 249.9 (38.)	295.9 (40.)		
Trefferlage	1.37 mm	rechts, 0.31 mm tief			
Streuwert	4.95,	horizontal: 5.88, vertikal: 3.80			



Serie 5:	10.3 ↙	10.3 ↑	9.0 ↘	10.3 ←	9.8 ↗
	10.2 ↗	10.0 ↘	9.7 ↙	10.7 *	10.3 →
beste Teiler	218.0	(49.) 531.6 (44.)	532.0 (42.)		
Trefferlage	2.26 mm	links, 2.55 mm hoch			
Streuwert	5.51,	horizontal: 5.50, vertikal: 5.51			



Serie 6:	9.8 ↘	10.5 *	10.6 *	10.2 ↗	10.5 *
	9.4 ↘	10.6 *	9.7 ↘	10.0 →	10.2 ↗
beste Teiler	270.9	(53.) 294.1 (57.)	328.2 (55.)		
Trefferlage	0.29 mm	links, 2.49 mm hoch			
Streuwert	4.92,	horizontal: 5.29, vertikal: 4.52			

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 11

Thurnwaldova, Sabina #70817181

StartNr: 32

10. Juni 2017 11:09

CZE

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **602.9** (573)

Serien: 98.6 101.2 102.0 99.8 101.1 100.2

Zähler: 33 27 0 0 0 0 0 0 0 0



Innenzehner: 22

weiteste: 1442 (50), 1396 (55), 1380 (60)

beste Teiler 127.5 (35.) 146.1 (11.) 186.6 (44.)

Trefferlage 0.63 mm rechts, 0.15 mm hoch

Streuwert 5.73, horizontal: 6.53, vertikal: 4.80




Serie 1:

10.3 ↖	9.8 ←	9.9 ↘	9.8 ↗	10.5 *
9.3 ↗	9.7 →	10.0 →	9.4 ↘	9.9 ↓

beste Teiler 365.8 (5.) 533.5 (1.) 721.5 (8.)

Trefferlage 0.82 mm rechts, 1.49 mm hoch

Streuwert 6.67, horizontal: 8.03, vertikal: 4.97




Serie 2:

10.8 *	9.4 ↑	9.5 ←	10.2 →	10.5 *
9.9 →	9.9 ↘	10.6 *	9.8 ←	10.6 *

beste Teiler 146.1 (11.) 264.7 (20.) 304.5 (18.)

Trefferlage 0.26 mm rechts, 0.32 mm hoch

Streuwert 5.66, horizontal: 6.42, vertikal: 4.78




Serie 3:

10.1 ↘	10.6 *	9.9 ↘	10.5 *	9.5 ↗
10.4 *	10.2 ←	10.6 *	10.5 *	9.7 ↘

beste Teiler 251.5 (22.) 291.1 (28.) 326.1 (24.)

Trefferlage 1.62 mm rechts, 0.30 mm tief

Streuwert 4.73, horizontal: 4.81, vertikal: 4.65



Serie 4:

9.8 ↖	9.4 ↘	10.4 *	10.2 ↗	10.8 *
9.5 ↗	9.5 →	10.4 *	10.4 *	9.4 ←

beste Teiler 127.5 (35.) 440.4 (33.) 450.1 (39.)

Trefferlage 0.47 mm rechts, 0.32 mm hoch

Streuwert 6.53, horizontal: 7.75, vertikal: 5.03




Serie 5:

10.1 ←	9.6 ↙	10.3 *	10.7 *	10.0 ↓
10.7 *	10.2 ↗	10.5 *	9.9 ↙	9.1 →

beste Teiler 186.6 (44.) 212.9 (46.) 356.6 (48.)

Trefferlage 0.97 mm rechts, 1.42 mm tief

Streuwert 5.54, horizontal: 5.85, vertikal: 5.21



Serie 6:

10.1 ↗	10.6 *	10.3 ↗	9.9 ↘	9.2 ←
10.5 *	10.4 *	9.6 ↓	10.4 *	9.2 ←

beste Teiler 270.2 (52.) 326.0 (56.) 409.2 (57.)

Trefferlage 0.37 mm links, 0.50 mm hoch

Streuwert 6.26, horizontal: 7.34, vertikal: 4.95

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 12

Haselsberger, Carmen #94

StartNr: 33



10. Juni 2017 11:13

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.5** (588)
 Serien: 102.8 99.4 102.1 102.6 101.1 103.5
 Zähler: 48 12 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1345 (17), 1322 (48), 1291 (12)
 beste Teiler 95.8 (56.) 118.9 (35.) 124.8 (21.)
 Trefferlage 0.05 mm links, 0.05 mm tief
 Streuwert 4.76, horizontal: 4.79, vertikal: 4.74




Serie 1:
 10.7 * 10.2 ↓ 10.4 * 10.3 ↘ 10.3 →
 10.7 * 10.3 ↙ 9.8 ↓ 10.3 ↓ 9.8 ↖
 beste Teiler 228.9 (6.) 239.7 (1.) 429.4 (3.)
 Trefferlage 0.10 mm rechts, 2.13 mm tief
 Streuwert 4.13, horizontal: 3.30, vertikal: 4.82




Serie 2:
 10.6 * 9.3 ↘ 10.0 ↗ 10.3 ↘ 9.6 ↖
 10.0 ↖ 9.3 ↖ 9.8 ↖ 10.4 * 10.1 ↖
 beste Teiler 250.9 (11.) 410.1 (19.) 550.0 (14.)
 Trefferlage 1.40 mm links, 0.80 mm hoch
 Streuwert 6.34, horizontal: 6.63, vertikal: 6.05




Serie 3:
 10.8 * 10.0 ↘ 10.0 ↗ 10.4 * 10.0 ↘
 9.9 ↘ 10.6 * 10.2 ↗ 10.1 ↖ 10.1 ←
 beste Teiler 124.8 (21.) 291.7 (27.) 411.9 (24.)
 Trefferlage 1.29 mm rechts, 0.70 mm tief
 Streuwert 4.54, horizontal: 4.50, vertikal: 4.59



Serie 4:
 10.0 ↓ 10.7 * 9.9 ↘ 10.0 ↗ 10.8 *
 10.5 * 10.3 * 9.9 ↗ 10.2 ↑ 10.3 *
 beste Teiler 118.9 (35.) 234.2 (32.) 351.3 (36.)
 Trefferlage 0.86 mm rechts, 0.24 mm hoch
 Streuwert 4.38, horizontal: 4.10, vertikal: 4.65



Serie 5:
 10.4 * 10.6 * 10.0 ↘ 10.0 ↓ 10.1 ↓
 10.5 * 9.7 ↑ 9.3 ↖ 10.0 ← 10.5 *
 beste Teiler 288.3 (42.) 339.6 (50.) 366.5 (46.)
 Trefferlage 0.88 mm links, 0.10 mm hoch
 Streuwert 5.47, horizontal: 5.62, vertikal: 5.31



Serie 6:
 10.5 * 10.1 ↖ 10.1 ↖ 10.6 * 10.0 →
 10.8 * 10.7 * 10.6 * 9.9 → 10.2 ↖
 beste Teiler 95.8 (56.) 172.5 (57.) 268.2 (54.)
 Trefferlage 0.30 mm links, 1.38 mm hoch
 Streuwert 3.80, horizontal: 4.57, vertikal: 2.82

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 14

Kolarikova, Katerina #70804335

StartNr: 35

10. Juni 2017 11:10

CZE

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **605.2** (579)

Serien: 99.4 101.5 100.5 102.8 99.8 101.2

Zähler: 41 17 2 0 0 0 0 0 0



Innenzehner: 19

weiteste: 1749 (48), 1610 (8), 1327 (17)

beste Teiler 48.1 (50.) 78.0 (38.) 179.6 (55.)

Trefferlage 0.60 mm rechts, 0.02 mm hoch

Streuwert 5.49, horizontal: 5.18, vertikal: 5.79




Serie 1:

10.2 ↗	10.2 →	9.3 →	10.4 *	9.6 ↘
10.0 →	10.4 *	8.9 ↑	10.1 ↖	10.3 ↘

beste Teiler 434.2 (4.) 480.0 (7.) 535.3 (10.)

Trefferlage 4.03 mm rechts, 1.98 mm hoch

Streuwert 5.70, horizontal: 4.86, vertikal: 6.43




Serie 2:

10.3 ↙	10.0 ←	10.7 *	10.0 ↘	10.5 *
9.6 ↗	9.3 ↘	10.4 *	10.2 →	10.5 *

beste Teiler 199.1 (13.) 331.6 (20.) 391.8 (15.)

Trefferlage 0.55 mm rechts, 0.12 mm hoch

Streuwert 5.46, horizontal: 5.84, vertikal: 5.06




Serie 3:

9.7 ↗	10.1 →	10.1 ↘	9.8 ↘	9.8 ↑
10.3 →	9.6 ↓	10.2 →	10.4 *	10.5 *

beste Teiler 328.2 (30.) 406.1 (29.) 540.7 (26.)

Trefferlage 3.26 mm rechts, 0.90 mm tief

Streuwert 4.95, horizontal: 4.14, vertikal: 5.65




Serie 4:

9.6 ↑	10.4 *	10.5 *	9.9 ↘	10.3 ↙
10.0 ↘	10.0 ↘	10.9 *	10.6 *	10.6 *

beste Teiler 78.0 (38.) 247.7 (39.) 311.3 (40.)

Trefferlage 0.03 mm links, 1.09 mm tief

Streuwert 4.54, horizontal: 3.98, vertikal: 5.04




Serie 5:

10.3 ↘	10.5 *	9.8 ↑	9.8 ↖	10.1 ↙
10.1 ↖	9.4 ↖	8.8 ↙	10.1 ↑	10.9 *

beste Teiler 48.1 (50.) 328.2 (42.) 555.3 (41.)

Trefferlage 3.43 mm links, 1.08 mm hoch

Streuwert 6.13, horizontal: 5.21, vertikal: 6.93



Serie 6:

10.5 *	10.4 *	9.9 ↓	10.4 *	10.7 *
9.6 ↑	9.8 ↖	10.0 ↓	10.0 ↗	9.9 ↙

beste Teiler 179.6 (55.) 361.1 (51.) 458.1 (52.)

Trefferlage 0.75 mm links, 1.04 mm tief

Streuwert 5.24, horizontal: 4.09, vertikal: 6.18

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 15

Luciani, Alessandra #70817183

StartNr: 36



10. Juni 2017 11:17

ITA


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **617.4** (590)
 Serien: 103.2 104.2 100.8 104.1 104.0 101.1
 Zähler: 50 10 0 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 1527 (24), 1148 (21), 1128 (55)
 beste Teiler 59.3 (34.) 85.6 (39.) 104.6 (33.)
 Trefferlage 0.42 mm links, 0.32 mm hoch
 Streuwert 4.28, horizontal: 4.70, vertikal: 3.81




Serie 1:
 10.1 ↖ 10.3 * 10.6 * 10.8 * 9.9 ←
 10.4 * 10.4 * 9.7 ↙ 10.2 ↘ 10.8 *
 beste Teiler 111.2 (4.) 152.5 (10.) 308.8 (3.)
 Trefferlage 1.96 mm links, 0.90 mm tief
 Streuwert 3.93, horizontal: 3.80, vertikal: 4.06




Serie 2:
 10.3 ↓ 10.2 ← 10.4 * 10.5 * 10.6 *
 10.4 * 10.5 * 10.4 * 10.2 ↓ 10.7 *
 beste Teiler 221.0 (20.) 304.1 (15.) 325.3 (17.)
 Trefferlage 0.53 mm rechts, 0.90 mm tief
 Streuwert 3.22, horizontal: 2.89, vertikal: 3.53




Serie 3:
 9.5 ← 10.3 * 10.6 * 9.0 → 10.1 ↓
 10.4 * 10.3 * 9.6 ↖ 10.4 * 10.6 *
 beste Teiler 316.2 (23.) 320.7 (30.) 407.4 (29.)
 Trefferlage 1.43 mm links, 0.51 mm hoch
 Streuwert 5.83, horizontal: 6.84, vertikal: 4.60



Serie 4:
 10.1 ↗ 10.6 * 10.8 * 10.9 * 10.0 →
 10.2 ↘ 9.9 ↑ 10.4 * 10.8 * 10.4 *
 beste Teiler 59.3 (34.) 85.6 (39.) 104.6 (33.)
 Trefferlage 1.23 mm rechts, 0.14 mm hoch
 Streuwert 3.73, horizontal: 3.39, vertikal: 4.04



Serie 5:
 9.8 ← 10.0 ↗ 10.7 * 10.4 * 10.3 *
 10.5 * 10.5 * 10.8 * 10.6 * 10.4 *
 beste Teiler 154.9 (48.) 180.8 (43.) 270.9 (49.)
 Trefferlage 2.08 mm links, 0.35 mm hoch
 Streuwert 3.29, horizontal: 3.47, vertikal: 3.09



Serie 6:
 10.5 * 10.1 ↑ 10.1 → 10.2 ↖ 9.5 ↖
 9.6 → 10.5 * 9.9 ↗ 10.2 → 10.5 *
 beste Teiler 348.6 (51.) 352.1 (60.) 395.4 (57.)
 Trefferlage 1.20 mm rechts, 2.74 mm hoch
 Streuwert 4.84, horizontal: 6.13, vertikal: 3.06

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 16

Schnider, Marina #70804316

StartNr: 37



10. Juni 2017 11:25

SUI


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	611.9	(585)					
Serien:	102.4	101.7	101.2	104.8	99.6	102.2	
Zähler:	45	15	0	0	0	0	0
Innenzehner:	28						
weiteste:	1565 (21), 1445 (44), 1220 (12)						
beste Teiler	72.0 (29.) 98.0 (38.) 160.6 (55.)						
Trefferlage	1.42 mm links, 0.82 mm hoch						
Streuwert	4.78, horizontal: 4.66, vertikal: 4.89						




Serie 1:	10.4 *	10.4 *	9.6 ↑	9.9 →	10.2 ↙
	10.7 *	10.2 ↘	10.1 →	10.5 *	10.4 *
beste Teiler	186.9 (6.) 369.7 (9.) 452.1 (10.)				
Trefferlage	1.54 mm rechts, 0.73 mm hoch				
Streuwert	4.46, horizontal: 4.15, vertikal: 4.76				




Serie 2:	9.9 ↙	9.4 ↖	10.4 *	10.6 *	10.2 ↓
	9.9 ↙	9.5 ↘	10.5 *	10.7 *	10.6 *
beste Teiler	238.2 (19.) 283.0 (14.) 311.2 (20.)				
Trefferlage	3.55 mm links, 0.08 mm tief				
Streuwert	4.68, horizontal: 4.42, vertikal: 4.93				




Serie 3:	9.0 ↘	9.9 ↙	10.6 *	10.4 *	9.9 ↙
	10.4 *	9.5 ↑	10.5 *	10.9 *	10.1 →
beste Teiler	72.0 (29.) 244.2 (23.) 326.4 (28.)				
Trefferlage	2.36 mm links, 1.58 mm hoch				
Streuwert	5.48, horizontal: 4.78, vertikal: 6.11				



Serie 4:	10.3 *	10.6 *	10.6 *	10.2 ↗	10.3 ←
	10.7 *	10.4 *	10.8 *	10.3 →	10.6 *
beste Teiler	98.0 (38.) 217.0 (36.) 279.5 (33.)				
Trefferlage	0.54 mm rechts, 1.14 mm hoch				
Streuwert	2.98, horizontal: 3.09, vertikal: 2.87				



Serie 5:	10.0 ↙	10.1 ↑	10.6 *	9.1 ↖	10.1 ↘
	9.7 ↑	9.9 ↘	10.0 ↗	10.6 *	9.5 ←
beste Teiler	243.1 (49.) 263.5 (43.) 657.7 (42.)				
Trefferlage	3.88 mm links, 3.03 mm hoch				
Streuwert	5.25, horizontal: 5.27, vertikal: 5.22				



Serie 6:	10.4 *	9.7 ↙	10.1 ↓	10.0 ↘	10.8 *
	10.0 ↖	10.2 ↖	10.4 *	10.1 ↓	10.5 *
beste Teiler	160.6 (55.) 342.4 (60.) 413.8 (58.)				
Trefferlage	0.83 mm links, 1.48 mm tief				
Streuwert	4.61, horizontal: 4.29, vertikal: 4.91				

ISSF Prone Women – Wertung – Frauen

StandNr: 17

Pribitzer, Marlene #108

StartNr: 38



10. Juni 2017 11:19

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	608.2	(580)
Serien:	102.6	101.6 99.0 101.3 101.3 102.4
Zähler:	40	20 0 0 0 0 0 0 0 0
Innenzehner:	28	
weiteste:	1401 (39), 1362 (29), 1303 (13)	
beste Teiler	139.8 (41.)	215.6 (5.) 252.4 (58.)
Trefferlage	0.78 mm rechts,	1.03 mm hoch
Streuwert	5.19, horizontal:	5.47, vertikal: 4.88



Serie 1:	10.0 ←	9.7 ↖	9.9 ←	10.5 *	10.7 *
	10.4 *	9.9 ↑	10.5 *	10.4 *	10.6 *
beste Teiler	215.6 (5.)	261.6 (10.)	361.9 (4.)		
Trefferlage	2.62 mm links, 1.01 mm hoch				
Streuwert	4.10, horizontal: 4.67, vertikal: 3.43				




Serie 2:	10.1 ↖	10.2 ↑	9.3 ↓	10.1 ←	10.6 *
	10.6 *	9.9 ↓	10.2 ←	10.5 *	10.1 ↑
beste Teiler	289.5 (15.)	310.9 (16.)	400.2 (19.)		
Trefferlage	2.55 mm links, 0.54 mm tief				
Streuwert	4.79, horizontal: 3.04, vertikal: 6.05				




Serie 3:	10.5 *	10.6 *	9.7 ↖	9.6 ↖	9.3 ↑
	9.5 ↖	9.7 ↖	10.4 *	9.2 →	10.5 *
beste Teiler	297.8 (22.)	325.4 (21.)	379.1 (30.)		
Trefferlage	0.76 mm links, 4.59 mm hoch				
Streuwert	6.07, horizontal: 6.82, vertikal: 5.23				



Serie 4:	9.8 →	10.3 *	10.3 ↓	9.7 ↓	10.5 *
	10.4 *	10.0 ↘	10.6 *	9.2 →	10.5 *
beste Teiler	311.3 (38.)	332.2 (35.)	352.2 (40.)		
Trefferlage	2.94 mm rechts, 2.75 mm tief				
Streuwert	4.68, horizontal: 5.41, vertikal: 3.80				



Serie 5:	10.8 *	10.0 →	10.6 *	10.3 *	10.3 *
	9.9 →	9.6 →	10.0 →	10.4 *	9.4 ↗
beste Teiler	139.8 (41.)	310.8 (43.)	432.4 (49.)		
Trefferlage	5.09 mm rechts, 1.15 mm hoch				
Streuwert	3.93, horizontal: 4.01, vertikal: 3.84				



Serie 6:	10.6 *	10.0 ↑	9.8 ↗	10.6 *	9.7 ↗
	10.2 →	10.5 *	10.6 *	9.8 ↗	10.6 *
beste Teiler	252.4 (58.)	276.4 (54.)	296.0 (51.)		
Trefferlage	2.61 mm rechts, 2.76 mm hoch				
Streuwert	3.95, horizontal: 3.98, vertikal: 3.91				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 18

Karasova, Sara #70817184

StartNr: 39

10. Juni 2017 11:02

CZE

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **612.8** (586)

Serien: 99.6 101.3 104.3 101.3 103.8 102.5

Zähler: 46 14 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 1198 (14), 1182 (10), 1139 (13)

beste Teiler 103.3 (57.) 121.0 (36.) 136.4 (6.)

Trefferlage 1.40 mm rechts, 1.16 mm hoch

Streuwert 4.53, horizontal: 4.89, vertikal: 4.14




Serie 1:

9.6 ↖	10.1 ↙	10.1 →	9.5 ↘	9.8 ↗
10.8 *	9.8 ↗	10.5 *	9.9 →	9.5 →

beste Teiler 136.4 (6.) 346.2 (8.) 674.2 (3.)

Trefferlage 2.17 mm rechts, 3.09 mm hoch

Streuwert 5.62, horizontal: 6.48, vertikal: 4.61




Serie 2:

10.5 *	10.0 ↓	9.5 ↘	9.5 ↗	10.7 *
10.0 →	10.2 →	10.2 ↘	10.4 *	10.3 ↙

beste Teiler 231.2 (15.) 322.2 (11.) 411.7 (19.)

Trefferlage 3.60 mm rechts, 1.94 mm tief

Streuwert 4.47, horizontal: 3.68, vertikal: 5.14




Serie 3:

10.0 ↗	10.7 *	10.2 ↖	10.6 *	10.5 *
10.6 *	10.6 *	10.5 *	10.2 ↗	10.4 *

beste Teiler 188.1 (22.) 267.6 (24.) 286.2 (26.)

Trefferlage 1.16 mm rechts, 2.14 mm hoch

Streuwert 2.91, horizontal: 3.30, vertikal: 2.45




Serie 4:

9.9 ↘	10.2 →	9.6 ↗	10.1 →	10.3 *
10.8 *	9.8 →	10.7 *	9.6 ↖	10.3 ↖

beste Teiler 121.0 (36.) 235.8 (38.) 520.3 (35.)

Trefferlage 1.86 mm rechts, 0.62 mm hoch

Streuwert 5.24, horizontal: 5.78, vertikal: 4.63




Serie 5:

10.3 *	10.4 *	10.5 *	10.2 ↑	10.3 *
10.7 *	10.7 *	10.1 →	10.2 ↑	10.4 *

beste Teiler 191.5 (46.) 239.7 (47.) 340.8 (43.)

Trefferlage 1.68 mm rechts, 1.74 mm hoch

Streuwert 3.11, horizontal: 3.39, vertikal: 2.80



Serie 6:

10.6 *	9.7 ↘	10.6 *	10.1 ↖	10.0 ↖
10.3 *	10.8 *	10.5 *	10.2 ↗	9.7 ↖

beste Teiler 103.3 (57.) 273.2 (53.) 282.7 (51.)

Trefferlage 2.08 mm links, 1.31 mm hoch

Streuwert 4.35, horizontal: 5.03, vertikal: 3.54

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 19

Gabrielli, Nicole #70804626

StartNr: 40



10. Juni 2017 11:04

ITA


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **622.0** (597)
 Serien: 102.4 104.1 104.1 104.0 103.4 104.0
 Zähler: 57 3 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 874 (4), 868 (26), 862 (13)
 beste Teiler 9.2 (53.) 114.0 (28.) 116.6 (35.)
 Trefferlage 0.14 mm rechts, 0.69 mm tief
 Streuwert 3.64, horizontal: 3.50, vertikal: 3.77




Serie 1:
 10.7 * 10.0 ↘ 10.4 * 9.9 ↙ 10.0 →
 10.4 * 10.1 ↘ 10.2 ↓ 10.4 * 10.3 ↘
 beste Teiler 189.8 (1.) 414.8 (9.) 429.3 (6.)
 Trefferlage 0.86 mm links, 0.12 mm tief
 Streuwert 4.41, horizontal: 4.66, vertikal: 4.15




Serie 2:
 10.3 ↑ 10.6 * 9.9 ↓ 10.8 * 10.5 *
 10.7 * 10.5 * 10.4 * 10.1 ↓ 10.3 ↘
 beste Teiler 152.5 (14.) 177.2 (16.) 302.6 (12.)
 Trefferlage 0.03 mm links, 1.31 mm tief
 Streuwert 3.55, horizontal: 2.72, vertikal: 4.22




Serie 3:
 10.5 * 10.8 * 10.2 ↘ 10.4 * 10.7 *
 9.9 ↗ 10.2 ↑ 10.8 * 10.2 ↘ 10.4 *
 beste Teiler 114.0 (28.) 124.9 (22.) 219.1 (25.)
 Trefferlage 1.46 mm rechts, 0.56 mm tief
 Streuwert 3.51, horizontal: 2.81, vertikal: 4.10



Serie 4:
 10.7 * 10.0 ↘ 10.4 * 10.1 ↑ 10.8 *
 10.6 * 10.7 * 10.4 * 10.1 ↙ 10.2 ↙
 beste Teiler 116.6 (35.) 213.5 (31.) 227.2 (37.)
 Trefferlage 0.80 mm links, 1.20 mm tief
 Streuwert 3.44, horizontal: 2.99, vertikal: 3.85



Serie 5:
 10.2 ↙ 10.5 * 10.2 ↓ 10.3 * 10.1 →
 10.7 * 10.6 * 10.5 * 10.1 ↑ 10.2 ↘
 beste Teiler 238.1 (46.) 305.2 (47.) 333.2 (48.)
 Trefferlage 0.14 mm links, 0.37 mm tief
 Streuwert 3.76, horizontal: 3.87, vertikal: 3.65



Serie 6:
 10.1 ↙ 10.6 * 10.9 * 10.7 * 10.2 ↗
 10.2 ↓ 10.0 → 10.4 * 10.6 * 10.3 →
 beste Teiler 9.2 (53.) 209.5 (54.) 247.7 (59.)
 Trefferlage 1.22 mm rechts, 0.56 mm tief
 Streuwert 3.60, horizontal: 3.72, vertikal: 3.47

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 20

Waibel, Sheileen #111

StartNr: 41



10. Juni 2017 11:19

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **614.4** (587)
 Serien: 102.6 102.0 103.1 101.5 102.6 102.6
 Zähler: 47 13 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 1096 (41), 1071 (39), 1045 (22)
 beste Teiler 116.2 (30.) 116.6 (56.) 124.2 (28.)
 Trefferlage 1.10 mm links, 0.63 mm hoch
 Streuwert 4.40, horizontal: 4.83, vertikal: 3.92




Serie 1:
 10.1 ← 10.6 * 10.6 * 10.2 ↘ 9.8 ↓
 10.7 * 10.1 ↗ 10.5 * 10.0 ↖ 10.0 →
 beste Teiler 214.0 (6.) 276.3 (2.) 311.6 (3.)
 Trefferlage 0.01 mm rechts, 0.54 mm hoch
 Streuwert 4.49, horizontal: 4.40, vertikal: 4.57




Serie 2:
 9.7 ↖ 9.8 → 10.4 * 10.7 * 10.0 ←
 9.9 ↑ 10.1 ↖ 10.7 * 10.5 * 10.2 ←
 beste Teiler 173.4 (18.) 224.5 (14.) 396.1 (19.)
 Trefferlage 2.28 mm links, 2.57 mm hoch
 Streuwert 4.25, horizontal: 5.02, vertikal: 3.30




Serie 3:
 9.9 → 9.6 ← 10.2 ↑ 10.7 * 10.2 ←
 10.3 * 10.7 * 10.8 * 9.9 ← 10.8 *
 beste Teiler 116.2 (30.) 124.2 (28.) 215.2 (24.)
 Trefferlage 1.67 mm links, 0.00 mm
 Streuwert 4.38, horizontal: 5.37, vertikal: 3.09



Serie 4:
 10.4 * 10.0 ↙ 10.3 * 10.3 * 10.0 ←
 10.2 ↓ 10.3 * 10.4 * 9.6 → 10.0 →
 beste Teiler 457.3 (31.) 477.2 (38.) 483.5 (33.)
 Trefferlage 1.28 mm links, 1.81 mm tief
 Streuwert 4.63, horizontal: 5.91, vertikal: 2.81



Serie 5:
 9.6 ↖ 10.5 * 10.8 * 10.1 ← 10.4 *
 10.6 * 10.3 ↗ 9.8 ↖ 9.9 ↙ 10.6 *
 beste Teiler 138.5 (43.) 279.2 (46.) 298.6 (50.)
 Trefferlage 1.79 mm links, 0.78 mm hoch
 Streuwert 4.46, horizontal: 4.16, vertikal: 4.75



Serie 6:
 10.1 ↑ 10.4 * 10.1 ↑ 10.4 * 10.0 ↑
 10.8 * 10.5 * 9.9 ← 9.8 → 10.6 *
 beste Teiler 116.6 (56.) 241.4 (60.) 371.4 (57.)
 Trefferlage 0.41 mm rechts, 1.74 mm hoch
 Streuwert 4.31, horizontal: 4.56, vertikal: 4.05

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 21

Kleinmanns, Amelie #70817185

StartNr: 42



10. Juni 2017 11:08

GER


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	621.6	(594)					
Serien:	102.4	104.3	102.6	103.7	104.3	104.3	
Zähler:	54	6	0	0	0	0	0
Innenzehner:	38						
weiteste:	1251	(2),	1090	(21),	987	(32)	
beste Teiler	60.2	(38.)	68.8	(58.)	88.9	(10.)	
Trefferlage	0.44	mm	rechts,	0.84	mm	hoch	
Streuwert	3.79,	horizontal:	3.64,	vertikal:	3.94		




Serie 1:						
	10.3 ↑	9.4 ↑	10.5 *	10.1 ↓	10.8 *	
	10.2 ↓	10.2 ↓	9.8 ↗	10.3 *	10.8 *	
beste Teiler	88.9	(10.)	152.7	(5.)	332.2	(3.)
Trefferlage	0.95	mm	rechts,	1.09	mm	hoch
Streuwert	4.81,	horizontal:	2.69,	vertikal:	6.25	




Serie 2:						
	10.4 *	10.7 *	10.7 *	10.2 ←	10.7 *	
	10.4 *	10.3 *	10.4 *	10.3 *	10.2 ↗	
beste Teiler	194.9	(15.)	211.0	(12.)	214.6	(13.)
Trefferlage	0.39	mm	links,	0.10	mm	hoch
Streuwert	3.16,	horizontal:	3.51,	vertikal:	2.77	




Serie 3:						
	9.6 →	10.4 *	10.6 *	10.6 *	10.0 ↗	
	10.1 →	10.3 *	10.0 ←	10.8 *	10.2 →	
beste Teiler	142.1	(29.)	304.6	(24.)	312.7	(23.)
Trefferlage	1.68	mm	rechts,	0.92	mm	hoch
Streuwert	4.36,	horizontal:	5.82,	vertikal:	2.03	



Serie 4:						
	10.3 *	9.7 ↑	9.8 ↓	10.3 *	10.7 *	
	10.8 *	10.6 *	10.9 *	10.1 ↘	10.5 *	
beste Teiler	60.2	(38.)	151.5	(36.)	236.2	(35.)
Trefferlage	0.01	mm	links,	1.22	mm	hoch
Streuwert	4.00,	horizontal:	2.26,	vertikal:	5.19	



Serie 5:						
	10.6 *	10.5 *	10.0 ↗	10.7 *	10.7 *	
	10.4 *	10.0 ↘	10.7 *	10.2 ↙	10.5 *	
beste Teiler	168.5	(44.)	189.2	(48.)	237.5	(45.)
Trefferlage	0.30	mm	rechts,	1.01	mm	hoch
Streuwert	3.31,	horizontal:	2.89,	vertikal:	3.68	



Serie 6:						
	10.6 *	10.5 *	9.8 ←	10.4 *	10.6 *	
	10.5 *	10.3 ↗	10.9 *	10.6 *	10.1 ↘	
beste Teiler	68.8	(58.)	250.0	(59.)	270.8	(55.)
Trefferlage	0.11	mm	rechts,	0.68	mm	hoch
Streuwert	3.61,	horizontal:	4.11,	vertikal:	3.04	

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 22

Zanner, Kristin #70817186

StartNr: 43

10. Juni 2017 11:22

BY

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **615.6** (588)

Serien: 100.4 103.0 103.7 101.4 101.9 105.2

Zähler: 48 12 0 0 0 0 0 0 0



Innenzehner: 35

weiteste: 1347 (8), 1148 (9), 1051 (17)

beste Teiler 57.2 (56.) 106.1 (26.) 146.5 (32.)

Trefferlage 1.29 mm links, 0.45 mm hoch

Streuwert 4.31, horizontal: 4.78, vertikal: 3.78




Serie 1:

10.4 *	9.7 ↗	10.3 *	10.4 *	9.8 ↓
10.2 ↘	10.2 →	9.3 ←	9.5 ←	10.6 *

beste Teiler 290.1 (10.) 409.4 (1.) 452.3 (4.)

Trefferlage 1.90 mm links, 0.60 mm tief

Streuwert 5.74, horizontal: 6.64, vertikal: 4.68




Serie 2:

9.9 ←	10.4 *	10.1 ←	10.4 *	10.5 *
10.7 *	9.6 ↗	10.4 *	10.4 *	10.6 *

beste Teiler 237.9 (16.) 266.6 (20.) 377.2 (15.)

Trefferlage 2.85 mm links, 1.30 mm hoch

Streuwert 3.52, horizontal: 3.05, vertikal: 3.94




Serie 3:

10.2 ←	10.5 *	10.3 *	10.2 ↖	10.5 *
10.8 *	10.7 *	9.7 ↘	10.4 *	10.4 *

beste Teiler 106.1 (26.) 199.0 (27.) 345.8 (22.)

Trefferlage 0.77 mm links, 1.08 mm tief

Streuwert 3.76, horizontal: 4.42, vertikal: 2.96




Serie 4:

10.0 ↗	10.8 *	9.9 ↘	10.4 *	10.0 ↑
10.0 ↖	9.7 ↖	10.5 *	9.7 ↖	10.4 *

beste Teiler 146.5 (32.) 381.0 (38.) 447.5 (40.)

Trefferlage 3.53 mm links, 1.89 mm hoch

Streuwert 4.43, horizontal: 4.43, vertikal: 4.43




Serie 5:

10.1 ↖	10.5 *	9.8 ↖	9.7 →	10.4 *
10.3 →	10.0 ↘	10.4 *	10.1 ↘	10.6 *

beste Teiler 309.2 (50.) 397.0 (42.) 434.2 (45.)

Trefferlage 0.48 mm rechts, 0.59 mm hoch

Streuwert 4.83, horizontal: 5.61, vertikal: 3.89



Serie 6:

10.6 *	10.5 *	10.3 *	10.3 ↘	10.4 *
10.9 *	10.4 *	10.7 *	10.6 *	10.5 *

beste Teiler 57.2 (56.) 186.0 (58.) 287.2 (59.)

Trefferlage 0.80 mm rechts, 0.62 mm hoch

Streuwert 2.67, horizontal: 2.94, vertikal: 2.38

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 23

Chevance, Aurelie #70817187

StartNr: 44



10. Juni 2017 11:26

France


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **599.8** (572)
 Serien: 100.9 101.8 101.4 98.7 100.5 96.5
 Zähler: 35 23 1 1 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2598 (60), 1747 (58), 1403 (8)
 beste Teiler 132.0 (25.) 138.9 (17.) 176.7 (20.)
 Trefferlage 0.24 mm rechts, 0.57 mm tief
 Streuwert 6.30, horizontal: 6.65, vertikal: 5.94




Serie 1:
 9.6 ← 9.5 ↙ 10.6 * 10.2 ↗ 10.3 *
 10.2 → 10.7 * 9.2 ↗ 10.7 * 9.9 ↓
 beste Teiler 203.5 (9.) 227.7 (7.) 301.0 (3.)
 Trefferlage 0.58 mm rechts, 0.18 mm hoch
 Streuwert 5.92, horizontal: 6.01, vertikal: 5.83




Serie 2:
 10.4 * 9.3 → 10.6 * 9.3 ↘ 9.5 ↓
 10.6 * 10.8 * 10.1 ↓ 10.5 * 10.7 *
 beste Teiler 138.9 (17.) 176.7 (20.) 277.0 (13.)
 Trefferlage 3.51 mm rechts, 1.75 mm tief
 Streuwert 4.94, horizontal: 4.61, vertikal: 5.26




Serie 3:
 9.7 ↗ 10.3 * 10.0 ↙ 10.1 ↘ 10.8 *
 10.2 ↖ 10.4 * 9.7 ↓ 10.1 ↓ 10.1 ↘
 beste Teiler 132.0 (25.) 439.0 (27.) 527.8 (22.)
 Trefferlage 1.13 mm rechts, 1.83 mm tief
 Streuwert 4.97, horizontal: 4.00, vertikal: 5.78



Serie 4:
 9.3 ↖ 10.0 ← 9.8 ← 10.5 * 9.7 →
 9.5 ↗ 9.9 ← 10.3 * 9.4 ↓ 10.3 *
 beste Teiler 336.4 (34.) 509.4 (38.) 520.9 (40.)
 Trefferlage 1.67 mm links, 0.26 mm tief
 Streuwert 6.73, horizontal: 7.51, vertikal: 5.84



Serie 5:
 10.6 * 9.6 → 10.4 * 10.2 ↘ 10.1 ↑
 9.8 ↗ 10.0 ↗ 9.3 ↖ 10.7 * 9.8 ↗
 beste Teiler 227.1 (49.) 270.2 (41.) 456.9 (43.)
 Trefferlage 1.66 mm rechts, 2.01 mm hoch
 Streuwert 5.61, horizontal: 5.94, vertikal: 5.26



Serie 6:
 9.9 ↓ 9.9 ↖ 10.0 ← 10.2 ↖ 9.8 ↘
 10.7 * 10.2 ↗ 8.8 ↓ 9.3 ↙ 7.7 ←
 beste Teiler 210.6 (56.) 599.4 (57.) 637.3 (54.)
 Trefferlage 3.72 mm links, 1.78 mm tief
 Streuwert 8.63, horizontal: 9.37, vertikal: 7.82

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 24

Schmid, Verena #70817188

StartNr: 45

10. Juni 2017 11:13

BY

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **602.0** (575)

Serien: 98.8 99.7 100.9 101.0 102.1 99.5

Zähler: 36 23 1 0 0 0 0 0 0 0



Innenzehner: 25

weiteste: 1940 (9), 1598 (24), 1460 (31)

beste Teiler 144.6 (28.) 163.1 (26.) 198.1 (52.)

Trefferlage 0.04 mm rechts, 1.78 mm hoch

Streuwert 5.84, horizontal: 5.73, vertikal: 5.94




Serie 1:

9.7 ↖	9.8 ↑	10.2 ↘	10.4 *	10.3 *
10.4 *	9.3 ↘	10.4 *	8.5 ↘	9.8 ↘

beste Teiler 426.8 (6.) 457.9 (4.) 463.9 (8.)

Trefferlage 0.71 mm links, 0.92 mm hoch

Streuwert 7.21, horizontal: 6.24, vertikal: 8.06




Serie 2:

10.5 *	9.5 ↑	9.5 →	9.6 ↖	10.2 ↘
10.1 ↘	10.7 *	9.9 ↙	9.5 ↑	10.2 ↑

beste Teiler 223.2 (17.) 355.2 (11.) 564.4 (15.)

Trefferlage 0.07 mm links, 2.45 mm hoch

Streuwert 6.10, horizontal: 5.57, vertikal: 6.58




Serie 3:

10.1 ↓	9.3 ←	10.0 ←	9.0 ↗	9.7 ↗
10.7 *	10.4 *	10.8 *	10.3 *	10.6 *

beste Teiler 144.6 (28.) 163.1 (26.) 264.5 (30.)

Trefferlage 0.11 mm rechts, 1.23 mm hoch

Streuwert 6.15, horizontal: 6.84, vertikal: 5.37




Serie 4:

9.1 ↑	10.5 *	10.3 ←	10.4 *	10.2 ↗
10.4 *	9.5 ↗	10.5 *	9.8 ↑	10.3 *

beste Teiler 351.5 (32.) 353.0 (38.) 457.4 (36.)

Trefferlage 0.16 mm links, 3.57 mm hoch

Streuwert 5.10, horizontal: 4.94, vertikal: 5.27




Serie 5:

10.4 *	10.4 *	10.6 *	9.4 ↘	9.8 ↑
10.7 *	10.5 *	10.5 *	9.5 ↑	10.3 *

beste Teiler 222.8 (46.) 274.0 (43.) 329.6 (47.)

Trefferlage 0.26 mm rechts, 0.97 mm hoch

Streuwert 5.04, horizontal: 4.16, vertikal: 5.78



Serie 6:

9.3 ↖	10.7 *	9.7 ↘	9.5 ↘	9.9 ↑
10.3 ↘	10.1 ↗	9.4 ↘	10.5 *	10.1 →

beste Teiler 198.1 (52.) 346.4 (59.) 545.6 (56.)

Trefferlage 0.83 mm rechts, 1.55 mm hoch

Streuwert 6.44, horizontal: 7.45, vertikal: 5.23

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 26

Kokoskova, Daniela #70804348

StartNr: 47



10. Juni 2017 11:19

CZE


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	617.1	(588)
Serien:	101.8 103.3 103.3 102.1 102.7 103.9	
Zähler:	48 12 0 0 0 0 0 0 0	
Innenzehner:	35	
weiteste:	1498 (6), 1121 (45), 1066 (36)	
beste Teiler	105.0 (42.) 105.1 (56.) 117.4 (34.)	
Trefferlage	0.31 mm links, 0.33 mm tief	
Streuwert	4.30, horizontal: 4.47, vertikal: 4.13	




Serie 1:	9.8 ↖	10.2 ↖	10.6 *	10.0 ↘	10.2 ↘
	9.1 →	10.4 *	10.5 *	10.6 *	10.4 *
beste Teiler	294.2 (3.)	315.9 (9.)	382.7 (8.)		
Trefferlage	0.26 mm links, 1.39 mm tief				
Streuwert	5.20, horizontal: 6.70, vertikal: 3.04				




Serie 2:	9.9 ↖	10.2 ↗	10.5 *	10.2 ↙	10.3 *
	10.6 *	10.6 *	10.5 *	9.9 →	10.6 *
beste Teiler	272.1 (16.)	283.0 (20.)	287.6 (17.)		
Trefferlage	0.53 mm links, 0.60 mm tief				
Streuwert	3.99, horizontal: 4.46, vertikal: 3.47				




Serie 3:	10.3 ↙	10.2 ↗	10.3 *	10.1 ↖	10.4 *
	10.4 *	10.2 ↘	10.6 *	10.4 *	10.4 *
beste Teiler	308.9 (28.)	423.2 (25.)	453.0 (30.)		
Trefferlage	0.21 mm rechts, 0.94 mm tief				
Streuwert	3.74, horizontal: 4.30, vertikal: 3.07				



Serie 4:	10.4 *	9.7 ←	10.2 ↖	10.8 *	10.6 *
	9.6 ↙	10.3 *	10.3 *	10.3 ↓	9.9 ↓
beste Teiler	117.4 (34.)	290.8 (35.)	418.0 (31.)		
Trefferlage	2.20 mm links, 1.76 mm tief				
Streuwert	4.36, horizontal: 3.89, vertikal: 4.78				



Serie 5:	10.6 *	10.8 *	10.5 *	10.2 ↘	9.5 ↗
	10.4 *	10.7 *	10.8 *	9.6 ↗	9.6 ↖
beste Teiler	105.0 (42.)	129.2 (48.)	170.4 (47.)		
Trefferlage	0.83 mm rechts, 2.53 mm hoch				
Streuwert	4.48, horizontal: 3.98, vertikal: 4.94				



Serie 6:	10.7 *	10.4 *	10.5 *	10.7 *	9.8 ↗
	10.8 *	10.4 *	10.1 ↓	9.8 ↖	10.7 *
beste Teiler	105.1 (56.)	213.2 (60.)	221.4 (51.)		
Trefferlage	0.03 mm rechts, 0.14 mm hoch				
Streuwert	3.95, horizontal: 3.32, vertikal: 4.50				

ISSF Prone Women – Wertung – Frauen

StandNr: 27

Beyeler, Irene #70817190

StartNr: 48



10. Juni 2017 11:21

SUI


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **620.1** (589)
 Serien: 102.3 102.0 104.4 104.4 103.7 103.3
 Zähler: 49 11 0 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 1112 (17), 938 (53), 915 (41)
 beste Teiler 44.4 (42.) 95.7 (30.) 128.0 (44.)
 Trefferlage 0.59 mm rechts, 0.98 mm tief
 Streuwert 3.86, horizontal: 3.91, vertikal: 3.82




Serie 1:
 9.9 ↖ 10.5 * 9.9 ↙ 9.9 ↓ 10.5 *
 10.6 * 10.1 ↓ 10.7 * 10.0 ↓ 10.2 ←
 beste Teiler 197.7 (8.) 275.3 (6.) 389.3 (5.)
 Trefferlage 1.32 mm links, 1.89 mm tief
 Streuwert 4.35, horizontal: 3.81, vertikal: 4.82




Serie 2:
 10.5 * 9.9 ↓ 10.6 * 10.7 * 10.4 *
 9.9 ↓ 9.6 ↘ 10.5 * 9.8 → 10.1 ↗
 beste Teiler 219.4 (14.) 313.4 (13.) 342.2 (11.)
 Trefferlage 2.86 mm rechts, 2.25 mm tief
 Streuwert 4.13, horizontal: 4.33, vertikal: 3.93




Serie 3:
 10.1 ↗ 10.5 * 10.3 ↘ 10.8 * 10.1 ↑
 10.5 * 10.3 * 10.3 * 10.7 * 10.8 *
 beste Teiler 95.7 (30.) 131.5 (24.) 206.1 (29.)
 Trefferlage 1.86 mm rechts, 0.45 mm hoch
 Streuwert 3.05, horizontal: 1.98, vertikal: 3.83



Serie 4:
 10.0 ↘ 10.5 * 10.3 ↗ 10.5 * 10.7 *
 10.6 * 10.5 * 10.2 ↖ 10.7 * 10.4 *
 beste Teiler 197.0 (35.) 237.2 (39.) 276.0 (36.)
 Trefferlage 1.27 mm rechts, 0.73 mm hoch
 Streuwert 3.27, horizontal: 3.52, vertikal: 3.00



Serie 5:
 9.8 ↘ 10.9 * 10.6 * 10.8 * 10.1 ↓
 10.4 * 10.2 ↘ 9.9 ↙ 10.3 ↓ 10.7 *
 beste Teiler 44.4 (42.) 128.0 (44.) 191.3 (50.)
 Trefferlage 0.80 mm rechts, 2.67 mm tief
 Streuwert 3.41, horizontal: 3.88, vertikal: 2.87



Serie 6:
 10.3 * 9.8 ↖ 9.8 ↙ 10.5 * 10.7 *
 10.6 * 10.2 ↓ 10.6 * 10.4 * 10.4 *
 beste Teiler 212.5 (55.) 274.0 (58.) 303.7 (56.)
 Trefferlage 1.89 mm links, 0.27 mm tief
 Streuwert 3.83, horizontal: 4.05, vertikal: 3.60

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 28

Olry, Jennifer #70817191

StartNr: 49



10. Juni 2017 11:18

France


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	614.6	(590)					
Serien:	102.2	102.3	102.9	101.3	101.5	104.4	
Zähler:	50	10	0	0	0	0	0
Innenzehner:	29						
weiteste:	1234 (27), 1193 (43), 1161 (10)						
beste Teiler	65.1 (23.) 67.2 (4.) 87.3 (21.)						
Trefferlage	0.27 mm links, 0.30 mm hoch						
Streuwert	4.55, horizontal: 4.57, vertikal: 4.53						




Serie 1:	10.3 *	10.3 *	10.2 ←	10.9 *	10.1 →
	10.2 ↖	10.6 *	10.5 *	9.6 ↗	9.5 ↗
beste Teiler	67.2 (4.) 241.2 (7.) 363.2 (8.)				
Trefferlage	1.03 mm links, 2.40 mm hoch				
Streuwert	4.55, horizontal: 6.02, vertikal: 2.26				




Serie 2:	10.1 ↓	10.3 *	10.5 *	10.6 *	10.3 *
	10.2 ↗	10.2 ↓	9.9 ↑	9.6 ↑	10.6 *
beste Teiler	295.6 (20.) 301.8 (14.) 335.9 (13.)				
Trefferlage	1.39 mm rechts, 1.32 mm hoch				
Streuwert	4.51, horizontal: 2.62, vertikal: 5.82				




Serie 3:	10.8 *	10.6 *	10.9 *	10.1 ↘	10.1 ↖
	10.5 *	9.4 ↓	10.1 →	10.2 ↓	10.2 ↑
beste Teiler	65.1 (23.) 87.3 (21.) 305.8 (22.)				
Trefferlage	1.94 mm rechts, 0.37 mm tief				
Streuwert	4.45, horizontal: 3.01, vertikal: 5.52				



Serie 4:	10.3 *	9.6 ←	10.1 ↓	10.1 ↓	10.4 *
	10.0 ↘	10.5 *	10.0 ↓	10.0 ↗	10.3 ↗
beste Teiler	347.6 (37.) 446.0 (35.) 519.7 (31.)				
Trefferlage	0.20 mm rechts, 0.89 mm tief				
Streuwert	5.06, horizontal: 5.07, vertikal: 5.05				



Serie 5:	10.5 *	10.8 *	9.5 ←	10.0 ↖	10.2 ↓
	9.9 ↘	9.9 ↘	10.2 ↘	10.5 *	10.0 ↘
beste Teiler	130.2 (42.) 375.4 (41.) 386.2 (49.)				
Trefferlage	3.67 mm links, 0.75 mm hoch				
Streuwert	4.57, horizontal: 4.44, vertikal: 4.69				



Serie 6:	10.7 *	10.5 *	10.5 *	10.6 *	10.7 *
	10.4 *	9.5 →	10.4 *	10.6 *	10.5 *
beste Teiler	187.2 (55.) 195.4 (51.) 267.7 (54.)				
Trefferlage	0.46 mm links, 1.41 mm tief				
Streuwert	3.39, horizontal: 4.12, vertikal: 2.45				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 29

Huard, Samira #70804705

StartNr: 50



10. Juni 2017 11:23

France


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **606.3** (579)
 Serien: 100.7 102.2 102.8 100.5 100.3 99.8
 Zähler: 39 21 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1353 (35), 1301 (42), 1183 (36)
 beste Teiler 114.0 (11.) 183.8 (27.) 243.2 (33.)
 Trefferlage 0.05 mm links, 0.84 mm tief
 Streuwert 5.24, horizontal: 5.03, vertikal: 5.43




Serie 1:
 10.3 * 10.0 ↗ 9.8 ↘ 10.5 * 9.6 ↓
 9.9 ↘ 10.2 ↓ 9.7 ↗ 10.2 ↓ 10.5 *
 beste Teiler 369.5 (10.) 396.0 (4.) 528.8 (1.)
 Trefferlage 0.42 mm rechts, 0.51 mm tief
 Streuwert 5.64, horizontal: 5.24, vertikal: 6.03




Serie 2:
 10.8 * 10.2 ↖ 9.6 ↖ 10.4 * 10.5 *
 9.8 → 10.3 ↓ 10.1 ↘ 9.9 ↑ 10.6 *
 beste Teiler 114.0 (11.) 309.2 (20.) 396.7 (15.)
 Trefferlage 0.33 mm links, 0.10 mm hoch
 Streuwert 4.89, horizontal: 5.16, vertikal: 4.59




Serie 3:
 10.3 * 10.1 ↓ 10.4 * 10.5 * 10.6 *
 9.8 ↓ 10.7 * 9.9 ↓ 10.3 * 10.2 ↑
 beste Teiler 183.8 (27.) 295.3 (25.) 394.8 (24.)
 Trefferlage 1.40 mm rechts, 0.22 mm hoch
 Streuwert 4.11, horizontal: 1.93, vertikal: 5.49



Serie 4:
 10.6 * 10.4 * 10.6 * 9.6 → 9.3 ↓
 9.5 ↖ 10.0 ↓ 9.6 ↓ 10.5 * 10.4 *
 beste Teiler 243.2 (33.) 268.9 (31.) 367.9 (39.)
 Trefferlage 0.57 mm rechts, 4.07 mm tief
 Streuwert 5.31, horizontal: 4.61, vertikal: 5.92



Serie 5:
 10.0 ↑ 9.3 ↖ 9.8 ← 10.4 * 10.0 ↓
 10.3 * 10.5 * 10.2 ↗ 9.7 ↖ 10.1 →
 beste Teiler 339.4 (47.) 446.9 (44.) 487.0 (46.)
 Trefferlage 1.35 mm links, 1.42 mm tief
 Streuwert 5.69, horizontal: 5.68, vertikal: 5.71



Serie 6:
 10.2 → 9.9 ↓ 9.8 ↗ 10.3 ← 10.1 ←
 9.6 → 9.5 ↘ 10.4 * 10.2 ↘ 9.8 ←
 beste Teiler 473.3 (58.) 548.0 (54.) 577.1 (51.)
 Trefferlage 1.03 mm links, 0.63 mm hoch
 Streuwert 5.92, horizontal: 6.97, vertikal: 4.64

ISSF Prone Women – Wertung – Frauen

StandNr: 30

Pizzi, Elena #70817192

StartNr: 51



10. Juni 2017 11:16

ITA


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.7** (590)
 Serien: 102.1 102.6 104.4 102.9 100.7 104.0
 Zähler: 50 10 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 1299 (3), 1260 (35), 1201 (42)
 beste Teiler 77.6 (39.) 187.5 (58.) 219.4 (57.)
 Trefferlage 0.75 mm links, 0.68 mm hoch
 Streuwert 4.22, horizontal: 4.16, vertikal: 4.28




Serie 1:
 10.6 * 10.2 ↘ 9.3 ↘ 10.6 * 10.6 *
 10.3 ↘ 10.4 * 10.1 ↘ 9.8 ↗ 10.2 ↗
 beste Teiler 250.6 (1.) 281.8 (4.) 312.2 (5.)
 Trefferlage 1.39 mm links, 3.46 mm hoch
 Streuwert 4.18, horizontal: 5.08, vertikal: 3.02




Serie 2:
 10.0 ↓ 10.2 ↙ 10.1 ↖ 10.6 * 10.6 *
 10.0 ↖ 10.6 * 10.4 * 10.1 ↖ 10.0 ↙
 beste Teiler 249.1 (17.) 310.6 (15.) 315.0 (14.)
 Trefferlage 2.77 mm links, 0.77 mm hoch
 Streuwert 3.81, horizontal: 2.59, vertikal: 4.72




Serie 3:
 10.5 * 10.5 * 10.4 * 10.5 * 10.4 *
 10.4 * 10.4 * 10.4 * 10.4 * 10.5 *
 beste Teiler 328.9 (21.) 365.3 (22.) 368.8 (30.)
 Trefferlage 1.12 mm rechts, 0.04 mm tief
 Streuwert 2.97, horizontal: 2.75, vertikal: 3.17



Serie 4:
 10.6 * 10.2 ↙ 10.6 * 10.3 * 9.4 ↖
 9.8 ↓ 10.6 * 9.9 ↘ 10.9 * 10.6 *
 beste Teiler 77.6 (39.) 276.3 (40.) 277.0 (33.)
 Trefferlage 1.98 mm links, 1.38 mm hoch
 Streuwert 4.39, horizontal: 2.82, vertikal: 5.54



Serie 5:
 9.9 ↘ 9.4 → 9.9 ↘ 10.4 * 9.8 ↖
 10.5 * 10.5 * 10.2 ↙ 10.1 ↖ 10.0 ↗
 beste Teiler 345.5 (47.) 372.3 (46.) 427.6 (44.)
 Trefferlage 0.93 mm rechts, 0.64 mm tief
 Streuwert 5.51, horizontal: 6.49, vertikal: 4.32



Serie 6:
 10.2 ↙ 10.6 * 10.4 * 10.2 ↘ 10.5 *
 10.5 * 10.7 * 10.7 * 10.3 * 9.9 ↗
 beste Teiler 187.5 (58.) 219.4 (57.) 275.3 (52.)
 Trefferlage 0.43 mm links, 0.82 mm tief
 Streuwert 3.53, horizontal: 3.08, vertikal: 3.92

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 31

Orth, Jaqueline #70817193

StartNr: 52

10. Juni 2017 11:17

GER

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **597.9** (572)

Serien: 96.0 98.2 103.5 101.4 97.9 100.9

Zähler: 33 26 1 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1672 (20), 1593 (43), 1487 (7)

beste Teiler 172.1 (53.) 207.4 (24.) 229.6 (29.)

Trefferlage 0.85 mm links, 0.69 mm tief

Streuwert 6.27, horizontal: 7.50, vertikal: 4.75




Serie 1:

10.1 ↖	10.5 *	10.3 *	9.2 ↖	9.2 ↗
9.7 ↗	9.1 ↘	9.2 ←	9.5 ↑	9.2 ↖

beste Teiler 362.2 (2.) 529.0 (3.) 660.2 (1.)

Trefferlage 5.26 mm links, 0.90 mm tief

Streuwert 7.60, horizontal: 7.89, vertikal: 7.30




Serie 2:

10.6 *	9.5 ↘	9.4 ↘	9.2 ↖	9.5 ↘
10.3 ↙	10.2 →	10.0 ↙	10.6 *	8.9 ↖

beste Teiler 273.4 (19.) 274.4 (11.) 550.7 (16.)

Trefferlage 0.62 mm rechts, 1.74 mm tief

Streuwert 7.49, horizontal: 9.02, vertikal: 5.57




Serie 3:

10.3 *	10.1 ↑	9.5 ↘	10.7 *	10.6 *
10.4 *	10.5 *	10.3 *	10.7 *	10.4 *

beste Teiler 207.4 (24.) 229.6 (29.) 314.3 (25.)

Trefferlage 1.09 mm rechts, 0.96 mm tief

Streuwert 3.93, horizontal: 3.61, vertikal: 4.22




Serie 4:

10.5 *	10.2 ↗	9.7 →	10.5 *	10.6 *
9.8 ↘	9.8 ↖	10.3 ↘	10.2 →	9.8 →

beste Teiler 318.0 (35.) 352.1 (31.) 363.8 (34.)

Trefferlage 3.91 mm rechts, 0.06 mm hoch

Streuwert 4.39, horizontal: 5.15, vertikal: 3.45




Serie 5:

10.4 *	9.6 →	9.0 ↖	9.8 ↗	10.4 *
10.6 *	9.3 →	9.7 ←	9.5 ↖	9.6 ↘

beste Teiler 301.7 (46.) 402.5 (45.) 444.8 (41.)

Trefferlage 2.15 mm links, 0.12 mm hoch

Streuwert 7.34, horizontal: 9.61, vertikal: 3.93



Serie 6:

10.0 ↘	10.3 ↘	10.7 *	9.5 ↖	10.0 ↗
9.8 ↖	10.2 ←	10.5 *	10.0 ↑	9.9 ←

beste Teiler 172.1 (53.) 338.9 (58.) 544.4 (52.)

Trefferlage 3.37 mm links, 0.71 mm tief

Streuwert 4.78, horizontal: 5.51, vertikal: 3.93

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 32

Bartonickova, Vlasta #70817194

StartNr: 53



10. Juni 2017 11:09

CZE


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	602.8	(575)
Serien:	102.9 99.5 102.7 97.7 100.0 100.0	
Zähler:	37 21 2 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	2027 (47), 1677 (40), 1598 (51)	
beste Teiler	191.3 (4.) 216.3 (23.) 224.2 (9.)	
Trefferlage	0.56 mm links, 0.70 mm hoch	
Streuwert	5.93, horizontal: 5.97, vertikal: 5.88	




Serie 1:	10.6 *	10.4 *	9.9 ↖	10.7 *	10.2 ↙
	10.6 *	9.9 ↑	10.6 *	10.7 *	9.3 ↘
beste Teiler	191.3 (4.)	224.2 (9.)	270.6 (8.)		
Trefferlage	1.71 mm links, 2.64 mm hoch				
Streuwert	4.20, horizontal: 3.77, vertikal: 4.59				




Serie 2:	9.6 →	9.4 ↑	10.2 ↘	9.0 ↓	9.7 ↙
	10.1 ↖	10.5 *	10.2 →	10.2 ↖	10.6 *
beste Teiler	250.3 (20.)	384.5 (17.)	562.5 (13.)		
Trefferlage	0.67 mm links, 2.46 mm hoch				
Streuwert	6.39, horizontal: 5.96, vertikal: 6.80				




Serie 3:	10.5 *	10.1 ↑	10.7 *	9.7 ↖	10.5 *
	10.1 →	10.5 *	10.1 ↙	10.6 *	9.9 →
beste Teiler	216.3 (23.)	297.8 (29.)	387.2 (25.)		
Trefferlage	0.38 mm links, 1.31 mm hoch				
Streuwert	4.34, horizontal: 4.77, vertikal: 3.85				



Serie 4:	9.0 ↑	9.4 ↗	10.2 ↑	10.2 →	10.3 *
	9.8 ↘	9.4 ↓	10.2 ↘	10.3 *	8.9 ↙
beste Teiler	513.4 (35.)	523.6 (39.)	564.7 (38.)		
Trefferlage	2.56 mm rechts, 0.13 mm tief				
Streuwert	7.49, horizontal: 6.46, vertikal: 8.39				



Serie 5:	10.6 *	10.3 ↙	10.4 *	9.5 ↖	9.9 ↙
	9.9 ↘	8.4 ↘	10.4 *	10.6 *	10.0 ↓
beste Teiler	272.6 (49.)	273.0 (41.)	434.0 (48.)		
Trefferlage	0.98 mm links, 2.17 mm tief				
Streuwert	6.53, horizontal: 7.44, vertikal: 5.46				



Serie 6:	9.0 ↖	9.8 ↘	10.2 ↖	9.8 ↖	10.4 *
	9.7 ↘	10.3 ↓	10.6 *	9.9 ↓	10.3 *
beste Teiler	287.9 (58.)	452.1 (55.)	482.1 (60.)		
Trefferlage	2.18 mm links, 0.10 mm hoch				
Streuwert	6.11, horizontal: 6.98, vertikal: 5.09				

Meyton Elektronik

ISSF Prone Women – Wertung – Frauen

StandNr: 33

Oseguera Riojas, Andrea #70817195

StartNr: 54



10. Juni 2017 11:06

ITA


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.5** (584)
 Serien: 100.6 102.4 101.8 103.4 103.6 103.7
 Zähler: 45 14 1 0 0 0 0 0 0
 Innenzehner: 36
 weiteste: 1627 (6), 1463 (4), 1374 (2)
 beste Teiler 68.2 (34.) 80.0 (17.) 86.8 (3.)
 Trefferlage 0.42 mm links, 0.65 mm hoch
 Streuwert 4.68, horizontal: 4.37, vertikal: 4.96




Serie 1:
 9.9 ↖ 9.2 ← 10.8 * 9.1 ↘ 10.4 *
 8.9 ↑ 10.7 * 10.0 ↘ 10.8 * 10.8 *
 beste Teiler 86.8 (3.) 117.5 (9.) 156.6 (10.)
 Trefferlage 0.38 mm links, 0.76 mm tief
 Streuwert 6.74, horizontal: 6.42, vertikal: 7.04




Serie 2:
 9.8 ↙ 9.9 ← 9.8 ↓ 9.9 ↘ 10.3 ↗
 10.6 * 10.9 * 9.9 ↑ 10.7 * 10.6 *
 beste Teiler 80.0 (17.) 201.7 (19.) 273.0 (16.)
 Trefferlage 1.92 mm links, 0.77 mm tief
 Streuwert 4.66, horizontal: 4.14, vertikal: 5.13




Serie 3:
 9.9 → 10.0 ↘ 10.4 * 9.8 → 10.0 ↑
 10.8 * 10.4 * 10.5 * 10.3 * 9.7 ↑
 beste Teiler 151.4 (26.) 397.7 (28.) 420.0 (27.)
 Trefferlage 2.81 mm rechts, 1.88 mm hoch
 Streuwert 4.37, horizontal: 3.96, vertikal: 4.74



Serie 4:
 10.7 * 10.5 * 10.4 * 10.9 * 9.3 ↑
 10.4 * 10.1 ↑ 10.1 ↑ 10.3 * 10.7 *
 beste Teiler 68.2 (34.) 206.3 (31.) 222.1 (40.)
 Trefferlage 1.36 mm links, 2.40 mm hoch
 Streuwert 3.92, horizontal: 1.79, vertikal: 5.24



Serie 5:
 10.3 * 10.3 ↖ 9.5 ← 10.2 ↘ 10.4 *
 10.4 * 10.7 * 10.5 * 10.8 * 10.5 *
 beste Teiler 139.2 (49.) 175.4 (47.) 357.3 (50.)
 Trefferlage 1.74 mm links, 0.69 mm hoch
 Streuwert 3.85, horizontal: 4.23, vertikal: 3.42



Serie 6:
 10.6 * 9.9 ↑ 10.2 → 10.3 * 10.5 *
 10.5 * 10.4 * 10.6 * 10.3 * 10.4 *
 beste Teiler 270.7 (58.) 320.8 (51.) 328.4 (55.)
 Trefferlage 0.03 mm rechts, 0.50 mm hoch
 Streuwert 3.67, horizontal: 3.53, vertikal: 3.80

ISSF Prone Women – Wertung – Frauen

StandNr: 34

Köck, Rebecca #97

StartNr: 55

10. Juni 2017 11:12

AUT

Unterschrift des Schützen

Meyton Elektronik