





Ergebnis: **396** (417.0)  
 Serien: 99 100 99 98  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 377 (37), 313 (28), 294 (10)  
 beste Teiler 2.2 (2.) 13.0 (30.) 15.0 (6.)  
 Trefferlage 0.24 mm links, 0.14 mm hoch  
 Streuwert 1.11, horizontal: 1.27, vertikal: 0.92




Serie 1:  
 10.4 \*                      10.9 \*                      10.6 \*                      10.6 \*                      10.4 \*  
 10.9 \*                      10.2 \*                      10.8 \*                      10.6 \*                      9.8 ←  
 beste Teiler 2.2 (2.) 15.0 (6.) 38.1 (8.)  
 Trefferlage 0.23 mm links, 0.05 mm tief  
 Streuwert 0.99, horizontal: 1.28, vertikal: 0.57



Serie 2:  
 10.6 \*                      10.9 \*                      10.1 ↙                      10.3 \*                      10.3 \*  
 10.8 \*                      10.0 ←                      10.1 →                      10.8 \*                      10.2 \*  
 beste Teiler 17.0 (12.) 35.4 (19.) 42.2 (16.)  
 Trefferlage 0.02 mm rechts, 0.27 mm tief  
 Streuwert 1.17, horizontal: 1.52, vertikal: 0.64





Serie 3:  
 10.6 \*                      10.4 \*                      10.4 \*                      10.6 \*                      10.5 \*  
 10.3 \*                      10.3 \*                      9.7 ←                      10.3 \*                      10.9 \*  
 beste Teiler 13.0 (30.) 81.0 (21.) 100.4 (24.)  
 Trefferlage 0.15 mm links, 0.05 mm hoch  
 Streuwert 1.16, horizontal: 1.31, vertikal: 0.98




Serie 4:  
 10.6 \*                      9.9 ←                      10.6 \*                      10.6 \*                      10.5 \*  
 10.7 \*                      9.4 ↘                      10.9 \*                      10.1 ↑                      10.4 \*  
 beste Teiler 22.6 (38.) 54.0 (36.) 83.7 (33.)  
 Trefferlage 0.63 mm links, 0.83 mm hoch  
 Streuwert 1.07, horizontal: 1.05, vertikal: 1.09

Unterschrift des Schützen


Ergebnis: **388** (407.4)  
 Serien: 97 96 97 98  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 505 (11), 429 (22), 400 (36)  
 beste Teiler 37.2 (14.) 39.0 (13.) 39.8 (3.)  
 Trefferlage 0.12 mm links, 0.45 mm hoch  
 Streuwert 1.53, horizontal: 1.69, vertikal: 1.35




Serie 1:  
 9.9 ↖ 10.3 \* 10.8 \* 10.6 \* 10.2 \*  
 10.4 \* 10.0 ↗ 10.4 \* 9.8 ↑ 9.4 ↘  
 beste Teiler 39.8 (3.) 81.7 (4.) 134.6 (8.)  
 Trefferlage 0.16 mm links, 0.91 mm hoch  
 Streuwert 1.45, horizontal: 1.64, vertikal: 1.24



Serie 2:  
 8.9 ↙ 10.3 \* 10.8 \* 10.8 \* 9.8 →  
 10.1 ↗ 10.8 \* 9.8 ↖ 10.2 \* 10.1 ↘  
 beste Teiler 37.2 (14.) 39.0 (13.) 50.9 (17.)  
 Trefferlage 0.06 mm rechts, 0.49 mm hoch  
 Streuwert 1.76, horizontal: 2.03, vertikal: 1.44





Serie 3:  
 10.5 \* 9.2 ↖ 9.9 ↗ 10.4 \* 10.4 \*  
 10.4 \* 10.1 ↑ 9.9 ↘ 10.3 \* 10.5 \*  
 beste Teiler 108.9 (21.) 109.6 (30.) 130.1 (25.)  
 Trefferlage 0.49 mm links, 0.65 mm hoch  
 Streuwert 1.49, horizontal: 1.76, vertikal: 1.16




Serie 4:  
 10.4 \* 10.4 \* 10.8 \* 10.2 \* 10.2 \*  
 9.4 → 10.4 \* 10.4 \* 10.3 \* 9.9 ↓  
 beste Teiler 48.0 (33.) 131.5 (38.) 135.0 (31.)  
 Trefferlage 0.10 mm rechts, 0.24 mm tief  
 Streuwert 1.48, horizontal: 1.51, vertikal: 1.46

Unterschrift des Schützen


Ergebnis: **396** (414.5)  
 Serien: 99 97 100 100  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 356 (15), 331 (16), 267 (12)  
 beste Teiler 11.4 (30.) 18.0 (38.) 25.0 (34.)  
 Trefferlage 0.28 mm rechts, 0.05 mm tief  
 Streuwert 1.20, horizontal: 1.14, vertikal: 1.25




Serie 1:  
 10.0 ↗ 10.8 \* 10.5 \* 10.7 \* 10.7 \*  
 10.7 \* 10.2 \* 10.1 ↗ 10.7 \* 9.9 ↗  
 beste Teiler 41.6 (2.) 52.2 (5.) 61.9 (9.)  
 Trefferlage 0.63 mm rechts, 0.44 mm hoch  
 Streuwert 0.97, horizontal: 1.00, vertikal: 0.94



Serie 2:  
 10.1 ↗ 9.9 ↗ 10.2 \* 10.3 \* 9.5 ↖  
 9.6 ↘ 10.4 \* 10.2 \* 10.6 \* 10.4 \*  
 beste Teiler 81.8 (19.) 139.0 (17.) 144.4 (20.)  
 Trefferlage 0.13 mm rechts, 0.01 mm tief  
 Streuwert 1.66, horizontal: 1.51, vertikal: 1.81



Serie 3:  
 10.3 \* 10.5 \* 10.6 \* 10.5 \* 10.8 \*  
 10.6 \* 10.4 \* 10.6 \* 10.0 ↗ 10.9 \*  
 beste Teiler 11.4 (30.) 41.3 (25.) 89.1 (26.)  
 Trefferlage 0.03 mm rechts, 0.03 mm tief  
 Streuwert 0.94, horizontal: 0.91, vertikal: 0.96





Serie 4:  
 10.4 \* 10.3 \* 10.1 ↘ 10.9 \* 10.0 ↓  
 10.1 → 10.6 \* 10.9 \* 10.2 \* 10.3 \*  
 beste Teiler 18.0 (38.) 25.0 (34.) 77.6 (37.)  
 Trefferlage 0.34 mm rechts, 0.60 mm tief  
 Streuwert 1.09, horizontal: 1.13, vertikal: 1.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.6)  
 Serien: 92 94 95 94  
 Zähler: 19 18 2 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 785 (5), 685 (20), 544 (3)  
 beste Teiler 41.0 (25.) 77.0 (34.) 95.1 (4.)  
 Trefferlage 0.42 mm rechts, 0.24 mm tief  
 Streuwert 2.34, horizontal: 2.69, vertikal: 1.92




Serie 1:  
 10.0 ↙ 10.4 \* 8.8 ↙ 10.6 \* 7.8 ↘  
 9.7 ↓ 9.4 ↘ 9.6 → 10.4 \* 10.2 \*  
 beste Teiler 95.1 (4.) 143.8 (9.) 148.5 (2.)  
 Trefferlage 0.64 mm links, 0.13 mm tief  
 Streuwert 2.76, horizontal: 3.06, vertikal: 2.41



Serie 2:  
 9.7 ↓ 10.4 \* 10.0 ↓ 9.8 ↘ 10.2 \*  
 9.2 ← 10.0 ↑ 9.1 ↘ 10.2 \* 8.2 →  
 beste Teiler 150.8 (12.) 182.9 (15.) 196.3 (19.)  
 Trefferlage 0.85 mm rechts, 0.67 mm tief  
 Streuwert 2.52, horizontal: 3.06, vertikal: 1.84



Serie 3:  
 9.8 ↖ 9.8 ↙ 10.1 → 9.9 → 10.8 \*  
 9.7 ← 10.1 ↓ 10.4 \* 9.3 ↗ 10.1 ↓  
 beste Teiler 41.0 (25.) 147.1 (28.) 202.7 (30.)  
 Trefferlage 0.01 mm rechts, 0.07 mm tief  
 Streuwert 1.94, horizontal: 2.17, vertikal: 1.67





Serie 4:  
 10.6 \* 10.2 \* 9.1 ↗ 10.6 \* 10.0 →  
 9.7 ↗ 9.5 ↙ 9.3 ↗ 9.4 → 9.5 ↘  
 beste Teiler 77.0 (34.) 96.5 (31.) 197.9 (32.)  
 Trefferlage 1.47 mm rechts, 0.10 mm tief  
 Streuwert 2.09, horizontal: 2.23, vertikal: 1.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (411.0)  
 Serien: 96 99 98 99  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 413 (3), 352 (1), 346 (9)  
 beste Teiler 18.0 (34.) 24.0 (23.) 73.0 (21.)  
 Trefferlage 0.10 mm rechts, 0.33 mm hoch  
 Streuwert 1.35, horizontal: 1.40, vertikal: 1.30




Serie 1:  
 9.5 ←                      10.4 \*                      9.3 ↘                      10.3 \*                      10.6 \*  
 10.5 \*                      10.6 \*                      9.9 →                      9.6 ↘                      10.1 ←  
 beste Teiler 96.1 (7.) 100.9 (5.) 103.5 (6.)  
 Trefferlage 0.32 mm rechts, 0.27 mm tief  
 Streuwert 1.79, horizontal: 2.17, vertikal: 1.29



Serie 2:  
 9.8 ↖                      10.5 \*                      10.2 \*                      10.6 \*                      10.3 \*  
 10.4 \*                      10.4 \*                      10.6 \*                      10.6 \*                      10.2 \*  
 beste Teiler 77.2 (19.) 87.7 (18.) 96.7 (14.)  
 Trefferlage 0.11 mm rechts, 0.11 mm hoch  
 Streuwert 1.20, horizontal: 1.26, vertikal: 1.13



Serie 3:  
 10.7 \*                      9.8 ↑                      10.9 \*                      10.3 \*                      10.4 \*  
 10.3 \*                      9.7 ↗                      10.0 ↑                      10.1 ←                      10.0 ↘  
 beste Teiler 24.0 (23.) 73.0 (21.) 131.6 (25.)  
 Trefferlage 0.11 mm links, 0.71 mm hoch  
 Streuwert 1.44, horizontal: 1.22, vertikal: 1.62





Serie 4:  
 9.9 ↑                      10.3 \*                      10.3 \*                      10.9 \*                      10.5 \*  
 10.4 \*                      10.6 \*                      10.6 \*                      10.3 \*                      10.6 \*  
 beste Teiler 18.0 (34.) 78.1 (40.) 82.0 (37.)  
 Trefferlage 0.08 mm rechts, 0.77 mm hoch  
 Streuwert 0.87, horizontal: 0.77, vertikal: 0.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.3)  
 Serien: 95 93 96 93  
 Zähler: 21 15 4 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 630 (37), 626 (14), 621 (18)  
 beste Teiler 51.7 (2.) 71.5 (23.) 125.0 (29.)  
 Trefferlage 0.73 mm rechts, 0.48 mm tief  
 Streuwert 2.11, horizontal: 2.29, vertikal: 1.90




Serie 1:  
 9.8 ↗ 10.7 \* 10.0 ↓ 10.2 \* 10.4 \*  
 9.0 ↘ 10.2 \* 10.4 \* 9.7 ← 8.8 →  
 beste Teiler 51.7 (2.) 138.6 (8.) 149.5 (5.)  
 Trefferlage 0.76 mm rechts, 0.29 mm tief  
 Streuwert 2.09, horizontal: 2.36, vertikal: 1.79



Serie 2:  
 9.5 ↘ 10.4 \* 9.7 ← 8.4 ↘ 10.4 \*  
 10.3 \* 9.9 ↙ 8.5 → 10.2 \* 10.2 \*  
 beste Teiler 126.2 (15.) 140.7 (12.) 162.8 (16.)  
 Trefferlage 0.52 mm rechts, 0.71 mm tief  
 Streuwert 2.51, horizontal: 2.55, vertikal: 2.46





Serie 3:  
 9.9 ↑ 10.1 ↘ 10.7 \* 9.9 ↓ 10.2 \*  
 10.1 → 9.5 ↘ 9.9 ↘ 10.5 \* 10.3 \*  
 beste Teiler 71.5 (23.) 125.0 (29.) 161.9 (30.)  
 Trefferlage 0.59 mm rechts, 0.51 mm tief  
 Streuwert 1.57, horizontal: 1.47, vertikal: 1.66




Serie 4:  
 9.6 ↘ 9.4 ↘ 9.8 ← 10.0 → 10.2 \*  
 9.4 → 8.4 ↘ 10.0 ↑ 10.1 ← 9.6 ↘  
 beste Teiler 183.3 (35.) 219.3 (39.) 236.5 (34.)  
 Trefferlage 1.06 mm rechts, 0.43 mm tief  
 Streuwert 2.44, horizontal: 2.90, vertikal: 1.88

Unterschrift des Schützen


Ergebnis: **388** (407.8)  
 Serien: 97 96 96 99  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 471 (12), 401 (38), 388 (13)  
 beste Teiler 7.0 (14.) 26.0 (30.) 28.3 (39.)  
 Trefferlage 0.11 mm links, 0.02 mm tief  
 Streuwert 1.58, horizontal: 1.66, vertikal: 1.50




Serie 1:  
 9.9 ↘ 10.7 \* 10.8 \* 10.3 \* 9.8 ←  
 10.1 ↙ 10.0 → 10.6 \* 9.7 ↘ 10.2 \*  
 beste Teiler 46.0 (3.) 65.9 (2.) 91.0 (8.)  
 Trefferlage 0.34 mm rechts, 0.39 mm tief  
 Streuwert 1.51, horizontal: 1.93, vertikal: 0.92



Serie 2:  
 9.6 ↘ 9.1 ↖ 9.4 ↖ 10.9 \* 9.8 ↙  
 10.5 \* 10.1 → 10.1 ↘ 10.7 \* 10.3 \*  
 beste Teiler 7.0 (14.) 53.3 (19.) 103.5 (16.)  
 Trefferlage 0.32 mm links, 0.06 mm tief  
 Streuwert 1.98, horizontal: 2.08, vertikal: 1.87



Serie 3:  
 9.6 ↖ 9.9 ↖ 10.5 \* 10.1 ↘ 9.7 ←  
 9.7 ↘ 10.4 \* 10.3 \* 10.2 \* 10.8 \*  
 beste Teiler 26.0 (30.) 117.0 (23.) 146.6 (27.)  
 Trefferlage 0.58 mm links, 0.36 mm tief  
 Streuwert 1.59, horizontal: 1.47, vertikal: 1.71





Serie 4:  
 10.7 \* 10.3 \* 10.4 \* 10.4 \* 10.2 \*  
 10.7 \* 10.8 \* 9.3 ↗ 10.8 \* 10.4 \*  
 beste Teiler 28.3 (39.) 49.8 (37.) 60.2 (31.)  
 Trefferlage 0.09 mm rechts, 0.71 mm hoch  
 Streuwert 1.18, horizontal: 1.07, vertikal: 1.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.8)  
 Serien: 91 93 91 89  
 Zähler: 12 21 6 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 818 (39), 672 (7), 626 (25)  
 beste Teiler 13.3 (18.) 70.3 (38.) 99.7 (36.)  
 Trefferlage 1.04 mm links, 0.32 mm hoch  
 Streuwert 2.64, horizontal: 2.98, vertikal: 2.25




Serie 1:  
 10.5 \* 9.7 ↖ 10.4 \* 10.4 \* 8.8 ↗  
 10.0 ↖ 8.3 ← 8.8 ↘ 9.4 ↙ 9.0 →  
 beste Teiler 125.0 (1.) 131.3 (3.) 133.3 (4.)  
 Trefferlage 1.12 mm links, 0.33 mm tief  
 Streuwert 2.88, horizontal: 3.19, vertikal: 2.54



Serie 2:  
 9.8 → 9.1 ↖ 9.7 ↘ 10.5 \* 9.3 ↘  
 9.7 ↖ 9.6 ↖ 10.9 \* 9.5 ← 10.0 ↖  
 beste Teiler 13.3 (18.) 109.2 (14.) 238.7 (20.)  
 Trefferlage 0.23 mm links, 0.74 mm hoch  
 Streuwert 2.27, horizontal: 2.29, vertikal: 2.25



Serie 3:  
 9.6 ↙ 10.2 \* 9.9 ← 9.2 ← 8.4 ↖  
 9.6 → 9.3 ↖ 9.1 ↘ 9.7 ↗ 10.5 \*  
 beste Teiler 123.4 (30.) 185.8 (22.) 251.8 (23.)  
 Trefferlage 0.73 mm links, 0.74 mm hoch  
 Streuwert 2.67, horizontal: 3.09, vertikal: 2.16



Serie 4:  
 9.8 ↓ 10.4 \* 9.2 ← 9.3 ↖ 8.6 ↗  
 10.6 \* 9.8 ← 10.7 \* 7.7 ← 8.8 ←  
 beste Teiler 70.3 (38.) 99.7 (36.) 146.4 (32.)  
 Trefferlage 2.08 mm links, 0.12 mm hoch  
 Streuwert 2.85, horizontal: 3.37, vertikal: 2.21

Unterschrift des Schützen

Meyton Elektronik