




Ergebnis: **273** (286.9)
 Serien: 91 89 93
 Zähler: 10 15 3 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2933 (23), 2560 (17), 2236 (18)
 beste Teiler 163.1 (26.) 294.1 (25.) 298.4 (1.)
 Trefferlage 3.05 mm links, 0.52 mm hoch
 Streuwert 9.01, horizontal: 7.83, vertikal: 10.06




Serie 1:
 10.6 * 10.0 ↓ 9.8 ↙ 9.1 → 9.4 ↗
 9.9 ↘ 10.0 ↖ 8.9 ↘ 8.7 ↑ 9.8 ↖

beste Teiler 298.4 (1.) 766.5 (2.) 772.4 (7.)
 Trefferlage 1.41 mm links, 1.92 mm hoch
 Streuwert 8.51, horizontal: 8.12, vertikal: 8.88



Serie 2:
 9.4 ↑ 9.5 ↖ 9.1 ↑ 9.4 ↑ 9.4 ↗
 10.3 ↓ 7.8 ↗ 8.2 ↑ 9.7 ↓ 10.0 ←

beste Teiler 511.4 (16.) 785.2 (20.) 962.8 (19.)
 Trefferlage 3.90 mm links, 3.73 mm hoch
 Streuwert 10.20, horizontal: 7.72, vertikal: 12.18





Serie 3:
 9.5 ↓ 9.7 ← 7.3 ↙ 10.4 * 10.6 *
 10.7 * 10.5 * 9.1 ← 9.9 → 10.2 ↗

beste Teiler 163.1 (26.) 294.1 (25.) 399.6 (27.)
 Trefferlage 3.83 mm links, 4.08 mm tief
 Streuwert 8.03, horizontal: 8.22, vertikal: 7.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **274** (288.3)
 Serien: 93 88 93
 Zähler: 12 12 4 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2768 (17), 2563 (19), 1924 (9)
 beste Teiler 269.5 (4.) 282.2 (3.) 326.4 (2.)
 Trefferlage 2.81 mm links, 4.93 mm tief
 Streuwert 7.90, horizontal: 7.11, vertikal: 8.61



Serie 1:
 9.7 ↓ 10.5 * 10.6 * 10.6 * 9.3 ↓
 8.9 ↗ 10.0 ← 9.8 ↙ 8.5 ↓ 10.2 ↘
 beste Teiler 269.5 (4.) 282.2 (3.) 326.4 (2.)
 Trefferlage 0.18 mm rechts, 3.42 mm tief
 Streuwert 7.38, horizontal: 4.48, vertikal: 9.42



Serie 2:
 10.5 * 9.9 → 9.1 ↙ 8.7 ↓ 10.4 *
 10.0 ↗ 7.5 ↙ 8.7 ↓ 7.7 ↘ 10.2 ↓
 beste Teiler 363.7 (11.) 453.1 (15.) 639.7 (20.)
 Trefferlage 4.55 mm links, 4.78 mm tief
 Streuwert 10.65, horizontal: 10.67, vertikal: 10.64





Serie 3:
 9.5 ↙ 9.1 ↓ 9.7 ↙ 9.7 ↓ 9.4 ↙
 9.9 ↓ 10.3 ↘ 10.3 ↘ 10.1 ↓ 9.5 ↙
 beste Teiler 530.7 (27.) 554.7 (28.) 702.4 (29.)
 Trefferlage 4.08 mm links, 6.59 mm tief
 Streuwert 4.76, horizontal: 3.73, vertikal: 5.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279** (296.0)
 Serien: 89 97 93
 Zähler: 14 11 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1849 (3), 1802 (8), 1747 (10)
 beste Teiler 63.3 (29.) 122.3 (13.) 128.2 (4.)
 Trefferlage 0.30 mm rechts, 4.11 mm tief
 Streuwert 6.83, horizontal: 6.65, vertikal: 7.00



Serie 1:
 9.7 ↗ 9.3 ↘ 8.6 ↓ 10.8 * 10.5 *
 8.9 ↓ 9.8 ↑ 8.7 ↘ 10.5 * 8.8 ←
 beste Teiler 128.2 (4.) 325.5 (9.) 358.4 (5.)
 Trefferlage 0.31 mm links, 4.72 mm tief
 Streuwert 8.80, horizontal: 8.01, vertikal: 9.52





Serie 2:
 10.4 * 10.6 * 10.8 * 10.3 ↘ 9.1 ↘
 9.6 ↘ 10.7 * 10.4 * 9.2 ↓ 10.3 ↓
 beste Teiler 122.3 (13.) 238.5 (17.) 311.4 (12.)
 Trefferlage 2.33 mm rechts, 4.06 mm tief
 Streuwert 4.86, horizontal: 4.62, vertikal: 5.08




Serie 3:
 9.4 ↘ 9.8 ↘ 9.9 ↘ 10.6 * 9.1 ←
 9.9 ↓ 10.3 ↘ 10.2 → 10.9 * 8.9 ↓
 beste Teiler 63.3 (29.) 318.1 (24.) 482.7 (27.)
 Trefferlage 1.11 mm links, 3.54 mm tief
 Streuwert 6.73, horizontal: 7.05, vertikal: 6.39

Unterschrift des Schützen


Ergebnis: **271** (283.1)
 Serien: 90 89 92
 Zähler: 4 23 3 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2188 (24), 1917 (2), 1854 (18)
 beste Teiler 221.3 (22.) 677.5 (26.) 790.6 (23.)
 Trefferlage 0.95 mm links, 6.50 mm tief
 Streuwert 7.87, horizontal: 7.65, vertikal: 8.08



Serie 1:
 9.1 ↙ 8.6 ↓ 9.9 ↘ 9.3 ↙ 10.0 ↖
 9.0 ← 9.5 ↓ 9.0 ↗ 9.7 ← 9.4 ↘
 beste Teiler 797.3 (5.) 868.7 (3.) 1009.4 (9.)
 Trefferlage 6.88 mm links, 7.91 mm tief
 Streuwert 6.07, horizontal: 4.88, vertikal: 7.06



Serie 2:
 9.5 ↓ 9.7 ↘ 9.5 → 9.5 ↗ 9.0 ←
 9.6 ↓ 9.0 ↘ 8.6 ↓ 9.8 ↓ 9.3 ↓
 beste Teiler 907.8 (19.) 1023.5 (12.) 1082.4 (16.)
 Trefferlage 1.58 mm rechts, 7.19 mm tief
 Streuwert 8.01, horizontal: 8.41, vertikal: 7.60





Serie 3:
 9.9 ↖ 10.7 * 10.0 → 8.2 ↓ 9.9 ↗
 10.1 ↗ 9.4 ↓ 9.2 ↘ 9.6 ↗ 9.1 ↘
 beste Teiler 221.3 (22.) 677.5 (26.) 790.6 (23.)
 Trefferlage 2.42 mm rechts, 4.41 mm tief
 Streuwert 8.08, horizontal: 5.94, vertikal: 9.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286** (300.2)
 Serien: 94 93 99
 Zähler: 19 8 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1920 (14), 1727 (15), 1602 (3)
 beste Teiler 275.7 (17.) 280.0 (23.) 303.1 (22.)
 Trefferlage 1.42 mm rechts, 2.54 mm tief
 Streuwert 5.96, horizontal: 6.19, vertikal: 5.72



Serie 1:
 10.6 * 9.7 ↘ 8.9 ↘ 10.2 ↖ 10.4 *
 10.2 ↘ 10.3 ↓ 9.3 ↘ 9.8 ↗ 9.8 ↗
 beste Teiler 307.5 (1.) 417.2 (5.) 534.1 (7.)
 Trefferlage 4.73 mm rechts, 1.07 mm tief
 Streuwert 5.73, horizontal: 5.95, vertikal: 5.50



Serie 2:
 10.0 → 9.8 ↙ 10.0 ↓ 8.6 ↘ 8.8 ↙
 10.3 ↘ 10.6 * 10.4 * 9.8 ↖ 9.2 ↓
 beste Teiler 275.7 (17.) 435.6 (18.) 496.9 (16.)
 Trefferlage 0.29 mm links, 5.01 mm tief
 Streuwert 7.30, horizontal: 7.32, vertikal: 7.28





Serie 3:
 10.3 ↘ 10.6 * 10.6 * 10.5 * 10.2 ↙
 10.6 * 10.4 * 10.1 ↖ 9.8 ↘ 10.4 *
 beste Teiler 280.0 (23.) 303.1 (22.) 312.6 (26.)
 Trefferlage 0.16 mm links, 1.54 mm tief
 Streuwert 3.74, horizontal: 4.01, vertikal: 3.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **272** (286.3)
 Serien: 91 90 91
 Zähler: 9 15 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2731 (17), 1999 (30), 1846 (25)
 beste Teiler 68.6 (16.) 242.4 (22.) 332.7 (2.)
 Trefferlage 3.12 mm links, 4.32 mm tief
 Streuwert 8.27, horizontal: 8.16, vertikal: 8.37



Serie 1:
 8.8 ↙ 10.5 * 8.8 ↓ 9.6 ↘ 9.7 ↗
 10.0 ← 10.5 * 9.9 ↓ 9.3 ↓ 9.2 ↘
 beste Teiler 332.7 (2.) 387.6 (7.) 732.8 (6.)
 Trefferlage 3.55 mm links, 3.29 mm tief
 Streuwert 7.72, horizontal: 6.06, vertikal: 9.08



Serie 2:
 9.9 ↙ 10.3 ↓ 8.8 ↙ 9.4 ↓ 9.7 ↓
 10.9 * 7.5 ↙ 10.0 ↓ 9.1 ↘ 9.9 ←
 beste Teiler 68.6 (16.) 520.5 (12.) 766.6 (18.)
 Trefferlage 2.97 mm links, 8.19 mm tief
 Streuwert 7.42, horizontal: 8.68, vertikal: 5.91





Serie 3:
 9.0 ↓ 10.6 * 9.6 ↗ 9.0 ↗ 8.6 ↓
 9.1 ← 9.3 ← 10.5 * 10.3 ↑ 8.5 ←
 beste Teiler 242.4 (22.) 380.2 (28.) 493.9 (29.)
 Trefferlage 2.85 mm links, 1.47 mm tief
 Streuwert 9.60, horizontal: 10.13, vertikal: 9.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **280** (293.0)
 Serien: 94 93 93
 Zähler: 14 12 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1819 (22), 1815 (14), 1785 (15)
 beste Teiler 204.1 (9.) 220.4 (3.) 259.3 (18.)
 Trefferlage 1.46 mm rechts, 0.10 mm hoch
 Streuwert 7.63, horizontal: 8.62, vertikal: 6.50



Serie 1:
 10.1 ↙ 10.1 ↘ 10.7 * 9.4 → 8.9 ←
 9.1 ↗ 10.2 ← 9.5 ↘ 10.7 * 9.3 →
 beste Teiler 204.1 (9.) 220.4 (3.) 595.2 (7.)
 Trefferlage 1.63 mm rechts, 0.09 mm tief
 Streuwert 7.70, horizontal: 9.68, vertikal: 4.99



Serie 2:
 9.7 → 10.4 * 10.5 * 8.7 → 8.7 →
 10.4 * 9.1 ↙ 10.6 * 9.9 ↗ 10.0 ←
 beste Teiler 259.3 (18.) 331.3 (13.) 445.4 (12.)
 Trefferlage 3.24 mm rechts, 1.05 mm tief
 Streuwert 7.60, horizontal: 8.83, vertikal: 6.12





Serie 3:
 9.6 ← 8.7 ↗ 9.7 ↗ 10.2 → 10.0 ←
 10.4 * 9.0 ↙ 10.5 * 9.7 ↗ 9.2 ↑
 beste Teiler 347.3 (28.) 455.5 (26.) 567.1 (24.)
 Trefferlage 0.48 mm links, 1.46 mm hoch
 Streuwert 8.07, horizontal: 7.75, vertikal: 8.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279** (293.7)
 Serien: 93 98 88
 Zähler: 16 9 4 0 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3303 (29), 1943 (23), 1918 (27)
 beste Teiler 38.2 (30.) 128.8 (9.) 264.3 (26.)
 Trefferlage 1.21 mm links, 3.04 mm tief
 Streuwert 7.90, horizontal: 6.12, vertikal: 9.34



Serie 1:
 9.9 ↓ 8.6 ↓ 9.8 ↑ 10.1 ↑ 10.0 ↓
 9.4 ↘ 9.4 ↑ 10.0 ← 10.8 * 9.8 ↙
 beste Teiler 128.8 (9.) 702.1 (4.) 766.6 (8.)
 Trefferlage 0.91 mm links, 2.21 mm tief
 Streuwert 7.45, horizontal: 5.01, vertikal: 9.26



Serie 2:
 10.6 * 10.1 ↙ 9.7 ↙ 10.5 * 10.3 ↖
 10.4 * 10.4 * 10.0 ↑ 9.9 ↑ 10.3 ↑
 beste Teiler 318.2 (11.) 377.0 (14.) 449.0 (16.)
 Trefferlage 1.59 mm links, 0.64 mm hoch
 Streuwert 4.47, horizontal: 2.93, vertikal: 5.61





Serie 3:
 10.5 * 9.1 → 8.5 ↙ 8.9 ↙ 10.3 ↘
 10.6 * 8.6 ↙ 9.5 → 6.8 ↓ 10.9 *
 beste Teiler 38.2 (30.) 264.3 (26.) 330.1 (21.)
 Trefferlage 1.12 mm links, 7.57 mm tief
 Streuwert 10.29, horizontal: 9.32, vertikal: 11.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **274** (287.1)
 Serien: 88 94 92
 Zähler: 10 14 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2196 (4), 1961 (5), 1883 (11)
 beste Teiler 114.2 (29.) 170.5 (24.) 266.9 (28.)
 Trefferlage 3.90 mm rechts, 0.22 mm tief
 Streuwert 8.44, horizontal: 7.78, vertikal: 9.06



Serie 1:
 10.2 ↓ 9.0 ↓ 9.4 ↘ 8.2 ↗ 8.5 ↗
 9.2 ↖ 9.2 → 9.9 ↑ 8.9 ↗ 9.4 ↘
 beste Teiler 586.2 (1.) 832.8 (8.) 1212.3 (10.)
 Trefferlage 7.31 mm rechts, 1.22 mm hoch
 Streuwert 9.49, horizontal: 9.45, vertikal: 9.53



Serie 2:
 8.6 ↓ 9.9 ↓ 10.6 * 10.5 * 9.2 ↗
 10.0 → 10.1 ↗ 10.0 ↖ 9.0 → 9.6 ↗
 beste Teiler 292.2 (13.) 396.5 (14.) 688.1 (17.)
 Trefferlage 3.12 mm rechts, 0.94 mm tief
 Streuwert 7.64, horizontal: 7.32, vertikal: 7.95





Serie 3:
 8.6 ↗ 9.9 ↑ 9.6 ↖ 10.7 * 10.0 →
 9.8 ↓ 8.6 ↓ 10.6 * 10.8 * 9.1 ↓
 beste Teiler 114.2 (29.) 170.5 (24.) 266.9 (28.)
 Trefferlage 1.29 mm rechts, 0.97 mm tief
 Streuwert 8.30, horizontal: 5.56, vertikal: 10.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **270** (283.0)
 Serien: 90 93 87
 Zähler: 7 18 3 2 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2848 (28), 2620 (3), 2352 (21)
 beste Teiler 483.6 (1.) 664.0 (4.) 726.1 (13.)
 Trefferlage 1.08 mm rechts, 1.48 mm tief
 Streuwert 9.57, horizontal: 8.74, vertikal: 10.33



Serie 1:
 10.3 ↙ 9.7 ↑ 7.7 ↓ 10.1 ↗ 9.1 ↘
 10.0 ↑ 9.3 ↗ 8.9 → 9.9 → 9.0 ↙
 beste Teiler 483.6 (1.) 664.0 (4.) 760.4 (6.)
 Trefferlage 3.65 mm rechts, 2.27 mm tief
 Streuwert 9.79, horizontal: 8.65, vertikal: 10.82



Serie 2:
 9.6 ↖ 9.6 ↓ 10.0 ↓ 9.7 ↗ 9.5 ↘
 9.8 ↙ 9.6 ↑ 10.0 ↘ 10.0 ← 9.7 ↑
 beste Teiler 726.1 (13.) 784.4 (18.) 791.1 (19.)
 Trefferlage 0.38 mm links, 0.69 mm tief
 Streuwert 7.25, horizontal: 6.22, vertikal: 8.15



Serie 3:
 8.0 ↓ 9.6 ↘ 9.9 ↑ 9.9 ↖ 9.7 ↖
 8.6 ↖ 9.3 ↗ 7.4 ↘ 10.0 → 9.1 ←
 beste Teiler 782.5 (29.) 855.9 (23.) 866.7 (24.)
 Trefferlage 0.00 mm , 1.47 mm tief
 Streuwert 11.84, horizontal: 11.02, vertikal: 12.60

Unterschrift des Schützen

Meyton Elektronik