




Ergebnis: **616.7 (588)**
 Serien: 102.1 102.9 103.6 102.1 102.8 103.2
 Zähler: 48 12 0 0 0 0 0 0 0 0
 Innenzehner: 33
 Weitest: 1500 (43.), 1142 (33.), 1065 (46.)
 beste Teiler: 137.5 (3.), 157.3 (49.), 164.5 (26.)
 Trefferkreis: 27.66 mm
 Trefferlage: 0.74 mm rechts, 1.47 mm tief

**Serie 1: 102.1 (97)**


9.9 → 10.0 ↙ 10.8* ↗ 10.3 ← 10.6* ↘
 9.8 ↘ 10.2 ← 10.4* ↘ 9.9 ↗ 10.2 ↗

beste Teiler: 137.5 (3.), 297.5 (5.), 457.0 (8.)
 Trefferkreis: 22.90 mm
 Trefferlage: 0.01 mm rechts, 0.63 mm tief

**Serie 2: 102.9 (98)**


10.2 ↓ 10.3* ↙ 10.2 ↓ 9.9 ↗ 10.6* ↘
 10.1 ← 10.6* ↙ 10.7* ↗ 9.7 ↘ 10.6* ↗

beste Teiler: 193.8 (18.), 259.5 (20.), 261.5 (17.)
 Trefferkreis: 22.04 mm
 Trefferlage: 1.07 mm links, 2.17 mm tief

**Serie 3: 103.6 (99)**


9.6 ↓ 10.1 ↘ 10.3* ↘ 10.5* ↘ 10.3* ↗
 10.7* ↘ 10.3 ← 10.6* ↘ 10.6* ↘ 10.6* ↗

beste Teiler: 164.5 (26.), 282.1 (29.), 299.1 (30.)
 Trefferkreis: 18.79 mm
 Trefferlage: 0.66 mm rechts, 2.51 mm tief

**Serie 4: 102.1 (98)**


10.3* ↗ 10.3 ↘ 9.5 ↘ 10.6* ↘ 10.5* ↗
 10.6* ↘ 10.3* ↘ 10.2 ↘ 10.1 ↓ 9.7 ↘

beste Teiler: 247.2 (36.), 287.4 (34.), 357.1 (35.)
 Trefferkreis: 23.24 mm
 Trefferlage: 0.79 mm rechts, 1.16 mm tief

**Serie 5: 102.8 (98)**

10.6* ↘ 10.7* ↘ 9.1 → 10.4* ↗ 10.4* ↘
 9.6 ↓ 10.6* ↙ 10.4* ↗ 10.8* ↘ 10.2 ↘

beste Teiler: 157.3 (49.), 220.6 (42.), 251.2 (47.)
 Trefferkreis: 24.38 mm
 Trefferlage: 2.43 mm rechts, 0.87 mm tief



**Serie 6: 103.2 (98)**

10.6* ↘ 10.6* ↘ 10.5* ↘ 10.2 ↗ 10.6* ↗
 9.7 ↘ 10.1 ↘ 10.4* ↘ 9.9 ↗ 10.6* ↗

beste Teiler: 244.0 (52.), 275.0 (51.), 281.5 (55.)
 Trefferkreis: 21.06 mm
 Trefferlage: 1.65 mm rechts, 1.46 mm tief



Ergebnis: **614.4 (585)**
 Serien: 100.3 103.8 102.8 101.9 103.1 102.5
 Zähler: 45 15 0 0 0 0 0 0 0 0
 Innenzehner: 30
 Weitester: 1300 (8.), 1234 (36.), 1089 (2.)
 beste Teiler: 92.5 (25.), 104.8 (16.), 130.5 (38.)
 Trefferkreis: 28.66 mm
 Trefferlage: 1.31 mm rechts, 0.60 mm tief



Serie 1: 100.3 (96)

10.4*↘

9.6↘

10.5*↘

10.6*↘

9.9↘

10.1↘

10.0↘

9.3↘


10.3*↘

9.6↗

beste Teiler: 276.5 (4.), 378.5 (3.), 408.8 (1.)

Trefferkreis: 28.61 mm

Trefferlage: 0.25 mm rechts, 0.48 mm tief



Serie 2: 103.8 (99)

10.2↗

10.5*↘

9.9↘

10.6*↘

10.5*↘

10.8*↘

10.2↗

10.1↘


10.3*↘

10.7*↗

beste Teiler: 104.8 (16.), 184.8 (20.), 307.9 (14.)

Trefferkreis: 15.80 mm

Trefferlage: 3.19 mm rechts, 0.21 mm hoch



Serie 3: 102.8 (98)

10.3↗

10.8*↗

10.1↗

10.4*↘

10.8*↘

10.2↘

10.0↗

9.7↘


10.6*↘

9.9↘

beste Teiler: 92.5 (25.), 147.3 (22.), 279.6 (29.)

Trefferkreis: 20.48 mm

Trefferlage: 2.36 mm rechts, 0.82 mm tief



Serie 4: 101.9 (96)

10.6*↘

10.5*↗

10.3*↘

9.8↗

10.5*↗

9.4↗

9.8↗

10.8*↗


10.3*↘

9.9↘

beste Teiler: 130.5 (38.), 275.6 (31.), 340.3 (35.)

Trefferkreis: 24.02 mm

Trefferlage: 2.72 mm rechts, 0.40 mm hoch



Serie 5: 103.1 (99)

10.2↗

10.5*↘

10.3*↘

10.1↘

10.7*↗

9.9↘

10.2↗

10.5*↘


10.6*↘

10.1↘

beste Teiler: 229.9 (45.), 300.5 (49.), 324.4 (42.)

Trefferkreis: 20.36 mm

Trefferlage: 0.71 mm rechts, 1.17 mm tief



Serie 6: 102.5 (97)

10.7*↗

10.7*↘

10.0↘

9.8↘

10.4*↘

10.1↘

10.5*↘

9.8↘

10.7*↗

9.8↘

beste Teiler: 232.8 (52.), 240.4 (59.), 240.9 (51.)

Trefferkreis: 22.09 mm

Trefferlage: 1.37 mm links, 1.73 mm tief



KK liegend

StandNr: 14

Gufler,, Hannes #70119024

Senioren_2m



liegend Wertung

StartNr: 14

02.08.2026 09:46


SG_Umhausen

Ergebnis: **614.2** (586)
Serien: 102.9 99.9 104.2 102.3 101.3 103.6
Zähler: 47 12 1 0 0 0 0 0 0 0
Innenzehner: 33
Weiteste: 1886 (36.), 1576 (43.), 1400 (17.)
beste Teiler: 65.9 (50.), 69.0 (28.), 90.7 (5.)
Trefferkreis: 34.68 mm
Trefferlage: 1.84 mm rechts, 0.00 mm

**Serie 1: 102.9 (99)**


10.0 ↖ 10.4* ↖ 10.4* → 10.5* ↘ 10.8* ↓
10.0 → 10.5* → 10.4* ↘ 9.9 → 10.0 ↘

beste Teiler: 90.7 (5.), 339.6 (7.), 392.5 (4.)
Trefferkreis: 20.61 mm
Trefferlage: 2.54 mm rechts, 1.20 mm tief

**Serie 2: 99.9 (94)**


10.3* → 9.6 ↖ 9.7 ↑ 10.6* ↓ 10.6* ↖
9.8 ↖ 9.2 ↘ 9.6 ↘ 10.7* ↖ 9.8 →

beste Teiler: 177.7 (19.), 294.8 (15.), 312.1 (14.)
Trefferkreis: 30.77 mm
Trefferlage: 1.58 mm rechts, 0.93 mm tief

**Serie 3: 104.2 (98)**


9.9 ↖ 10.4* → 10.6* ↖ 10.8* ↖ 10.5* ↘
10.5* ↓ 10.7* → 10.9* ↘ 10.2 → 9.7 ↖

beste Teiler: 69.0 (28.), 115.8 (24.), 229.4 (27.)
Trefferkreis: 21.45 mm
Trefferlage: 0.33 mm links, 0.23 mm hoch

**Serie 4: 102.3 (98)**


10.1 ↖ 10.4* ↓ 10.3 → 10.4* → 10.5* ↖
8.6 → 10.3* ↓ 10.2 ↖ 10.8* ↖ 10.7* ↖

beste Teiler: 123.0 (39.), 210.2 (40.), 348.4 (35.)
Trefferkreis: 29.50 mm
Trefferlage: 1.57 mm rechts, 0.51 mm tief

**Serie 5: 101.3 (97)**

10.6* ↖ 9.4 ↑ 9.0 → 10.0 → 10.8* ↖
10.0 → 10.2 ↑ 9.9 ↖ 10.5* → 10.9* ↓

beste Teiler: 65.9 (50.), 118.0 (45.), 285.8 (41.)
Trefferkreis: 28.81 mm
Trefferlage: 2.90 mm rechts, 2.33 mm hoch

**Serie 6: 103.6 (100)**

10.1 → 10.4* ↘ 10.7* ↖ 10.3* ↘ 10.2 ↘
10.7* → 10.2 ↑ 10.2 → 10.3* ↘ 10.5* →

beste Teiler: 164.2 (56.), 183.3 (53.), 376.7 (60.)
Trefferkreis: 15.93 mm
Trefferlage: 2.76 mm rechts, 0.14 mm hoch



KK liegend

StandNr: 15

Murr,, Wolfgang #70807161

Senioren_2m



liegend Wertung

StartNr: 15

02.08.2026 09:32

SG_Jenbach-Buch


Ergebnis: **561.5 (537)**
Serien: 96.7 95.8 98.5 82.8 94.0 93.7
Zähler: 19 30 7 3 0 0 0 0 0 1
Innenzehner: 11
Weiteste: 2812 (38.), 2635 (53.), 2414 (45.)
beste Teiler: 259.6 (2.), 306.0 (17.), 331.0 (6.)
Trefferkreis: 57.15 mm
Trefferlage: 2.69 mm rechts, 0.81 mm tief



Serie 1: 96.7 (93)

9.3 ↖ 10.6* ↘ 9.0 ↖ 10.3* → 9.8 ↑
10.5* ↗ 9.9 ↘ 8.1 ↖ 9.1 ↖ 10.1 ↖


beste Teiler: 259.6 (2.), 331.0 (6.), 528.7 (4.)
Trefferkreis: 32.75 mm
Trefferlage: 5.03 mm links, 4.73 mm hoch



Serie 2: 95.8 (91)

8.0 ↘ 9.9 ↖ 9.6 ↖ 9.4 ↗ 9.2 ↘
9.1 ↗ 10.6* → 9.6 ↘ 9.9 → 10.5* ↗


beste Teiler: 306.0 (17.), 331.3 (20.), 850.7 (19.)
Trefferkreis: 38.82 mm
Trefferlage: 3.07 mm rechts, 2.29 mm tief



Serie 3: 98.5 (95)

9.0 → 10.5* ↗ 9.3 → 10.3* ↗ 10.4* ↗
10.0 → 9.0 ↓ 9.8 ↑ 9.9 ← 10.3 ↑


beste Teiler: 336.0 (22.), 472.4 (25.), 493.2 (24.)
Trefferkreis: 31.27 mm
Trefferlage: 3.57 mm rechts, 0.06 mm tief



Serie 4: 82.8 (79)

9.7 → 8.9 ↘ 10.0 ↗ 8.5 → 9.3 ↗
10.2 ↘ 0.0F_{MIS} 7.4 ↘ 9.7 ↘ 9.1 ↗


beste Teiler: 572.6 (36.), 775.5 (33.), 989.6 (39.)
Trefferkreis: 50.38 mm
Trefferlage: 5.32 mm rechts, 2.55 mm tief



Serie 5: 94.0 (90)

10.0 ← 9.6 ↘ 10.3 ← 8.0 ↗ 7.9 ↘
8.4 → 10.2 → 9.8 ↓ 10.3* → 9.5 ↘

beste Teiler: 520.7 (49.), 552.2 (43.), 570.0 (47.)
Trefferkreis: 48.81 mm
Trefferlage: 5.50 mm rechts, 2.39 mm tief



Serie 6: 93.7 (89)

9.1 ↖ 9.4 ↘ 7.7 ↘ 8.4 ↘ 9.2 ↗
9.9 ↑ 9.7 ↘ 9.7 ↖ 10.3* ↓ 10.3* ↓

beste Teiler: 490.7 (59.), 497.5 (60.), 842.3 (56.)
Trefferkreis: 46.80 mm
Trefferlage: 4.00 mm rechts, 2.47 mm tief

Fußnoten-Legende:

initialisiert: 02.08.2026 09:02
gedruckt am: 02.08.2026 09:48



ID: b913f43c - Seite: 1

(C) Meyton Elektronik GmbH 2026

MIS

- Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Ergebnis: **587.2** (562)
 Serien: 97.6 97.8 99.4 98.9 98.8 94.7
 Zähler: 27 28 5 0 0 0 0 0 0 0
 Innenzehner: 13
 Weitest: 2230 (55.), 1910 (22.), 1862 (10.)
 beste Teiler: 46.6 (25.), 223.3 (9.), 244.8 (38.)
 Trefferkreis: 45.34 mm
 Trefferlage: 1.91 mm rechts, 1.31 mm tief



Serie 1: 97.6 (93)

10.0 ↘ 9.6 → 9.0 ↙ 9.7 ↖ 10.5* ↖
 10.6* ↘ 10.1 ↗ 8.8 → 10.7* ↖ 8.6 ↖


beste Teiler: 223.3 (9.), 286.8 (6.), 327.7 (5.)
 Trefferkreis: 40.39 mm
 Trefferlage: 1.34 mm links, 2.01 mm tief



Serie 2: 97.8 (93)

9.7 ↘ 9.9 → 9.1 → 10.1 ↗ 10.5* ↗
 9.2 ↖ 10.6* ↗ 9.7 ↘ 9.3 → 9.7 ↘


beste Teiler: 250.9 (17.), 381.8 (15.), 709.4 (14.)
 Trefferkreis: 33.38 mm
 Trefferlage: 3.71 mm rechts, 1.38 mm tief



Serie 3: 99.4 (95)

10.0 ↗ 8.6 ↘ 9.9 → 9.7 ↖ 10.9* ↖
 10.1 ↖ 10.2 ↗ 10.2 → 10.5* → 9.3 ↖


beste Teiler: 46.6 (25.), 351.1 (29.), 586.0 (27.)
 Trefferkreis: 30.44 mm
 Trefferlage: 0.03 mm rechts, 2.57 mm tief



Serie 4: 98.9 (97)

9.2 ↗ 10.3* ↗ 10.2 → 9.0 → 10.5* ↗
 10.0 ↖ 9.0 ↘ 10.6* ↘ 10.1 → 10.0 ↗


beste Teiler: 244.8 (38.), 366.5 (35.), 481.1 (32.)
 Trefferkreis: 29.13 mm
 Trefferlage: 4.64 mm rechts, 1.82 mm hoch



Serie 5: 98.8 (94)

9.6 → 9.7 → 9.7 ↖ 9.8 → 9.6 ↖
 9.5 → 10.3* ↘ 10.3* ↗ 10.1 ↖ 10.2 ↗

beste Teiler: 518.5 (47.), 528.7 (48.), 632.6 (50.)
 Trefferkreis: 27.66 mm
 Trefferlage: 2.77 mm rechts, 1.14 mm tief



Serie 6: 94.7 (90)

9.4 ↖ 9.5 ↘ 10.4* ↘ 8.7 ↖ 8.2 ↘
 9.5 → 9.5 ↖ 10.3 ↗ 9.6 → 9.6 ↘

beste Teiler: 472.4 (53.), 549.9 (58.), 1041.2 (60.)
 Trefferkreis: 45.23 mm
 Trefferlage: 1.64 mm rechts, 2.61 mm tief



